# Amendment to the Agreement Between Gateway Communications, Inc. and BellSouth Telecommunications, Inc. Dated April 24, 2003

Pursuant to this Amendment, (the "Amendment"), Gateway Communications, Inc. (Gateway), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated April 24, 2003 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Gateway entered into the Agreement on April 24, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to replace the Notice information for Gateway in Section 20 with the following:

Gateway Communications, Inc.

Ruth Riza 2336 Sunflower Drive Arlington, TX 76014 Tel.: 817-929-3820

- 2. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 3. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 4. All of the other provisions of the Agreement, dated April 24, 2003, shall remain in full force and effect.
- 5. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Gateway Communications, Inc. – TRO Amendment

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By. milen

Title: Director

Date: //22/0"/

Gateway Communications, Inc.

Name

Title: Presentent

Date: 1-20-04

Gateway Communications, Inc. TRO Amendment

[CCCS Amendment 2 of 421]

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

Ra	tes Exhibit	t A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 62
ADV	VANCED INTELLIGENT NETWORK (AIN) ACCESS	. 61
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)	
12	CALLING NAME (CNAM) DATABASE SERVICE	. 60
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 59
10	SIGNALING	. 53
9	LINE INFORMATION DATABASE (LIDB)	. 51
SER	RVICE	. 50
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN	
7	DATABASES	. 50
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 45
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 41
4	LOCAL SWITCHING	. 33
3	LINE SHARING	. 27
2	UNBUNDLED LOOPS	5
1	INTRODUCTION	3

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

## 1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Gateway in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Gateway (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Gateway to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Gateway used in the provision of a qualifying service, as defined by the FCC. Gateway may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Gateway, and to the extent technically feasible, provide to Gateway access to its Network Elements for the provision of Gateway's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Gateway may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Gateway under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between Gateway and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Gateway will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Gateway will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Gateway may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

#### 1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Gateway has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Gateway reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Gateway for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

#### 1.11 Rates

- 1.11.1 The prices that Gateway shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Gateway purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Gateway modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Gateway in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

## 2 <u>Unbundled Loops</u>

#### 2.1 <u>General</u>

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Gateway shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Gateway on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Gateway. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Gateway seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Gateway with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Gateway may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Gateway's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Gateway in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Gateway wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Gateway may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Gateway (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Gateway for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 Gateway will be responsible for testing and isolating troubles on the Loops.

Gateway must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.)

before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Gateway will be required to provide the results of the Gateway test which indicate a problem on the BellSouth provided Loop.

- Once Gateway has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Gateway reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Gateway for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Gateway (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Gateway for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

#### 2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Gateway to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Gateway's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Gateway to order a specific time for OC to take place. BellSouth will make every effort to accommodate Gateway's specific conversion time request. However, BellSouth reserves the right to negotiate with Gateway a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Gateway may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Gateway specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 9

the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

### 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Gateway when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Gateway's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Gateway pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Gateway must order and will be billed for both OC and OC-TS if requesting OC-TS.

#### 2.1.9 **Bulk Migration**

2.1.9.1 If Gateway requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Gateway must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 11

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

#### 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Gateway should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <a href="http://www.interconnection.bellsouth.com/">http://www.interconnection.bellsouth.com/</a>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Gateway will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Gateway. Gateway may also order OC-TS when a specified

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 12

conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Gateway may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Gateway. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Gateway to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Gateway will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Gateway or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Gateway may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Gateway may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

#### 2.4 Unbundled Copper Loops (UCL)

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Gateway.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Gateway to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Gateway or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

# 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Gateway can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Gateway may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Gateway to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Gateway may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

#### 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Gateway which has over 6,000 feet of combined bridged tap will be modified, upon request from Gateway, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Gateway. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Gateway may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Gateway requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Gateway will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Gateway shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Gateway desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Gateway, Gateway will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Gateway is available at the location for which the ULM was requested, Gateway will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Gateway will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Gateway has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Gateway. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Gateway (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Gateway, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Gateway will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Gateway to connect Gateway's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 Gateway may access the End User's customer premises wiring by any of the following means and Gateway shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Gateway to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Gateway may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Gateway's responsibility to ensure there is no safety hazard, and Gateway will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Gateway shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Gateway shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Gateway to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Gateway's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Gateway may request BellSouth to do additional work to the NID on a time and material basis.

Page 20

When Gateway deploys its own local Loops in a multiple-line termination device, Gateway shall specify the quantity of NID connections that it requires within such device.

#### 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Gateway requests a UCSL and it is not available, Gateway may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Gateway, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 21

pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Gateway's use on this cross-connect panel. Gateway will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Gateway shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Gateway's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Gateway is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Gateway's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Gateway can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Gateway's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Gateway will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Gateway requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Gateway for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 22

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Gateway will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Gateway for each pair activated commensurate to the price specified in Gateway's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Gateway will either negotiate market-based rates for these elements or will issue orders to have these

Page 24

elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Gateway has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Gateway any applicable disconnect charges.

#### 2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Gateway, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

## 2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Gateway to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.

#### 2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Gateway is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Gateway information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Gateway.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Gateway within twenty (20) business days after Gateway submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Gateway to connect Gateway provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

## 2.9 **Loop Makeup**

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Gateway LMU information so that Gateway can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Gateway intends to install and the services Gateway wishes to provide. This section addresses LMU as a preordering transaction, distinct from Gateway ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Gateway LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Gateway as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Gateway may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Gateway and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Gateway's ability to provide advanced data services over the ordered Loop type. Further, if Gateway orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Gateway is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

#### 2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Gateway may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Gateway needs further Loop information in order to determine Loop service capability, Gateway may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

  <a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Gateway may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Gateway may reserve up to three (3) Loop facilities.
- 2.9.3.2 Gateway may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Gateway. During and prior to Gateway placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Gateway does not submit an LSR for a UNE service on a reserved facility within the four (4)-day

reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Gateway will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Gateway does not reserve facilities upon an initial LMUSI, Gateway's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Gateway has reserved multiple Loop facilities on a single reservation, Gateway may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Gateway, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Gateway.

#### 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Gateway provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Gateway using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Gateway. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Gateway may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Gateway may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Gateway, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.

- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Gateway the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Gateway shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Gateway on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Gateway requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Gateway shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Gateway desires to continue providing xDSL service on such Loop, Gateway shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Gateway notice in a reasonable time prior to disconnect, which notice shall give Gateway an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Gateway purchases the full stand-alone Loop, Gateway may elect the type of Loop it will purchase. Gateway will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Gateway purchases a voice grade Loop, Gateway acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Gateway reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Gateway for

any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 **Provisioning of Line Sharing and Splitter Space**
- 3.2.1 BellSouth will provide Gateway with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Gateway must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Gateway may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Gateway's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Gateway in a central office in which Gateway is located, Gateway shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Gateway shall pay the electronic or manual ordering charges as applicable when Gateway orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Gateway's data.
- 3.3 **BellSouth Provided Splitter Line Sharing**
- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Gateway access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Gateway's xDSL equipment in Gateway's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Gateway with a carrier notification letter, informing Gateway of change. Gateway shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Gateway shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Gateway's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Gateway's

DS0 termination point as possible. Gateway shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Gateway on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Gateway DS0 at such time that a Gateway End User's service is established.

## 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Gateway may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Gateway may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Gateway in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Gateway may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 **Ordering – Line Sharing**

- 3.5.1 Gateway shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Gateway the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide Gateway access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Gateway shall pay the rates for such services, as described in Exhibit A.

#### 3.6 **Maintenance and Repair – Line Sharing**

3.6.1 Gateway shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Gateway is using a BellSouth owned splitter, Gateway may access the Loop at the point where the

combined voice and data signal exits the central office splitter via a bantam test jack. If Gateway provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Gateway will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Gateway shall inform its End Users to direct data problems to Gateway, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Gateway, BellSouth will notify Gateway. Gateway will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Gateway will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Gateway's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Gateway provides its own switching or obtains switching from a third party, Gateway may engage in line splitting arrangements with another CLEC using a splitter, provided by Gateway, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Gateway is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.

- 3.7.4 Gateway shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Gateway will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Gateway or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Gateway for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Gateway or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Gateway or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Gateway or its authorized agent submits an LSR to BellSouth to change the Loop.

## 3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Gateway or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

#### 3.9 Ordering – Line Splitting

- 3.9.1 Gateway shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Gateway the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Gateway access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Gateway shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Gateway on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

## 3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Gateway will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Gateway shall inform its End Users to direct all problems to Gateway or its authorized agent.
- 3.10.3 If Gateway is not the data provider, Gateway shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Gateway for the provision of a telecommunications service.

#### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Gateway when Gateway: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Gateway is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Gateway or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Gateway's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

Attachment 2

Page 35

- 4.2.7 Provided that Gateway purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Gateway local End User, or originated by a BellSouth local End User and terminated to a Gateway local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Gateway the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Gateway shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Gateway purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Gateway End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Gateway the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Gateway shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Gateway the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

# 4.2.10 <u>Unbundled Port Features</u>

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Gateway selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Gateway will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

# 4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Gateway an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Gateway will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Gateway the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

# 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

Attachment 2

Page 37

- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Gateway all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Gateway.

#### 4.2.13 Local Switching Interfaces.

- 4.2.13.1 Gateway shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Gateway who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Gateway shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.

- 4.2.16 Gateway shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Gateway will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

#### 4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Gateway utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

#### 4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Gateway and BellSouth;

Attachment 2

Page 39

- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Gateway.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Gateway's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Gateway's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Gateway's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Gateway, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Gateway. AIN SCR will provide Gateway with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Gateway shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.

Attachment 2 Page 40

- 4.4.4 Where AIN SCR is utilized by Gateway, the routing of Gateway's End User calls shall be pursuant to information provided by Gateway and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Gateway shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Gateway End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Gateway shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Gateway's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Gateway, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Gateway following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Gateway following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Gateway following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.
- 4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where Gateway purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Gateway's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Gateway to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Gateway specific and unique LCCs are programmed in each BellSouth end office switch where Gateway intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Gateway's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Gateway intends to provide Gateway -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Gateway to order dedicated trunking from each BellSouth end office identified by Gateway, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Gateway Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Gateway to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

#### 5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Gateway are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Gateway are not already combined by BellSouth in the location requested by Gateway but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Gateway are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

### **Enhanced Extended Links (EELs)**

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Gateway with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Gateway thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Gateway's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.

#### 5.2.5 Service Eligibility Criteria

Attachment 2

Page 43

- 5.2.5.1 Gateway must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Gateway has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Gateway will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Gateway will have at least one (1) active DS1 local service interconnection trunk over which Gateway will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Gateway's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Gateway failed to comply with the service eligibility criteria, Gateway must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that, Gateway did not comply in any material respect with the service eligibility criteria, Gateway shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Gateway did comply in all material respects with

Page 44

the service eligibility criteria, BellSouth will reimburse Gateway for its reasonable and demonstrable costs associated with the audit. Gateway will maintain appropriate documentation to support its certifications.

5.2.7 In the event Gateway converts special access services to UNEs, Gateway shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

# 5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Gateway if Gateway's customer has four (4) or more DS0 equivalent lines.
- BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Gateway is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Gateway or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Gateway's UNE port/Loop combinations. BellSouth will not bill Gateway for 911 surcharges. Gateway is responsible for paying all 911 surcharges to the applicable governmental agency.

#### 5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Gateway in addition to those specifically referenced in this Section 5 above, where available. To the extent Gateway requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

## 6 Transport, Channelization and Dark Fiber

#### 6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Gateway for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Gateway uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's

Attachment 2

Page 46

network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Gateway.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Gateway exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Gateway to connect such interoffice facilities to equipment designated by Gateway, including but not limited to, Gateway's collocated facilities; and
- Permit, to the extent technically feasible, Gateway to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Gateway.

Attachment 2

Page 47

- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Gateway may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Gateway designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and

Attachment 2

Page 48

- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Gateway shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

#### 6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Gateway may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

#### 6.3.3 <u>Technical Requirements</u>

- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Gateway's channelization equipment must adhere strictly to form and protocol standards. Gateway must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995

#### 6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Gateway to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Gateway may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Gateway, BellSouth shall perform the routine network modifications.

#### 6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- Gateway is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- BellSouth shall use its best efforts to provide to Gateway information regarding the location, availability and performance of Dark Fiber Transport within ten (10)

Page 50

business days after receiving a request from Gateway. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Gateway within twenty (20) business days after Gateway submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Gateway to connect Gateway provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Gateway.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

# 8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Gateway's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Gateway.

8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

# 9 <u>Line Information Database</u>

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Gateway must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Gateway any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Gateway's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Gateway what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Gateway, BellSouth shall provide Gateway with a list of the customer data items, which Gateway would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Gateway data to the LIDB shall be solely at the direction of Gateway. Such direction from Gateway will not be required where

the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

- 9.2.8 BellSouth shall provide priority updates to LIDB for Gateway data upon Gateway's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Gateway customer records will be missing from LIDB, as measured by Gateway audits. BellSouth will audit Gateway records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Gateway contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Gateway within one (1) business day of audit. Once reconciled records are received back from Gateway, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Gateway to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Gateway's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Gateway with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Gateway and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Gateway data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Gateway in writing.
- 9.2.13 BellSouth shall provide Gateway performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Gateway at least at parity with BellSouth Customer Data. BellSouth shall obtain from Gateway the screening information associated with LIDB Data Screening of Gateway data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Gateway under the BFR/NBR process as set forth in Attachment 11.

- 9.2.14 BellSouth shall accept queries to LIDB associated with Gateway customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Gateway shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Gateway shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

#### 10 Signaling

- 10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.
- 10.2 <u>Signaling Link Transport</u>

Attachment 2

Page 54

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Gateway designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- There shall be a DS1 (1.544 Mbps) interface at Gateway's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 **Signaling Transfer Points**
- A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Gateway local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Gateway local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Gateway or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Gateway database, then Gateway agrees to provide BellSouth with the Destination Point Code for Gateway database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Gateway or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall

# AMENDMENT EXHIBIT 1 Attachment 2

Page 56

perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 10.4 **SS7**

- 10.4.1 When technically feasible and upon request by Gateway, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Gateway's SS7 network to exchange TCAP queries and responses with a Gateway SCP.
- 10.4.2 SS7 AIN Access shall provide Gateway SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Gateway SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Gateway SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

# 10.4.3 <u>Interface Requirements</u>

- 10.4.3.1 BellSouth shall provide the following STP options to connect Gateway or Gateway-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Gateway local switching systems; and,
- 10.4.3.1.2 A B-link interface from Gateway local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 Message Screening

- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Gateway local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Gateway switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Gateway local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Gateway switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Gateway from any signaling point or network interconnected through BellSouth's SS7 network where the Gateway SCP has a valid signaling relationship.

## 10.5 <u>Service Control Points (SCP)/Databases</u>

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

#### 10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to

another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

#### 10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Gateway local signaling transfer point switches or Gateway local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Gateway local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Gateway or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Gateway local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Gateway local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Gateway local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages

Page 59

to a gateway pair of Gateway local STPs and shall not include SCCP Subsystem Management of the destination.

- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Gateway or Gateway-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Gateway local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Gateway STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Gateway local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Gateway switching system has a valid signaling relationship.

#### 11 Automatic Location Identification/Data Management System (ALI/DMS)

11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service

provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Gateway will be required to provide BellSouth daily updates to E911 database. Gateway shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

# 11.2 <u>Technical Requirements</u>

- BellSouth shall provide Gateway the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Gateway after Gateway provides End User information for input into the ALI/DMS database.
- Gateway shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

## 12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Gateway the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Gateway shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Gateway's access to BellSouth's CNAM Database Services and shall be addressed to Gateway's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Gateway requires interconnection from Gateway to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Gateway shall provide its own CNAM SSP. Gateway's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Gateway elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Gateway desires to query.

Attachment 2

Page 61

- 12.6 If Gateway queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by Gateway for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Gateway in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Gateway to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Gateway CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u>
  Advanced Intelligent Network Access
- BellSouth's SCE/SMS AIN Access shall provide Gateway the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Gateway. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Gateway service logic and data from unauthorized access.
- When Gateway selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Gateway to use BellSouth's SCE/SMS AIN Access to create and administer applications.

Attachment 2 Page 62

- Gateway access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Gateway to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

## 14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Gateway may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>
- In the event Gateway provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 Cancellation OSS Charge
- 14.4.1 Gateway will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

																1	
UNBL	JNDLE	D NETWORK ELEMENTS - Alabama			T							1	1		ment: 2		bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	pination refers to Ge	ographicall	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPER/		. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	ic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges	CLEC may
	elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	je, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	each of	the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	Illy. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ine for that	element. Othe	erwise, the ma	nual orderin	g charge,
		I, will be applied to a CLECs bill when it submits an LSR to B			• •		· ·				•				•		
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff. Section	on 5 as appl	icable.										
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48. ULDD1.												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU	NDLED F	XCHANGE ACCESS LOOP	1	1	2	-27.0.		200.00			1	İ	l	1			
3.120		ANALOG VOICE GRADE LOOP	1	1		1					1	İ	l	1			
	T	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30				<b>†</b>		
	ì	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30	İ	l	1			
	<b>†</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30			1	t		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30	İ	İ	İ			
	<b>†</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30			1	t		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	l	_	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30	1	1	<b> </b>			
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	Ť			504	501	00	25.40	3.00	1	1	<b> </b>			
	1	Premise	l		UEANL	URETL		8.33	0.83		I			Ì	I		·
	ì	Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		34.16	34.16		1	İ	l	1			
	1	Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		19.85	19.85	Ì	1	Ì	1	1	1		
	i .			1			1			1					•		•

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge -			
			m									por zent	po. 20.1	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring First		001150	0011411		Rates (\$)	0011411	
		CLEC to CLEC Conversion Charge Without Outside Dispatch						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								Ĭ
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			-			-									
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									<b></b>
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								<b>!</b>
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09									ĺ
	2-WIRE	Unbundled COPPER LOOP			OL744L	OCCCE		10.00									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						<del>                                     </del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								ĺ
		Manual Order Coordination 2 Wire Unbundled Copper Loop -				J.,		0.00	0.00								
		Non-Designed (per loop)			UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ UEQ	UEQMU URET1		13.44	24.40								
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		34.16 19.85	34.16 19.85								<del></del>
-		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLQ	OKLIA		19.00	13.03								<b>—</b>
		(UCL-ND)			UEQ	UREWO		14.27	7.43								ĺ
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						Ĭ
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		- '	OLFSK OLFSB	ULALS	12.30	37.01	17.50	23.49	5.50						<b>—</b>
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						ĺ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						<b></b>
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						ĺ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OR OLI OB	OE/NBC	21.00	07.01	17.00	20.40	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						ĺ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
LINIBLIN	DI ED E	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
ONBON		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP			1					<del>                                     </del>							<del>                                     </del>
	_ *****	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				<u> </u>											<b>†</b>
	<u> </u>	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													1
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						<del>                                     </del>
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						ĺ
		Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL	00.14	18.09	00.00	77.24							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	20.05	00.00	55.00	47.04	7.44						
-		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAK2	22.85	88.00	55.00	47.24	7.44						<del> </del>
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						1
		Order Coordination for Specified Conversion Time (per LSR)		Ľ	UEA	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
<u> </u>	4 14"5-	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10	<b></b>							
<u> </u>	4-WIRE	ANALOG VOICE GRADE LOOP  4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50	1					<u> </u>
<b>-</b>		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4 UEAL4	25.34 38.58	131.97 131.97	94.51	59.14 59.14	14.50 14.50						<del>                                     </del>
1		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						<b>†</b>
		Order Coordination for Specified Conversion Time (per LSR)		Ľ	UEA	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBL	JNDLEI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
0.12		7.0000										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	-
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP		O.K.E.ITO		01.00									
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	1													
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>													
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	0,12	O/ ILL/	12.70	110.00	00.00								
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09	00.00								<del>                                     </del>
		2 Wire Unbundled ADSL Loop without manual service inquiry &			0,12	00002		10.00									<del>                                     </del>
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	07 L	O/ ILEVV	11.01	30.00	01.00	77.27	7						<del> </del>
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	12.73	30.00	37.00	41.24	7.44						-
		facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	14.50	18.09	37.00	71.27	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
-	2.W/IDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIE	OOB	UAL	UKLWO		00.20	40.40								ļ
	Z-VVIIXL	2 Wire Unbundled HDSL Loop including manual service inquiry	TIDEE I	1													-
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
-	1	2 Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UNLZA	0.74	110.00	00.00	41.24	7.44						ļ
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
-	1	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	10.17	110.00	00.00	47.24	7.44						ļ
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL	OCOSL	11.44	18.09	00.00	41.24	7.44						-
-	1	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UCUSL		10.09									
		and facility reservation - Zone 1		4	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	UNL	UHLZVV	0.74	90.00	57.00	41.24	7.44						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>		UNL	UHLZVV	10.17	90.00	57.00	41.24	7.44						-
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
-	1	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.44	18.09	57.00	41.24	7.44						ļ
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		86.14	40.40								-
	4 WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOP	UNL	UKEWU		00.14	40.40								-
	4-VVIKE	4 Wire Unbundled HDSL Loop including manual service inquiry	(IIBLE I	LOOP													
1	1	and facility reservation - Zone 1		4	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		1		Ì		
-	1	4-Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHL4A	13.95	140.30	00.00	31.70	9.73						ļ
		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
-		4-Wire Unbundled HDSL Loop including manual service inquiry			OFIL	OI IL4X	15.50	140.30	00.00	31.70	9.13						ļ
		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
-	1	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL OCOSL	15.25	18.09	00.00	31.70	9.73						ļ
-	1	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UCUSL		10.09									ļ
		and facility reservation - Zone 1		4	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	_ '	UNL	UHL4VV	13.95	94.00	57.00	31.70	9.73						-
1	1	and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		1		Ì		1
-	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1		OI IL	UNL4VV	10.00	94.00	31.00	51.70	9.73	-		-	-	-	<del>                                     </del>
1	1	and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		1		Ì		1
	1	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	3	UHL	OCOSL	15.25	18.09	31.00	51.70	9.73						<del>                                     </del>
<del>                                     </del>	<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch	-	<del>                                     </del>	UHL	UREWO		86.14	40.40	<del>                                     </del>				-	<b> </b>	-	<del> </del>
<del>                                     </del>		EDS1 DIGITAL LOOP	-	<del>                                     </del>	OI IL	UNLWU		00.14	40.40	<del>                                     </del>	-			-	<b> </b>	-	<del> </del>
<u> </u>	4-WIRE		<del>                                     </del>	4	USL	USLXX	82.55	252.47	157.54	44.70	11.71			-	-	-	<del> </del>
	<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	82.55 154.18	252.47	157.54	44.70	11.71			-	<b> </b>	-	<del> </del>
	1	4-Wire DS1 Digital Loop - Zone 2	<del>                                     </del>		USL	USLXX	314.52	252.47	157.54	44.70	11.71						<del>                                     </del>
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	3	USL	OCOSL	314.32	18.09	107.04	44.70	11./1	-					<del>                                     </del>
Щ	1	Order Coordination for Specified Conversion Time (per LSR)	L	<u> </u>	UUL	UUUSL		10.09		1	l	l	1	l	l	l	

UNRI	JNDLF	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
CITE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO TRABAINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
	4-WIRE	19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
1		4-Wire Copper Loop-Designed including manual service inquiry														I	
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		4-Wire Copper Loop-Designed without manual service inquiry											<u> </u>	<u> </u>	_		
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73			ļ			
		4-Wire Copper Loop-Designed without manual service inquiry													1		
		and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73			ļ			
1		4-Wire Copper Loop-Designed without manual service inquiry											<u> </u>	<u> </u>	_		
		and facility reservation - Zone 3	I	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73				1		
<u> </u>		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15						ļ		
L	<u> </u>	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48						ļ		
LOOP	MODIFIC	CATION			L										ļ		
					UAL, UHL, UCL,									Ì	I		
					UEQ, ULS, UEA,										1		
1		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l .		UEANL, UEPSR,									Ì	I		
	1	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00					ļ	<b>.</b>		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	l .											Ì	I		
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
					UAL, UHL, UCL,										1		
1					UEQ,ULS,UEA,									Ì	I		
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	l .		UEANL, UEPSR,									Ì	I		
OUD :	0000	per unbundled loop			UEPSB	ULMBT		32.41	32.41								
SUB-L	UUPS				l							<u> </u>		<u> </u>		l	L

UNBL	UNDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
<u> </u>		7.000										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec			Disconnect				Rates (\$)		
<u> </u>	<b>_</b>	B1 - 11 - d						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIFANII	LICECA		044.40									
	-	<u>Up</u>	- 1		UEANL	USBSA		244.42									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
-		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB	-	22.04									
		Facility Set-Up	1		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			027.812	00200											
		Set-Up	- 1		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						=									
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2		LIODNIA	40.07	70.00	44.40	40.74	0.07						
-	-	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07	-					
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
		Zone 3		3	OLANL	USBIN4	32.37	79.03	44.13	45.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Cab 2006 2 17110 Intrabanding Frontierin Cabre (1110)			027.112	002.12	2.2.	00.01		10.20	00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
<u> </u>	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15						1		
<b>—</b>	+	4 Wire Copper Unbundled Sub-Loops, per sub-loop pair		1	UEF	UCS4X	6.11	79.03	8.15 44.19	49.71	9.07	-			<del>                                     </del>		
-	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X UCS4X	12.61	79.03	44.19	49.71	9.07	-			1		
-	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	15.36	79.03	44.19	49.71	9.07				<del> </del>		
<b> </b>	1	Suppor Cribanaica Sub Loop Distribution - Zorie 3		3	<u></u>	2007A	10.00	13.03	44.13	43.71	3.07	<u> </u>			<b> </b>		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	İ	34.16	34.16						1		
		Loop Testing - Basic Additional Half Hour			UEF	URETA	1	19.85	19.85								
		lled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
	Network	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87						<b> </b>		
LINE		Network Interface Device Cross Connect - 4W			UENTW	UNDC4	ļ	5.87	5.87						<b> </b>		
UNE C		ROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							<b> </b>		
-	+	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				-			<del>                                     </del>		
-	+	UNITY Circuit id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							1		
UNF O	THER. P	ROVISIONING ONLY - NO RATE				014E014	0.00	0.00							<del> </del>		
							l l								1		

CATEGORY RATE ELEMENTS  Interi m  Zone BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  BCS  USOC  RATES (\$)  DAMAGIAI V. Order vs. Electronic- 1st  Add'I  CONTROL V. DOWN Annual Svc  Order vs. Electronic- 2st  Add'I  CONTROL V. DOWN Annual Svc  Order vs. Electronic- 2st  Add'I  CONTROL V. DOWN AND AND AND AND AND AND AND AND AND AN	Fubility A	Fubility (	Fubible A	
CATEGORY   RATE ELEMENTS   Under   Date   BCS   USOC   RATES (8)   Submitted   Catagory   Charges   Port Like   Catagory   Catagor	Exhibit: A			: A crement
ATECORY  PATE ELEMENTS  Interior of the part List Figure 1 and 1 a				
### ATTE FLEMENTS ### 2009 BCS USDC ### ATTE FLEMENTS ### 2009 Code vs. Bectronic   Electronic	•			Charge -
Non-control   Non-control   Non-control   Non-control   Section   Non-control   Section   Non-control   Section   Non-control   Section   Non-control   No				lanual S
Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Providering Only - no rate   Second Control Name   Second Control				Order vs
No.   No.				lectronic
Unburned Curiast Name, Proisioning Only - no rate	Disc 1st Disc	Disc 1st Dis	c 1st Disc	Disc Add
Unbounded Cortiact Name, Provisioning Only - no rate				
Unburded Start Darker Winter Cross Dark Jumper - no   UNIVERSITY   U	SOMAN SO	SOMAN S	MAN SO	SOMAN
Unburded Start Darker Winter Cross Dark Jumper - no   UNIVERSITY   U				
Unbundled Sul-Lop Feeder 4 Wire Closs Box Jumper - no   UEA_UDNIEC, LIDC LISEFQ				
Description   Description				
Substanded Set Loop - Superharmer Format Option - no rate   USA				
Intellegence   URAUSELUCLUDE   USBERR   0.00   0.				
Unburneled S11.cog - Superfame Format Option - no rate   USL   CCOSF   0.00   0.00				
Unburneled DST Loop - Expanded Superframe Format option -   USL				
ISL   CCOEF   CO.00				
Hight Capacity Unbrundled Local Loop - DS3 - Per Mile per month				
High Capacity Unburded Local Loop - DS3 - Per Mile per morth   UE3   ILEND   8.38			$\longrightarrow$	
Month   UES   LEND			$\longrightarrow$	
High Capadity Unburided Local Loop - SS3 - Facility   Termination per month   UE3   UE3PX   306.98   451.52   263.94   119.49   83.58				
Termination per month   UE3   UE3PX   308.98   451.52   263.94   119.49   83.58	<del></del>	<del></del>	+	
High Capacity Unburidided Local Loop - STS-1 - Per Mile per month month   High Capacity Unburidided Loop - STS-1 - Facility   UULSX   LLSND   8.38				
Month   Mont	<del></del>		-+	
High Capacity Unbundled Load Loop - STS-1 - Facility   UDLSX   UDLS1   319.83   451.52   263.94   119.49   83.58				
LOP MAKE_UP   Preordering Without Reservation, per working or   Lop Make_UP - Preordering Without Reservation, per working or   Spare facility queried (Manual)   Lop Make_UP - Preordering With Reservation, per working or   Lop Make_UP - Preordering With With Reservation, per working or   Lop Make_UP - Preordering With With Reservation, per working or   Lop Make_UP - Preordering With With Reservation, per working or   Lop Make_UP - Preordering With With R				
LiDOP MAKE-UP   Spare facility queried (Manual).				
Spare facility queried (Manual).		-	_	
Loop Makeup - Preordering With Reservation, per spare facility   UMK				
Queried (Manual).   UMK				
Line Sharing Splitter, per System 96 Line Capacity   U.S.   U.S.DA   155.97   188.79   0.00   177.98   0.00   177.98   0.00   187.98   188.79   0.00   177.98   0.00   187.98   188.79   0.00   187.75   188.79   0.00   188				
Sparie Racility queried (Mechanized)				
INTESTARING AND LINE SPLITTING   NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:				
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:				
NOTE 1: 100/22003 - 10/01/22005: 5% of the rate for an unbundled copper loop non-designed ("UCLND")				
NOTE 1: 100/2/2004 - 10/01/2005: 59% of the rate for UCLND				
NOTE 1: 100/22005 - 10/01/2006: 75% of the rate for UCLND   NOTE 1: Above will apply to USCS: ULSDT and ULSCT   "NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003   Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003   Line Sharing Splitter, per System 96 Line Capacity   ULS   ULSDA   155.97   188.79   0.00   177.98   0.00   Line Sharing Splitter, per System 96 Line Capacity   ULS   ULSDB   38.99   188.79   0.00   177.98   0.00   Line Sharing Splitter, Per System, 8 Line Capacity   ULS   ULSDB   38.99   188.79   0.00   177.98   0.00   Line Sharing-DIEC Owned Splitter in Co-CFA activation deactivation (per LSOD)   ULS   ULSDB   12.73   377.58   0.00   355.96   0.00   ULS   ULSDB   12.73   377.58   0.00   355.96   0.00   ULS   ULSDB   12.73   377.58   0.00   49.84   0.00   ULS   ULSDG   86.47   0.00   49.84   0.00   ULS   ULSDG   UL				
NOTE 1: Above will apply to USOCS: ULSDT and ULSCT				
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003  LINE SHARING  SPLITTERS-CENTRAL OFFICE BASED  Line Sharing Splitter, per System 96 Line Capacity  ULS ULSDA 155.97 188.79 0.00 177.98 0.00  Line Sharing Splitter, per System 24 Line Capacity  ULS ULSDB 38.99 188.79 0.00 177.98 0.00  Line Sharing Splitter, Per System, 8 Line Capacity  ULS ULSDB 12.73 377.58 0.00 355.96 0.00  Line Sharing Splitter, Per System, 8 Line Capacity  ULS ULSDB 12.73 377.58 0.00 355.96 0.00  Line Sharing Splitter, Per System, 8 Line Capacity  ULS ULSDB 12.73 377.58 0.00 355.96 0.00  END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned Splitter)  OBSOLETE see "NOTE 2  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1  (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Sharing - per Subsequent Activity per Line  ULS ULSDT 8.40 18.51 10.60 10.01 4.92  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Sharing - per Subsequent Activity per Line	$\longrightarrow \longleftarrow$		+-	
LINE SHARING   SPLITTERS-CENTRAL OFFICE BASED   ULS ULSDA 155.97 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00 177.98 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 0.00   ULS ULSDB 38.99 188.79 0.00   ULS ULSDB 38.99 0.00   ULS ULSDB 38.99 0.00   ULS ULSDB 377.58 0.00   ULS UL			$\longrightarrow$	
SPLITTERS-CENTRAL OFFICE BASED			-+	
Line Sharing Splitter, per System 96 Line Capacity   ULS   ULSDA   155.97   188.79   0.00   177.98   0.00   0.00   177.98   0.00   0			-+	
Line Sharing Splitter, per System 24 Line Capacity   ULS   ULSDB   38.99   188.79   0.00   177.98   0.00	+		-+	
Line Sharing Splitter, Per System, 8 Line Capacity   ULS   ULSD8   12.73   377.58   0.00   355.96   0.00				
Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)				
Description   Description				
Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2				
OBSOLETE see **NOTE 2				
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line				
Central Office Located (25% of UCLND) - please see NOTE 1				
CE:10/2/2003  ULS ULSDT 2.80 18.51 10.60 10.01 4.92   ULSDT 2.80 18.51   ULSDT 2.80 18.51   ULSDT 2.80 18.51   ULSDT 2.80   ULSDT 2.8	-		-	
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line  ULS  ULSDT  5.60  18.51  10.60  10.01  4.92  ULSDT  8.40  18.51  10.60  10.01  4.92	1		1	
Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	$\longrightarrow$		$\longrightarrow$	
CE:10/2/2004)	1		1	
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line	1		1	
Central Office Located (75% of UCLND) - please see NOTE 1   (E:10/2/2005)	$\longrightarrow$	$\longrightarrow$	$\longrightarrow$	
(E:10/2/2005)         ULS         ULSDT         8.40         18.51         10.60         10.01         4.92           Line Sharing - per Subsequent Activity per Line				
Line Sharing - per Subsequent Activity per Line				
	+	+	-+	
	1		1	
Line Sharing - per Subsequent Activity per Line	+	<del></del>	-+	
Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19				
Line Sharing - per Line Activation (DLEC owned Splitter) -				
OBSOLETE see *NOTE 2				

UNBU	INDLEI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental		Incremental	
												Submitted		_	Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						1 '
		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	2.00	47.44	19.31	20.02	9.03						$\vdash$
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						j '
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															1
	LINE	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						<b></b>
	END 11	PLITTING SER ORDERING-CENTRAL OFFICE BASED				1	-	+		-				-	-	-	<del>                                     </del>
	LIND US	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	+									$\vdash$
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
		ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
-		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						120.00 160.00	82.50 110.00								$\longleftarrow$
UNBUN	IDI FD D	DEDICATED TRANSPORT						160.00	110.00	<b>†</b>							$\vdash \vdash \vdash$
CITECI		OFFICE CHANNEL - DEDICATED TRANSPORT															$\vdash$
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															1 '
-		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						$\longleftarrow$
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVX	TESAX	0.000050										$\vdash$
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.008838										<u> </u>
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	10.73	40.54	27.41	10.74	6.90						$\vdash \vdash \vdash$
		per month			U1TDX	1L5XX	0.008838										j '
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															j '
<b>—</b>		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.008838			<del>                                     </del>		-					<del>                                     </del>
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						1 '
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					.02	.0.01			5.50						
		month			U1TD1	1L5XX	0.18										<u> </u>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
<u> </u>		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						<b>├</b> ───
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.09	l									1 '
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	TESAX	4.03										
		Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						1 '
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	4.09										<b></b> '
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	U1TFS	701.37	070.75	162.76	60.20	28.46						j '
DARK	FIBER	Termination			01101	011170	/01.3/	278.75	102./6	60.20	∠8.46	-					<del>                                     </del>
JAIM!		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
L	<u> </u>	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29			<u> </u>		<u> </u>	<u> </u>	<u></u>	<u></u>	<u> </u>	1
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41.501	00.00	l		1							1
<b>—</b>		Thereof per month - Local Loop NRC Dark Fiber - Local Loop		-	UDF, UDFCX UDF, UDFCX	1L5DL UDFL4	60.32	639.09	137.87	317.06	197.66	-					<del>                                     </del>
	<u> </u>	ואותט ביים ביים ביים ביים ביים ביים ביים ביי		1	ひして、ひしてし入	UUFL4		039.09	137.87	317.06	197.00	1				l	1

CATEGORY   RATE ELEMENTS   Inter   Some   BCS   USCC   RATE (d)   Secretary   Charges   Charge	Exhibit: A	Evhi	ment: 2	Attach												D NETWORK ELEMENTS - Alabama	NRUNDI ED	UNR
CATEGORY   RATE ELEMENTS   Interior   Name   SCS   Name					Svc Order	Svc Order												0,40
ATT SUMMERS   Marie   Base   Base   USOC   BATES (5)   Part SIX   Marie Soc   Manual Soc   Man		Charge -																
CATEGORY   RATE ELEMENTS   Image   Cappa   C															Intori			
## ACCESS TEN BORT SCREENING   Discovering Part City									RATES (\$)			USOC	BCS	Zone		RATE ELEMENTS	ATEGORY	CATE
Test   Add   Dispersion   Procession   Pro		Electronic-			per Lore	per Lore									m			
Part   Part																		
MAC ACCESS TENDERSONS   SOME DESCRIPTION   SOME	ist Disc Add i	D130 131																
December   December											Por							
SXX.Access Tan Dipt Scenaring, Reversion Charge For SXX   OHD   DEDOTE	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100							
BXX secres fro trop's General Personnel Charge Per BXX   OHD   NREX   2.50   0.44																		8XX A
Number Reservoir   SOX Access for Dig Scienting, Per BXX No. Established WID   SOX Access for Dig Scienting, Per BXX No. Established Wide   POTT Immulations   SOX Access for Dig Scienting, Per BXX No. Established Wide   SOX Access for Dig Scienting, Mildle Blank AF CVR   SOX Access for Dig Scienting, Mildle Blank AF CVR   SOX Access for Dig Scienting, Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   Routing for CVR Microsoft Per BXX Mildle Blank AF CVR   ROUTING for CVR Mildle Blank AF CVR											0.00056		OHD					
SXX. Access Ten Digit Sciencering, Per DXX. No. Established WIND   OPID   NSFTX   5.94   0.81   4.57   0.54   0.55   0.81   0.75   0.54   0.55   0.81   0.75   0.55   0.81   0.75   0.55   0.81   0.75   0.55   0.81   0.75   0.													0.15					
POTS   Translations   Dist   A		<b>.</b>	<b>↓</b>						0.44	2.58		N8R1X	OHD					
OXX Access for Dig Screening, Per Early No. Established With POTE Translations   OHD NSFTX   S.94							0.54	4.57	0.04	5.04			OUD					
POTS Translations		<b></b>	<b>├</b>				0.54	4.57	0.81	5.94		-	ОНО					
DOC Access Tem Dig Streening, Contractant Africa Control							0.54	4.57	0.91	5.04		NIOETY	OHD					
Per 80X Number		<del> </del>	++				0.54	4.57	0.01	5.94		INOF I A	ОПО					
SXX Access Ten Digit Sovereing, Multiples Histor ATA CXR   No. Proceedings of Designation of Personal Process of Personal Pr									1 20	2.50		NIOECY	OHD					
Routing Per CDR Requested Per BX No.   OHD   NSPAX   3.02   0.44		<del> </del>	+						1.23	2.50		INOI CX	OTID					
BXX. Access Tan Digit Screening, Call Facility and Selection   OHD   NeFAX   3.02   0.44					1	1			1.73	3.02		N8FMX	OHD			Routing Per CXR Requested Per 8XX No.		
BXX Access Ten Digit Screening, Call Handling and Destination   OHIO   NBFDX   2.56			<del>                                     </del>															
Finaluses   DATE Content Top Screening, wt 8FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   D. 0.000565   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DATE Content Top Screening, wt 9FL No. Deliberry   DHID   DH	1		†					1	2.7.				İ			8XX Access Ten Digit Screening, Call Handling and Destination	1 8	
BXX Access Ten Digit Screening, w PETS No. Delivery   OHD   0.0000565					1	1				2.58		N8FDX	OHD					
BOX Access Fan Digit Screening, wit POTS No. Delivery   OHD   0.000565											0.000565					8XX Access Ten Digit Screening, w/ 8FL No. Delivery	8	
LINE NORMATION DATA BASE ACCESS (LIDB)																8XX Access Ten Digit Screening, w/ POTS No. Delivery	8	
LIDB Validation Per Guery																ATION DATA BASE ACCESS (LIDB)	NE INFORMAT	LINE
SIGNALING (CCS7)   SIGNALING (											0.00002		OQT			LIDB Common Transport Per Query	L	
SIGNALNG (CCS7)   Signaling Connection, Per 58(Ops Facility   UBB   PTBSX   130,83   16.44   16.44   16.44   16.25											0.012002							
CCSF Signaling Connection, Per 66ktops Facility								42.08		34.32		NRBPX	OQT, OQU					
CCS7 Synaling Termination, Per STP Port																		SIGN
CCSF Signaling Usage, Per TCAP Message		<u> </u>					16.44	16.44	35.53	35.53								
CCS7 Signaling Usage, Per TCAP Message												PT8SX	UDB					
CCS7 Signaling Connection, Per link (A link) (B link) (also known as D link)   UDB   TPP++   15.46   35.53   35.53   16.44   16.44			ļ															
CCS7 Signaling Connection, Per link (B link) (also known as D link)   UDB   TPP++   15.46   35.53   35.53   16.44   16.44			-				40.44	10.11	05.50	05.50		TDD						
Ink			-				16.44	16.44	35.53	35.53	15.46	TPP++	UDB					
C.GST Signaling Usage Per ISUP Message   UDB   0.0000142							16 11	16.44	25.52	25 52	15 46	TDD.	LIDB					
CCS7 Signaling Usage Surrogate, per link per LATA		<del> </del>	++				10.44	10.44	33.33	33.33		IFF++				,		
CCS7 Signaling Point Code, per Originating Point Code   UDB   CCAPO   29.01   29.01   35.57   35.57		-	<del>                                     </del>									STI IEE						
Establishment or Change, per STP affected			+					1			030.33	31030	ODB					
E911 SERVICE							35 57	35 57	29.01	29.01		CCAPO	LIDB					
Local Channel - Dedicated - 2-wr Voice Grade   13.97   193.10   33.17   36.64   3.20		<del> </del>	+				00.07	00.07	20.01	20.01		00/11/0	ODD			Establishment of Orlange, per off allested		F911
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.00838   1		<del>                                     </del>	<del>                                     </del>				3 20	36 64	33 17	193 10	13.97					Local Channel - Dedicated - 2-wr Voice Grade		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination			1				0.20	00.01	00.11	100.10								
Termination	1		†					1										
Local Channel - Dedicated - DS1 - Zone 1   35.76   177.47   153.72   22.19   15.26							6.90	16.74	27.41	40.54	21.13		ĺ					
Local Channel - Dedicated - DS1 - Zone 3				l														
Local Channel - Dedicated - DS1 - Zone 3							15.26	22.19	153.72		49.98					Local Channel - Dedicated - DS1 - Zone 2		
Interoffice Transport - Dedicated - DS1 Per Facility Termination										177.47	107.63					Local Channel - Dedicated - DS1 - Zone 3	L	
CALLING NAME (CNAM) SERVICE         OQV         22.95         21.11         0           CNAM For DB Owners - Service Establishment         OQV         22.95         21.11         0           CNAM For DB Owners - Service Provisioning With Point Code Establishment         OQV         990.88         732.84         268.93         197.74           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         342.33         245.14         275.25         197.74           CNAM for DB Owners, Per Query         OQV         0.000902         0.000902         0.000902           CNAM for Non DB Owners, Per Query         OQV         0.000902         0.000902         0.000902           SELECTIVE ROUTING         Selective Routing Per Unique Line Class Code Per Request Per Switch         84.70         84.70         14.11         14.11           VIRTUAL COLLOCATION         Virtual Collocation-2 Wire Cross Connects (Loop) for Line         Virtual Collocation-2 Wire Cross Connects (Loop) for Line         Virtual Collocation-2 Wire Cross Connects (Loop) for Line											0.18					Interoffice Transport - Dedicated - DS1 Per Mile	l l	
CALLING NAME (CNAM) SERVICE         OQV         22.95         21.11         0           CNAM For DB Owners - Service Establishment         OQV         22.95         21.11         0           CNAM For DB Owners - Service Provisioning With Point Code Establishment         OQV         990.88         732.84         268.93         197.74           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         342.33         245.14         275.25         197.74           CNAM for DB Owners, Per Query         OQV         0.000902         0.000902         0.000902           CNAM for Non DB Owners, Per Query         OQV         0.000902         0.000902         0.000902           SELECTIVE ROUTING         Selective Routing Per Unique Line Class Code Per Request Per Switch         84.70         84.70         14.11         14.11           VIRTUAL COLLOCATION         Virtual Collocation-2 Wire Cross Connects (Loop) for Line         Virtual Collocation-2 Wire Cross Connects (Loop) for Line         Virtual Collocation-2 Wire Cross Connects (Loop) for Line													]					1
CNAM For DB Owners - Service Establishment		<b></b>	$oxed{oxed}$				14.44	16.35	81.81	89.27	60.16		ļ					
CNAM For Non DB Owners - Service Establishment			oxdot															CALL
CNAM For DB Owners - Service Provisioning With Point Code   Establishment		<b></b>	<b> </b>									4		$\sqcup \sqcup$				
Establishment		<b></b>	<b> </b>					21.11		22.95		4	υαν	$\sqcup \sqcup$				
CNAM For Non DB Owners - Service Provisioning With Point   Code Establishment   OQV   342.33   245.14   275.25   197.74							407.74	200 20	700.04	000.00			001/					
Code Establishment		<del> </del>	<del>↓                                    </del>				197.74	268.93	/32.84	990.88		1	υψν					
CNAM for DB Owners, Per Query					1	1	107.74	275 25	045 44	242.22			loov					
CNAM for Non DB Owners, Per Query		<del> </del>	+	-			197.74	215.25	245.14	342.33	0.000003	+						
SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per Switch Switch VIRTUAL COLLOCATION VIRTUAL Collocation-2 Wire Cross Connects (Loop) for Line	-	<del>                                     </del>	+					<b>+</b> +				+						-
Selective Routing Per Unique Line Class Code Per Request Per Switch 84.70 84.70 14.11 14.11   SWIRTUAL COLLOCATION   Virtual Collocation-2 Wire Cross Connects (Loop) for Line   Switch 84.70   Switch 84	+	<del>                                     </del>	+	-				<del>                                     </del>			0.000902	+	000	<del>                                     </del>				SELE
Switch   84.70   84.70   14.11   14.11	+	<del></del>	+		<b> </b>	<b> </b>		<del>                                     </del>				+	<del> </del>					JELL
VIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line					1	1	14.11	14.11	84.70	84.70			1					
Virtual Collocation-2 Wire Cross Connects (Loop) for Line			<del>                                     </del>				17.11	1-7.11	04.70	54.70		1	i e					VIRT
			<del>                                     </del>									1	i e					
							5.44	6.03	11.80	12.30	0.03	VE1LS	UEPSR UEPSB			Splitting		

UNBU	INDLEI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	CAL COL	LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SE	LECTIV	E CARRIER ROUTING			OLFSK OLFSB	FLILS	0.03	12.30	11.00	0.03	3.44						
		Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
		End Office Establishment			SRC	SRCEO	0.000740	169.88	169.88	1.70	1.70						
ΔIN - B	FLLSOL	Query NRC, per query JTH AIN SMS ACCESS SERVICE			SRC		0.002749										
Ail D	LLLUUK	AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
		AINI CMC Access Consists - Dort Constant - Dist/One			A4NI	CAMPS		7.00	7.00	0.00	0.00						1
-		AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	1		A1N A1N	CAMDP CAM1P		7.83 7.83	7.83 7.83	9.09 9.09	9.09						
		AIN SMS Access Service - User Identification Codes - Per User			•	3,		7.00	7.00	5.55	5.55						
		ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.002188	41.88	41.88	11.71	11.71						
		AIN SMS Access Service - Session, Per Minute					0.59										
		AIN SMS Access Service - Company Performed Session, Per															
AIN D	ELLEOL	Minute JTH AIN TOOLKIT SERVICE					0.73										
AIN - D	ELLSO	AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						i
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALLI		7.00	7.03	3.03	3.03						
		DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						ı
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		7.00	7.00	0.00	0.00						1
		DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.83	7.83	9.09	9.09						
		DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.47	34.47	14.36	14.36						
		DN. Feature Code				BAPTF		34.47	34.47	14.36	14.36						ı
		AIN Toolkit Service - Query Charge, Per Query					0.05										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
-		Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access	<u> </u>				0.00582										
		Account, Per 100 Kilobytes					0.05										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription	ļ		CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
1		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			C/ uvi	D/ II LO	2.07	0.00	0.00								
		Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
1		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEC	0.40	0.00	0.00								l
ENHAN	ICED EX	Service Subscription TENDED LINK (EELs)	<del>                                     </del>		CAIVI	BAPES	0.10	8.66	8.66								
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
<b>-</b>	EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	I EU D\$′		NOFFICE TRANSPO UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAY	41.5707	0.40										
		per month	1		UNC1X	1L5XX	0.18								l		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: A
0.1.201.222											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
					-	Rec	Nonrec First	urring Add'l	Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - DS1 combination - Facility				-		FIRST	Addi	FIRST	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72	10.04	0.70						
	Voice clade CCC. 1 Cl. Molai.			0.10171	15110	0.00	0.00									
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSPO	DRT											
	First 4 Wise Apples Vales Conda Loop in Combination 7 and 4		1	UNCVX		25.24	404.07	04.54	50.44	44.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
-	1 list 4-vviile Arialog voice Grade Loop in Combination - Zone 2			UNCVX	ULAL4	30.30	131.97	34.31	35.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	ONOVA	OL/ L	00.02	101.07	04.01	00.14	14.00						
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1											
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4	60.02	131.97	04.54	50.44	14.50						
	Interoffice Transport Combination - Zone 3  Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.53	6.58	94.51 4.72	59.14	14.50						
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.55	0.30	4.72								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTF	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			<b>†</b>	5.55	5.55	0.50	0.30	1	<b> </b>				
		1	1		1											
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		1				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
$\vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1		LINIOAY	41.5007							1				
$\vdash$	Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.18								ļ		
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1				
$\vdash$	1/0 Channel System in combination Per Month	<del>                                     </del>	1	UNC1X UNC1X	MQ1	101.06	89.27 91.04	62.57	10.54	9.79	1	-		1		
<del>                                     </del>	OCU-DP COCI (data) per month (2.4-64kbs)	1	$\vdash$	UNCDX	1D1DD	1.12	6.58	4.72	10.54	9.79	1			1		
<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	$\vdash$	5.10DX	10.00	1.12	0.56	7.12				<b> </b>				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			-			,	22.30		30				l		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1							i i							
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				<u></u>		
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														_
$\vdash$	64kbs)	<u> </u>		UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
<u> </u>	Is Charge		D04 :::	UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	או ויפע	IEKUFFICE IKANS	SPUK I						1	l		l		

CATEGORY   RATE ELEMENTS   BLS   USOC   RATES (8)   Work   Security   Company   Comp	UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ACTEGIONY  BATE ELEMENTS  INFO:  STATE CLEMENTS  BASE   USO  BASE   USO  BATE (LEMENTS)  BATE		/ Hawaiiia					1					Svc Order	Svc Order				
## RATE ELEMENTS   Inter- ## 12	ĺ		1				ĺ										Charge -
### CAPTER OF THE REMERTS ### 2009 ###	I		Intar.			1	I										Manual Svc
	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				Order vs.
Second   Procedure   Procedu			m									per Lore	per Lore				Electronic-
Part   Part																	Disc Add'l
First   Add   South																D130 131	DISC Add I
Pied 4-Mine defining Digital Grade Loop in Combination - Zone 1   1 RACDIX   URLEA   2000   78.27   78.00   99.14   14.00							Rec										
First 4-Wine 648bgs Diptel Ginde Loop in Combination - Zame 2 2 UNCDX UDL64 38.66 120.27 88.60 99.4 14.50 99.4							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
First 4-Wine 648bgs Diptel Ginde Loop in Combination - Zame 2 2 UNCDX UDL64 38.66 120.27 88.60 99.4 14.50 99.4																	
First C-Wine difficient Digital Code Local in Contribution - Zons 3   S. MCDX   USAS   129.27   88.00   59.14   14.50		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
First C-Wine difficient Digital Code Local in Contribution - Zons 3   S. MCDX   USAS   129.27   88.00   59.14   14.50				_				400.00		=0.44							
Interestics Transport - Confidence - Per Mile   Per Medic - Per Mile   Per Medic - Per Mile   Per		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
Interestical Transport - Disclaration - Per Male   Deciding - Per March   Deciding - Per		First 4 Wiss CAKhan Digital Conda Languis Combination 7-2-2		2	LINCDY	LIDI CA	27.00	400.07	00.00	50.44	44.50						
Part Notes				3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						-
Interestics   Transport - Description   Facility   UNCIX   U1TT1   60 16   86.27   81.41   16.25   14.44					LINC1V	11.577	0.10										
Temmation Par Morth					ONCIA	ILJAA	0.10										-
10 Charmed Springer in contributation Park March   OCUD QCO (201 and 1) - combination - part month (2.4 6460)   UNCDX   UNCD					LINC1X	LI1TE1	60.16	89 27	81.81	16 35	14 44						
OCUCIP COCT (data) - in continuation - per month (2.4-6480s)																	
Additional 4-Wire R6Rights Digital Control According to 1																	
Additional 4-Wire GRights Digital Corpie Loop in same BS1   Interesting Transport Combination - Zone 3   UNCDX   UDL64   38.95   126.27   88.80   59.14   14.50																	
Additional 4-Wire Gritges Digital Grands Loop in same DS1   2 UNCDX		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
Additional 4-Vive 64Rsps Digital Craste Loop in same DST   Interfere Transport Combination - Zone 1   June 1   June 1   June 2																	
Interoffice Transport Combination - John Park				2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
Additional bOLDP COCK Ideas) - in combination - per month   UNCDX   IDIDD   1.12   6.58   4.72																	
C.4.646bbs   Charge   Currently Combined Network Elements Switch -As   UNCDX   UNDDX				3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
Notinecuring Currently Combined Network Elements Switch - Apr																	
Scharge   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   USUX   E2.55   E25.47   E17.54   E47.70					UNCDX	1D1DD	1.12	6.58	4.72								
EXTENDED 4-WIRE DST Digital Loop in Combination - Zone 1																	
4-Wire DST Digital Loop in Combination - Zone 1	EVEE		- D DO4	INITED				5.59	5.59	6.98	6.98						
4-Wire DST Digital Loop in Combination - Zone 2   2   UNCTX   USLXX   154.18   252.47   157.54   44.70   11.71	EXIEN		ED DS1	INIER			00.55	050.47	457.54	44.70	44.74						
A-Wire DST Digital Loop in Combination - Zone 3   3 UNC1X USLXX 314.52   252.47   157.54   44.70   11.71				1													<b></b>
Interoffice Transport - Dedicated - DS1 combination - Per Mile																	
Per Month   Interoffice Transport - Dedicated - DS1 combination - Facility   UNC1X				3	UNCIX	USLAA	314.32	232.41	137.34	44.70	11.71						<del> </del>
Interoffice Transport - Dedicated - DS1 combination - Facility   UNCIX					UNC1X	1I 5XX	0.18										
Termination Per Month					0.10.77	120701	0.10										
Nonrecurring Currently Combined Network Elements Switch -As Is Charge   Surprise S					UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
S Charge   S Charge   STENDED 4-WIRE D51 DIGITAL EXTENDED LOOP WITH DEDICATED DS INTEROFFICE TRANSPORT		Nonrecurring Currently Combined Network Elements Switch -As-															
First DS1Loop in Combination - Zone 1					UNC1X	UNCCC		5.59	5.59	6.98	6.98						İ
First DSILoop in Combination - Zone 2	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	RT											
First DSILoop in Combination - Zone 3				1													
Interoffice Transport - Dedicated - DS3 combination - Per Mile																	
Per Month				3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
Interoffice Transport - Dedicated - DS3 - Facility Termination per month			1			L							1		I		1
Month			ļ		UNC3X	1L5XX	4.09								-		<del></del>
3/1 Channel System in combination per month			1		LINICOV	LIATES	700 50	070.75	400.70	00.00	50.40		1				1
DS1 COCI in combination per month	$\vdash$		<del>                                     </del>										<b> </b>		<del></del>		<del></del>
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1  Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2  UNC1X  USLXX  154.18  252.47  157.54  44.70  11.71  Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3  3 UNC1X  USLXX  154.18  252.47  157.54  44.70  11.71  Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3  3 UNC1X  USLXX  314.52  252.47  157.54  44.70  11.71  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UC1D1  12.70  Additional DS1 COCI in combination per month UNC1X  UNC2X  UNC2X  UNC2X  UNC2X  UNC2X  UNC2X  USAX  314.52  252.47  157.54  44.70  11.71  44.70  11.71  Additional DS1 Coci in combination per month UNC1X  UC1D1  12.70  Additional DS1 Coci in combination per month UNC3X  UNC2X  UNC2X  UNC2X  USAX  314.52  252.47  157.54  44.70  11.71  11.71  11.71  11.71  11.71  11.71  12.70  Additional DS1 Coci in combination per month UNC3X  UNC2X  UNC2X  UNC2X  USAX  314.52  252.47  157.54  44.70  11.71			1							33.26	31.83		-		+	1	<del>                                     </del>
Zone 1	<del>                                     </del>		<del>                                     </del>		OINO IA	OCIDI	12.70	0.36	4.72						<del> </del>	-	<del>                                     </del>
Additional DS1Loop in DS3 Interoffice Transport Combination -   2 UNC1X USLXX 154.18 252.47 157.54 44.70 11.71			1	1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		1		I		1
Zone 2			1	<u> </u>			32.00	202.77	.004		,				<u> </u>		<b>†</b>
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3			l	2	UNC1X	USLXX	154,18	252.47	157.54	44.70	11.71				1		1
Zone 3   3 UNC1X   USLXX   314.52   252.47   157.54   44.70   11.71					-	1					1,				1	l	
Nonrecurring Currently Combined Network Elements Switch -As-   UNC3X   UNCCC   5.59   5.59   6.98   6.98		Zone 3	1	3	UNC1X		314.52	252.47	157.54	44.70	11.71		1		I		1
Is Charge		Additoinal DS1 COCI in combination per month	<u></u>		UNC1X	UC1D1	12.70	6.58	4.72								
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT     2-WireVG Loop in combination - Zone 1   1 UNCVX		Nonrecurring Currently Combined Network Elements Switch -As-						_									
2-WireVG Loop in combination - Zone 1								5.59	5.59	6.98	6.98						
2-WireVG Loop in combination - Zone 2   2 UNCVX	EXTEN		GRAD														
2-WireVG Loop in combination - Zone 3   3 UNCVX   UEAL2   36.14   88.00   55.00   47.24   7.44			ļ												ļ		1
Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month UNCVX 1L5XX 0.008838 Interoffice Transport - 2-wire VG - Dedicated - Facility			ļ												-		<del></del>
Month   UNCVX 1L5XX 0.008838				3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				1		<del>                                     </del>
Interoffice Transport - 2-wire VG - Dedicated - Facility			1		LINCVY	11.5	0.000000						1		I		1
	$\vdash$		<del>                                     </del>		OINCVA	ILOAA	0.008838			1			<b> </b>		<del></del>		⊢—
		Termination per month	1		UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		1		I		1

AFTER CLEMENTS   Initial   Zoon   BCS   USOC   RATES (B)   Section   Contention	UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATE ELEMENTS   Direct   March	CHOOKE	- HELLINGTO - Alabama										Svc Order	Svc Order				Incremental
ATT ELEMENTS # 200 BCS USOC # RATES (5)																	Charge -
CATEGORY   RATE ELEMENTS   Image   20th   Color   Co																	Manual Svc
Recording Careship Combined Redown Market South 14s   April   Course   April	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
No.   No.			m						== (+)			per LSK	per LSK				Electronic-
Non-counting Customity Conference National Students Soutch Adv.   Non-counting Disconnects   Non-counting Disconnects   Non-counting Disconnects   Non-counting Disconnects   Non-counting Customity Conference National Students   Non-counting Disconnects   Non-cou																	
Second Company Companies Second Subtant Second Second Subtant Second Subtant Second Second Subtant Second														1st	Addi	Disc 1st	Disc Add'l
December   Company Committed Selection Selection   South   S			1	<b>1</b>				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Nonexouring Currently Continues Network Elements Seatch Ander   STEDED AND ANDERSON CONTINUES PROVIDED CORP.			1	<b>1</b>			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Display   Disp	<b>+</b>	Nonrecurring Currently Combined Network Elements Switch -As-						11100	Auu	11100	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
Extraction   Committee   Com					LINCVY	LINCCC		5 50	5.50	6 08	6 98						
A-Went Coop in contension - Zeros 1	EVTEN		CDAD	C INTE				3.33	3.33	0.30	0.30						
E-VIVEY   Coop in portionation - Zona 2   2   SECTION   UPSAL   38.89   151.97   94.91   59.14   14.90	LATEN		GRAD				25.24	121.07	04.51	50.14	14.50				-		
Author/VIC Lorge Intermination - Zero 3   3, NACVY   158.44   6012   131.87   34.01   4.05   14.05	+																
Insertico Tempora - 4-were VS - Descionatio - Per Alle Per   NACVY   11,0XX   0,0000000	+														-		
Macrim   Hardina Transport - General VG - Dedicated - Facility   MNCX   11,55X   0,008808	+			3	UNCVA	UEAL4	60.02	131.97	94.51	39.14	14.50				-		
Intercedits Transport - Auditor VIX - Dedicated - Escality					LINOVA	AL EVV	0.000000										
Termination per per month   NONCX   UTTV4   18,73   40,54   27,41   16,74   6,90   Noncourage Currently Combined Metwork Elements Switch As   NONCO   5,59   5,59   6,50   6,96   NONCO   NOCO   NON			-	-	UNCVX	ILDXX	0.008838										
Nonexamp Currenty Corrolled Network Elements Switch As-   UNION   UNION   UNION   UNION   UNION   UNION   UNION   UNION   USBN   UNION   UNI							40.70										
In Charge   Cartestage   Cart	-				UNCVX	U11V4	18.73	40.54	27.41	16.74	6.90						
STENDED DISS DIGITAL EXTENDED LOOP WITH DEBICATED DSS INTEROFFICE TRANSPORT   UNIVERSITY   UNI			1	1	1110000	LINIOGO							1		I	Ì	
DSS Local Locy in combination - Families Termination per month   DNCSX   U.S.9X   308.88   451.52   263.94   119.49   83.58	<u> </u>					UNCCC		5.59	5.59	6.98	6.98	ļ					
DS3 Local Loop in continuation - Facility Termination per month   UNC3X   UE3PX   308.98   451.52   263.94   119.49   83.58	EXTEN		INTERC	PFICE						<b></b>		ļ					
Intendine Transport - Dedicated - Sist Free Mile per morth   INCSX   LEXX   4.09	<b> </b>	D53 Local Loop in combination - per mile per month	ļ	<u> </u>	UNC3X	1L5ND	8.38										
Interoffice Traisport - Dedicated - Sist - Per Mile per month   UNC3X   U.S.					l <b>.</b>	1				1		1					
Interdifice Transport - Dedicated - DS3 combination - Facility   UNC3X								451.52	263.94	119.49	83.58						
Termination per per month   UNC3X   UITTS   703.52   278.75   162.76   60.20   58.46					UNC3X	1L5XX	4.09										
Nonrecurring Currently Combined Network Elements Switch -As-   EXTENDED \$15-1 IDRITAL EXTENDED LOOP WITH DEDICATED \$15-1 INTEROFFICE TRANSPORT																	
Strange					UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
EXTENDED ATS-1 Local Login combination - per mile per month			i														
STS-1 Local Log in combination - per mile per month   UNCSX   1LSUD   8.38						UNCCC		5.59	5.59	6.98	6.98						
STS-1 Local Loop in combination - Facility Termination per month   UNCSX   UDLS1   319.83   451.52   263.94   119.49   83.58	EXTEN		S-1 INT	EROFF													
month					UNCSX	1L5ND	8.38										
Interoffice Transport - Dedicated - STS-1 combination - per mile   per month   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX																	
Der month   Interdifice Transport - Dedicated - STS-1 combination - Facility   UNCSX					UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX		Interoffice Transport - Dedicated - STS-1 combination - per mile															
Termination per month					UNCSX	1L5XX	4.09										
Nonrecurring Currently Combined Network Elements Switch -As-   UNCSX		Interoffice Transport - Dedicated - STS-1 combination - Facility															
S Charge   UNCCK		Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFICE TRANSPORT		Nonrecurring Currently Combined Network Elements Switch -As-															
First 2-Wire ISDN Loop in Combination - Zone 1					UNCSX	UNCCC		5.59	5.59	6.98	6.98						
First 2-Wire ISDN Loop in Combination - Zone 2   2 UNCNX U1L2X   32.86   117.24   79.77   52.88   10.54	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
First 2-Wire ISDN Loop in Combination - Zone 3   3 UNCNX   U1L2X   48.55   117.24   79.77   52.88   10.54		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
Interoffice Transport - Dedicated - DS1 combination - per mile   DNC1X   1L5XX   0.18		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
Interoffice Transport - Dedicated - DS1 combination - per mile   DNC1X   1L5XX   0.18		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
per month   UNC1X	i i																
Interoffice Transport - Dedicated - DS1 combination - Facility   UNC1X			1	1	UNC1X	1L5XX	0.18			I		l	1			Ì	
Termination per month	1	Interoffice Transport - Dedicated - DS1 combination - Facility										İ					
1/0 Channel System in combination - per month			1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		I	Ì	
2-wire ISDN COCI (BRITE) - in combination - per month	1	1/0 Channel System in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	İ					
Additional 2-wire ISDN Loop in same DS1Interoffice Transport																	
Combination - Zone 1	1											İ					
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   2 UNCNX			1	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	l	1			Ì	
Combination - Zone 2				1													
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 3   3 UNCNX U1L2X   48.55   117.24   79.77   52.88   10.54			1	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	l	1			Ì	
Combination - Zone 3   3 UNCNX   U1L2X   48.55   117.24   79.77   52.88   10.54																	
Additional 2-wire ISDN COCI (BRITE) - in combination- per month			1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	l	1			Ì	
Monrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   5.59   6.98   6.98												İ				İ	
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X			1	1	UNCNX	UC1CA	2.41	6.58	4.72	I			1		I	Ì	
S Charge										1		İ				İ	
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			1	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98		1		I	Ì	
First DS1 Loop Combination - Zone 1	EXTEN		ED STS	-1 INTE				2.00	2.00	2.00	2.00	İ				İ	
First DS1 Loop Combination - Zone 2							82.55	252.47	157.54	44.70	11.71				<b>†</b>	1	1
First DS1 Loop Combination - Zone 3 3 UNC1X USLXX 314.52 252.47 157.54 44.70 11.71			1									1				1	
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month UNCSX 1L5XX 4.09 Interoffice Transport - Dedicated - STS-1 combination - Facility															<b>†</b>	1	1
Per Month   UNCSX 1L5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX 1.5XX 4.09   UNCSX 1.5XX 4				Ť	2	30200	314.02	202.71	107.04	44.70		<del> </del>	1		t	<b> </b>	1
Interoffice Transport - Dedicated - STS-1 combination - Facility					UNCSX	11.5XX	4 00			1							
	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	5.100A	120707	7.09			<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	
T TERMINATION DEL TROPINA EL TERMINATION DE LE TROPINA DE LA TRANSPORTI DE LA TRANSPORTI DE LA TRANSPORTI DE L		Termination per month	1	1	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	l	1			Ì	

UNBUN	IDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
J2014												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Manual Svc			
CATEGO	'K I	RATE ELEMENTS	m	20116	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b></b>															- (4)		
$oxed{oxed}$							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>													
		Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
+-+		DS1 COCI in combination per month		Ŭ	UNC1X	UC1D1	12.70	6.58	4.72	77.70	11.71						
<del></del>		Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	COIDI	12.70	0.00	7.72								
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
<del></del>	VTC	is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DDC INT	EBOTT		UNCCC		5.59	5.59	0.98	0.98	<del>                                     </del>	-		<del>                                     </del>		<del> </del>
┝──┞			oro INI			LIDLE?	00.00	400.07	00.00	50.44	4450	1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	1
$\vdash \!$		4-wire 56 kbps Local Loop in combination - Zone 1	<u> </u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	1	1	1		ļ.
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		ļ		<b></b>	ļ	ļ
$\vdash \!$		4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		ļ		<b></b>		
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								I		1	İ		I	Ì	
		Per Mile per month	1		UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	3PS INT	EROFF													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
<b></b>		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1					
h +		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
<del>                                     </del>		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	37.00	120.27	00.00	35.14	14.50						
					UNCDX	1L5XX	0.008838										
		Per Mile per month	-		UNCDX	ILOXX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	LIATEDO	45.40	40.54	07.44	40.74	0.00						
$\vdash$		Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
E	XTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile			UNC1X	1L5XX	0.18			I		1	İ		I	Ì	
		First Interoffice Transport - Dedicated - DS1 combination -		1									İ				
		Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	l		I	Ì	
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	İ	İ	İ	İ	Ì
$\vdash$		Per each Voice Grade COCI - Per Month per month		1	UNCVX	1D1VG	0.53	6.58	4.72		50	1	i		1	1	Ì
<del></del>		3/1 Channel System in combination per month	1		UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1	1		1	1	1
+-+		Per each DS1 COCI in combination per month	+	1	UNC1X	UC1D1	12.70	6.58	4.72	00.20	01.00	<del> </del>			1	<del> </del>	<u> </u>
$\vdash$		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1	014017	ועוטט	12.70	0.56	4.12	<del>                                     </del>	1	+	<del> </del>	1	<del>                                     </del>	<del> </del>	}
				4	LINCVY	LIEALO	44.00	00.00	FF 00	47.04	7.44	1	l		I	Ì	
$\vdash$		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	1	1		-	<b> </b>	<del> </del>
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINOVA	LIEALO	00.07	00.00	FF 60	47.01		1	l		I	Ì	
$\vdash$		Interoffice Transport Combination - Zone 2	<u> </u>	- 2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	-	1	1	1	1	ļ.
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	LINION OV	11541.0							l		I	Ì	
$\perp \perp \perp$		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		ļ		<b></b>		
										I			l		I	Ì	
$oxed{oxed}$		Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72				ļ				
		Each Additional DS1 Interoffice Channel per mile in same 3/1											i				
		Channel System per month			UNC1X	1L5XX	0.18			I			l		I	Ì	
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		l		I	Ì	
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72				İ				
		Nonrecurring Currently Combined Network Elements Switch -As-		1			.20	0.00	2	t		1	1		1	1	Ì
1 1		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
1 1			1	1	ANSPORT w/ 3/1 M			5.58	5.53	0.00	0.30			ļ	<u> </u>	1	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_													
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	-					
	Mile Per Month			UNC1X	1L5XX	0.18										
<del></del>	First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	TEO/O	0.10										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1											]		
$\vdash$	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				ļ		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l		,									
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
+-	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		UNCIX	ILJAA	0.16					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
<del> </del>	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	10.00							
	Nonrecurring Currently Combined Network Elements Switch -As-				1	2.00	2.22									
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	LINCDY	LIDLEC	27.00	400.07	00.00	50.44	44.50						
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	-					
1 1	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0.18			1			1		1		
$\vdash$	First Interoffice Transport - Dedicated - DS1 - combination	1	<u> </u>	014017	ILOAA	0.10			t			<b> </b>		<del> </del>		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month	1	<u> </u>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72								
L	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
$\vdash$	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				ļ		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		١.				400		I			1		1		
$\vdash$	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		1		1		
$\vdash$	OCU-DP COCI (data) COCI in combination per month (2.4-	1	_ <u>3</u>	OINODA	UDLOG	31.88	120.27	00.80	J9.14	14.50						-
	64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72	1			1		1		
<del>                                     </del>	Each Additional DS1 Interoffice Channel per mile in same 3/1		<del>                                     </del>	5.13BX	.5155	1.12	0.00	7.12	1							
	Channel System per month		1	UNC1X	1L5XX	0.18			1			1		1		
	Each Additional DS1 Interoffice Channel Facility Termination in				1	50			1					Ì		
1 1	same 3/1 Channel System per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		1		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	1	<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	L					ļ		
-	INION COURTING CURRENTLY COMMISSED MATERIAL Florents Curitals As	1	1	l	1				1	ĺ	1	l			l	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	hit: A
CHECHEL	TENTORIC ELEMENTO Judgania										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
	Per each Channel System 1/0 in combination Per Month	Ì		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	Ì														
	64kbs)	1	1	UNCDX	1D1DD	1.12	6.58	4.72	I			1		I		i
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										1
	Each Additional DS1 Interoffice Channel Facility Termination in															i
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						i
	Each Additional DS1 COCI in the same 3/1 channel system															i
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						<u>.                                    </u>
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						ı
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						<b>!</b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1								<u> </u>	1		_		<u></u>
	Transport - Zone 3	ļ	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						<b>!</b>
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1						I			1		I		i
	Mile per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.18			ļ					ļ		1
	First Interoffice Transport - Dedicated - DS1 combination -	1			1				1					1		1
$\vdash$	Facility Termination per month	ļ		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				<b>.</b>		
	Per each Channel System 1/0 in combination - per month	ļ	<b> </b>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				<b>.</b>		
		1		l <b>.</b>	1				1					1		1
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month	ļ	<b> </b>	UNCNX	UC1CA	2.41	6.58	4.72	<b>.</b>					<b>.</b>		
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINGNIY	1141.037			===						1		1
$\vdash$	Combination - Zone 1	<b>!</b>	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54				-		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINGNIY	1141.037			===				1		I		i
<del></del>	Combination - Zone 2	<b>!</b>	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54				<b>!</b>		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINIONIV	LIALOY	40.55	447.01	70	50.00	10.51				1		1
<b></b>	Combination - Zone 3	<b>!</b>	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINGNIY	11046				1					1		1
$\vdash$	system combination- per month	<b>!</b>	<u> </u>	UNCNX	UC1CA	2.41	6.58	4.72	<b>.</b>					-		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINGAY	41.577	0.40			I			1		I		i
<del></del>	Channel System per month	<b>!</b>	<u> </u>	UNC1X	1L5XX	0.18			<b>!</b>					<b>!</b>		
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		I		i
	same 3/1 Channel System per month	1	<u> </u>	UNUIX	UTIFI	60.16	89.27	81.81	10.35	14.44	1	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -		Charge -	Charge -
														Charge -		
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7144	2.00 .01	2.007.444.
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system							71441		71441	0020	00		00		00
				LINIOAY	110454	12.70	0.50	4.70								
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
			3	UNCIA	USLAA	314.32	232.41	137.34	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			1							1					
	Facility Termination Per Month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	I	]		1		]
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ		İ
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			CITO IX	00.5.	12.70	0.00									
			1	LINICAY	1L5XX	0.18					I	]		1		]
	Channel System per month	1	-	UNC1X	ILOXX	0.18					1			1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		4	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional A Wiss DC4 Digital Level Level in Combination 7			UNCIA	USLAA	02.33	232.41	137.34	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
LX I L	First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility														-	
	Termination per month		1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	I	]		1		]
<del>- 1</del>	Nonrecurring Currently Combined Network Elements Switch -As-			1	1	.02	.0.04	2		3.30	i	i		1		1
	Is Charge		1	UNCDX	UNCCC		5.59	5.59	6.98	6.98	I	]		1		]
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERR	EEICE :		DINCCC		5.59	5.59	0.98	0.98	<b>-</b>	<b> </b>		<b> </b>		-
EXIE		NIEKO				00	100		=0		<b>.</b>			ļ		<b> </b>
	First 4-wire 64 kbps Local Loop in combination - Zone 1	ļ		UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	1			<u> </u>		1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month		1	UNCDX	1L5XX	0.008838					I	]		1		]
<del>-  </del>	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		+						1			1		l
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1					
		1	-	OINCDV	סטווט	15.12	40.54	21.41	10.74	0.90	<b>-</b>	<b> </b>		<b> </b>		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	Linioni							I	]		1		]
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					]
	NETWORK ELEMENTS															L
When	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is c	harge does app	ly.									
	used as ordinarily combined network elements in All States, t															
	curring Currently Combined Network Elements "Switch As Is"															ĺ
1.01110	Nonrecurring Currently Combined Network Elements Switch -As-		, 55													
	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		5.59	5.59	6.98	6.98	I	]		1		]
		1	-	0140 4V	DINCCC		5.59	5.59	0.98	0.98	<b>-</b>	<b> </b>		<b> </b>		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l	1		_				I	]		1		]
																i
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUND	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
ONDOND	TED HETWORK ELEMENTO Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurrin	Disconnect			oss	Rates (\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-	_														
	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Ont	onal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OI	OI	OI	01						
				U1TD1,			-		-							
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-		-							
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
	ricanny por por	<del>                                     </del>		U1TD3, ULDD3,			10 11000	20.010	1.000	0						
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3	]	219.13S	7.67S	0.7355S	0S		1		I		
МП	TIPLEXERS	<del></del>	1	220, 0.100/								l		<b> </b>		
100	DS1 to DS0 Channel System per month	1	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				<b>-</b>		
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONCIA	IVIQI	101.00	31.04	02.01	10.54	5.15						
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.12	0.00	7.72	0.00	0.00						
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UTTOD	וטוטו	1.12	0.30	4.72	0.00	0.00						
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDIN	UCTCA	2.41	0.36	4.72	0.00	0.00						
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
-		-		UTTUB	UCTCA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.55	0.36	4.72	0.00	0.00						
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
<b></b>	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				-		
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83				-		
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Loop per month  DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	12.70	0.36	4.72	0.00	0.00						
				U1TUA	UC1D1	12.70	0.50	4.70	0.00	0.00						
$\vdash$	Channel in the same SWC as collocation) per month  DS1 COCI used with Interoffice Channel per month	1	<del>                                     </del>	U1TD1	UC1D1	12.70	6.58 6.58	4.72 4.72	0.00	0.00				<del></del>		
$\vdash$	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	<del>                                     </del>	וטווטו	OCIDI	12.70	86.0	4.72	0.00	0.00				<del></del>		
1 1	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00		1		I		
IINDIINDI E	D LOCAL EXCHANGE SWITCHING(PORTS)	1	1	OLDDI	OCIDI	12.70	0.58	4.72	0.00	0.00		-		-		
	nange Ports	1	<del>                                     </del>		+	<b> </b>			-	-				<del></del>		
	nange Ports E: Although the Port Rate includes all available features in GA,	KV I A	P TNI 4	he desired features	will pood to b	o ordered	l na rotail HECC		-	-				<del></del>		
	RE VOICE GRADE LINE PORT RATES (RES)	I, LA	ον την, τ	le desired realures	will need to t	l ordered usir	ig retail 0300	s I			1			1		
Z-W	Exchange Ports - 2-Wire Analog Line Port- Res.	1	<del>                                     </del>	UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33				<del></del>		
$\vdash$	LAGIANGE FORS - 2-WITE ANALOG LINE FOR- RES.	1	1	ULFOR	UEPKL	1.38	2.38	2.21	1.42	1.33				-	-	-
	Evenanda Porte 2 Wire Apolea Line Port with Coller ID Dec			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		1		I		
<del>                                     </del>	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	1	1	ULFOR	DEPRO	1.38	2.38	2.21	1.42	1.33	-	-		-	-	-
1 1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33	İ	1				
$\vdash$	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local	1	1	ULFOR	UEPRU	1.38	2.38	2.21	1.42	1.33		-		-		
1 1	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		1		I		
<del>                                     </del>	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	<del>                                     </del>	OLFOR	ULFAR	1.38	2.38	2.21	1.42	1.33				<del></del>		
	with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33	1					
$\vdash$	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan	1	1	OLFOR	ULFAF	1.38	2.38	2.21	1.42	1.33	1	-		<del> </del>	1	1
1 1	without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	1					
<del>                                     </del>	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	1	ULFOR	JEPWA	1.38	∠.38	2.21	1.42	1.33				<del>                                     </del>		
				LIEDOD	LIEDRT	4.00	2.00	0.07	4 40	4.00		1		I		
<del>                                     </del>	Capability	1		UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33	<del>                                     </del>	-		1		
<del>                                     </del>	Subsequent Activity	1	1	UEPSR	USASC	0.00	0.00	0.00						<del>                                     </del>		
IFEA	TURES  All Available Vertical Features	1	1	UEPSR	UEPVF	1.98	0.00	0.00	1	1		ļ		<del>                                     </del>	-	-
		-	<u> </u>	UEPSK	UEPVF	1.98	0.00	0.00	1		1	ļ		-		
2-W	RE VOICE GRADE LINE PORT RATES (BUS)	1	1		1	L	L	L	L	L	<u> </u>	l		1	l	l

UNR	INDI F	D NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	bit: A
CITE	ONDEL	Alabama				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonre	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled AL extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan			LIEDOD	LIEDWD	4.00	0.00	0.07	4.40	4.00						
1	+	without Caller ID  2-Wire voice unbundled Incoming Only Port without Caller ID		<b>!</b>	UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
1		Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33			1	I	1	
-	+	Subsequent Activity	-	1	UEPSB	USASC	0.00	0.00	0.00	1.42	1.33	-		1	<del> </del>	1	1
	FEATU				UEFOB	USASC	0.00	0.00	0.00			1					
<b>—</b>	FEATO	All Available Vertical Features		1	UEPSB	UEPVF	1.98	0.00	0.00	<del>                                     </del>	<del> </del>			<del> </del>	<del>                                     </del>	<del> </del>	
	EXCHA	NGE PORT RATES (DID & PBX)			OLFOB	OLF VI	1.90	0.00	0.00								
	LACITA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
-		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital													1		
		Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
<u> </u>		Subsequent Activity		<u> </u>	UEPSP	USASC	0.00	0.00	0.00	ļ	ļ			ļ	1	ļ	
	FEATU			ļ		<del> </del>				<b>.</b>				ļ	<b>.</b>		
<u> </u>		All Available Vertical Features		<u> </u>	UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
	EXCHA	NGE PORT RATES (COIN)															
<u> </u>	NOTE	Exchange Ports - Coin Port		L	udli alaa cookee .		1.38	2.38	2.27			atad column			-	<b> </b>	ļ
<u> </u>		Transmission/usage charges associated with POTS circuit so													. Damie	L	ļ
LINID		Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	availal	pie only	through BFK/New	business Re	quest Process.	Rates for the	раскет сараы	IITIES WIII DE de	eterminea via t I	ne Bona Fio	ie Kequest/	New Busines	s Request Pro	cess.	
ONBO		OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES	-	1		<del>                                     </del>				<b>-</b>				-	<del></del>	-	
-		INGE PORT RATES IT Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Po-	in this	rate exhibit anniv 4	o the embed	ded base in ric	ne as of 10/2/0	3 until 4/4/04	After 4/1/04 4h	ee rates shall	revert to to	riff rates or	a congrato co	reemen*	-	-
-		ets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											ini rates or	а эсрагаге ад	lecinent.	1	1
-	reques	Exchange Ports - 2-Wire DID Port	arter till	- enecti	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76	iooredon.		1	t	1	1
-	+	Exchange Ports - 2-Wile DID Fort  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		1	OLI LA	JLI I'Z	0.00	115.51	10.74	59.90	3.76			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
		capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46				1		
$\vdash$	+	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	<b>-</b>	<b>!</b>	UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74			<del> </del>	t	<del> </del>	
	+	All Features Offered		<b>!</b>	UEPTX, UEPSX	UEPVF	1.98	0.00	0.00	71.75	10.74				<b>-</b>		
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	1	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	<b>-</b>		<u> </u>		<b> </b>	<b>I</b>	<b> </b>	
	NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage						nission by B-C	hannels associ	iated with 2	wire ISDN r	oorts.	1	1	
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		NGE PORT RATES (continued)		T		1	,		, <b>c</b> apabi							1	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
Ì		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detai	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1											
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						1,001100									
	Locator Capability - Subsequent Profile Changes, Additions,													1		
] ]	Deletions			UEPEX	UEP1B	0.00	175.14							I	Ì	
New	or Additional PRI Telephone Numbers	<del>                                     </del>	+	01. LX	521 15	0.00	170.14					<b> </b>		<del> </del>	-	
14644	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<del>                                     </del>	+		<del>                                     </del>							<b> </b>		<del> </del>	-	
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
<b>-</b>	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			ULFLX	OLFIC	0.0097	0.49				-			-		
	Locator Capability - Outdial Telephone Numbers, per number in															
				UEPEX	UEP1D	0.0007	11.51									
	E911 profile [New or Additional]	ļ	-	UEPEX	UEPID	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIEDAE	0.00	0.040									
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOCA	AL NUMBER PORTABILITY			HEREY HERRY	LUBOU											
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			LIEBEV	00701											
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
L	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel			LIEBEV	DD#D\/											
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
<b>  </b>	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	14.53		ļ	ļ		ļ		<b></b>	ļ	
igwdow	New or Additional Useage Sensitive Digital Data "B" Channel	1	ļ	UEPEX	PR7BU	0.00	14.53							<b>.</b>	ļ	
	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	14.53									
CALL	TYPES	1	1	uenev ··	2220				ļ							
	Inward	1	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
igwdow	Outward	1	ļ	UEPEX	PR7CO	0.00	0.00	0.00						<b>.</b>	ļ	
<u> </u>	Two-way		<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00		ļ	1			ļ	ļ	
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ		ļ									<b>.</b>	ļ	
UNBU	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<u> </u>	<u> </u>							ļ	1			ļ	ļ	
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<u> </u>	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33				1		
] ]														I	Ì	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		ļ				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring															
I I -	Unbundled Remote Call Forwarding Service - Conversion -											<u> </u>		_	<u> </u>	
	Switch-as-is		<u>L</u>	UEPVR	USAC2		0.10	0.10		L						
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	<u> </u>	<u>L</u>	UEPVR	USACC		0.10	0.10		L			<u></u>	<u></u>	L	<u></u>
UNBU	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		1		1		
		1							1							
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						

LINDII	NIDI EI	D NETWORK ELEMENTS - Alabama												A441-		Exhil	.:4. A
UNBU	NDLE		1		1	ı	1					Svc Order	Svc Order	Incremental	ment: 2	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urring	Monrocurrin	g Disconnect			088	Rates (\$)		
-			-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Habitandlad Damata Call Familiandia a Camina Interl ATA Disa	-		UEPVB	UERTE	1.38					SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus	-		UEPVB	UERTR	1.38	2.38 2.38	2.27 2.27	1.42 1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERIR	1.38	2.38	2.21	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
	Non De	Exception Local Calling	-		UEFVB	UERVJ	1.30	2.30	2.21	1.42	1.33						
	Non-Re	ecurring				1											
		Unbundled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2		0.40	0.10								
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with			LIED/D	110400		0.40	0.40								
LINIBLIN	D. ED.	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
		OCAL SWITCHING, PORT USAGE	1	-	<del>                                     </del>	+				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>				
$\vdash$	⊑nd Of	fice Switching (Port Usage)	1	1	<b>—</b>	+	0.0007005			<del>                                     </del>	<del>                                     </del>						
<u> </u>		End Office Switching Function, Per MOU	1	1	<del>                                     </del>	-	0.0007025			<del>                                     </del>	<del>                                     </del>			-			
$\vdash$	Ton-I-	End Office Trunk Port - Shared, Per MOU	1	1	<del>                                     </del>	+	0.0001638			1	<del>                                     </del>						
<u> </u>	ı anden	n Switching (Port Usage) (Local or Access Tandem)	1	1	<del>                                     </del>	-	0.00000=			<del>                                     </del>	<del>                                     </del>			-			
		Tandem Switching Function Per MOU	1	1	<del>                                     </del>	-	0.000095 0.0002015			<del>                                     </del>	<del>                                     </del>			-			
		Tandem Trunk Port - Shared, Per MOU				1											
		Tandem Switching Function Per MOU (Melded)					0.000040993										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
		Melded Factor: 43.15% of the Tandem Rate															
	Commo	on Transport  Common Transport - Per Mile, Per MOU					0.0000000										
							0.0000023										
			+														
		Common Transport - Facilities Termination Per MOU					0.0003224										
	DLED P	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES		1-1- 0-		and de Hubana		tabina an Conite	ah Danta								
	DLED F	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a					dled Local Swi										
	DLED F Cost Ba	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos	st Base	d Rate	section in the same	manner as th	dled Local Swi ey are applied	to the Stand-A	one Unbundle								
	DLED F Cost Ba Feature End Of	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied to it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied to it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied to it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur : VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	st Based sage ra	d Rate stes in the combine	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U- st and additional Port nonrecurring charges apply to Not Cure VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage ra	tes in the combine of	section in the same he Port section of the	manner as th	dled Local Swite ey are applied to the shall apply to ned Combos the shall apply to 12.70 21.19	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curic VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3 pop Rates	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the ed Combos. For Cui	manner as th nis rate exhib rrently Comb	dled Local Swii ey are applied it shall apply to ned Combos th 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cure VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage ra	d Rate stes in the combined of	section in the same the Port section of the ed Combos. For Cul	manner as the sis rate exhibits rate exhibits reently Combination of the sister of the	dled Local Swirey are applied it shall apply to ned Combos the 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORTAL OOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	section in the same he Port section of the ed Combos. For Cur UEPRX UEPRX	manner as the sis rate exhibits rate exhibits rate exhibits rently Combined to the sister of the sis	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 op Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3	st Based sage ra	d Rate stes in the combined of	section in the same the Port section of the ed Combos. For Cul	manner as the sis rate exhibits rate exhibits reently Combination of the sister of the	dled Local Swirey are applied it shall apply to ned Combos the 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curic VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3 pop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	Section in the same the Port section of the ded Combos. For Cu  UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibit rently Combination of the combination of t	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/po g charges sha	ort network elei	ments except ( ntified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curr **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	manner as this rate exhibit rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei II be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei ii be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  PORT STATE OF TRANSPORT STATE OF TRANSPORT STATE  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	manner as this rate exhibit rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei II be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Curl **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Combination (Combination)  UEPLX  UEPLX  UEPLX  UEPLX  UEPLX  UEPRC  UEPRC	dled Local Swi   ey are applied     tt shall apply to     ned Combos th     12.70     21.19     34.80     11.55     20.04     33.65     1.15     1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	19.83 19.83	et network elei il be those ide be those ide 24.91 24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORTAL COP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **sop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei ii be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled port outgoing only - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 21.19 34.80 1.15 2.0.04 33.65 1.15 1.15 1.15	40.19 40.19	19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Curi  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **Ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **Op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice unbundles res, low usage line port with Caller ID  (LUM)	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Combination (Combination)  UEPLX  UEPLX  UEPLX  UEPLX  UEPLX  UEPRC  UEPRC	dled Local Swi   ey are applied     tt shall apply to     ned Combos th     12.70     21.19     34.80     11.55     20.04     33.65     1.15     1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	19.83 19.83	et network elei il be those ide be those ide 24.91 24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORTAL COP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID [LUM] 2-Wire Voice Unbundled Alabama Residence Dialing Plan	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as the is rate exhibited exhi	died Local Swii   died Local Swii   died Local Swii   applied     it shall apply to ned Combos the combos th	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except 1 ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) DOT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port suith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 21.19 34.80 1.15 2.0.04 33.65 1.15 1.15 1.15	40.19 40.19	19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU  **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Cure  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **Ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  **Sop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice Unbundles res, low usage line port with Caller ID (LUM)  2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Base Feature Featu	Common Transport - Facilities Termination Per MOU  **PORTAL COP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curr **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundles res, low usage line port with Caller ID **2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Port Residence See See See See See See See See See S	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as the is rate exhibited exhi	died Local Swii   died Local Swii   died Local Swii   applied     it shall apply to ned Combos the combos th	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except 1 ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Feature P Cost Bis Features Fe	Common Transport - Facilities Termination Per MOU  **PORTAL COP** COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **por Rates  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit exhi	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bit Feature Featur	Common Transport - Facilities Termination Per MOU  **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Cure  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **Ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  **Sop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port dutgoing only - res  2-Wire voice Unbundled Port outgoing only - res  2-Wire voice Unbundled Port with Caller ID - res  2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  Capability  RES  All Features Offered	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bit Feature Featur	Common Transport - Facilities Termination Per MOU  **ORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curl **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID **curling voice unbundled Alabama Residence Dialing Plan without Caller ID **Curling Voice unbundled Low Usage Line Port without Caller ID **Curling Voice unbundled Low Usage Line Port without Caller ID **Curling Voice Unbundled Low Usage Line Port without Caller ID **Capability** RES **All Features Offered **NUMBER PORTABILITY	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  **por Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Port Voice Unbundled Port Voice Voice Unbundled Port Voice V	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit exhi	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU  PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port Ores 2-Wire voice unbundled Rabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered  NUMBER PORTABILITY Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a set shall apply to the Unbundled Port/Loop Combination - Coeffice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curl **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  **oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Port outgoing only - res  2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  5-CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPWA UEPVF	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usa	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  **port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  **por Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID  2-Wire voice Unbundled Low Usage Line Port with Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire voice Unbundled Low Usage Line Port without Caller ID  2-Wire Voice Orabe Sity (NCS) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -  Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit rate exhibit remains a tree exhibit re	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Base Features Feature Local Nonre	Common Transport - Facilities Termination Per MOU  **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur  **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usa	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPWA UEPVF	12.70   21.19   34.80   11.55   20.04   1.15   1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ( ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					

UNBU	NDLE	D NETWORK ELEMENTS - Alabama						-						Attach	ment: 2	Exhi	ibit: A
		**** **										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OA!LO		NATE ELEMENTO	m	20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		+		Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		
				1		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Wire Voice Crade Lean/Line Bort Combination - Subsequent				+		riist	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	UEPRA	U3A32	0.00	0.00	0.00								<b></b>
					UEPRX	URETL		8.33	0.83								
	055/01	Premise		-	UEPRX	UKEIL		8.33	0.83								
-	OFF/OR	N PREMISES EXTENSION CHANNELS		_	LIEDDY	LIEAENI	10.50	07.04	47.50	00.40	5.00						
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
	INTER	OFFICE TRANSPORT															
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	1					_						
		Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										1
	2-Wire	Voice Grade Line Port (Bus)															1
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						1
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without			02. 5%	02. 5.	0	10.10	10.00	2	0.00						<del> </del>
		Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled Incoming Only Port without Caller ID			02. 5%	02. 112	0	10.10	10.00	2	0.00						<del> </del>
		Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
	LOCAL	NUMBER PORTABILITY			OLI DX	OLI DL	1.10	40.13	19.00	24.31	0.03						<del>                                     </del>
	LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										<del></del>
<del></del>	FEATU		-	<del>                                     </del>	OLI DA	2111 0/	0.55								<del>                                     </del>		<del> </del>
<b>—</b>		All Features Offered	-	<del>                                     </del>	UEPBX	UEPVF	1.98	0.00	0.00						<del>                                     </del>		<del> </del>
	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del>                                     </del>	OLI DA	OLF VI	1.90	0.00	0.00			1					<del>                                     </del>
-	HONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del>                                     </del>		+						1					<del>                                     </del>
	l	Switch-as-is			UEPBX	USAC2		0.10	0.10								
<del></del>	<b>-</b>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	OLFDA	USAUZ		0.10	0.10	<b> </b>					<b> </b>		<del> </del>
					LIEDDY	110400		0.40	0.40								
-	ADDIT	Switch with change		-	UEPBX	USACC		0.10	0.10								
<b></b>	ADDLL	ONAL NRCs		1		+							ļ		1		<del> </del>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400		0.00	0.00								
	<u> </u>	Activity		<u> </u>	UEPBX	USAS2		0.00	0.00			ļ	ļ		ļ		<b></b>
ı	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1								I	1		Ì		
		Premise			UEPBX	URETL		8.33	0.83								<b></b>
L	OFF/O	PREMISES EXTENSION CHANNELS		<u> </u>		<del>   </del>						ļ					<b></b>
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						<b></b>
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						<b></b>
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																	<u> </u>
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
	0.12.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										
	+	2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2		+	21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										<del>                                     </del>
			1	3			34.00										<del></del>
	UNE LO	pop Rates		<u> </u>													
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	11.55			1	1		ļ		1		<b>├</b>
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65						<u> </u>				
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU		1														
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI KO	OLI VI	1.30	0.00	0.00								
<b>-</b>	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-													<del></del>
					LIEDDO	110400		7.04	4.00								
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS			02.110	OILLIE		0.00	0.00								
	011701	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						<del>                                     </del>
						P2JHX											<del>                                     </del>
<u> </u>	+	Local Channel Voice grade, per termination	<del>                                     </del>	3	UEPRG		22.85	88.00	55.00	47.24	7.44		-		<del>                                     </del>		<del></del>
	1	Local Channel Voice grade, per termination	-	_	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44	1	<b> </b>		1	1	<del></del>
	1	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
<b>.</b>	1	Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40				<b></b>		<b></b>
<u> </u>	1	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40		ļ		ļ		1
	INTER	OFFICE TRANSPORT											<u> </u>				
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1 -					1	1	]			1	1
		Termination			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90		l				1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	1	or Fraction Mile	1	1	UEPRG	U1TVM	0.008838	0.00	0.00	Ì		1	1		I	Ì	1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											i				
		ort/Loop Combination Rates		1						1		1	1		1	1	
<b>-</b>	J.1.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										<u> </u>
<del>                                     </del>	1	2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2		1	21.19			1	1	1	l		1	1	<del>                                     </del>
<b> </b>	1	2-Wire VG Loop/Port Combo - Zone 3	<del>                                     </del>	3		+	34.80			1	1		1		<del>                                     </del>	<del> </del>	<del>                                     </del>
<del>                                     </del>	LIME		<del>                                     </del>	3		+	34.00						-		<del>                                     </del>		<del></del>
-	UNE LO	pop Rates	1	-	LIEDDY	LIEDLY	44 ==								1		<del></del>
<u> </u>	<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	11.55										<del></del>
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	20.04			ļ			ļ		ļ		1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	1			1		1					1		1	-			1
l	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20	I	]		1	1	1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20	İ				İ	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.1.201.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEFFA	UEFAE	1.15	09.06	32.41	31.43	6.20						
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
<del>                                     </del>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>		ULFFA	OLFAL	1.15	09.08	32.41	31.43	0.20	1		1	1		
	Room Calling Port	1		UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20				1		
<del>                                     </del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<del>                                     </del>		<u></u>	OLI AIVI	1.13	03.00	32.41	57.43	0.20	<del>                                     </del>			<del> </del>		
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						
<b>—</b>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
LOC	AL NUMBER PORTABILITY			OLITA	OLI AO	1.10	00.00	02.71	01.40	0.20						
1-00	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES					0.1.0										
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						=	=								
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPX	URETL		0.00	0.83								
OFF	Premise /ON PREMISES EXTENSION CHANNELS			UEFFA	UKEIL		8.33	0.03								
OF F	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44	1					
_	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
<del> </del>	Local Channel Voice grade, per termination			UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44	1					
<b>—</b>	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel Voice Grade	1		UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40				1		
INTE	ROFFICE TRANSPORT												İ	İ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90				1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
UNE	Port/Loop Combination Rates	<b></b>			1											
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 1	ļ	1			12.70					ļ					
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 2	<b> </b>	2		+	21.19					}		1	<del> </del>		
H	2-Wire VG Coin Port/Loop Combo – Zone 3  Loop Rates	<del>                                     </del>	3		+	34.80					1	-	-	<del>                                     </del>		
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	<del>                                     </del>	1	UEPCO	UEPLX	11.55					}		1	1		
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 1	1	2	UEPCO	UEPLX	20.04								<del> </del>		
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>		UEPCO	UEPLX	33.65					<del>                                     </del>			<del> </del>		
2-Wi	re Voice Grade Line Ports (COIN)	<b>†</b>	Ť		52. 50	00.00					1	<u> </u>		<b> </b>		
	2-Wire Coin 2-Way without Operator Screening and without	1			1									1		
	Blocking (AL, KY, LA, MS)	1		UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63				1		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
O.T.DO.		THE THORK ELEMENTO TRADAMA				1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OA! LO	J. ( )	NATE ELEMENTO	m	20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking				+		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAN	COMPAR
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening & Blocking:			OLI CO	OLITE	1.10	40.10	10.00	24.01	0.00						
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02. 02		10.10	10.00	2	0.00						
		(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63				İ		
		2-Wire Coin Outward Smartline with 900/976 (all states except				1					2.30						
		LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						1
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)								-							
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPCO	USACC		0.10	0.10								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	UNE Lo	pop Rates			UEDED.	115050	1100										
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
	∠-wire	Voice Grade Line Port Rates (Res)			LIEDED	LIEDDI	4.00	00.00	F7.07	40.00	0.77						<b>├</b>
$\vdash$		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRL UEPRC	1.38 1.38	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77	-			<del>                                     </del>		<del></del>
-					UEPFR	UEPRO	1.38	90.38			8.77						<b></b>
$\vdash$		2-Wire voice unbundled port outgoing only - res     2-Wire voice Grade unbundled Alabama extended local dialing			ULPFR	UEFRU	1.38	90.38	57.27	48.66	8.77				<b> </b>		<del></del>
		parity port with Caller ID - res	1		UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		1		Ì		1
$\vdash$		2-Wire voice unbundles res, low usage line port with Caller ID			ULFFR	UEPAR	1.38	90.38	31.21	40.00	0.77				-		<del></del>
		/LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		1		1		1
$\vdash$		2-Wire Voice Unbundled Alabama Residence Dialing Plan			CLITIC	JLI AF	1.00	30.30	31.21	40.00	0.77	<del>                                     </del>			1		<del></del>
		without Caller ID	1		UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		1		Ì		1
<del>     </del>	INTER	OFFICE TRANSPORT			OLI I IX	OLI WA	1.30	30.30	51.21	40.00	0.77						<b></b>
<del>                                     </del>		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del></del>			1							<b> </b>		<del> </del>		<del>                                     </del>
		Termination	1		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90		1		Ì		1
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			- "	†**** <del>*</del>	20		271		3.30				1		<b></b>
		or Fraction Mile			UEPFR	1L5XX	0.008838										1
	FEATU					1	2.300000				1				1		
H		All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00		1				1		
		NUMBER PORTABILITY				İ			- · · ·		İ						
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is		1	UEPFR	USAC2	1	8.48	1.87	ĺ	l	1	ı				1

UNBLIND	)LF	NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	ibit: A
CITECITE		THE THORK ELEMENTO TRABalla										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
2-W	VIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	BUS)												
UNI	E Po	rt/Loop Combination Rates		<b>1</b>													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNI	IE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-W	Vire \	/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															
		Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LO	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INT		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.008838										ļ
FE/	ATU																
		All Features Offered		<u> </u>	UEPFB	UEPVF	1.98	0.00	0.00								<b>.</b>
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													<b>.</b>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	UEPFB	USACC		8.48	4.07						1		
$\vdash$		Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<del>                                     </del>	UEPFB	USACC	<b></b>	8.48	1.87	<b> </b>					<del>                                     </del>		<del>                                     </del>
		Undundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		1	UEPFB	URETN		11.21	1.10						I		
2.14		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT /		UKETN		11.21	1.10	<u> </u>					<del></del>		<del> </del>
		rt/Loop Combination Rates	LINE	OKI (	ואס	+	<del> </del>			<b>-</b>		-		1	<del> </del>	1	1
JOINI	0	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.76			<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
<del>                                     </del>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	24.23			<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
<del>                                     </del>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	37.52			<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
IINI		op Rates		<u> </u>		+	31.02			<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38								<b> </b>		<del>                                     </del>
		2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	22.85							1	<b>†</b>	1	1
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14								t		
2-W	Vire \	/oice Grade Line Port Rates (BUS - PBX)		Ť		1									t		
	Ī	,				1	1								İ		
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34				I		
	1	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
		Calling Port		1	UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34				1		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34						
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34						

CATEGORY  RATE ELEMENTS  The BCS USOC RATE SQL  RATE SQL	LINBLINDI E	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	ibit: A
RATE ELEMENTS   Infert   Zene   BCS   USC   RATE SED   Studentime College   Charges	ONDONDEL	- Alabama	l			1						Svc Order	Svc Order				
ATT ELEMENTS																	Charge -
### DCS ### USES   USES   PATE REMENTS   USES   USES   PATE REMENTS   USES   US																	Manual Svc
None   None	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				_				Order vs.
1			m									per Lore	per Lore				Electronic-
Part																	Disc Add'l
New York Unbordist PSXLD Terminal SwitchAcord DC														131	Addi	Diac 1at	Disc Add I
County   C							Poo	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Capable Port   Capa							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description																	
Administration Celling Port					UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
2-WW Was Unknowned X-WP PEX Intelligence   UPP																	
Roon Carling Part   DEPM   1-36   119.27   69.85   61.18   8.34					UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
Description   Description					LIEDED	LIEDVA	4.00	440.07	00.05	04.40	0.04						
Discount Roam Calling Part   UEPPD   UEPPD   1.36   11.97   69.65   61.10   8.34					UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34	ļ					<del></del>
Coca Number Port Austral / Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 1 Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 2 Vivo Vivo Customories 3 Vivo Customories 2 Vivo Vivo Customories 3 Vivo Customories 2 Vivo Vivo Customories 3 Vivo Cust					LIEDED	LIEDYO	1 20	110.27	60.95	61 10	0 2/						
COCAL NUMBER PROTEABILITY												1					1
Description   Description	LOCA				OLITI	OLI XO	1.50	113.21	03.03	01.10	0.54	1					
InterSeptic Transport	LOOA				LIEPEP	LNPCP	3.15	0.00	0.00								<del>                                     </del>
Intendifies Transport - Decidated - 2 Wine Voice Grade - Per Mile   UEPPP UTTV2	INTER				OLITT	LIVI OI	0.10	0.00	0.00								1
Termination   UEPPP   UTIV2   21.33   40.54   27.41   16.74   6.90			1			1				t					1		
Interoffice Transport - Dedicated - 2 Wire Vacce Grasse - Per Mile   UEPPP   1,500   0,000					UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
DEPPR   LLDX   D.08888																	
PEATURES   DAI   Fastures Offered   DEPP					UEPFP	1L5XX	0.008838										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEAT																
2-Wire Loop / Dedicated ID Transport / 2 Wire Line Port   UBPP   USAC2   8.48   1.87					UEPFP	UEPVF	1.98	0.00	0.00								
Combination - Conversion - Switch-as-is	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
Cambriation - Combination -		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Conversion - Switch with change		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
Unbunded Macellaneous Rate Element, Tag Designed Loop at   UEPFP																	
Includer Primise   UEPP   URETN   11.21   1.10   URETN   URE					UEPFP	USACC		8.48	1.87								
UNBUNDLED PORT/LODP COMBINATIONS - COST BASED RATES																	
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH ZWIRE DID TRUNK PORT					UEPFP	URETN		11.21	1.10								ļ
UNE Port/Loop Combination Rates																	
2-Wire Vs Loop/2-Wire DID Trunk Port Combo - UNE Zone 1   1   22.40			PORT														<b></b>
2-Wire Vol Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	UNE P			4			20.40										
2-Wire Vol Loop/2-Wire DID Trunk Port Combo - VINE Zone 3   3   44.17						-											<del> </del>
UNE Loop Rates	-											1					<del>                                     </del>
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	LINE			3		+	44.17			<b>†</b>		1					
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2   2   UEPPX   UECD1   22.85	ONE E			1	LIEPPX	LIECD1	14 38			1		1					
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3   3 UEPPX   UECD1   36.14																	<del> </del>
UNE Port Rate				3	UEPPX												
Exchange Ports - 2-Wire DID Port	UNE P			Ŭ	OLI I X	0200.	00.11										
NONRECURRING CHARGES - CURRENTLY COMBINED					UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20			İ	1		
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is   UEPPX   USAC1   7.31   1.87   1.87	NONR							_									
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion   UEPPX   USA1C   T.31   1.87																	
With BellSouth Allowable Changes					UEPPX	USAC1		7.31	1.87					<u> </u>	<u> </u>		
ADDITIONAL NRCs			l								-						
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk					UEPPX	USA1C		7.31	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPPX   URETN   11.21   1.10	ADDIT					1				ļ							<u> </u>
End User Premise					UEPPX	USAS1		26.78	26.78	1					1		
Telephone Number/Trunk Group Establisment Charges   UEPPX NDT 0.00 0.00 0.00   0.00			1							I					I		
DID Trunk Termination (One Per Port)	<del> </del>		<u> </u>	<b>_</b>	UEPPX	URETN		11.21	1.10	-					-		<b></b>
Additional DID Numbers for each Group of 20 DID Numbers   UEPPX   ND4   0.00   0.00   0.00   0.00	I eleph		<b> </b>		LIEDDY	NDT	0.00	0.00	0.00	<b>!</b>		}		1	<b>!</b>		<b>├</b>
DID Numbers, Non- consecutive DID Numbers , Per Number   UEPPX   ND5   0.00   0.00   0.00   0.00	$\vdash$		1	-						<del>                                     </del>		1			1		<del>                                     </del>
Reserve Non-Consecutive DID numbers	$\vdash$		-							<del></del>				-	-		<del> </del>
Reserve DID Numbers	<del>                                     </del>		<del>                                     </del>							t		1		1	t		<del>                                     </del>
LOCAL NUMBER PORTABILITY    Local Number Portability (1 per port)   UEPPX   LNPCP   3.15   0.00   0.00       2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT   UNE Port/Loop Combination Rates       2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del>                                     </del>		1	1						<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
Local Number Portability (1 per port)   UEPPX LNPCP 3.15 0.00 0.00     2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT   UNE Port/Loop Combination Rates   UNE Port/Loop Combination Rates   UNE Port/Loop Combination Side Port -   UNE Port/Loop Combination Side P	LOCA		1	1	OLITA	1404	0.00	0.00	0.00	<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT  UNE Port/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			1		UEPPX	LNPCP	3.15	0.00	0.00	<b>I</b>		1		1	<b>I</b>		<del>                                     </del>
UNE Port/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	2-WIR		NE SIDE	PORT		1	30	5.50	0.50	t					1		
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			<u> </u>			1				1					1		
						İ				1				İ	1		
	1 1	UNE Zone 1	1	1	UEPPB UEPPR	3	27.28			I					I		

UNBUND	DLED NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEGOR	RATE ELEMENTS	Interi	Zone		cs	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc		
CATEGOR	NATE ELEMENTS	m	Zone			0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring		201150	001441		Rates (\$)	001111	001111
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Zone 2		2	UEPPB	UEPPR		37.86									ĺ	ĺ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		53.84									<u> </u>	
UNI	IE Loop Rates		<u> </u>			1101 01	10.00									<b>├</b>	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03									$\vdash$	<b></b>
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62									ĺ	ĺ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		45.60										
UNI	IE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28					L	
NO	DNRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>			<b> </b>										<del>                                     </del>	<del></del>
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		1	LIEPPR	UEPPR	USACB	0.00	38.51	27.02							İ	
AD	DDITIONAL NRCs			OLITB	OLITIK	OOAOB	0.00	30.31	21.02							<del> </del>	<b>—</b>
1.5	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<b>†</b>			1											
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															ĺ	
	Premise			UEPPB	UEPPR	URETL		8.33	0.83							<b>├</b>	-
LO	CAL NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							<del>                                     </del>	<del>                                     </del>
B-C	CHANNEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINEUX	0.33	0.00	0.00							<del> </del>	<b>—</b>
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD		<u></u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							<b></b>	
B-C	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO CVS/CSD (DMS/5ESS)	C,MS, &	TN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							<del>                                     </del>	<del>                                     </del>
-	CVS/CSD (DMS/3ESS)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							<del>                                     </del>	<del>                                     </del>
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USI	SER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							L	
VEI	RTICAL FEATURES			LIEDDD	LIEDDD	LIEDVE	4.00	0.00	0.00							<b>├</b>	
INT	All Vertical Features - One per Channel B User Profile TEROFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00							$\vdash$	<del></del>
- 111	Interoffice Channel mileage each, including first mile and															<del> </del>	<b>—</b>
	facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90					i	ĺ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
	WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			DNI DC:	D' - ' - I T	 					0/0/00	104 44	(4/0.4.1)				
	e UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop reement.	with 4	-wire I	รบท บรา	igital fru ויט	nk Port in th	is rate exhibit a	ppiy to the em	pedded base	in place as of 1	0/2/03 until 4/1	/U4. Atter 4	/1/04 these	rates shall re	vert to tariff ra	πes or a sepa	rate
	reement. equests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk P	ort afte	r the effec	tive date o	of this amend	lment shall be n	rovided nursi	ant to a senai	ate agreement	or tariff at Rel	South's die	scretion				
	IE Port/Loop Combination Rates					amond		uu purot	то и осра	ag. someth	ut Del						
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						1										
	Zone 1		1	UEPPP			166.87									<b></b>	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	LIEDDD			220 50									İ	
$\vdash$	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPP			238.50									$\vdash$	<del></del>
	Zone 3		3	UEPPP			398.85									İ	1
UNI	IE Loop Rates		Ľ														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55		•								
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18									<del></del>	
11111	4-Wire DS1 Digital Loop - UNE Zone 3 IE Port Rate		3	UEPPP		USL4P	314.52									$\vdash$	<del>                                     </del>
UNI	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<b>†</b>	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77					<b>—</b>	<del>                                     </del>
NO	DNRECURRING CHARGES - CURRENTLY COMBINED		1			· · · ·	552	.00.20	200.10	.23.30	J7						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						1										
	Combination - Conversion -Switch-as-is (E:4/1/2004)		ļ	UEPPP		USACP	0.00	119.07	78.56							<b></b>	
AD	DDITIONAL NRCs		1	<u> </u>		1	1			1		<u> </u>	<u> </u>		l		'

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
	LOCAL	NUMBER PORTABILITY			OLITI	11(12)		25.02									
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTERF	ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
<u> </u>	<u> </u>	Digital Data	ļ	<b></b>	UEPPP	PR71D	0.00	0.00	0.00								
<u> </u>	Nov. c-	Inward Data Additional "B" Channel		-	UEPPP	PR71E	0.00	0.00	0.00								
<b>-</b>	New or	New or Additional - Voice/Data B Channel	1	-	UEPPP	PR7BV	0.00	14.53					-				
	1	New or Additional - Voice/Data B Channel		<b>-</b>	UEPPP	PR7BF	0.00	14.53					<b> </b>				
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
	CALL T	YPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	1	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interoff	rice Channel Mileage Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
-	1	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18	09.21	01.01	10.55	14.44						
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			02	12.11.5	0.10										
		E-P DS1 combination rates below for 4-Wire DS1 Digital Loop										4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreei	ment.
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of	this amendment sh	all be provide	d pursuant to	a separate agr	ement or tarif	at BellSouth's	s discretion.						
	UNE Po	ort/Loop Combination Rates			LIEDDO		140.04										
	<u> </u>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC UEPDC		142.64 214.26										
	1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	+	374.61										
	UNE Lo	pop Rates		Ŭ	OLI DO		074.01										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52										
<u> </u>	UNE Po	ort Rate		-	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
<b> </b>	NONPE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED	<del> </del>	-	UEPDC	וויטטט	60.09	454.49	253.23	117.29	14.17				-		-
-	NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1					1						
1		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	<u> </u>	- Conversion with DS1 Changes (E:4/1/2004)	ļ		UEPDC	USAWA		129.49	67.02								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO												
-	ADDIT	- Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs	ļ	-	UEPDC	USAWB		129.49	67.02								
<b>—</b>	ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1					1						
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	1	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
-	<b> </b>	Activation/Chan Inward Trunk w/out DID	<b>!</b>	<u> </u>	UEPDC	UDTTC		14.48	14.48								
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48								
$\vdash$	<del>                                     </del>	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			021 00	טווטט		14.40	14.40								
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48								
	BIPOL	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
	1	B8ZS - Extended Superframe Format	<u> </u>	<u> </u>	UEPDC	CCOEF		0.00i	600.00s								
-		te Mark Inversion AMI -Superframe Format	ļ	-	UEPDC	MCOSF		0.00	0.00								
	1	Mini -Oupername Format		<u> </u>	OLPDC	INICOSE		0.00	0.00	l	l		l		l		l

UNBU	JNDLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
0.100	JIVDELL	THE I TOTAL CEEMENTO TRADAINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Monro	curring	Monroourring	Dissennest			220	Rates (\$)		
							Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00	11130	Addi	SOME	JOHAN	JONAN	JOWAN	JOWAN	JONIAN
	Telepho	one Number/Trunk Group Establisment Charges							0.00								
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00								
			Dinita				0.00	0.00	0.00	-							
-	Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	וטוgital ו	_coop	WILLI 4-WILE DULIS I	TUTIK PORT		1		<del> </del>		1			1		1
		Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		1				1
			1				33.10	00.21	01.01	10.00	1-7-4-4	1			1		1
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00	1			1				1
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities							- /-						1		
L		Termination)			UEPDC	1LNO2	0.00	0.00	0.00	<u> </u>		<u> </u>					
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.18	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC LNPCP	0.18	0.00	0.00	0.00							
		Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC UEPDC	CTG	3.15 0.00	0.00	0.00	0.00							
		DS1 LOOP WITH CHANNELIZATION WITH PORT			UEFDC	CIG	0.00			-							
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
		ystem can have up to 24 combinations of rates depending on			ber of ports used												
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C				e exhibit app	ly to the embe	dded base in p	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	hese rates	shall revert	to tariff rates	or a separate	agreement.	
	Reques	ts for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive date	of this amendment	t shall be pro	vided pursuan	it to a separate	agreement or	tariff at BellSo	uth's discretion	n.					
	UNE DS	S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3	L,	3	UEPMG	USLDC	314.52	0.00	0.00								
	UNE DS	60 Channelization Capacities (D4 Channel Bank Configuration	ns)		LIEDMO	\ // IN 40 4	101.10	0.00	0.00								
<u> </u>	1	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	-		UEPMG UEPMG	VUM24 VUM48	101.40 202.80	0.00	0.00	<del>                                     </del>			<b> </b>				-
		96 DSO Channel Capacity -1 per 2 DS1s			UEPMG	VUM96	405.60	0.00	0.00	<del> </del>					-		
-	<del>                                     </del>	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	608.40	0.00	0.00	<del>                                     </del>							<del> </del>
		192 DS0 Channel Capacity - 1 per 8 DS1s	1		UEPMG	VUM19	811.20	0.00	0.00	<b>†</b>		1			1		1
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,014.00	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00								İ
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,028.00	0.00	0.00		•			_			
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>		UEPMG	VUM67	2,839.20	0.00	0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem		<b>.</b>					-		<del> </del>
		num System configuration is One (1) DS1, One (1) D4 Channe es of this configuration functioning as one are considered Ac						<b> </b>		<b>!</b>					1		<del> </del>
<b></b>	wiuitiple	RRC - Conversion (Currently Combined) with or without	au i ante	i iiie m	minum system con	nguration IS	counted.	-		<del>                                     </del>			-		1		1
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.00	1							
		ot Currently Combined) in all states, except in Density Zone 1					i,a			1							Ì
	1 1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port													1		
<u></u>		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
	Bipolar	8 Zero Substitution															
1		Clear Channel Capability Format, superframe - Subsequent								1			1				1
	<b> </b>	Activity Only			UEPMG	CCOSF	0.00	U.00i	600.00s						ļ		
		Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								[
	1	oubsequent Activity Only	<u> </u>		OLF IVIO	OUGET	0.00	0.001	000.008	1			l				1

UNBU	NDLF	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	hit: A
CITE	NOLL	THE THORK ELEMENTO ALABAMA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
-		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchan	ge Ports Line Side Combination Channelized PBX Trunk Port - Business				-				-							
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business			OLFFX	OLFCX	1.13	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.10	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			02.17	02. 170	0	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –					0.00										
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
		2-Wire Channelized PBX Area Calling Service Combination Port															
		(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
		2 Wire Channelized PBX Area Calling Service Outgoing Only															
		Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.56	54.55									
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.56	77.03									
	Telepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
-		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00								
_	Local N	umber Portability			UEPPA	NDV	0.00	0.00	0.00								
_	Local N	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATIL	RES - Vertical and Optional			ULFFX	LINFOF	3.13	0.00	0.00	<u> </u>							
		witching Features Offered with Line Side Ports Only				1	1			t					1		
<b>—</b>		All Features Available	<b>-</b>		UEPPX	UEPVF	1.98	0.00	0.00	t					<del> </del>		<del> </del>
UNRUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s			7=: //	1.50	0.00	0.00	<b>I</b>					<b> </b>		
		Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unbi	undled Local S	witching or Sw	itch Ports.	t					1		
		res shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		irst and additional Port nonrecurring charges apply to Not Co														Additional NR	Cs may
		so and are categorized accordingly.	,			•			5 5				•	•			-
		tet Rates for Unbundled Centrex Port/Loop Combination will	be nego	tiated	on an Individual Ca	ase Basis, un	til further notice	е.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	rt/Loop Combination Rates (Non-Design)							-								
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													]		
		Non-Design		1	UEP91		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo								1							
	<b>.</b>	Non-Design		2	UEP91		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOA					I					1		
		Non-Design		3	UEP91	1	34.80										
	UNE Po	rt/Loop Combination Rates (Design)								<b>.</b>					<b> </b>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		UEP91		45.50			1							
	l	Design	l	1	UEF91	1	15.53			1		1			l		

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORT	RATE ELEMENTS	m	20116	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		37.29										
UNE	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP91 UEP91	UECS2	14.38 22.85										<b>——</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2 UECS2	36.14										-
UNE		<b>-</b>	3	OE1 31	ULUUZ	30.14								<del> </del>		<del>                                     </del>
	ates (Except North Carolina and Sout Carolina)				+	1								<b> </b>		<del>                                     </del>
7.11 0.1	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 0.	02	0	10.10	10.00	2	0.00						
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						İ
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEF91	UEPQIVI	1.15	90.36	37.27	40.00	0.11						-
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
-	Gervice Term		1	OLI 31	OLI QZ	1.10	30.30	51.21	40.00	0.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488									İ	
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									1
<u> </u>	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98										<b></b>
NARS				LIEDOA	LIADCY									<b> </b>	ļ	<b>├</b>
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00				<b> </b>	ļ	<del></del>
$\vdash$	Unbundled Network Access Register - Indial		-	UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00				<b> </b>		<del></del>
RA:c	Unbundled Network Access Register - Outdial	-	<del>                                     </del>	OFLAI	UARUX	0.00	0.00	0.00	0.00	0.00				-		<del></del>
	ellaneous Terminations  Trunk Side		1		+						1					<del>                                     </del>
2-4411	Trunk Side Terminations, each	<b>-</b>		UEP91	CENA6	8.05	119.31	18.74	59.90	3.76				<del> </del>		<del>                                     </del>
Interd	ffice Channel Mileage - 2-Wire	<b>-</b>		02101	021470	0.03	110.01	10.74	33.30	5.70				<del> </del>		<del>                                     </del>
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838				2.30				1		
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e													İ	
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
•	•			•	•						•					

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
-	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot			OLF91	IFQVV	0.50										
	Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP91 UEP91	M1ACC	0.00	667.21									
<b> </b>	Secondary Block, per Block NAR Establishment Charge, Per Occasion			UEP91	M2CC1 URECA	0.00	78.02 72.73									
Add	itional Non-Recurring Charges (NRC)			OLF91	UNLCA	0.00	12.13									
Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP91	URETN		11.21	1.10								
	-P CENTREX - 5ESS (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		40.70										
<b> </b>	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 1	UEP95	-	12.70										
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	_	21.10										
	Non-Design		3	UEP95		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
$\vdash$	Design	<u> </u>	2	UEP95		24.00								ļ		
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	3	UEP95	1	37.29						1		1		]
LIME	Loop Rate	1	3	したとろう	+	31.29			1	1	1	-		1		1
JIVE	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	20.04								1		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85		•								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
	Port Rate	<u> </u>												ļ		
All S	States  13 Wire Voice Crade Port (Centrey ) Resig Legal Area	1		LIEDOE	LIEDYA	4.45	40.40	40.00	04.04	0.00				<del>                                     </del>		
<del></del>	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95 UEP95	UEPYA UEPYB	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
<del>                                      </del>	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<del>                                     </del>		OLF 30	ULFID	1.13	40.19	19.63	24.91	0.03				<del> </del>		<del>                                     </del>
	Area	1		UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		1		1		]
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					0		. 2.00		5.00						
1 1	Center)2,3 Basic Local Area	l		UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area	]		UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77						
1 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEDOS	LIED. (2							1		1		
	- Basic Local Area	l		UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		l				

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								40			1		Ì		
<b>-</b>		Term 2,3		1	UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77					1	
		O.Wise Vales Conds Book to reside the Conds and the Conds			LIEDOS	LIEDOS		40.40	10.00	04.61	0.00						
<u> </u>		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63					1	
<u> </u>	l acel f	2-Wire Voice Grade Port Terminated on 800 Service Term		ļ	UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63	-			-		
$\vdash$	Local S	Switching Centrex Intercom Funtionality, per port		<b>.</b>	UEP95	URECS	0.5488			1	ļ	-			<del>                                     </del>	-	
	L acal N	Number Portability			UEP95	URECS	0.5488										
	LOCAL	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					1					
	Feature				OLI 33	LIVI CC	0.55										
	Cutur	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52				1					
		All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98	100.02									
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
	Interof	fice Channel Mileage - 2-Wire			LIEBOE	14000	04.40	40.54	07.44	40.74	0.00						
		Interoffice Channel Facilities Termination			UEP95 UEP95	M1GBC M1GBM	21.13 0.008838	40.54	27.41	16.74	6.90						
	Footure	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF93	IVITGDIVI	0.000030										
		nnel Bank Feature Activations	e			+						1					
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		readile retired on b 4 charmer bank control bop diet			OL1 30	11 0110	0.00										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						1		1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1	2.20				1				1		
		Slot			UEP95	1PQW7	0.56						1		1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop													]		
		Slot			UEP95	1PQWQ	0.56										
	<u>.                                    </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56				ļ				ļ		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBOE	110465							1		1		
<u> </u>		changes, per port		1	UEP95	USAC2		0.10	0.10	1	<b> </b>				<del> </del>	1	
<u> </u>		Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block		1	UEP95 UEP95	USACN M1ACS	0.00	37.75	16.58	1	<b> </b>				<del> </del>	1	1
<del></del>		New Centrex Standard Common Block New Centrex Customized Common Block		<b>I</b>	UEP95 UEP95	M1ACS M1ACC	0.00	667.21 667.21		1	ļ	-			<del>                                     </del>	-	
		NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	72.73									
$\vdash$		pnak Establishment Charge, Per Occasion  pnal Non-Recurring Charges (NRC)	-	1	ULF90	UKECA	0.00	12.13			1		-		1	1	1
	Auditic	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+				1					<u> </u>		
		Premise			UEP95	URETL		8.33	0.83								
		p		1		10		0.00	0.00	1		1		1		·	·

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		Halanda Balanca Balanca Tan Balanca						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
	IINF-P	CENTREX - DMS100 (Valid in All States)			UEF95	UKETN		11.21	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP9D		34.80										
-	UNF P	pron-pesign ort/Loop Combination Rates (Design)		3	OFLAD	+	34.80					<b>+</b>					
	J.11.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	!			+	-										
		Design	1	1	UEP9D		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP9D		37.29										
	UNE LO	pop Rate		1	UEP9D	LIECC4	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1 UECS1	20.04					-					
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
		ort Rate															
	ALL ST				LIEBAR	LIEDY(A		10.10	10.00	2121							
		2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
		Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local									0.00						
		Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.45	40.40	40.00	24.04	0.00						
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
		Area		1	UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	<b>†</b>	<b>†</b>		52. 11	1.13	40.19	10.00	24.51	0.00	1			1		
L		Area	<u>L</u>	L	UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63	<u> </u>			<u> </u>		
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		1	LIEDOD	LIEDY"		40.40	10.00	24.21	0.00						
-		Area	<del>                                     </del>	<b>}</b>	UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63	1					
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OL: 3D	CLIIV	1.13	70.19	13.03	24.91	0.03						
		Area	1	1	UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	l					-									
		Area		<u> </u>	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1	1													
		Indication))4 Basic Local Area	ļ	<u> </u>	UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area		1	UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
<b>—</b>		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<del>                                     </del>	OLFBD	OLFIJ	1.10	40.19	19.63	24.91	0.03	<b>+</b>					
		2.3-Basic Local Area	1	1	UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4						22.20		.5.50							
L		Basic Local Area	<u> </u>	<u>L</u>	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77				<u> </u>		
																•	•

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2 Mire Voice Crade Bort (Centray/differ SMC /EBS ME000)2 2 4						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						, ,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
<b></b>	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
<b>-</b>	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPQC UEPQD	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						1
<del>                                     </del>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	1	1	UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/msg Wtg Larin) indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		CL. 0D	CL1 040	1.10	40.19	10.00	24.51	0.00						
	2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						ı

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	115507	4.45	00.00	F7.07	40.00	0.77						
		Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	1	2-Wire Voice Grade Port Terminated in on Negarink or equivalent			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	Switching			OLF 9D	ULFQZ	1.13	40.19	19.00	24.31	0.03						
	Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
	Local N	Number Portability			02. 02	0.1200	0.0100										
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										
	NARS																
	ļ	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
-		Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
		Digital (1.544 Megabits)			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	1	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48	95.09	12.59	2.40						
	Interof	fice Channel Mileage - 2-Wire			OLI OD	WITTIBO	0.00	14.40									
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.56										
	1	Eggture Activation on D.4 Changel Beatly Drivets Line Law Clay			UEP9D	1PQWV	0.50			]				1	1		
-	<del>                                     </del>	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	-	<b>.</b>	UEPSD	IPQWV	0.56							<del>                                     </del>	<del>                                     </del>		
1		Slot			UEP9D	1PQWQ	0.56										
-	<b>-</b>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56							<b> </b>	<b> </b>		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			021 00	11 3447	0.50					1		1	1		1
		NRC Conversion Currently Combined Switch-As-Is with allowed								1				1	1		
	1	changes, per port			UEP9D	USAC2		0.10	0.10	]				1	1		
	1	Conversion of existing Centrex Common Block, each	1		UEP9D	USACN	i i	37.75	16.58	i							l
	<u></u>	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21		<u> </u>							
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	Additio	onal Non-Recurring Charges (NRC)															
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				l		_		]				1	1		
<b>├</b>	<del>                                     </del>	Premise Profile To Pro		1	UEP9D	URETL		8.33	0.83					<b> </b>	<b> </b>		ļ
1	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOD	LIDETN		44.01		]				1	1		
-	LINES	End Use Premise		ļ	UEP9D	URETN		11.21	1.10								
<b>—</b>		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<b> </b>		-						1		<del>                                     </del>	<del>                                     </del>		
<b>—</b>		ort/Loop Combination Rates (Non-Design)	-	1		+	<del>                                     </del>			<del>                                     </del>		<b></b>		-	-		
<b>-</b>	JINE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											-
		Non-Design		1	UEP9E		12.70										
-	<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>-</b>	+ -	J_1 J_	+	12.70							<del> </del>	<del> </del>		
	1	Non-Design		2	UEP9E		21.19			]				1	1		
	1	19					21.10					L	1	1	1		l

UNBUNDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac iat	Disc Add I
						Rec	Nonred			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		45.50										
-	Design		1	UEP9E		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEDOE		24.00										
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E		24.00										
			3	UEP9E		37.29										
LINIE	Design		3	UEP9E		37.29										
UNE	Loop Rate	<del>                                     </del>	1	UEP9E	UECS1	11.55			-	-			-	-		-
<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9E	UECS1	20.04					1	1		1		
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	3	UEP9E	UECS1	33.65			-	-			-	-		-
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP9E	UECS1	14.38			1	-			-	<del></del>		-
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	}	2	UEP9E	UECS2	22.85					-		1	+		1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP9E	UECS2	36.14					1					
LINE	Port Rate		3	UEP9E	UECSZ	30.14					1					
	FL, KY, LA, MS, & TN only		1								1					
AL,	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	OLI SL	OLITA	1.13	40.13	19.00	24.51	0.03						
	Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI SL	OLITO	1.13	40.13	19.00	24.31	0.03						
	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI OL	OLI III	1.10	40.10	10.00	24.01	0.00						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
<b></b>	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI OL	OLI IIVI	1.10	30.00	01.21	40.00	0.77	1					
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 02	022	0	00.00	01.2.	10.00	0						
	- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1													
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL.	KY, LA, MS, & TN Only									0.00						
,	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77				1		
i I	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		1	l	I		l
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc	al Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Loc	al Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feat	ures															
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
$oxed{oxed}$	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98								1		
NAF		<b></b>	<u> </u>	l										<b>.</b>		
	Unbundled Network Access Register - Combination	<u> </u>		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				ļ		
	Unbundled Network Access Register - Indial	ļ		UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00			ļ	ļ		ļ
$\vdash$	Unbundled Network Access Register - Outdial	<b></b>	<u> </u>	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			ļ	<b>.</b>		
	cellaneous Terminations	ļ	<u> </u>	<b></b>									ļ	<b>.</b>		ļ
2-W	re Trunk Side		<u> </u>	LIEBAE	051150			10 = :								
<del></del>	Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-W	re Digital (1.544 Megabits)	<u> </u>	ļ	LIEDOE	MALIE	00.00	000.00	05.00	70.50	2 12				-		
	DS1 Circuit Terminations, each	<u> </u>	<u> </u>	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	1	1	1	1		l

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
0.1.20.1												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Order vs.
OATEGO		KATE EEEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
1								Nonrec	rurring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
<b>-</b>							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
lr	teroff	fice Channel Mileage - 2-Wire			OLI OL	WITIBO	0.00	14.40				1					<u> </u>
<del>- "</del>	110.011	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
h		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	10.01		10.7 1	0.00						
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	``		02. 02		0.000000					1					<u> </u>
		nnel Bank Feature Activations	Ĭ														
F		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 02		0.00										
		Different Wire Center			UEP9E	1PQWP	0.56										
		Billiototic Wile Contor			OLI OL	11 00111	0.00										
1 1		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP9E	1PQWV	0.56						1		Ì		1
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			OLI OL	11 00 11 1	0.00					1					
		Slot			UEP9E	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
N	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 001171	0.00										
	011 110	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58			1					<u> </u>
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Δ		onal Non-Recurring Charges (NRC)			02. 02	OTTEOT	0.00										
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
U	NE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		2	UEP93		21.19										İ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	1	3	UEP93		34.80						1		Ì		1
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						_									
		Design	<u></u>	1	UEP93		15.53										L
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		37.29										
U	NE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55	, and the second									
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
$\sqcup \bot$		2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP93	UECS1	33.65										<b></b>
		2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP93	UECS2	14.38								ļ		<b></b>
		2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	22.85										1
		2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	UEP93	UECS2	36.14										1
		ort Rate	<u> </u>			1											1
A	L, KY	, LA, MS, & TN only	<u> </u>			1											1
$\vdash \!$		2-Wire Voice Grade Port (Centrex ) Basic Local Area	ļ		UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63				ļ		Ь——
1 1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	L	1				l	_	1	1		l		1
		Area	1		UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	1	l		l		L

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA! LO	J. ( )	NATE ELEMENTO	m	20110	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<del> </del>				<del>                                     </del>				Nonred		Monroourrin	g Disconnect			000	Rates (\$)		
-						-	Rec					001150	001111			0011411	001111
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															ĺ
		Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						i .
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						1
h +		2-Wire Voice Grade Port Terminated on 800 Service Term -		1	02. 00	02. 10		10.10	10.00	2	0.00						<b>—</b>
		Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						i .
<del>                                     </del>				1	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						<del>                                     </del>
		2-Wire Voice Grade Port (Centrex )	<u> </u>	├								<del>                                     </del>	-				<del>                                     </del>
		2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63	<b>.</b>					+
		2-Wire Voice Grade Port (Centrex with Caller ID)1		<b></b>	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63						<b></b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	l	1		İ					Ì		l	Ì	l		1
		Center)2,3		1	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77	1					<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		1		1							<u> </u>	<u> </u>			1
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						i .
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						Í
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
— h	Local S	Switching		<b>1</b>	02. 00	02. Q2	0	10.10	10.00	2	0.00						
<del>                                     </del>		Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.5488										<b>—</b>
— h	l ocal N	lumber Portability			OLF 93	UKLUS	0.5466					-					<del> </del>
		Local Number Portability (1 per port)		<del>                                     </del>	UEP93	LNPCC	0.35										<del> </del>
					UEF93	LINFCC	0.33										<del>                                     </del>
	Feature																<b></b>
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										<b></b>
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										l
[ ]	NARS																l
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						1
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
l li	Miscell	aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
		Digital (1.544 Megabits)		<b>1</b>			0.00										
		DS1 Circuit Terminations, each		1	UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						<b>—</b>
- t		DS0 Channels Activated, Per Channel		1	UEP93	M1HDO	0.00	14.48	50.00	72.00	2.40						<b>—</b>
		ice Channel Mileage - 2-Wire		1	OLI 30	WITTE	0.00	17.40		1	1	1	<del> </del>	1	1		<del></del>
		Interoffice Channel Facilities Termination	<u> </u>	├	UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90	<del>                                     </del>	-				<del>                                     </del>
			<u> </u>	├				40.54	21.41	10.74	6.90	<del>                                     </del>	-				<del>                                     </del>
<b>.</b>	F/	Interoffice Channel mileage, per mile or fraction of mile		1	UEP93	M1GBM	0.008838			1	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del></del>
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<u> </u>		+						<b>.</b>					+
!	D4 Cha	nnel Bank Feature Activations															<b></b>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										1
			l	1		İ					Ì		l	Ì	l		1
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
T		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1		1							l				1
		Slot	l	1	UEP93	1PQW7	0.56				Ì		l	Ì	l		1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
		Different Wire Center	l	1	UEP93	1PQWP	0.56						I	1	1		1
		* * * *		1		1						1	i	1	1		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP93	1PQWV	0.56				Ì		l	Ì	l		1
<del></del>		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	<b>-</b>	<del>                                     </del>	021 00	11 32 77 7	0.50			1	<b> </b>	1	<del>                                     </del>	<b> </b>	<del>                                     </del>		<del></del>
		Slot	l	1	UEP93	1PQWQ	0.56				Ì		l	Ì	l		1
		Feature Activation on D-4 Channel Bank WATS Loop Slot		1			0.56			1	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del></del>
<del>-  </del>	F			1	UEP93	1PQWA	0.56			-		1	1				<del></del>
$\vdash \vdash \vdash$	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1				ļ	ļ		ļ				←——
		NRC Conversion Currently Combined Switch-As-Is with allowed				1											1
		changes, per port			UEP93	USAC2		0.10	0.10								<b></b>
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
	_	New Centrex Standard Common Block		I	UEP93	M1ACS	0.00	667.21	·	1		1					1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N			. D'				D-1 (A)		
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo															
Note 4	- Requires Specific Customer Premises Equipment	•														
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	ns and Condition	ns.									

UNBU	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										· · · · · · ·					- (4)		
-							Rec	Nonre			Disconnect	001150	001111		Rates (\$)	001441	001441
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tho "7	l one" shown in the sections for stand-alone loops or loops as	nart of	2.00m	hination refers to Go	ographicall	v Dogworagod II	NE Zonos To	viow Goograp	hically Deaver	aged LINE Zon	o Dosianatia	one by Cont	ral Office refe	or to internet	Nobeito:	
		/ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpilicali	y Deaverageu O	NL Zones. 10	view Geograp	ilically Deaver	aged ONE ZOII	e Designatio	ons by Cent	iai Onice, reit	er to internet	vensile.	
OPER		. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	1	!!! 							I	1				1
OI LIG		(1) CLEC should contact its contract negotiator if it prefers th	e "state	sneci	fic" OSS charges as	ordered by	the State Comm	issions The	OSS charges c	urrently contai	ned in this rat	e exhibit ar	the ReliSo	uth "regional	" service orde	ring charges	CL FC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.	00 0.00	ing o	larges, or occoming	cicot tile ic	gioriai scrvice c	oracining onling	,c, 11011C1C1, 01		Julii a illixiare	or the two	reguraless i	i occo nas a	inter connecti	on contract c	Stubilolica III
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B			oo oatogo., .o.		a. go a.aoa.a	. 20 204 10 4	0220 000 0		g capaz				ooo,o		g on.a. go,
		OSS - Electronic Service Order Charge, Per Local Service	1														
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request							0.00	0.00	0.00						
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S	ERVICE	DATÉ ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	C No.1 Tariff, Section	n 5 as appl	icable.										
		-															
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												ļ.
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48. ULDD1.												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
<u> </u>	<b> </b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57	ļ	ļ		ļ		<b></b>
	<b> </b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57	ļ	ļ		ļ		<b></b>
	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	<u> </u>	<u> </u>	<b> </b>			<b></b>
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEANII	LIDETI		0.00	0.00	I				Ì			1
<del></del>	<del>                                     </del>	Premise Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEANL UEANL	URETL URET1	<b> </b>	8.33 48.65	0.83 48.65	<del>                                     </del>	<b> </b>	1	1	<del>                                     </del>	1		-
<del></del>	<del>                                     </del>			<u> </u>	UEANL	URETA		48.65 23.95	48.65 23.95	<del>                                     </del>		1	1		-		
	1	Loop Testing - Basic Additional Half Hour	1	1	OLAINL	OKETA	1	∠3.95	23.95	1	I	1	1	1	1	Ì	1

UNRU	NDI F	D NETWORK ELEMENTS - Florida												Δttach	ment: 2	Fyhi	bit: A
5.450	. 12 LL											Svc Order	Svc Order	Incremental		Incremental	
			1		1							Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.02									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User													1		1
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -													1		1
		Non-Designed (per loop)	ļ		UEQ	USBMC		9.00								ļ	
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for	1		<u> </u>								<u> </u>		_	]	1
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_			4= 00	40.55									
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2			4= 00	40.55									
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	LIEDOD LIEDOD	LIEALO	20.07	40.57	20.02	25.02	0.57						
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	20.07	40.57	20.02	25.02	0.57						
LINDII	DI ED 5	Zone 3 EXCHANGE ACCESS LOOP	1	3	ULFOR UEFOB	UEABO	26.97	49.57	22.83	25.62	6.57	}		1	+	1	<del>                                     </del>
		E ANALOG VOICE GRADE LOOP	1		1	+				1		}		1	+	1	<del>                                     </del>
<u> </u>	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>		-	+				1				-	-	-	<del></del>
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01				1		1
<b>-</b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	<u> </u>	0271	ULALL	12.24	155.75	02.47	00.00	12.01				<del>                                     </del>	<del> </del>	<del>                                     </del>
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01				I	1	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>		02,1	ULALL	17.40	155.75	02.47	00.00	12.01				<b>-</b>		<b> </b>
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01				1		1
		Order Coordination for Specified Conversion Time (per LSR)	<del> </del>	_	UEA	OCOSL	55.57	23.02	02.47	00.00	12.01				<b>-</b>		<b> </b>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			30000	<b>-</b>	20.02		1		1		1	<b>I</b>	<b> </b>	<b>—</b>
	1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01				I	Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	Ė	1	, <u>.</u>	.2.27		32. H	55.50	.2.51				t	1	
	1	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01				I	Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1												İ	İ	
	1	Battery Signaling - Zone 3	1	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01				I	Ì	1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10			İ					
	4-WIRE	ANALOĞ VÖICE GRADE LOOP	Ì														
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								

UNBUNI	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
ONDON		THE THORK ELEMENTO TIONGS										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	,
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-	WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
2-	WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													ŀ
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry															ŀ
		& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															ŀ
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
ļ		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									<u> </u>
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
2-	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	_OOP													<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry															ŀ
L		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.26	159.09	440.44	75.05	45.00						ŀ
<del>                                     </del>		& facility reservation - Zone 2  Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHLZX	10.26	159.09	113.41	75.05	15.63						ļ
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	18.21	23.02	113.41	75.05	15.63						
-		2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UCUSL		23.02									
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
<b></b>		2 Wire Unbundled HDSL Loop without manual service inquiry		-	OFIL	UTILZVV	1.22	134.40	00.09	00.04	9.12						<del>                                     </del>
		and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						ŀ
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	10.20	134.40	00.03	00.04	3.12						-
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	10.21	23.02	00.00	00.04	0.12						·
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								·
4-	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						ŀ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry				1									]		
		and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry		l .	l	<u> </u>				1							1
<u> </u>		and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		23.02	10.5-								<b>_</b>
<del></del>		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39	-							
4-		DS1 DIGITAL LOOP		<u> </u>	LICI	HOLYO	70 71	010.75	181.48	04.00	10.50				ļ		<del>                                     </del>
<b></b>		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	70.74	313.75		61.22	13.53						
<b></b>		4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	100.54 178.39	313.75 313.75	181.48 181.48	61.22 61.22	13.53 13.53			-	<del> </del>	-	<del> </del>
$\vdash$		4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	178.39	23.02	181.48	61.22	13.53						<del></del>
oxdot		Order Coordination for Specified Conversion Time (per LSR)		l	USL	UUUSL		23.02		1	l	ı	ı	l	l .	l	

IUNBUN	NDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0	1											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			- ""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ļ.,										
-			ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
-		01501-01500			1101	LIDEWO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>-</b>		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
-		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		-	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
		2 Wire Unbundled Copper Loop-Designed including manual		_													
-		service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
-		Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		9.00	9.00								
		2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	0.00	100.01	70.00	00.04	0.40						
-		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.80	123.81	70.00	60.64	9.12						
		service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00	00.04	5.12						
-		CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		0.00	5.00								
		(UCL -Des)			UCL	UREWO		97.21	42.47								
	1-WIRE	COPPER LOOP						91.121									
i i		4-Wire Copper Loop-Designed including manual service inquiry					İ										
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	<u> </u>	<u></u>		<u> </u>		<u> </u>
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						<u></u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Copper Loop-Designed without manual service inquiry				1									]		
		and facility reservation - Zone 1	1	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry		l .		1	[ <u>.</u> [										
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	ŀ	4-Wire Copper Loop-Designed without manual service inquiry		١.		l											
$\vdash$	ļ	and facility reservation - Zone 3	<b>!</b>	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22				<b> </b>		ļ
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)	1	<u> </u>	UCL	UCLMC	<del>                                     </del>	9.00	9.00	1					<del> </del>		1
LOOP M		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UCL	UREWO	<del>                                     </del>	97.21	42.47	1					ļ		
LOOP M	ODIFIC	ATION	1		UAL, UHL, UCL,	+	<del>                                     </del>			-							
				1	UEQ, ULS, UEA,	1	]						1		1		
	J	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1											
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
<del>     </del>		Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	l		12		0.00	0.00	1		1	<b> </b>		<b> </b>		
	J	ess than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L	]	0.00	0.00				1		1		
		Alberta - Albertanese			UAL, UHL, UCL,	1	† 1	2.20	2.30						1		
				1	UEQ, ULS, UEA,	1	]						1		1		
1 1	J	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,	I	]					1	1		Ì		
		per unbundled loop			UEPSB	ULMBT		10.52	10.52								
SUB-LO	OPS																

UNBL	JNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									_							2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	0.1.1.	an Photolication						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					1										
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		487.23									
-		ОР	-		OLANL	USBSA		407.23									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			OL/ WIL	COBOB		0.20									
		Facility Set-Up	- 1		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	- 1		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIFANII	LICDNO	0.40	00.40	04.70	47.50							
<u> </u>	1	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Zone 3		3	UEAINL	USBINZ	10.29	60.19	21.70	47.50	5.20						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02,412	0020		0.00	0.00								
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		0.1.0.0				USBMC		0.00	0.00								
	-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBR2	3.96	9.00 51.84	9.00 13.44	47.50	5.26						
		Sub-Loop 2-vviile intrabuliding Network Cable (INC)	- '		UEAINL	USBRZ	3.90	31.04	13.44	47.50	5.20						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
		•															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	3	UEF	UCS2X UCS2X	7.31 12.98	60.19	21.78 21.78	47.50 47.50	5.26 5.26						
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UUSZX	12.98	60.19	21.78	47.50	5.26				1		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
<b> </b>		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ī		UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
		<u> </u>															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	48.65								
	L	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95						ļ		
<u> </u>		Iled Network Terminating Wire (UNTW)			LIENTW/	UENPP	0.4570	40.00									
-		Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)			UENTW	UENPP	0.4572	18.02									
	MerMOL	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	+	71.49	48.87			1			1		
-		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		113.89	89.07								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE O		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U	l											
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	IHER, P	ROVISIONING ONLY - NO RATE				l									l		

LIMBI	INDI E	D NETWORK ELEMENTS. Florido												A 1		F. 1.1	
UNBU	JNDLE	D NETWORK ELEMENTS - Florida	1	1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	2007	DATE ELEMENTS	Interi	7	BCS	11000			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	,														L		
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,												ı l
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı l
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															ı l
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															i l
		no rate			USL	CCOEF	0.00	0.00									
HIGH (	CAPACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															i l
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility															1
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						ı
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															1
		month			UDLSX	1L5ND	10.92										ı l
		High Capacity Unbundled Local Loop - STS-1 - Facility															1
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						ı l
LOOP	MAKE-U	JP															1
		Loop Makeup - Preordering Without Reservation, per working or															1
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								ı l
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		55.07	55.07								ı l
		Loop MakeupWith or Without Reservation, per working or															
		spare facility gueried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								ı l
LINE S	SHARING	S AND LINE SPLITTING															
	NOTE '	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 sha	I be billed as f	ollows:							
	NOTE '	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
	NOTE '	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1													
	NOTE '	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															1
	NOTE '	1: Above will apply to USOCS: ULSDT and ULSCT															1
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLIT1	FERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						1
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															1
1	1	deactivation (per LSOD)	l	1	ULS	ULSDG		173.66	0.00	97.42	0.00		1		Ì		i
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															1
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						i l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						ı l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															i l
1	1	(E:10/2/2004)	l	1	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61		1		Ì		i
		Line Share Service, TRO per line activation, BST owned splitter -				_						İ			İ		$\overline{}$
1		Central Office Located (75% of UCLND) - please see NOTE 1	l														<sub>1</sub> 1
1	1	(E:10/2/2005)	l	1	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61		1		Ì		i
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1		l ·	5.57	20.00	220	.0.07	5.51				1		<del></del>
1	1	- (BST Owned Splitter)	l	1	ULS	ULSDS		21.68	16.44				1		Ì		i l
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1				250							1		<del></del>
	1	- (DLEC Owned Splitter)	l	1	ULS	ULSCS		21.68	16.44				1		Ì		i l
		Line Sharing - per Line Activation (DLEC owned Splitter) -										İ			İ		
1		OBSOLETE see **NOTE 2	l	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	l	1		l		ı l
	1		L	<u> </u>	<del></del>	,	3.01		.0.01		,-	L	L		1		

UNRU	NDI F	D NETWORK ELEMENTS - Florida												Δttach	ment: 2	Fyhi	bit: A
CIADO	NULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC ISL	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
<u> </u>		PLITTING				1						ļ			ļ		
<u> </u>	END U	SER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIEDOS	LIDECC				ļ	<b> </b>	<u> </u>		ļ	<b>_</b>	<b> </b>	ļ
	ļ	Line Splitting - per line activation DLEC owned splitter		ļ	UEPSR UEPSB	UREOS	0.61	00.00	04.00	40.55	0.01	<u> </u>			ļ		
<u> </u>	<b>!</b>	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	<u> </u>		ļ	<b>_</b>	<b> </b>	ļ
<u> </u>	B4 A 15 1-	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	ļ		<b> </b>	<del> </del>	<del> </del>	1
$\vdash$	WAINT	ENANCE No Trouble Found - per 1/2 hour increments - Basic		-		1		80.00	55.00	<del> </del>	<b> </b>	<b> </b>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-
		No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime				-		120.00	82.50						-		
		No Trouble Found - per 1/2 hour increments - Overtime				-		160.00	110.00						-		
LINBUN	IDI ED I	DEDICATED TRANSPORT						100.00	110.00			1	1		1		
ONDON		OFFICE CHANNEL - DEDICATED TRANSPORT		1								1			1		
	IIVI LIK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			01117	120701	0.0001					1					
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-														
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.577	0.0004										
		per month			U1TDX	1L5XX	0.0091					1			<del> </del>		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
<b>—</b>	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		<del>                                     </del>	אטווטא	01100	10.44	47.30	31.70	10.31	1.03			<del> </del>	<del> </del>	<del> </del>	
1	l	per month		1	U1TDX	1L5XX	0.0091										
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1				3.0001			1			<u> </u>	<b> </b>	1	<b> </b>	
1	1	Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03			1		1	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per							20	15.01							
1	1	month			U1TD1	1L5XX	0.1856							1		1	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	<u> </u>	Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05			<u> </u>	<u> </u>	<u> </u>	<u></u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						_	-							]	
		month			U1TD3	1L5XX	3.87								ļ		
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				41 =>04											
$\vdash$	<del>                                     </del>	month		-	U1TS1	1L5XX	3.87			<del> </del>	<b> </b>	<b> </b>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			LIATOA	LIATEC	4.050.00	225 40	240.20	70.00	70.50						
DARK	FIRED	Termination	-	<del>                                     </del>	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	<b> </b>		-	<del>                                     </del>	-	
DAKKI	IDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-			+				1	1	<b> </b>	-	1	<del> </del>	1	1
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85							1		1	
<del></del>		NRC Dark Fiber - Interoffice Channel	<b>-</b>		UDF, UDFCX	UDF14	20.03	751.34	193.88	356.21	230.11	<b> </b>		<del>                                     </del>	<del> </del>	<del> </del>	
-	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		551, 551 5X	301 17	-	731.34	195.00	330.21	250.11		<u> </u>	<b> </b>	1	<b> </b>	
1	l	Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	55.04										
	1	NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4	55.04	751.34	193.88	356.21	230.11	1			1		
<b></b>	ı	[ = Look Loop			, 55. 57	, , , , , , ,		701.04	100.00	000.21	200.11	1	1	l .	1	ı	i

CATEGORY RATE ELEMENTS    Interim m   Zone   BCS   USOC   RATES (\$)   Sv. Order Submitted   Submitted Submitted   Charge - Charge	UNRU	NDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	hit· Δ
ATE ELEMENTS    Third   Tone     CC     USC     PATE   D.	CIADO	.4VLE	NETWORK ELLINERTO - FIORIDA					ı					Svc Order	Svc Order				Incremental
ATE CLEMENTS # 2016   Section   Sect																		Charge -
CATEGORY   RATE ELEMENTS   Max   Zone   DCS   USC   RATE (6)   Max   Zone   Max   Zone   Max   Zone   Max   Zone   Max   Zone   Max   Zone																		Manual Svc
Rec	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Proceedings				m						.,,			per Lor	per Lor				Electronic-
Non-recurring   Non-recurrin																		Disc Add'l
ACCESS   TO NORT SOCIETY   Society   Society																	Disc 1st	Disc Add I
The content of the								Pac										
BOX Access Ten Digs Contenting, Proc Call   BOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO   DOX Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Digs Content and Access Ten Digs Contening, Content and Digs Content and Dig								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BXX.Access To Digit Screening, Per BXX No. Established WID	8XX AC	CESS 1																
Number Reserved   OHD   NSPTX						OHD		0.0006252										
DXX. Access Ten Dig Screening, Per SDX No. Essablished With POTS Translations   Dx Control C						OUD	Nonav		4.45	0.70								
SOTS   Translations	-					OHD	N8R1X		4.15	0.70								
Access from the Secretary Per Service Secretary Area of Services   OHD   NIFTX   8.78   1.18   5.77   0.79						OHD			0.70	1 10	5 77	0.70						
POTS Translations						טחט			0.70	1.10	5.77	0.70						
BXX Access Ten Dig Screening, Multiple Internation, Multiple Int						OHD	NRFTX		8 78	1 18	5.77	0.70						
Det DOX Number   DoX Number   DoX Number   DoX Nor Nor Nor Nor Nor Nor Nor Nor Nor Nor						OLID	1401 170		0.70	1.10	0.77	0.70						
DIX Access from Dig Screening, Militgles IntelLATA CXIX   OHD   NOFTAX   A 185   2.78						OHD	N8FCX		4.15	2.07								
Routing Pet CORF Requested free DXX No.									0		1					1	İ	l
B3X, Access Ten Digit Screening, Call Handling and Destination   Desti		l	Routing Per CXR Requested Per 8XX No.													1		
Pressures   ORD   NBFDX   4.15   4.15			8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
BXX Access Ten Digit Screening, w/ BFL No. Delivery, per query   DX Access Ten Digit Screening, w/ BPL No. Delivery, per   DHD			8XX Access Ten Digit Screening, Call Handling and Destination															
SXX Access Far Digit Screening, at POTS No. Delivery, per   QHD			Features			OHD	N8FDX		4.15	4.15								
SXX Access Far Digit Screening, at POTS No. Delivery, per   QHD		1									_					_		
URE NOPOMENT DATA BASE ACCESS (LIDB)						OHD	1	0.0006252			ļ					1		
LINE NORMATION DATA BASE ACCESS (LIDB)																		
LIBB Common Transport Per Obsery						OHD		0.0006252										
LIDB Validation Per Cybery   COU	LINE IN	IFORM/				007		0.0000000										
SIGNALING (CCST)   SIGNALING (							-				-		1					
SIGNALING (CES7)   Signaling Termination, Per STP Port							NDDDV	0.0136959	EE 12	EE 12	EE 12	EE 12	1					
CCS7 Synaling Terrination. Per STP Port   UDB   PTSX   135.05	SIGNA	ING (C				OQ1, OQU	ININDEX		55.15	33.13	33.13	33.13	1					
CCS7 Signaling Usage, Per TCAP Message	OIGINA	I (0				LIDB	PT8SX	135.05										
CCS7 Signaling Connection, Per link (A link) (Bink) (also known as D link)							1 100%											
CCS7 Signaling Connection, Per link (8 link) (also known as D link)   UDB   TPP++							TPP++		43.57	43.57	18.31	18.31						
CCST Signaling Usage Peri SUP Message   UDB   C0000152   CCST Signaling Usage Surrogate, per link per LATA   UDB   STU56   694.32   CCST Signaling Point Code   Peri Peri Mile   CCST Signaling Point Code   Peri Peri Mile   CCST Signaling Point Code   Peri Peri Mile   CCST Signaling Point Code   Peri Peri Mile   CCST Signaling Point Code   Peri Peri Mile   CCST Signaling Point Code   Peri Peri Peri Peri Peri Peri Peri Peri																		
CCS7 Signaling Disage Surrogate, per link per LATA			link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
CCST Signaling Point Code, per Originating Point Code   UDB   CCAPO   46.03																		
Establishment or Change, per STP affected						UDB	STU56	694.32										
E911 SERVICE																		
Local Channel - Dedicated - 2-wt Voice Grade - Zone 1   21,94   265,84   46,97   37,63   4,00		L	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2   29.62   265.84   46.97   37.63   4.00	E911 S	ERVICE						24.24		10.00								
Local Channel - Dedicated - 2-wr Voice Grade Per Mile   0.0091																		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.0091	-	<u> </u>			<u> </u>		+		265.84				<b> </b>			<b>-</b>	-	
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination   25.32   47.35   31.78   18.31   7.03	<u> </u>	<del>                                     </del>			-		+		205.84	46.97	37.03	4.00	1			<del></del>	1	1
Termination   25.32   47.35   31.78   18.31   7.03	-	<del>                                     </del>					1	0.0031			t		1			t	1	1
Local Channel - Dedicated - DS1 - Zone 1   35.28   216.65   183.54   21.47   19.05		l						25.32	47.35	31 78	18.31	7 03				1		
Local Channel - Dedicated - DS1 - Zone 2		1		1			1									1		
Local Channel - Dedicated - DS1 - Zone 3   92.01   216.65   183.54   21.47   19.05     Interoffice Transport - Dedicated - DS1 Per Mile   0.1856   183.54   21.47   19.05     Interoffice Transport - Dedicated - DS1 Per Facility Termination   88.44   105.54   98.47   21.47   19.05     CALLING NAME (CNAM) SERVICE   0.000   25.35   25.35   19.01   19.01   19.01     CNAM For DB Owners - Service Establishment   0QV   25.35   25.35   19.01   19.01   19.01     CNAM For Non DB Owners - Service Provisioning With Point Code   1,592.00   1,177.00   352.36   259.09     CNAM For Non DB Owners - Service Provisioning With Point   0QV   0.001024   1,592.00   0.001024     CNAM for DB Owners, Per Query   0QV   0.001024   1,592.00   0.001024     Selective Routing Per Unique Line Class Code Per Request Per   09.55   93.55   12.71   12.71																1		
Interoffice Transport - Dedicated - DS1 Per Facility Termination							1									1	l	l
CALLING NAME (CNAM) SERVICE         OQV         25.35         25.35         19.01         19.01           CNAM For DB Owners - Service Establishment         OQV         25.35         25.35         19.01         19.01           CNAM For DB Owners - Service Provisioning With Point Code Establishment         OQV         1,592.00         1,177.00         352.36         259.09           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         1,592.00         1,177.00         352.36         259.09           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         546.51         393.82         358.06         259.09           CNAM for DB Owners, Per Query         OQV         0.001024         0.001024         0.001024           CNAM for Non DB Owners, Per Query         OQV         0.001024         0.001024         0.001024           SELECTIVE ROUTING         Selective Routing Per Unique Line Class Code Per Request Per Switch         93.55         93.55         12.71         12.71									-									
CALLING NAME (CNAM) SERVICE         OQV         25.35         25.35         19.01         19.01           CNAM For DB Owners - Service Establishment         OQV         25.35         25.35         19.01         19.01           CNAM For DB Owners - Service Provisioning With Point Code Establishment         OQV         1,592.00         1,177.00         352.36         259.09           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         1,592.00         1,177.00         352.36         259.09           CNAM For Non DB Owners - Service Provisioning With Point Code Establishment         OQV         546.51         393.82         358.06         259.09           CNAM for DB Owners, Per Query         OQV         0.001024         0.001024         0.001024           CNAM for Non DB Owners, Per Query         OQV         0.001024         0.001024         0.001024           SELECTIVE ROUTING         Selective Routing Per Unique Line Class Code Per Request Per Switch         93.55         93.55         12.71         12.71																		
CNAM For DB Owners - Service Establishment								88.44	105.54	98.47	21.47	19.05						
CNAM For Non DB Owners - Service Establishment	CALLIN	IG NAM																
CNAM For DB Owners - Service Provisioning With Point Code Establishment		ļ					1									ļ		
Establishment		ļ			<u> </u>	υψν	1		25.35	25.35	19.01	19.01				-		
CNAM For Non DB Owners - Service Provisioning With Point   OQV   S46.51   393.82   358.06   259.09		1				001/			4 500 00	4 477 00	252.00	250.00				I		
Code Establishment	<u> </u>	<del>                                     </del>			-	υψv	+		1,592.00	1,1//.00	352.36	259.09	1			<del>                                     </del>	-	
CNAM for DB Owners, Per Query		1				001			546 54	202 02	250.00	250.00				I		
CNAM for Non DB Owners, Per Query	-	1		-			1	0.001024	340.31	393.62	330.06	259.09	}			<del> </del>	1	1
SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per Switch  93.55 93.55 12.71 12.71	-	<del>                                     </del>					1				t		1			t	1	1
Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71	SELEC	TIVE P		<b>-</b>			+	0.001024			t		<del>                                     </del>			t		
Switch 93.55 93.55 12.71 12.71	32220										1					1		
		1							93.55	93.55	12.71	12.71				I		
	VIRTUA	AL COLI			<b>†</b>		İ			22.30						t		

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYS	CAL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN S	LECTIV	E CARRIER ROUTING			000	00050											ļ
		Regional Service Establishment			SRC	SRCEC		193,444.00	107.00	7,737.00	0.00						ļ
		End Office Establishment			SRC SRC	SRCEO	0.0031868	187.36	187.36	0.69	0.69				-	-	<del> </del>
AIN	DELL CO	Query NRC, per query UTH AIN SMS ACCESS SERVICE			SKC		0.0031000										<del>                                     </del>
AIN -	DELLOU	AIN SMS Access Service - Service Establishment, Per State,															<del>                                     </del>
		Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
		In mice Goldp			,	07 111.02		10.00	10.00	100	11.00						<del>                                     </del>
	1	AIN SMS Access Service - Port Connection - Dial/Shared Access	.	1	A1N	CAMDP		8.64	8.64	10.03	10.03			1	I	I	
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						†
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
		AIN SMS Access Service - Session, Per Minute					0.7809										
		AIN SMS Access Service - Company Performed Session, Per															
AIN	DEL L CO	Minute					0.4609										
AIN -	SELLSU	UTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,				-											<del> </del>
		Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
		AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		8,439.00	8,439.00	44.53	44.53						+
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/II V/		0,400.00	0,400.00								+
		DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								4= 00							
		DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	+	AIN Toolkit Service - Query Charge, Per Query	1			DAFII	0.0535927	36.00	30.00	13.00	13.00						
		AIN Toolkit Service - Query Charge, Per Query  AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0333921										-
		Subscription, Per Node, Per Query					0.0063698										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1			+	0.0000000										†
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	3.73	9.56	9.56								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	ļ	Subscription	ļ	<u> </u>	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08				1	1	<b></b>
	1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			l										1	1	
		Service Subscription	ļ	<u> </u>	CAM	BAPES	0.12	9.56	9.56					ļ	ļ	ļ	<b></b>
ENHA		(TENDED LINK (EELs)	<u> </u>		Out to be to Ci	1	1					FI					ļ
<u> </u>		The monthly recurring and non-recurring charges below will												<del> </del>	1	1	<b></b>
		The monthly recurring and the Switch-As-Is Charge and not t					UNE combination	ons provisione	as Current	iy Combined' N	vetWork Eleme	nts.		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
-	CXIEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	120 05		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81				+	+	+
	1	First 2-Wire VG Loop (SL2) in Combination - Zone 1	l		UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81				<del> </del>	<del> </del>	+
-	+	First 2-Wire VG Loop (SL2) in Combination - Zone 3	<del>                                     </del>		UNCVX	UEAL2	30.87	127.59	60.54		2.81			<del> </del>	t	t	+
	1	vo to toop (ott) combination Zone o	1		12.10111	J _ , £	00.01	127.00	00.04	72.10	2.01	1		ı	l	l	

LINDLINDI	ED NETWORK ELEMENTS - Florida												A44b	ment: 2	Ful:	bit: A
UNBUNDLE	D NETWORK ELEMENTS - FIORIDA	1			1						Cua Ordar	Sua Ordar	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	<b>-</b>	BCS				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	per month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ľ
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146,77	101.42	71.62								1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
										0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						l
<del></del>	Each / Additional 2 Wile ve Eoop (GE 2) in Combination 2016 1	<del>                                     </del>	<del></del>	ONOVA	OLITE	12.27	127.00	00.04	72.70	2.01						<del></del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						ĺ
<del>                                     </del>	Lacri Additional 2-Wile vo Loop (SL 2) III Combination - Zone 2	<del>                                     </del>		OINOVA	ULALZ	17.40	127.59	60.54	42.19	2.01	+	<del> </del>		<del> </del>		<del></del>
	Fach Additional 2 Wise VC Lass (CL 2) in Combination 7 2		3	LINOV	LIEALO	20.07	407.50	CO 54	40.70	0.04		1				i
<b></b>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		ļ				<b></b> '
	Voice Grade COCI - Per Month	ļ	<b> </b>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		ļ				<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1								1	I		İ		i
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											1
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						l
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						l
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		J	ONOVA	OLAL	47.02	127.55	00.54	42.73	2.01						
	Per Month			UNC1X	1L5XX	0.1856										l
<b>-</b>	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIA	ILJAA	0.1050					-					<del> </del>
				UNC1X	U1TF1	00.44	174.46	400.40	45.04	17.95						l
	Month					88.44		122.46	45.61	17.95						<b> </b>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								<b></b>
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ł
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ĺ
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98	1	I		İ		i
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN									İ		İ		
			1								1	i		1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		1				i
<b>  </b>			<del></del>		55250	22.20	127.00	00.04	72.13	2.01	t	<del> </del>		<del> </del>		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1	I		İ		i
<del>                                     </del>	I not - Trie Solvopo Digital Grade Loop III Combination - Zone Z	<del>                                     </del>		CHODA	ODLJO	31.30	121.59	00.54	42.19	2.01	+	<del> </del>		<del> </del>		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	I		İ		i
<del></del>		<del>                                     </del>	3	ONCDV	UDLOO	55.99	127.59	00.54	42.79	2.81	1	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.500/	0.40=0						1				i '
<b>  </b>	Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1856					<b>.</b>					<del></del>
	Interoffice Transport - Dedicated - DS1 - combination Facility	1	1								1	I		İ		i
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62				<u> </u>				
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															i ———
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	1	I		İ		i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1	I		İ		i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															ſ
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	I		l		i
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ŭ			55.55	.200	33.04	.2.70	2.01	1	1		1		
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1				i
	O-TROOJ	L	<u> </u>	011007	טטוטו	2.10	10.07	1.00	0.00	0.00	1	1		1		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  RATE SUbmitted Subm	rder Incrementa tted Charge - Manual Svo SR Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Incremental Charge -	ibit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS	tted Charge - ally Manual Sv SR Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I S Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Interior   Zone   BCS   USOC   RATES (\$)   per LSR   per	Manual Svo SR Order vs. Electronic- 1st	Order vs. Electronic- Add'I  S Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS	Order vs. Electronic- 1st	Order vs. Electronic- Add'I  S Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Rec   Nonrecurring   Nonrecurring Disconnect	Electronic- 1st	Electronic- Add'I S Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   8.98	1st OS	Add'I S Rates (\$)	Disc 1st	Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   8.98	OS	S Rates (\$)		
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   8.98			SOMAN	SOMAN
Nonrecurring Currently Combined Network Elements Switch -As-   Is Charge	AN SOMAN	SOMAN	SOMAN	SOMAN
Is Charge				
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT				1
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1				
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81				
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81				
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81				
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81				
	_	_		
Uniterating transport - Dedicated - UNI combination - Per Mile 1				
Per Month UNC1X 1L5XX 0.1856				
interoffice Transport - Dedicated - DS1 combination - Facility				
			I	1
1/0 Channel System in combination Per Month UNC1X MQ1 146.77 101.42 71.62				
OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00				
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				
Interoffice Transport Combination - Zone 1				
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				
Interoffice Transport Combination - Zone 2   2 UNCDX   UDL64   31.56   127.59   60.54   42.79   2.81				
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				
Interoffice Transport Combination - Zone 3   3   UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81				
Additional OCU-DP COCI (data) - in combination - per month				
(2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00				
Nonrecurring Currently Combined Network Elements Switch -As-				
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT  4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 70.74 217.75 121.62 51.44 14.45		_		
4-Wire DS1 Digital Loop in Combination - Zone 2   1 UNC1X   USLXX   100.54   217.75   121.62   51.44   14.45				
4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 178.39 217.75 121.02 51.44 14.45				
Interoffice Transport - Dedicated - DS1 combination - Per Mile				
Per Month UNC1X 1L5XX 0.1856				
Interoffice Transport - Dedicated - DS1 combination - Facility				
Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95				
Nonrecurring Currently Combined Network Elements Switch -As-				
Is Charge				
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT				
First DS1Loop in Combination - Zone 1				
First DS1Loop in Combination - Zone 2   2 UNC1X   USLXX   100.54   217.75   121.62   51.44   14.45				
First DS1Loop in Combination - Zone 3   3 UNC1X USLXX 178.39   217.75   121.62   51.44   14.45				ldash
Interoffice Transport - Dedicated - DS3 combination - Per Mile			I	1
Per Month UNC3X 1L5XX 3.87				ļI
Interoffice Transport - Dedicated - DS3 - Facility Termination per			I	1
month			-	<b></b>
3/1Channel System in combination per month UNC3X MQ3 211.19 199.28 118.64 40.34 39.07	_	+	<del>                                     </del>	
DS1 COCI in combination per month UNC1X UC1D1 13.76 10.07 7.08 0.00 0.00 Additional DS1Loop in DS3 Interoffice Transport Combination -	_	+	<del></del>	┼
Additional DST Interoffice Transport Combination -			1	
Additional DS1Loop in DS3 Interoffice Transport Combination -		+	<del>                                     </del>	$\vdash$
Zone 2 UNC1X USLXX 100.54 217.75 121.62 51.44 14.45			I	
Additional DS1Loop in DS3 Interoffice Transport Combination -		1	1	
Zone 3 UNC1X USLXX 178.39 217.75 121.62 51.44 14.45			I	
Additional DS1 COCI in combination per month   UNC1X   UC1D1   13.76   10.07   7.08   0.00   0.00				
Nonrecurring Currently Combined Network Elements Switch -As-			1	
Is Charge   UNC3X UNCCC   8.98   8.98   8.98   8.98			1	
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT				
2-WireVG Loop in combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81				
2-WireVG Loop in combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81				
2-WireVG Loop in combination - Zone 3 3 UNCVX UEAL2 30.87 127.59 60.54 42.79 2.81				

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	KATE EEEMENTO	m	Zone	500	0000			IXATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nicon			B'		l .	000	D-1 (A)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
	4-WireVG Loop in combination - Zone 1	1	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	47.02	127.39	00.34	42.13	2.01						
]	Month	1	1	UNCVX	1L5XX	0.0091				Ì	l	1		I	Ì	I
<del>                                     </del>	month.	<del>                                     </del>	1	OINCAV	ILOAX	0.0091			1	<del>                                     </del>	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	
]	Interoffice Transport - 4-wire VG - Dedicated - Facility	1	1	LINOVO	LIATVA	00.50	04.70	F0 F0	50.40	04.50	l	1		I	Ì	I
	Termination per month		<b> </b>	UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	0.10071	0	1,011.00	01110	100.00	00.00	10.20						
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EVTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EDOEE		UNCCC		0.90	0.30	0.90	0.90						
EAIL	CTC 4 Level Lele is combination. The mile non-month	3-1 INT	ERUFF	LINCOV	1L5ND	10.92										
	STS-1 Local Lolp in combination - per mile per month			UNCSX	ILSIND	10.92										
	STS-1 Local Loop in combination - Facility Termination per					400.00										
	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		1										İ	
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		i				
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1	1		1	1	
<del>                                     </del>	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	<del> </del>	1		<b>†</b>	<b> </b>	1
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - per mile		Ť		1	.0.02	.200	00.00		2.51	<del> </del>	1		<b>†</b>	<b> </b>	1
]	per month	1	1	UNC1X	1L5XX	0.1856				Ì	l	1		I	Ì	
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>	<del>                                     </del>	CHOIN	ILUAA	0.1000			1	1	1	l		t	1	1
1 1	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		l				
$\vdash$		-	-	UNC1X	MQ1	146.77	174.46	71.62	40.01	17.95	1			-	<b> </b>	
$\vdash$	1/0 Channel System in combination - per month	-	<u> </u>								1	ļ		1	1	1
<b>  </b>	2-wire ISDN COCI (BRITE) - in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	ļ	ļ		<b></b>	ļ	
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l <b>.</b>	1					_		l				
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											l				
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
1 1	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		l				
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	l	1		I	Ì	I
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		l				
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				0.30	0.30	0.30	0.90	<del>                                     </del>			t	<b> </b>	
L^1	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1	l		t	1	1
<del>                                     </del>	First DS1 Loop Combination - Zone 1  First DS1 Loop Combination - Zone 2	<del>                                     </del>		UNC1X UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	-	-		<del>                                     </del>		
$\vdash$		<del>                                     </del>									<del>                                     </del>	<b> </b>		<del>                                     </del>	<del>                                     </del>	
	First DS1 Loop Combination - Zone 3	1	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l		1		l

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	ibit: A
CINDONDE											Svc Order	Svc Order		Incremental		
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
ļ						Rec	Nonrec		Nonrecurring					Rates (\$)		
<b></b>	Interesting Transport Desirated CTC 4 combination Des Miles				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			UNCSX	1L5XX	3.87										
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	ILSAA	3.87										
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
h	3/1 Channel System in combination per month	1		UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						-
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	00101	10.70	10.07	7.00	0.00	0.00						<del>                                     </del>
	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				41 =>04											
ļ	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	LIATOR	40.44	04.70	50.50	50.40	24.52						
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
FYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RDS INT	FROFE		UNCCC		0.90	0.90	0.90	0.90						-
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1 0 1141		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	1		UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						·
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per	1														
$\vdash$	Mile	<u> </u>		UNC1X	1L5XX	0.1856										<b></b>
	First Interoffice Transport - Dedicated - DS1 combination -	1		LINGAY	LIATE 4	20.41	474.40	400.40	45.01	17.00						
<del> </del>	Facility Termination per month	<b>!</b>		UNC1X UNC1X	U1TF1 MQ1	88.44	174.46 101.42	122.46 71.62	45.61	17.95						<b></b>
	Per each DS1 Channelization System Per Month					146.77			0.00	0.00						
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG MQ3	1.38 211.19	10.07 199.28	7.08	0.00 40.34	0.00 39.07						
	3/1 Channel System in combination per month  Per each DS1 COCI in combination per month			UNC3X UNC1X	UC1D1	13.76	199.28	118.64 7.08	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1	ONOIA	OCIDI	13.76	10.07	1.00	0.00	0.00	1	1				<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	<u> </u>		3-1	12.27	.21.00	00.04	72.13	2.01						<del>                                     </del>
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1				0		22.01								
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Each Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	<u></u>		UNC1X	1L5XX	0.1856			L							
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	<u></u>		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	nit· A
CINDONDE					1						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 MI	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_						40.00							
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
<b>-</b>	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856			1							
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 - Facility	1	l -	OI VO I A	1LUAA	0.1000			t					1		
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		1		
	Per each 1/0 Channel System in combination Per Month	<del> </del>	<b>!</b>	UNC1X	MQ1	146.77	101.42	71.62	70.01	17.95						
	Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	UNCCC		0.00	0.00	0.00	0.00						
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE	UNC1X			8.98	8.98	8.98	8.98						
EXIE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	Trice	TRANSPORT W/ 3/1	WIUX											
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	<u> </u>	ONODA	OBLOO	22.20	127.00	00.04	42.70	2.01						
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1 -	-		220	0	55.51						İ		
	Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month	<u></u>	<u></u>	UNC1X	1L5XX	0.1856			<u> </u>					L		
	First Interoffice Transport - Dedicated - DS1 - combination	1												]		
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
$\vdash$	Per each 1/0 Channel System in combination Per Month	ļ	<u> </u>	UNC1X	MQ1	146.77	101.42	71.62	<b></b>					ļ		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	ļ	ļ	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
<del>                                     </del>	3/1 Channel System in combination per month	<b>!</b>	1	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				<del> </del>		
<del></del>	Per each DS1 COCI in combination per month	<del>                                     </del>	<b>!</b>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				<del>                                     </del>		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	+-	OINODA	JULJO	22.20	127.59	60.34	42.79	2.01		<b> </b>		1		
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		1		1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	t -			500	.200	33.04	.2.70	2.01						
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		1		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	1		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
$\vdash$	same 3/1 Channel System per month	ļ	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				ļ		
	Each Additional DS1 COCI in the same 3/1 channel system	1		LINGAY	110454	40 =0	40.07	7.00				1		1		
	combination per month	l	1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		l				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.20.1.22.											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı			· · · · · · · · ·							
<b>—</b>						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	No. 10 Complete No. 15 Complete No. 10 Complet						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X			0.00	0.00	0.00	0.00						
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	SELCE		UNCCC		8.98	8.98	8.98	8.98						
EATE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JEFICE	TRANSPORT W/ 3/	IWIUA											
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	ODLOT	22.20	127.55	00.54	42.13	2.01						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1												]		
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								40.00							
-	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINCDY	UDL64	31.56	407.50	60.54	42.79	2.04						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	ONODA	ODLO4	55.55	127.55	00.54	42.73	2.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.102/1	.5.55	2.10	10.01	7.00	0.00	0.00						
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					40.00			40.00							
$\vdash$	Transport - Zone 1	<b>!</b>	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				<del> </del>	1	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81				1		
<del>                                     </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	-	OINOINA	UILZA	21.40	127.59	00.00	42.79	2.01				1	1	
	Transport - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	۲	OI TOTAL	UTLEA	40.02	121.35	00.00	72.73	2.01						
	Mile per month	1		UNC1X	1L5XX	0.1856			I					1		
	First Interoffice Transport - Dedicated - DS1 combination -	1	1		1	5550			t					1		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
$\vdash$	Per each DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	Ι.		l									1		
$\vdash$	Combination - Zone 1	1	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	2	LINCNIV	U1L2X	27.40	407.50	00.00	40.70	0.01				1		
<del>                                     </del>	Combination - Zone 2	<del>                                     </del>	2	UNCNX	UILZX	27.40	127.59	60.60	42.79	2.81				<del>                                     </del>	-	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
<del>                                     </del>	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	<b>!</b>	3	OINOINA	UILZA	40.02	121.39	00.00	42.79	2.01				<u> </u>		
	system combination- per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00				1		
	1-7 Simbiliation por month	1		2	100.000	0.00	10.07	7.50	0.00	0.00	1	1		1	·	

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									· · · · · · · · · · · · · · · · · · ·							
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAN	41.5307	0.4050										
<b>—</b>	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
<b>—</b>	same 3/1 Channel System per month			UNCIX	UTIFT	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	13.70	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
FXT	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		011000		0.00	0.00	0.00	0.00						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						1
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						1
	First Interoffice Transport - Dedicated - DS1 combination - Per		ΙŤ	-	1					10						1
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1				
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_			470.00										
	3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICOC		0.00	0.00	0.00	0.00						
EVT	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FEIGE :	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXI		NIERO		UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
-	First 4-wire 56 kbps Local Loop in combination - Zone 1 First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
-	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Local Loop III combination - Zone 3  First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		3	OINODA	ODESO	55.99	127.59	00.54	42.19	2.01						<del> </del>
	per month			UNCDX	1L5XX	0.0091						1				]
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	<b>-</b>	<b>!</b>	5.10DX	TEO//	5.0031			<del>                                     </del>			<b> </b>				<del> </del>
	Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		1				]
	Nonrecurring Currently Combined Network Elements Switch -As-		İ			.0.44	5 7 0	32.00	55.46	200						1
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		1				]
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		1		20	2.30	5.50	2.30						
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile							-								
	per month			UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				1											]
	Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1							1				Ì
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	L NETWORK ELEMENTS	L	<u> </u>		1											
	en used as a part of a currently combined facility, the non-recurr															
	en used as ordinarily combined network elements in All States, t					As Is Charge of	loes not.							ļ		<b> </b>
Non	recurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	ipination)				1					1		ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98		1				
<u> </u>	lis Charge - 2 WIIE/4-WIIE VG	1	1	UNUVA	UNCCC		0.98	0.98	0.98	0.98	1	l		l		l

CATEGORY	D NETWORK ELEMENTS - Florida  RATE ELEMENTS													ment: 2		bit: A
CATEGORY	RATE ELEMENTS		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS										Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		Disconnect	SOMEC	SOMAN		Rates (\$)	001441	0011411
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						1 '
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	ONCCC		0.30	0.30	0.30	0.30						
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						i .
Option	nal Features & Functions:															L
				U1TD1,												i .
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI	Ol	01	Ol						<b></b>
1 1	01	Ι.		U1TD1,	00005		ΛI									1
$\vdash$	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		UI	OI	UI	OI						+
1 1	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						1
$\vdash$	Activity - per DO I	<del></del>	1	UNCTX, USL U1TD3, ULDD3,	INRUCU		104.925	23.023	2.013	U.00				1		<del></del>
1 1	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	08						1
MULT	PLEXERS	<u> </u>		OLO, OITOOX	1411000		210.000	7.070	0.7700	00						<b>—</b>
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per						-	-								
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						<b></b>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															i
$\longrightarrow$	month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															i
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						ĺ
<del>                                     </del>	Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	OCTOA	3.00	10.07	7.00	0.00	0.00						<del></del>
	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								1
	Voice Grade COCI - DS1 to DS0 Channel System - per month			02,1	15110	1.00	10.01	7.00								
	used for connection to a channelized DS1 Local Channel in the															i .
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						i
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local	l														1
$\vdash$	Channel in the same SWC as collocation) per month	<b>!</b>	<b> </b>	U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		<del></del>
$\vdash$	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per	<del> </del>		U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						<del></del>
1 1	month (DS1 COCI) used with Local Channel per	1		ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						1
UNBUNDI ED	LOCAL EXCHANGE SWITCHING(PORTS)	<del>                                     </del>		וממוס	COIDI	13.76	10.07	7.00	0.00	0.00				-		<del>                                     </del>
	nge Ports	1	$\vdash$		<b>†</b>											<del>                                     </del>
	Although the Port Rate includes all available features in GA, F	KY, LA	& TN. th	ne desired features	will need to b	e ordered usir	ng retail USOC	s	1							
	E VOICE GRADE LINE PORT RATES (RES)	T												1		ſ
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						ſ
																1
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						<b></b>
1 1		l			l											1
$\vdash$	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	$\vdash$	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80				ļ		<b>├</b>
	Exchange Ports - 2-Wire VG unbundled Florida area calling with	1		LIEDOD	LIEBAE	4.40	274	2.00	4.00	4.00						1
$\longrightarrow$	Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled Florida Residence Area	<b> </b>	<b> </b>	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80				1		<del>                                     </del>
	Calling Plan, without Caller ID capability	l		UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80						1
<del>                                     </del>	Exchange Ports - 2-Wire VG unbundled Florida extended	1	$\vdash$	ULFOR	DEPAS	1.40	3.74	3.03	1.88	1.80				1		<del>                                     </del>
	dialing port for use with CREX7 and Caller ID	1		UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						1
<del>                                     </del>	Exchange Ports - 2-Wire VG unbundled Florida extended	1			32.711	1.40	5.74	0.00	1.50	1.50				1		<u> </u>
	dialing port for use with CREX7, without Caller ID capability	1		UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						1

UNBL	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec			Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		5 1	<u> </u>	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80					í '	1
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSK	UEPAP	1.40	3.74	3.03	1.88	1.80					<u>'</u>	
		Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80					í '	1
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00						
	FEATU				OLI OIX	00/100	0.00	0.00	0.00								
		All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00							·	
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)														·	
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80					<u> </u>	1
		Exchange Ports - 2-Wire VG unbundled Line Port with														í '	1
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80					L	L
		Follows Body OWes Andrew C. B. C. C. C. C.	1		LIEDOD	LIEDE C							1			1	1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80					<b></b> '	<b></b>
		Exhange Ports - 2-Wire VG unbundled incoming only port with	1		LIEDOD	LIEDD4	1 4 40	2.74	2.22	1	4.00		1			1	1
		Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80					<u>'</u>	<del>                                     </del>
		Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80					í '	i .
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00						<del>                                     </del>
	FEATU				OLI OD	OOAGC	0.00	0.00	0.00								<del>                                     </del>
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
		NGE PORT RATES (DID & PBX)						2.00								i	
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187					i	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187					i	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187					<u> </u>	<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						<b>L</b>
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187					<b></b> '	<b></b>
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187					<b></b> '	+
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXD	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187					<u>'</u>	<del>                                     </del>
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPAD	1.40	39.06	10.10	12.33	0.7107						<b></b>
		Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187					í '	i .
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	1.40	00.00	10.10	12.00	0.7107						<b>——</b>
		Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187					ł '	ĺ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														·	
		Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187					ł '	ĺ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														1	
		Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187					<u> </u>	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ		UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187					<b></b>	<b></b>
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00							<b> </b>	<b></b>
<u> </u>	FEATU	-	<u> </u>		HEDOD HEDOE	LIEDVE	2.26	0.00	0.00	-				ļ		<b></b> '	+
-		All Available Vertical Features NGE PORT RATES (COIN)	<del>                                     </del>	-	UEPSP UEPSE	UEPVF	2.26	0.00	0.00	<del>                                     </del>				-			<del> </del>
-	EXCHA	Exchange Ports - Coin Port	1	1		+	1.40	3.74	3.63	1.88	1.80						<del>                                     </del>
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	IISano	will also annly to ci	ircuit switche						ated with 2	wire ISDN r	norts			
		Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	<del>                                     </del>
UNBU		OCAL EXCHANGE SWITCHING(PORTS)							,	1					,,,		
		NGE PORT RATES								1				İ		í	ſ
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate ag	reement.	i	
		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports														i	
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			· · · · · · · · · · · · · · · · · · ·											·	1
		capability (E:4/1/2004)	ļ		UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10					<b></b>	<b></b>
<u> </u>	-	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	<u> </u>	<u> </u>	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93					<b></b> '	<b>├</b>
<u> </u>	1	All Features Offered	<u> </u>		UEPTX, UEPSX	UEPVF	2.26	0.00	0.00	-				ļ		<b></b> '	<b></b> '
-		Exchange Ports - 2-Wire ISDN Port Channel Profiles	0.010:1-	olo cert	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	lition will be it	tormina dude 1	ha Barra F'	la Bas	Now Buston	Boaucat P		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	oie only	unougn Brk/New	Dusiness Re	quest Process.	rates for the	packet capabi	iilies will be de	eterminea via t	ne Bona Fio	ie request/	New Business	Request Pro	Cess.	1

ATTECOPY    PATE LEMENTS   1962   1960   196	UNBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	hit· Δ
ATT ELEMENTS   Part   Company   Comp	SINDOINDLE	- HEIMORK ELLINENTO - FIORIDA					I					Svc Order	Svc Order				Incremental
CATEGORY   MARTE LLEMENTS   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.   Martin   Sept.																	
ATTEMPT   MATERIAN   Market																	
NOTE   Account to   Substitute   Substitut	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part   Part	5711 <b>2</b> 55111		m		200				(4)			per LSR	per LSR				
MOTE   Account   District   Dis																	
Company   Company   Company   Company   Company   Company   England   Company   Company   Company   England   Company   Company   Company   England   Company   Company   Company   England   Company   Comp														1st	Add'l	Disc 1st	Disc Add'l
Company   Company   Company   Company   Company   Company   England   Company   Company   Company   England   Company   Company   Company   England   Company   Company   Company   England   Company   Comp								Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)		
NOTE: Access to 12 Channel or 2 Channel Packet capabilities will be analysis out through BFWhree Journal (NOTE)				<b>†</b>			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Exchange Print - Affire SCRING OF From with Posted CET 11   Cachange Print - Affire SCRING OF From with Posted CET 11   Cachange Print - Affire SCRING OF From with Posted CET 11   Cachange Print - Affire SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street SCRING OF From with Posted CET 11   Physical Goldonian - Street Scring Of From with Posted CET 11   Physical Gol	NOTE	Access to B Channel or D Channel Packet canabilities will be	e availa	ole only	through BFR/New	Business Re	quest Process										
Control of Note - Africa (SM CSF For 4th Detailer EF11   Control Con			1	1	timough Dirition	1		114100 101 1110	pasitot sapaz	1		1	l		Trioqueet :		
Locato Capalities   E-47/2004   LOCATO Capalities   E-47/2004   LOCATO CAPACITICS																	
Sections Process Coloration		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
Project Citocontext - Sist Cress Connects																	
Virtual colorations - Special Access & RIME, consecuent per   DEPEX DEPIX   DEPX DEPX   DEPX DEPX DEPX DEPX DEPX DEPX DEPX DEPX																	
Design   D							-										
Desiration   Companies   Com					UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Unbounded Exchange Ports. 4-Wire ISDN DST Port. EST1   Learn Capability. Finds Port Establishment of LLC per   LLC	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
State																	
State															1	1	
Onburside Exchange Profits A-Wine SDN SST Port - EST1   Desire Companies - Subsequent Profits Campage Anthony S.					UEPEX	UEP1A	0.00	1,809.00		151.12					1	1	
Locato Capability - Subsequent Portion Changes, Additions, Deletion Portion		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		1				1							
Desisons     UPPEX   UEP1B   0.00   175.66				1										Ì	I	I	
New or Additional Part Seighborn Numbers   Ulbrown Carbon State				1	UEPEX	UEP1B	0.00	175.66				1		Ì	I	I	
Usebunded Exchange Ports, 4-Wire (SND RS) FORT - E911   USEPEX	New o									<u> </u>							
EST1 profile (Plew or Additional)																	
Unbounded Exhange Ports, 4-Wire SDN DSI Port. E911   Locator Capability - Outlier Telephone Numbers, per number in E911 profile (New or Additional)   UEPEX UEP1D   0.0669   12.71   12.71		Locator Capability 2-way Telephone Numbers, per number in															
Locatox Capability - Outdial Telephone Numbers, per number in E91 printle [New of Additional]   UEPEX UEPID 0.0699 12.71 12.71		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
Locatox Capability - Outdial Telephone Numbers, per number in E91 printle [New of Additional]   UEPEX UEPID 0.0699 12.71 12.71		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
Unbunded Exhange Ports - Affician September Numbers   UPPX   UP																	
Tolephone Numbers - Inward Data Only Option (New or Additional Journal of Numbers (Customer Testing Purposes)		E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
Additional   UEPDX   UEPE   0.00   0.5412		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent (New)   Inward Tel Numbers (Customer Testing Purposes)   UEPEX   PR7ZT   0.00   25.42   25.42		Telephone Numbers - Inward Data Only Option [New or															
Inward Tel Numbers (Customer Testing Purposes)					UEPDX	UEP1E	0.00	0.5412									
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
NTERFACE (Provisioning Only)	LOCA																
Voice/Data					UEPEX UEPDX	LNPCN	1.75										
Digital Data	INTER																
Invard Data																	
New or Additional - Voice/Data 'B' Channel																	
New or Additional - Voice/Data 'B' Channel   UEPEX   PR7BV   0.00   15.48   New or Additional Digital Data 'B' Channel   UEPEX   PR7BF   0.00   15.48   New or Additional Inward Data 'B' Channel   UEPEX   PR7BF   0.00   15.48   New or Additional Inward Data 'B' Channel   UEPEX   PR7BD   0.00   15.48   New or Additional Useage Sensitive Voice Data 'B' Channel   UEPEX   PR7BD   0.00   New or Additional Useage Sensitive Digital Data 'B' Channel   UEPEX   PR7BD   0.00   New or Additional Useage Sensitive Digital Data 'B' Channel   UEPEX   PR7BD   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   0.00   0.00   New or Additional PRI 'D' Channel   UEPEX   PR7BD   0.00   0.00   0.00   0.00   New or Additional PRI 'D' Channel   UEPEX   U					UEPDX	PR71E	0.00	0.00	0.00								
New or Additional Inward Data "B" Channel   UEPEX PR7BF   0.00   15.48	New o																
New or Additional Inward Data 'B' Channel   UEPDX PR7BD   0.00   15.48	<b></b>		-	<u> </u>						ļ					-	-	
New or Additional Useage Sensitive Voice Data "B" Channel   UEPEX PR78S   0.00	$\vdash$		-	<u> </u>						<b>[</b>	ļ				-	-	
New or Additional Useage Sensitive Digital Data "B" Channel   UEPEX   PR7BU   0.00	<b></b>		-	<u> </u>				15.48		ļ					-	-	
New or Additional PRI "D" Channel	$\vdash$		-	<u> </u>						ļ					-	-	
CALL TYPES	<b></b>		1	1				15.10		<b> </b>	-			1	<del>                                     </del>	<del>                                     </del>	
Inward			1	1	UEPEX	PK/EX	0.00	15.48		<b> </b>	-			1	<del>                                     </del>	<del>                                     </del>	
Outward	CALL			-	HEDEV HEDDY	DD7C4	0.00	0.00	0.00	<b> </b>					<del>                                     </del>	<del>                                     </del>	
Two-way				-						<b> </b>					<del>                                     </del>	<del>                                     </del>	
UNBUNDLED PORT with REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UEPVR 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.5	<del></del>		1	<del>                                     </del>						<b> </b>					<del>                                     </del>	<del>                                     </del>	
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UEPVR 0.00 UEPVR 0.00 UEPVR USAC2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	LIMBU		,	-	OLFLA	I KICC	0.00	0.00	0.00	<b> </b>	-			-	<del></del>	<del></del>	
Unbundled Remote Call Forwarding Service, Area Calling, Res   UEPVR   UERAC   1.40   3.74   3.63   1.88   1.80	UNBU	NDLED FOR EMILIER REMOTE CALL FORWARDING CAPABILITY	:	-		1				<b> </b>	-			-	<del></del>	<del></del>	
Unbundled Remote Call Forwarding Service, Local Calling - Res   UEPVR   UERLC   1.40   3.74   3.63   1.88   1.80	UNBU		-	1	LIED\/D	LIEBAC	1 40	2 74	3 63	1 00	1 90	1	1		1	1	
Unbundled Remote Call Forwarding Service, InterLATA - Res   UEPVR   UERTE   1.40   3.74   3.63   1.88   1.80     Unbundled Remote Call Forwarding Service, IntraLATA - Res   UEPVR   UERTR   1.40   3.74   3.63   1.88   1.80     Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is   UEPVR   USAC2   Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)   UEPVR   USACCC   USACCC	<del>                                     </del>	onbundied Remote Call I of warding Service, Area Calling, Res	1	-	OLF VIX	OLINAC	1.40	3.14	3.03	1.08	1.60			-	<del></del>	<del></del>	
Unbundled Remote Call Forwarding Service, InterLATA - Res   UEPVR   UERTE   1.40   3.74   3.63   1.88   1.80     Unbundled Remote Call Forwarding Service, IntraLATA - Res   UEPVR   UERTR   1.40   3.74   3.63   1.88   1.80     Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is   UEPVR   USAC2   Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)   UEPVR   USACCC   USACCC		Unbundled Remote Call Forwarding Service Local Calling Pos	.1	1	LIEP\/R	LIERLO	1.40	274	3 63	1 90	1 90	1		Ì	I	I	
Unbundled Remote Call Forwarding Service, IntraLATA - Res    UPVR	<del>                                     </del>		1	<del>                                     </del>										<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-sa-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UPPVR USACC 0.102 0.102 0.102 0.102			1	1											<b> </b>	<b> </b>	
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus	Non-R		1	1		3=	1.70	0.74	0.00	1.50	1.50			1	t	<b>†</b>	
Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACC 0.102 0.102 UNBUNDLED REMOTE CALL FORWARDING - Bus	1,0,1-1		1			1				1		1		<b> </b>	<b>I</b>	<b>I</b>	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNBUNDLED REMOTE CALL FORWARDING - Bus					UEPVR	USAC2		0.102	0.102					1	I	I	
allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UNBUNDLED REMOTE CALL FORWARDING - Bus				<del>                                     </del>				51.02	5.102	1				1	1	t	
UNBUNDLED REMOTE CALL FORWARDING - Bus				1	UEPVR	USACC		0.102	0,102			1		Ì	I	I	
	UNRU			<del>                                     </del>		2 37 100		502	0.102	1				1	1	t	
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.40 3.74 3.63 1.88 1.80				<del>                                     </del>		1				1				1	1	t	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	1		Ì	I	I	

UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b>-</b>								Nonrec	urring	Nonrecurring	g Disconnect			088	Rates (\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80				1		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
No	n-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
		OCAL SWITCHING, PORT USAGE				ļ											
En		ice Switching (Port Usage)	ļ			ļ				ļ	ļ				ļ		ļ
$\vdash$		End Office Switching Function, Per MOU	ļ			ļ	0.0007662			<b>.</b>					<b>.</b>		<b>.</b>
$\vdash$		End Office Trunk Port - Shared, Per MOU	ļ			ļ	0.000164										
Tar	nden	Switching (Port Usage) (Local or Access Tandem)	<u> </u>			ļ	0.000101-			<b>.</b>				ļ	-	ļ	-
L		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU		<u> </u>			0.000235										
		Tandem Switching Function Per MOU (Melded)		<u> </u>			0.000027185										
-		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
0.0		Melded Factor: 20.61% of the Tandem Rate								-							
Co	mmc	on Transport Common Transport - Per Mile, Per MOU					0.0000035										
-		Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU					0.000035			-							
LINDUNDU	ED B	ORT/LOOP COMBINATIONS - COST BASED RATES					0.0004372										
		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ato Col	mmission rulo to pr	ovido Unbun	dlad Lacal Swit	ching or Swite	sh Dorte								
		s shall apply to the Unbundled Port/Loop Combination - Cos								ad Port section	of this Pate F	yhihit					
		ice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
		t and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		1			g g			T	,,				
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UN	E Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1	Ì	1	UEPRX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63										
2-V	Vire \	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37						
															1		1
		2-Wire voice unbundled Florida Area Calling with Caller ID - res	ļ		UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)	ļ	<u> </u>	UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37				1		1
		2-Wire voice unbundled Florida extended dialing with Caller ID	<u> </u>	<u> </u>	UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37				ļ		ļ
		2-Wire voice unbundled Florida extended dialing port without	1												1		1
$\vdash$		Caller ID capability	ļ		UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled Florida Area Calling Port without Caller	1	1		l		====				1			I		I
		ID Capability	ļ	ļ	UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled Low Usage Line Port without Caller ID	1		HEDDY	UEDET									1		1
<del></del>	A T	Capability	<u> </u>		UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37			ļ	-	ļ	-
FE	ATU	-	<b>!</b>	<u> </u>	HEDDY	LIEDVE	0.00	0.00	2.00	<b>!</b>	<b> </b>			1	<b>!</b>	1	<b>!</b>
		All Features Offered NUMBER PORTABILITY	1	-	UEPRX	UEPVF	2.26	0.00	0.00	<del>                                     </del>	ļ			-	<del>                                     </del>	-	<del>                                     </del>
LO	CAL	Local Number Portability (1 per port)	<del>                                     </del>	-	UEPRX	LNPCX	0.35			<del>                                     </del>					<del>                                     </del>		<del>                                     </del>
		LOCAL INCLUDER FOR ADMINIST CLUBER DOLD	1	1	ULFKA	LINEUX	0.35			1	I	1		l	l	i	İ
NIC	MPF	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					1										

UNBUNE	DLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CITECITE	DEED NETWORK ELEMENTO TIONA	1									Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGOR	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
071120011		m						== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															+
	Switch with change			UEPRX	USACC		0.102	0.102								
AD	DDITIONAL NRCs															1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OF	FF/ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
IN	NTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
2-V	-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UN	NE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UN	NE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-V	-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	LIEDDE	4.47	50.04	00.40	07.50	0.07						
	Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
LO	OCAL NUMBER PORTABILITY			UEPBX	LNDCV	0.05										
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										+
FE	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								+
NC	IONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	2.26	0.00	0.00								+
INC	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											+
	Switch-as-is			UEPBX	USAC2		0.102	0.102								
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFBX	USACZ		0.102	0.102								<del></del>
	Switch with change			UEPBX	USACC		0.102	0.102								
ΔD	DDITIONAL NRCs			OLI DX	OOACC		0.102	0.102								+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											+
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1			55.152		0.00	0.00				<b> </b>		<b> </b>		+
	Premise	1	1	UEPBX	URETL		8.33	0.83				1		Ì		
OF	OFF/ON PREMISES EXTENSION CHANNELS				1		5.55	0.50						1		1
<u> </u>	2 Wire Analog Voice Grade Extension Loop – Non-Design	l	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57				1		
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57				İ		1
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57				İ	İ	1
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						1
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
<del> </del>	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
l l	NTEROFFICE TRANSPORT															

UNB	UNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec			Disconnect				Rates (\$)		
		Literation Transaction De Francis L OMF a Value Contraction						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.00	05.00	47.05	04.70								
-	-	Termination			UEPBX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
	2 WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	UTTVIVI	0.0091	0.00	0.00								
		ort/Loop Combination Rates															
	O.V.E. I. V	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
	LOCAL	NUMBER PORTABILITY			LIEBBO	111000	0.15										
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU				LIEBBO		0.00										
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								
	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLFKG	USACZ		0.45	1.51								
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs			OLI IKO	00/100		0.40	1.01								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/O	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
-	<del> </del>	Local Channel Voice grade, per termination	<b> </b>	3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01			1	<del> </del>		
-	+	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade	<del>                                     </del>	2	UEPRG UEPRG	SDD2X SDD2X	12.92 18.36	120.38 120.38	43.56 43.56	95.00 95.00	10.54 10.54			-	<del>                                     </del>		
-	-	Non-Wire Direct Serve Channel Voice Grade	-	3		SDD2X SDD2X	32.58	120.38	43.56	95.00	10.54						
-	INTER	OFFICE TRANSPORT		-	OLI NO	CDDZA	52.56	120.30	45.50	33.00	10.34				<u> </u>		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1	<b>†</b>					1			<b> </b>		
		Termination	l		UEPRG	U1TV2	25.32	47.35	31.78						1		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			-	1				1					1		
		or Fraction Mile	l		UEPRG	U1TVM	0.0091	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3	ļ	3			25.80			ļ					ļ		
	UNE Lo	op Rates	<u> </u>	<u> </u>	LIEDDY	HEDLY								ļ	<b> </b>		
-		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
-		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX UEPPX	UEPLX	13.88										
-	2-///:	2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEPPX	UEPLX	24.63								<b> </b>		
	∠-vvire	Voice Grade Line Port Rates (BUS - PBX)		<b> </b>		+									-		
1		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73				1		
<b>-</b>	+	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73	1		1	1		
<b>-</b>	+	Line Side Unbundled Incoming PBX Trunk Port - Bus	1	1	UEPPX	UEPPO UEPP1	1.17	174.81	100.65	75.88	12.73	1		1	1		
$\vdash$	+	2-Wire Voice Unbundled PBX LD Terminal Ports	<del>                                     </del>	l -	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73			1	1		
	1	2 THIS TOLOG OFFICIALISM TO A ED TOTTIMINALT OFFI	l		U-1 1 /	102.20	1.17	177.01	100.00	70.00	12.73	1	1	L	1	L	L

UNBL	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.12												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												l -	· ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		O Miss Vaiss Habita dlad O May Combination DDV Hanna Dat			UEPPX	UEPXA	4.47	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17 1.17	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	1	1				
	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73	1	1				
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	UEPXO	1.17	174.04	100.05	75.00	10.70						
<u> </u>	<del>                                     </del>	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO	1.17	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	1	-				
-	LOCAL	NUMBER PORTABILITY			OLFFA	ULFAO	1.17	1/4.01	100.05	10.08	12.73	1	1	1	1		
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU						0.10	0.00	0.00						1		
		All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDIII	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPA	U3A32	0.00	0.00	0.00								
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX UEPPX	SDD2X SDD2X	12.92 18.36	120.38 120.38	43.56 43.56	95.00 95.00	10.54 10.54						
		Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X SDD2X	32.58	120.38	43.56	95.00	10.54						
-	INTER	OFFICE TRANSPORT	<u> </u>	J	OLI FA	JUUZA	32.30	120.30	40.00	95.00	10.54	<b> </b>			<b> </b>		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1	1	1	1		
	1	Termination			UEPPX	U1TV2	25.32	47.35	31.78						1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE Po	ort/Loop Combination Rates					40.0										
<u> </u>	<b> </b>	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
-	<del>                                     </del>	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		-	15.05 25.80					1	-				
-	LINE	2-wire vG Coin Port/Loop Combo – Zone 3		3		1	∠5.80					1	1	1	1		
<del></del>		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77					1	-		<del> </del>		
	<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88										
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63							1			
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,							· · · · · · · · · · · · · · · · · · ·						1		
	<u> </u>	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEDE:		== =:									
-	1	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37	1	1		<del>                                     </del>		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37				1		
<b>-</b>	<del>                                     </del>	2-Wire Coin Outward with Operator Screening and 011 Blocking			0L1 00	OLFOG	1.17	ا د.د	20.40	21.50	0.37			-	1		
1		(AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37				1		
	1	v·				J	1.17	00.01	2010	21.00	0.01		1	·	l		

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.2												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			-		_		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:						11130	Auu	11130	Auu i	JOHILO	JONAN	JONAN	JOHAN	JOHAN	JOHIAN
		900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02. 0.		00.01	20.10	21.00	0.01						
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
<u> </u>	None	Local Number Portability (1 per port)	<u> </u>	<b>_</b>	UEPCO	LNPCX	0.35					<u> </u>		ļ	<b> </b>		<b> </b>
-	NONRI	ECURRING CHARGES - CURRENTLY COMBINED	ļ	1													
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPCO	USAC2		0.102	0.102						1		
-	<del> </del>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>	1	OLFOO	USAUZ		0.102	0.102								
		Switch with change	1		UEPCO	USACC		0.102	0.102						1		]
	ADDIT	IONAL NRCs			OLI CO	00/100		0.102	0.102								
	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1														
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (	RES)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	<del> </del>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
	UNE L	pop Rates		1	UEPFR	UECF2	12.24										
	1	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40					1					
-	-	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire	Voice Grade Line Port Rates (Res)			OLITIK	OLOI Z	30.07										
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundles res, low usage line port with Caller ID	1												]		]
	<u> </u>	(LUM)	<u> </u>	<u> </u>	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73	<u> </u>					
	INTER	OFFICE TRANSPORT	ļ	1		-						ļ					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATO 10	05.00	47.0-	04 =0								
-	1	Termination	<del>                                     </del>	1	UEPFR	U1TV2	25.32	47.35	31.78			1		-	<del>                                     </del>		<del>                                     </del>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0091										
<b>—</b>	FEATU		1	1	OLITIN	ILUAA	0.0081			<del> </del>		1		1	1		<del> </del>
<b> </b>		All Features Offered	1	1	UEPFR	UEPVF	2.26	0.00	0.00								
	LOCAL	NUMBER PORTABILITY	1				2.20	5.50	3.30						1		
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					İ					
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	1	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		16.97	3.73						]		]
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			I									]		]
<u> </u>	ļ	Combination - Conversion - Switch-With-Change	ļ	ļ	UEPFR	USACC		16.97	3.73	ļ					ļ		ļ
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDED	LIDETN		44.0.									
-	0 14/15/	End User Premise	L	L DODT (	UEPFR	URETN		11.21	1.10	ļ		}		1	<del> </del>		<del> </del>
<u> </u>		E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	E LINE I	PURI (	BUS)	-						1					
<b>-</b>	ONE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	13.64					1	1	1	1		1
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	2		+	18.80							-	1		
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>	3		+	32.27					<del>                                     </del>			<del> </del>		
	1	5 Ecopile Transport of Combo Zone C	1		l .		02.21			l			1	l	1		1

UNBL	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.44
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										<b>.</b>
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
		NUMBER PORTABILITY				LUBOY											
		Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35								1		
<u> </u>	INTER	OFFICE TRANSPORT		<u> </u>		+	1								1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11471/0	05.00	47.05	04.70								1
	<b> </b>	Termination		<u> </u>	UEPFB	U1TV2	25.32	47.35	31.78						1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5307	0.0004										i
-	EE A TII	or Fraction Mile			UEPFB	1L5XX	0.0091										
	FEATU				LIEDED	LIEDVE	0.00	0.00	0.00								
-	NONDE	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
-	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		40.07	0.70								1
		Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16.97	3.73								
		Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		10.97	3.73								
		End User Premise			UEPFB	URETN		11.21	1.10								1
-	2 WIDE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INIE E	ODT /		UKETN	+	11.21	1.10								
		ort/Loop Combination Rates	LIIVE	1 1710	DA)	+											
	O.V.E. I. V	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.80										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
		op Rates		Ŭ			02.2.										
	0.1.2	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		,															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
1	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	<u> </u>	Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						<b>I</b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					[										1
	ļ	Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						1
	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1						]							i
<u> </u>	ļ	Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	ļ	Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73						
		NUMBER PORTABILITY				LVESS											
		Local Number Portability (1 per port)		<b>_</b>	UEPFP	LNPCP	3.15	0.00	0.00								
<u> </u>	INTER	OFFICE TRANSPORT	-	-		+	1								-		
1	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	UEPFP	U1TV2	25.32	47.35	31.78	]							i
	1	Termination	1	<u> </u>	ULPFP	01172	25.32	41.35	31./8	1		I	i .		I		

UNBUN	DLE	NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	hit: A
CIVECIA		HETWORK ELEMENTO TIONGE									Svc Orde	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
			Intori								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m								po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
							1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
		or Fraction Mile			UEPFP	1L5XX	0.0091									
F	EATU															
		All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00							
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED								<b>—</b>						
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73	<b>—</b>						
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			40.07	0.70							
		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73	<b>-</b>						
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	UEPFP	LIDETN		44.04	4.40			I	Ì	Ì		
HINDHIND	I ED D	End User Premise ORT/LOOP COMBINATIONS - COST BASED RATES	<del>                                     </del>	<del>                                     </del>	UEPFP	URETN	<del>                                     </del>	11.21	1.10		_	1	-	-		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	L	<del>                                     </del>		<del>                                     </del>				<del>                                     </del>		<del>                                     </del>				
		rt/Loop Combination Rates	I	-		+	1			<del>                                     </del>		+	-	-		
- 0	NE PO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		-	20.95			<u> </u>						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		1	26.11			+ +		1				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	39.58			<del>                                     </del>		1				
<del>                                      </del>	NF Lo	op Rates		3		1	33.30			<del>                                     </del>		1				
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24			<del>                                     </del>		1				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40			<del>                                     </del>	-					
		2-Wire Analog Voice Grade Loop (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87					+				
U		rt Rate		Ť	02.17	02001	00.07									
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29			+				
N		CURRING CHARGES - CURRENTLY COMBINED					•									
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								1						
		Switch-as-is			UEPPX	USAC1		7.85	1.87							
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion														
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87							
Α		DNAL NRCs														
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														
		End User Premise			UEPPX	URETN		11.21	1.10							
T		one Number/Trunk Group Establisment Charges														
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
		DID Numbers, Establish Trunk Group and Provide First Group	1			l						1				
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00	<b>—</b>						
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	<b>—</b>						
$\vdash$		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	<b>!</b>	<u> </u>	UEPPX UEPPX	ND5	0.00	0.00	0.00			1	<del> </del>	<del> </del>		
<b>  -</b>			1	1		ND6	0.00	0.00	0.00	<del>                                     </del>		1	1	1		
<del>   </del>		Reserve DID Numbers NUMBER PORTABILITY	<del>                                     </del>	-	UEPPX	NDV	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>				
<del></del>		Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00			+				
2.		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		LINI OF	3.13	0.00	0.00	<del>                                     </del>	-	1	1	1		
		rt/Loop Combination Rates	5151	<u> </u>		†				<del>                                     </del>	-	<del>†</del>	<del>                                     </del>	<del>                                     </del>		
$\vdash$	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del> </del>	1		1	+ +				-	1				
		UNE Zone 1	1	1	UEPPB UEPPR	:I	22.63						1	1		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<b>†</b>	<u> </u>	02.710	1	22.00						1	1		
		UNE Zone 2	1	2	UEPPB UEPPR	1	29.05					1				
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1												
		UNE Zone 3	1	3	UEPPB UEPPR	1	45.84					1	Ì	Ì		
U	NE Lo	op Rates		<u></u>												
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25									
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67									
$\perp \perp \downarrow$		2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB UEPPR	USL2X	38.46									
U		rt Rate	ļ			<del> </del>						<b></b>				
<del></del>	01157	Exchange Port - 2-Wire ISDN Line Side Port	ļ		UEPPB UEPPR	UEPPB	7.38	194.52	145.09							
N	UNKE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>		1						1	l	l		

UNBUND	LED	NETWORK ELEMENTS - Florida													Attach	ment: 2	Fxhi	bit: A
UNDUND	Ī	THE THORIT ELEMENTO TIONAL											Svc Order	Svc Order	Incremental		Incremental	
													Submitted	1		Charge -	Charge -	Charge -
			Interi										Elec	1	Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								ļ.,										
								Rec	Nonrec		Nonrecurring					Rates (\$)		
<b>.</b>		Wise IODN Bigital Contains and O.Wise IODNI is a City Book							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	LIEDDD	110400	0.00	05.00	47.00								
- AB		Combination - Conversion  DNAL NRCs			UEPPB	UEPPR	USACB	0.00	25.22	17.00								
AD		Unbundled Miscellaneous Rate Element, Tag Designed Loop at						-			-		1					
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	OLFFB	ULFFR	OKLIN		11.21	1.10	<b>†</b>		1					
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
10		NUMBER PORTABILITY			OLITE	OLITIK	OILLIE		0.00	0.00								
·		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<del> </del>
B-C		NEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	(	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
US		ERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	ļ							1
VE		AL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INT		FFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and						.=	4= 0=									
		facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
4.14		Interoffice Channel mileage each, additional mile	CROPT		UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNP E-P DS1 combination rates below for in this rate exhibit appl				!n nlass a	f 40/2/02 ·		4/4/04 th				<u> </u>	:-!				
		es for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													nt.			
		rt/Loop Combination Rates	Tulik F	Jit aite	the enec	live uate o	i tilis alliellu	illient snan be	novided pursu	iant to a sepai	ate agreement	Or tariir at Bei	loudins di	Scretion.				
0.1	1/	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																<del> </del>
		Zone 1		1	UEPPP			153.48										
	4	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	2	Zone 2		2	UEPPP			183.28										
	4	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	7	Zone 3		3	UEPPP			261.12										
UN		op Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54										
$oxed{oxed}$		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38			ļ				ļ	ļ		1
UN		rt Rate			====		LIEBE -	ļ			ļ				ļ	ļ		1
<u> </u>		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		ļ	UEPPP		UEPPP	82.74	488.36	276.65	-							-
NO		CURRING CHARGES - CURRENTLY COMBINED		<u> </u>							-							<b>—</b>
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			UEPPP		USACP	0.00	04.47	04.00	I				1	1		I
A.D.		Combination - Conversion -Switch-as-is (E:4/1/2004)	-	<del>                                     </del>	UEPPP		USACP	0.00	84.17	61.38	<del>                                     </del>		<del>                                     </del>		-	-		<del></del>
AD		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		-			1	<del>                                     </del>			<del>                                     </del>				-	-	-	<del></del>
		nward/two way Tel Nos. (except NC)		1	UEPPP		PR7TF		0.5412		1							1
$\vdash$		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	<b>-</b>		JE111		. 137.11	<del>                                     </del>	0.0412		t		<del>                                     </del>		<del> </del>	<del> </del>		<del>                                     </del>
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO	]	12.71	12.71	I				1	1		I
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			J			†	12.71	12.71	1				1	1		
		Subsequent Inward Tel Numbers		1	UEPPP		PR7ZT		25.42	25.42	1							1
LO		NUMBER PORTABILITY	1					†			1	l					İ	
	L	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INT	ERF/	ACE (Provsioning Only)																
	1	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
		nward Data			UEPPP		PR71E	0.00	0.00	0.00								
Nev		Additional "B" Channel																
$\vdash$		New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48		ļ							<b></b>
		New or Additional - Digital Data B Channel		<u> </u>	UEPPP		PR7BF	0.00	15.48		1							<b>└</b>
<del></del>		New or Additional Inward Data B Channel		<b> </b>	UEPPP		PR7BD	0.00	15.48		<b>.</b>				ļ			<b></b>
CA	LL T	YPES		1				l			<u> </u>		l		l	l	l	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.20.1.222											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	1		Charge -	Charge -	Charge -
		Intori									Elec	1	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 101	1 2.00 / 1.00 /
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								<b></b>
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								<b></b>
Intero	ffice Channel Mileage															<b></b>
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						<b></b>
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										<b></b>
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	L					L				<u> </u>				<b></b>
	NE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			<b></b>
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of t	his amendment sha	II be provide	d pursuant to	a separate agre	ement or tarif	t at BellSouth's	s discretion.						<b></b>
UNE P	Port/Loop Combination Rates	<u> </u>		LIEBBO		105.00				<b> </b>			1		1	<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<b> </b>	1	UEPDC	1	125.69				-	1			-		<del>                                     </del>
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<b> </b>	2	UEPDC		155.49			1	<b> </b>	}		1	<del> </del>	1	<del>                                     </del>
I INC.	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<b> </b>	3	UEPDC	1	233.33				-	1			-		<del>                                     </del>
UNE L		-	1	LIEDDC	LICL DO	70.74										<del> </del>
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPDC UEPDC	USLDC	70.74 100.54					1					<del> </del>
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPDC	USLDC	178.38			1	-	-			<b> </b>	-	<del>                                     </del>
LINE E	Port Rate		3	UEPDC	USLDC	170.30										<del> </del>
ONLF	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23				-				<del>                                     </del>
NONE	ECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	34.53	404.80	209.20			1	1				<b>-</b>
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										1					<del></del>
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								i .
<b></b>	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		30.01	40.71								<del>                                     </del>
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								i .
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								1
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								i .
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															i
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															i
<u> </u>	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								<b></b>
BIPOL	AR 8 ZERO SUBSTITUTION	<b> </b>		LIEDDC	CCOCE	<del> </del>	0.00;	GEE 00c	1	<b> </b>	}		1	<del> </del>	1	<del>                                     </del>
$\vdash$	B8ZS -Superframe Format	-	-	UEPDC	CCOSF			655.00s			1					<del></del>
Altern	B8ZS - Extended Superframe Format ate Mark Inversion	<del>                                     </del>		UEPDC	CCOEF	-	0.00i	655.00s	-				-	-	-	<del> </del>
Aitern	AMI -Superframe Format	<b> </b>		UEPDC	MCOSF	1	0.00	0.00		1	}		1	1	1	<del></del>
$\vdash$	AMI - Extended SuperFrame Format	-		UEPDC	MCOPO	<b> </b>	0.00	0.00	1	-	-			<b> </b>	-	<del></del>
Telon	hone Number/Trunk Group Establisment Charges	-		OLFDO	IVICOPO	<b> </b>	0.00	0.00	1	-	-			<b> </b>	-	<del></del>
relebi	Telephone Number for 2-Way Trunk Group	<del>                                     </del>		UEPDC	UDTGX	0.00			1	1	1		1	1	1	<del></del>
-	Telephone Number for 1-Way Outward Trunk Group	<del>                                     </del>		UEPDC	UDTGY	0.00										<del>                                     </del>
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00				1				1		
	DID Numbers, Establish Trunk Group and Provide First Group					5.50	1			1			1	1	1	<u> </u>
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								1
	DID Numbers for each Group of 20 DID Numbers	l		UEPDC	ND4	0.00				İ			İ	İ	İ	ſ
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0.00					Ì					ſ
	Reserve Non-Consecutive DID Nos.	1		UEPDC	ND6	0.00	0.00	0.00			Ì					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								ſ
Dedic:	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
l T	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities					1								]		1
	Termination)	<u> </u>		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	<u> </u>					<b></b>
					l		_	_						Ì		1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.1856	0.00	0.00					<u> </u>		<u> </u>	<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1				I					Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
		<u> </u>	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41.1100	0.00	0.00	0.00								
<b>-</b>	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILNOB	0.1000	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination			OLI DO	121100	0.00	0.00	0.00	0.00		1					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on															
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	e of this amendmen	t shall be pro	ovided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.	<u> </u>				
UNE	OS1 Loop		<u> </u>								ļ					
	4-Wire DS1 Loop - UNE Zone 1	ļ	1	UEPMG	USLDC	70.74	0.00	0.00			ļ					
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00								
<b>———</b>	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	178.38	0.00	0.00								
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)		UEPMG	VUM24	118.06	0.00	0.00	1							
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s		<u> </u>	UEPMG	VUM24 VUM48	236.12	0.00	0.00								
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	472.24	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00			1					
<del>                                     </del>	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00	<b>†</b>		1					
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00			1					
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20		0.00	İ							
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44		0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00								
Non-F	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a S	/stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ac	dd'I afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without	1											1			
<u> </u>	BellSouth Allowed Changes	<u> </u>		UEPMG	USAC4	0.00	96.77	4.24	ļ		ļ		ļ	ļ		
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and	d		ļ		ļ		ļ	ļ		
New (	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's	1				-							
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1		UEPMG	VUMD4	0.00	700 11	400.04	445.00	47.04			1	1		
Din -1	and Assoc Fea Activation (E:4/1/2004)	<del>                                     </del>	<u> </u>	UEPMG	VUIVID4	0.00	726.11	468.21	145.32	17.24	<u> </u>	-				-
Біроі	Clear Channel Capability Format, superframe - Subsequent	<del>                                     </del>			1	<b>+</b>	<b>+</b>		<del> </del>		<b> </b>	}	1	1		1
	Activity Only	1		UEPMG	CCOSF	0.00	0.00i	655.00s	I				1	1		
<del>                                     </del>	Clear Channel Capability Format - Extended Superframe -	<del>                                     </del>		OLI IVIO	30001	0.00	0.001	000.000	t		<b> </b>	<del>                                     </del>	<del> </del>	<del> </del>		
	Subsequent Activity Only	1		UEPMG	CCOEF	0.00	0.00i	655.00s	I				1	1		
Altern	ate Mark Inversion (AMI)				1	5.50	1		1				İ	1		
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID	1				I	I		I				1	1		
	(E:4/1/2004)	ļ		UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00	ļ		ļ	ļ		<u> </u>
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1		HEDDY	LIEDE.								1	1		
<b> </b>	(E:4/1/2004)	ļ		UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	ļ					
Featu	re Activations - Unbundled Loop Concentration		<u> </u>			L	<u> </u>		<u> </u>							

UNBUND	LEC	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Managa		Nana	- Dianamant		ļ.	220	Datas (A)		
<del></del>						-	Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-		Facture (Carries) Activation for each Line Bort Terminated in D4				-		First	Add'l	First	Add'l	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
		Feature (Service) Activation for each Trunk Port Terminated in			OLFFX	IF Q VVIVI	0.0402	23.40	13.41	3.90	3.93						
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						ļ '
Tel		one Number/ Group Establishment Charges for DID Service			OZ. TX	4	0.0.02	70.10	.02	00.00	10.00						
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								1
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loc		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	ļ							
		RES - Vertical and Optional				<u> </u>	ļ			ļ					ļ		<b> </b>
Loc		witching Features Offered with Line Side Ports Only				<u> </u>											
<u></u>		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE				<u> </u>	<u> </u>										
		Based Rates are applied where BellSouth is required by FCC									Land of the Barta						
2. 1	eatu	res shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	tney are applie	d to the Stand	-Alone Unbun	alea Port Secti	on of this Rate	Exhibit.		0			
3. 1	tha f	Office and Tandem Switching Usage and Common Transport rst and additional Port nonrecurring charges apply to Not Co	Usage	Comb	the Port Section of	Currently Co	nibit snall apply	to all combina	tions of loop/	port network e	identified in t	t for UNE C	rring - Curr	op Combinat	ions.	Additional NR	Ce may
		so and are categorized accordingly.	uncing	COIIID	inea combos. To	Currently Co	mbinea combe	os, the nomeou	innig charges	Silali be tilose	identified in t	ie ivoiliecu	ining - Curre	sittly Combine	eu sections.	Additional Ni	.O3 illay
		et Rates for Unbundled Centrex Port/Loop Combination will	ho nog	atiatad	on an Individual Ca	eo Bacic un	til further netic	•				1	1		1	1	
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juated	on an marvidual oc	Dasis, un	I I I I I I I I I I I I I I I I I I I	G.									
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)															
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		25.80										
UN		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		18.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDO4		00.01			I		1	1		1		1
		Design on Boto		3	UEP91	-	32.04			<del>                                     </del>					-		<del>                                     </del>
UN		op Rate		1	LIEDO1	LIECC1	0.77			<del>                                     </del>					<del>                                     </del>		<del></del>
+		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91 UEP91	UECS1	9.77 13.88			<del>                                     </del>		-	<b> </b>		-		<del></del>
<del></del>		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63			t					1	1	<del>                                     </del>
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24			<b>-</b>							
<del>                                     </del>		2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP91	UECS2	17.40			<del>                                     </del>					<del> </del>		<del>                                     </del>
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP91	UECS2	30.87			<b>I</b>		<b> </b>	<b> </b>		<b> </b>		
UN	E Po					1	55.57			1					1		<u> </u>
		es (Except North Carolina and Sout Carolina)				1	1			1						İ	†
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						ļ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											
		Area	<u></u>	<u>L</u>	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37	<u></u>	<u></u>		<u> </u>	<u> </u>	<u>1</u> '
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
		Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37				<u> </u>	<u></u>	<u></u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)													]		1
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							·								1
		Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81				ļ		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			luena.					l		1	1		1		1
1 1		- Basic Local Area		1	UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37					l	1

UNBUND	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	₹Y	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
Ge		and Florida Only															
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
<b></b>		Service Term		<b></b>	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81				1	1	<b>├</b>
		O Wiss Vision Conds Boot terminals 11 March 11			LIEDO4	LIEDUO		50.01	20.42	07.50	0.07						1
<b></b>		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<b></b>	UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37				1	1	<b>├</b>
<u> </u>		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	-					<del>                                     </del>
LO	ocal S	witching		1	UEP91	URECS	0.7384			<del>                                     </del>		-					<del></del>
-	and N	Centrex Intercom Funtionality, per port umber Portability			UEP91	URECS	0.7384										-
LO		Local Number Portability (1 per port)			UEP91	LNPCC	0.35					1					-
Fo	eature				OLF91	LINFOC	0.33					1					-
1.0		All Standard Features Offered, per port			UEP91	UEPVF	2.26										
-		All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70		<b>†</b>							
h		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26	370.70									
NA	ARS	Tail Control C			OLI 01	OLI VO	2.20										
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Mi		aneous Terminations															
2-\	Wire	Frunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.73										
Int		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4	1 Cha	nnel Bank Feature Activations			LIEBA	1001110											
ļ		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Foot as Astronomy B 4 Observat Book EV to 2015 Loss Observation			LIEDOA	400140	0.00										
<b></b>		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66			-							<b></b>
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW7	0.66										
<b></b>		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	IPQW/	0.66										-
		Different Wire Center			UEP91	1PQWP	0.66										
h		Different Wife Genter			OLI 31	ii QWi	0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.		0.00										
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port		<u> </u>	UEP91	USAC2		21.50	8.42	<u> </u>					<u></u>	<u></u>	<u></u>
		Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82									
$\vdash$		New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82		ļ							<b>I</b>
$oxed{oxed}$		Secondary Block, per Block			UEP91	M2CC1	0.00	71.31		<b>.</b>							<b></b>
<u> </u>		NAR Establishment Charge, Per Occasion		<u> </u>	UEP91	URECA	0.00	66.48									<del></del>
		CENTREX - 5ESS (Valid in All States)		<b></b>		1				<b>.</b>					ļ	ļ	<del></del>
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo				+				<del>                                     </del>							<del></del>
- ION		rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	<del>                                     </del>		+				<del>                                     </del>			<b> </b>				<del></del>
		z-vvire vG Loop/z-vvire voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		10.94			I			1				1
		200.gii	l .	_ ' _	J_1 00	ı	10.04			I.		1	·		·	·	

	UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
ATE LLEMINS    Part   Mark   M	0.10	JIIDEL	NETWORK ELEMENTO FIORICA										Svc Order	Svc Order				Incremental
Part   Part																		
ATTECOMY  BATE ELEMENTS  M  CONTROL  BATE SIGN  BATE SI				Intori											_			
Note	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
Part   Part				""														
None-control   None																		
No.   Pirel   Audit   First   Audit   South		,																
Wilter Vot Load-Park Vote Carelar Park (Centres)								Rec										
Non-Design   2 UCP96									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Device of Composition For Control Port Con								4= 0=										
Non-Design		<u> </u>			2	UEP95		15.05										
Weight   Performance   Perfo					_	LIEDOE		25.00										
Silver Visit Loop Purity Visite Conder Purit (Contency Purit Contency Purity Contency Purity Visite Conder Purity Visite Conder Purity Contency Purity Visite Conder Purity Vis		LINED			3	UEP95	-	25.80					ļ					
Design   D		UNE P											1					
E-Virte Vic Loop/Were Votes Grade Port (Centres)					1	I IEDOS		13./1										
Design		+			<del>- '</del> -	OLI 33	+	13.41					1					
2-Wine VC Loop/2-Wine Vote Grade Port (Centres)Port Compo-					2	HEP95		18 57										
Design			9		T -	02.00		10.07										
UPCS   Post   Vivos Grade Loop (St. 1) - Zone 1   1   UPPS   UPCS   5   7   7   1   1   1   1   1   1   1   1					3	UEP95		32.04								1		
2-Wire Voce Grade Loop (St. 1) - Zone 1		UNE L																
2-Winv Voice Grade Loop (St. 17-zone 2   2   UEPRS   UECS   1-388		1			1	UEP95	UECS1	9.77							İ	1		
2-Wire Vacio Grade Long (St. 1) - Zono 3		1			2										İ	1		
2-Wire Votos Grade Logo (St. 2) - Zone 1		1											İ					
2-Wire Voor Grided Locy (St. 2) - Zeno 3   2   UF96   UFCS2   17.40																		
UBP For Rate			2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95		17.40										
All States					3	UEP95	UECS2	30.87										
2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP95   UEP74   1.17   53.31   28.46   27.50   8.37																		
2-Wire Voice Grade Port (Centrex with Cells (Diffesse Local Area   LeP96   UEPY8   1.17   53.31   28.46   27.50   8.37		All Sta																
2-Wire Votos Grade Port (Centrex with Caller (D) Hasia: Local Area   UEP95   UEPYH   1.17   53.31   28.46   27.50   8.37																		
Area						UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
2-Vivire Votos Grade Port (Centrex Yorn diff Serving Wire   UEP96   UEP74   1.17   139.49   86.10   66.41   13.81																		
Center(2,3 Basic Local Area   UEP96   UEPYM   1.17   139.49   86.10   65.41   13.81						UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port, Diff Serving Wire Centre? 2-3- 800   UEP95   UEP97   1.17   139.49   86.10   65.41   13.81			2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Service Term - Basic Local Area   UEP95   UEP72   1.17   139.49   86.10   65.41   13.81			Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP95   UEP79   1.17   53.31   26.46   27.50   8.37						LIEDOE	LIEDVZ	4 47	400.40	00.40	05.44	40.04						
- Basic Local Area		1				UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81	1					
2-Wire Voice Grade Port Terminated on 800 Service Term -   UEP95   UEPY2   1.17   53.31   26.46   27.50   8.37						LIEDOE	LIEDVO	1 17	E2 24	26.46	27.50	0.27						
Basic Local Area		+				UEF95	UEFT9	1.17	33.31	20.40	27.50	0.37						
AL, KY, LA, MS, SC, & TN Only						I IEDQ5	HEDV2	1 17	53 31	26.46	27 50	8 37						
F.L. & GA Only		AL KY				OLI 30	OLI IZ	1.17	00.01	20.40	27.00	0.07						
2-Wire Voice Grade Port (Centrex X)																		
2-Wire Voice Grade Port (Centrex 80t Clere with Caller 10)		1				UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port (Centrex with Caller ID)1		1													İ	1		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service   UEP95   UEPHM   1.17   139.49   86.10   65.41   13.81		1																
Center/2,3		1								-								
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP95	L	<u> </u>	Center)2,3	<u></u>	L	UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP95										-							]	
2-Wire Voice Grade Port Terminated on 800 Service Term			Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port Terminated on 800 Service Term				1												_	]	
Local Switching		<u> </u>											<u> </u>					
Centrex Intercom Funtionality, per port   UEP95   UEPCS   0.7384		<u> </u>				UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37				ļ	ļ	
Local Number Portability   Local Number Portability (1 per port)   UEP95   LNPCC   0.35		Local			ļ	LIEDOS	LIDECC	0 700								-		
Local Number Portability (1 per port)						UEP95	URECS	0.7384								-		
Features	-				<del>                                     </del>	LIEDOE	LNDCC	0.05					}		1	<b>!</b>	<del> </del>	
All Standard Features Offered, per port   UEP95   UEPVF   2.26	-				-	UEP93	LINPUU	0.35					1		-	<del>                                     </del>	<del>                                     </del>	
All Select Features Offered, per port   UEP95   UEPVS   0.00   370.70	-	realur			-	LIEDOE	LIEDVE	2.26							-	-	-	
All Centrex Control Features Offered, per port   UEP95   UEPVC   2.26	-	1							370.70				1		1	t	1	
NARS         Unbundled Network Access Register - Combination         UEP95         UARCX         0.00         0.00         0.00         0.00         0.00           Unbundled Network Access Register - Indial         UEP95         UAR1X         0.00         0.00         0.00         0.00         0.00           Unbundled Network Access Register - Outdial         UEP95         UAROX         0.00         0.00         0.00         0.00         0.00           Miscellaneous Terminations         Image: Company of the company o	<b>-</b>	+		<b>-</b>					310.10				<del>                                     </del>			t	<del> </del>	
Unbundled Network Access Register - Combination   UEP95   UARCX   0.00	<b>-</b>	NARS	y as 35.11.5% Control i catalog Cherea, per port	<b>-</b>		021 00	JL: 70	2.20					<del>                                     </del>			t	<del> </del>	
Unbundled Network Access Register - Indial   UEP95   UAR1X   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   Unbundled Network Access Register - Outdial   UEP95   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP95   UAROX   0.00   0.00   0.00   UEP95   UAROX   0.00   0.00   0.00   UEP95   UAROX   0.00   0.00   UEP95   UAROX   0.00   0.00   0.00   UEP95   UAROX   0.00   0.00   UEP95   UAROX   0.00   0.00   0.00   UEP95   UAROX   0.00   UEP95   UAROX   0.00   UEP95   UAROX   0.00   0.00   UEP95   UAROX   0.00   0.00   UEP95   UAROX   0.00   0.00   0.00   UEP95   UAROX   0.00   0.00   UEP95   UAROX   UEP95   UAROX   0.00   UEP95   UAROX   UEP95   U			Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	1			<b>I</b>	<b> </b>	
Unbundled Network Access Register - Outdial   UEP95		1														1	1	
Miscellaneous Terminations 2-Wire Trunk Side Side Side Side Side Side Side Side		1														1	1	
2-Wire Trunk Side		Miscel						2.00	2.00	2.00	2.00	2.00				İ	İ	
							1								İ	1		
						UEP95	CEND6	8.73										

ATTECONY  RATE LEMENTS  Internal Control (1965)  RATES (8)  ROBERT SCHOOL (1965)  RATES (8)  ROBERT SCHOOL (1965)  RATES (8)  ROBERT SCHOOL (1965)  ROBERT	UNBU	JNDLEI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
ATTEMPORAL PROPERTY OF THE REMEMBERS AND A STATE ALL PROPERTY OF THE PROPERTY	<u> </u>												Svc Order	Svc Order				
ANTE GENERAL RELIEBENTS BASE   200   100																		
AFFEORY  RATE ELEMENTS  ***********************************				Intori									Elec	Manually				
Note	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
Page   Page				""														
After   Note																		
Note   Person   Augres   Column   Col								1										
Wilson   Control   Contr								Rec										
DS1 Count Termination, and DS1 Count Termination and DS2 Count Termination and DS2 Count Termination and DS2 Count Termi		4 100	District (4 E44 Manualtita)						First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-wire				LIEDOE	MALIDA	E4.0E										
Interception Channel Missage - 2 Wire   Interception Channel Patients - 2 Wi									15.60									<b>—</b>
Interesting Columnal Facilities Termination of Parlia Columnal Parliament (Columnal Parliament Columnal		Interoff				ULF 93	WITIDO	0.00	13.09		+							
Inserting Character diseases per mile or fines in classical services   UFPS   MiSSM   0.0091						LIEP95	M1GBC	25 32										
Feature Activation (1980) Centres Loops on Channellased DSI Service																		
December   December   Activation   December   Decembe		Feature		e														
Feature Activation on D.4 Channel Bank FX True Side Loop Stor																		
Feature Activation on D-4 Channel Bank P-X Trunk Side Loop   UEP96   1PQW/P   0.66			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
Feature Activation on D-4 Channel Bank P-X Trunk Side Loop   UEP96   1PQW/P   0.66				1								-		1				1
Sold   UP96   IPOWT   0.66		ļ		ļ		UEP95	1PQW6	0.66			<b>.</b>							
Feature Activation on D 4 Channel Bank Centrol Logo Sid - Other Defended War Centrol War Centrol For State Centrol For				1		LIEBOE	400147	0.00						1				1
Different Viris Center	-	1	0.00	1		UEP95	IPQW/	0.66			+ +							1
Feature Activation on D 4 Channel Bank Private Line Loop Size   UEP95   1PGWV   0.06						LIEDOS	1DOWD	0.66										ĺ
Feature Activation on D-4 Channel Bank Tiple LineTrunk Loop   UEP96   1POWO   0.66		+	Different Wife Center			ULF 93	IFQWF	0.00			<del>†                                      </del>							
Feature Activation on D-4 Channel Bank Tiple LineTrunk Loop   UEP96   1POWO   0.66			Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										1
Siot   Feature Advisition on D-4 Channel Bank WATS Loop Stat   UEP96   1POW/04   0.66						02. 00		0.00										
Non-Recurring Charges (NRC)   Associated with UNE-P Centrex						UEP95	1PQWQ	0.66										1
NRC Conversion Currently Combined Switch-As-law with allowed changes, per port   UEP95			Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
NRC Conversion Currently Combined Switch-As-law with allowed changes, per port   UEP95		Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
Conversion of Existing Centries Common Block each   UEP95   USACN   5.17   8.32			NRC Conversion Currently Combined Switch-As-Is with allowed															
New Centrex Standard Common Block								0.00										
New Centroized Common Block										8.32								
NAR Establishment Charge, Per Occasion   UEP95   URECA   0.00   66.48																		<b></b>
Additional Non-Recurring Charges (NRC) Ubundled Miscellaneous Rate Element, Tag Loop at End Use Premise Ubundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Ubundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Ubundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Ubundled Miscellaneous Rate Element, Tag Design Loop at Uber Discovery Combonation Rates (Non-Design)  2-Wire VG Loop/2-Wire Volce Grade Port (Centrex) Combo Univer Port Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Volce Grade Port (Centrex) Port Combonation Rates (Non-Design)  2-Wire VG Loop/2-Wire Volce Grade Port (Centrex) Port Combonation Rates (Non-Design)  2-Wire VG Loop/2-Wire Volce Grade Port (Centrex) Port Combonation Rates (Non-Design)  3-Useppo					1						-							<b> </b>
Unbundled Mecellaneous Rate Element, Tag Loop at End Use   UEPS						UEF95	URECA	0.00	00.40		+							$\vdash$
Premise   UEP95		Additio	I Inhundled Miscellaneous Rate Flement Tag Loop at End Use								<b>+</b> +							<del>                                     </del>
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise   UEP95   URETN   11.21   1.10						UEP95	URFTI		8.33	0.83								ĺ
End Use Premise									2.22									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo						UEP95	URETN		11.21	1.10								1
UNE Port/Loop Combination Rates (Non-Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design   1 UEP9D   10.94		UNE-P	CENTREX - DMS100 (Valid in All States)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design																		
Non-Design		UNE Po																<b></b>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design				1		LIEDOD		40.6.										1
Non-Design   2   UEP9D   15.05	-	1		ļ	1	UEP9D	1	10.94			+							<del>                                     </del>
2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design   3 UEP9D   25.80   Non-Design   2 UINE Port/Loop Combination Rates (Design   1 UEP9D   13.41   Non-Design   1 UEP9D   13.41   Non-Design   2 UINE VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   2 UINE VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   3 UEP9D   32.04   Non-Design   3					2	HEDAD		15.05										1
Non-Design   3   UEP9D   25.80	$\vdash$	1		<del>                                     </del>		OLI 3D	1	13.03			+					1		<del>                                     </del>
UNE Port/Loop Combination Rates (Design)					3	UEP9D		25.80										1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		UNE Po		1	Ŭ			20.00			1							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   2 UEP9D   18.57																		
Design   2   UEP9D   18.57	L	<u> </u>		<u> </u>	1	UEP9D		13.41			<u> </u>			<u> </u>				<u>                                     </u>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			-			1
Design   3   UEP9D   32.04				ļ	2	UEP9D		18.57			ļ							
UNE Loop Rate				1		LIEDOD								1				1
2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	LIMP !		<b>!</b>	3	UEP9D	1	32.04			1					-		<b></b>
2-Wire Voice Grade Loop (SL 1) - Zone 2   2 UEP9D UECS1   13.88	$\vdash$	UNE LO		l	4	LIEDOD	LIECC4	0.77			+							<del>                                     </del>
2-Wire Voice Grade Loop (SL 1) - Zone 3   3   UEP9D   UECS1   24.63	-	1		1							+							<del>                                     </del>
2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9D UECS2 12.24 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 30.87 UNEP Ort Rate ALL STATES	-	1		<b>!</b>							+							<del>                                     </del>
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.40		1		1							+							<b></b>
2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP9D   UECS2   30.87				<b>†</b>	2						1							
UNE Port Rate ALL STATES					3													ſ
		UNE Po	ort Rate															
2-Wire Voice Grade Port (Centrex ) Basic Local Area   UEP9D   UEPYA   1.17						<u> </u>						<u> </u>						
			2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17										

UNBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		m		200	0000			= (4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Name		Name and a second	. Dianamant				Rates (\$)		
					+	Rec	Nonred First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						1 1131	Addi	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	- COMPART
	Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	UEPYC	1.17	50.04	26.46	07.50	0.27						ł
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.17	53.31	20.46	27.50	8.37						
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						<b></b>
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
$\vdash$	Area	-	<b></b>	UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			02. 02	02		00.01	20.10	27.00	0.0.						
	Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLF9D	OLFIV	1.17	33.31	20.40	27.50	0.37						·
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															1
	Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						<b></b>
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						<del> </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI 3D	OLI II	1.17	33.31	20.40	21.50	0.37						
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVD	4.47	420.40	00.40	65.44	40.04						l
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEDAD	LIED)((					10.5						
<del>                                     </del>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		<b> </b>	UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4				Ī											i
<u> </u>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		-	UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						<del></del>
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
<u> </u>	Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						<b></b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area	1		UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						İ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			021 00	JE1 13	1.17	30.01	20.40	21.30	0.31						
	Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						
FL & C	6A Only 2-Wire Voice Grade Port (Centrex)		-	UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						ſ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						i
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
<del>                                     </del>	2-Wire Voice Grade Port (Centrey / EBS-M5209)4		-	UEP9D UEP9D	UEPHE UEPHF	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	<u> </u>	<u> </u>	ロピアタレ	UEPHF	1.1/	53.31	26.46	27.50	8.37	<u> </u>	l		L		

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
011201												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1			Order vs.	Order vs.	Order vs.
		·····-	m									per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Mire Voice Crede Bort (Centrey / EBS ME312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50		SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4		-							8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3	l		UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		1				
													l				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l		UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		1				
						320	1.17	100.40	00.10	55.71	10.01	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	l		UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
-		2-ville voice Grade Port (Centrex/differ SVVC /EBS-ivi5009)2,3,4	-		UEP9D	UEPHP	1.17	139.49	00.10	05.41	13.01	-					
		2 Mire Vaine Conda Bort (Control/differ CMC (EBC 5200)2 2 4			LIEDOD	LIEBLIO	4 47	400.40	00.40	05.44	40.04						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81	ļ					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		16111 2,0			OLI 3D	OLITIZ	1.17	100.40	00.10	00.41	13.01						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
-		2-Wire Voice Grade Port Terminated in on Weganitk of equivalent		-	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
	lI C			-	OLF3D	ULFTIZ	1.17	33.31	20.40	21.30	0.37						
$\vdash$	Local S	Control Intercom Funtionality, per part	<u> </u>	-	LIEDOD	LIBECO	0.7004			-		<del> </del>	-				
<b></b>		Centrex Intercom Funtionality, per port	<del>                                     </del>	<b>—</b>	UEP9D	URECS	0.7384			<del>                                     </del>		1			-		
$\vdash$	∟ocal N	lumber Portability	<u> </u>		LIEDOD	LNDOO	0.0=					ļ	ļ				
$\vdash$		Local Number Portability (1 per port)	<u> </u>		UEP9D	LNPCC	0.35					ļ	ļ				
$\vdash$	Feature		<u> </u>		UEDAD.							ļ	ļ				
		All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
		All Select Features Offered, per port	<u> </u>		UEP9D	UEPVS	0.00	370.70				ļ					
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26					1	<u> </u>				
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
		Trunk Side											i				
		Trunk Side Terminations, each			UEP9D	CEND6	8.73			1		1	İ		İ		
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	1		UEP9D	M1HD1	54.95					1	1				
		DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	15.69				<del>                                     </del>					
<b>H</b>	Intereff	ice Channel Mileage - 2-Wire	1		OL1 3D	טטוווואו	0.00	13.08		<b>-</b>		<del>                                     </del>	1		1		
-	teron	Interoffice Channel Facilities Termination	1		UEP9D	M1GBC	25.32			<b>—</b>		<del>                                     </del>	-		-		
$\vdash$			<del>                                     </del>	<del>                                     </del>						-		<del>                                     </del>	-				
$\vdash$	East	Interoffice Channel mileage, per mile or fraction of mile		<del>                                     </del>	UEP9D	M1GBM	0.0091			<b>-</b>		<del>                                     </del>	-				
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e I	-		+				<b> </b>							
$\vdash$		nnel Bank Feature Activations	<b>.</b>		LIEDOD	400000	2.22			1		1	ļ				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	l		UEP9D	1PQWS	0.66					<u> </u>	l		l		

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
		1										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc		Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	l <sup>-</sup>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											. B'			000	D-1 (A)		
				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
							-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
-	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  The Students of the			UEP9D	IFQW6	0.00								-		
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 9777	0.00										
		Different Wire Center			UEP9D	1PQWP	0.66										
					<u> </u>												
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		21.50	8.42								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
		New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	618.82									
-	A -1 -1:4:	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
-	Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<u> </u>		_											
		Premise			UEP9D	URETL		8.33	0.83								
-		Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	OLF3D	UKLIL		0.33	0.03			1					
		End Use Premise			UEP9D	URETN		11.21	1.10								
	UNF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI OD	OKETH		11.21	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					İ										
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		25.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP9E		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		18.57										
	_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E		10.57										
		Design	1	3	UEP9E	1	32.04								I		
	UNF I	oop Rate	<b> </b>		<u> </u>	+	02.04								<b>-</b>		
	J.12 E	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	9.77								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63				l				1		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
		ort Rate															
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area	ļ		UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37				ļ		
1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1			ll								1		
	-	Area	<b> </b>	<u> </u>	UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37	}			<b>!</b>		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEP9E	UEPYH		53.31	26.46	27.50	0.07				I		
	-	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>	<u> </u>	UEF9E	UEPIH	1.17	53.31	∠0.46	21.50	8.37	-			<b>-</b>		
		Center)2,3 Basic Local Area	1		UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81				I		
	+	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	<del>                                     </del>		OLI JL	OLFTIN	1.17	139.49	00.10	05.41	13.01	<b> </b>			<del>                                     </del>		
1		Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81				1		
<b> </b>	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<b>†</b>			J 12	<del>                                     </del>	100.40	33.10	55.41	10.01	1			<b>I</b>		
1		- Basic Local Area	1		UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37				I		

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Florida																
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
<u> </u>	<u> </u>	Term 2,3	<u> </u>	1	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81					1	
		O Wire Vales Conds Boot torrelate U.S. at March 1.1	l		LIEDOE	LIEDUS		50.01	00.40	07.50	0.0-						
<u> </u>	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	1	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37					1	
<b></b>	10001	2-Wire Voice Grade Port Terminated on 800 Service Term	l	1	UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	-			-		
<b>-</b>	Local	Switching Centrex Intercom Funtionality, per port	<del>                                     </del>	<b>.</b>	UEP9E	URECS	0.7384			1	-	-			<del>                                     </del>	-	
		Number Portability			UEP9E	URECS	0.7384										
-	Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1					
	Feature				UEF9E	LINFCC	0.35										
		All Standard Features Offered, per port			UEP9E	UEPVF	2.26					1					
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
-		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26	370.70									
	NARS	7 al Control C			OLI OL	OLI VO	2.20										
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.73										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	<b>.</b>	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
		fice Channel Mileage - 2-Wire			LIEDOE	144000	05.00										
-		Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	M1GBC M1GBM	25.32 0.0091										
	Footure	e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF9E	IVITGBIVI	0.0091										
		nnel Bank Feature Activations	e									1					
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		T catalic Follivation on B 4 Gharmer Bank Controx Edop Giot			OLI OL	11 0110	0.00										
1		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9E	1PQW6	0.66						1		Ì		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			-	1	2.20								1		
		Slot	l		UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
L		Different Wire Center	<u> </u>		UEP9E	1PQWP	0.66				<u></u>				<u> </u>	<u></u>	<u> </u>
					-										]		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l			1							1		1		
		Slot			UEP9E	1PQWQ	0.66										
	Na: 5	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	1	UEP9E	1PQWA	0.66								<b> </b>	ļ	
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<b> </b>	1						1	-				<del> </del>	1	
		NRC Conversion Currently Combined Switch-As-Is with allowed	l		UEP9E	USAC2		21.50	0.40								
<b> </b>	1	changes, per port Conversion of Existing Centrex Common Block, each	1	1	UEP9E UEP9E	USAC2 USACN		5.17	8.42 8.32			-	-		1	1	1
<u> </u>	<u> </u>	New Centrex Standard Common Block	-	<b>-</b>	UEP9E UEP9E	M1ACS	0.00	618.82	0.32	-					-	-	-
<del></del>	1	New Centrex Standard Common Block	<del>                                     </del>		UEP9E	M1ACC	0.00	618.82		1					1	1	1
<b>-</b>	1	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48		1			<b> </b>		<del> </del>		
		onal Non-Recurring Charges (NRC)			JL. JL	SILLON	3.00	00.40									
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
		Premise	l		UEP9E	URETL		8.33	0.83				1		1		
	•	•	•			-				•		•					

UNBUI	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
	Note 3	Installation is combination of Installation charge for SL2 Log	op and	Port													
		Requires Specific Customer Premises Equipment															
	Note: F	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+/			per LSK	per LSK				Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonre	curring	Nonrecurrin	Disconnect			oss	Rates (\$)		
<b>—</b>							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-									71441		71441						
<b>—</b>	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	pination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
		www.interconnection.bellsouth.com/become a clec/html/inter									•						
OPER		_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	l" service orde	ering charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		•			•		, , .								
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina 1	o the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B			satisgo. , . s.		ar go arat iroura		00 000 0.		g capabilities						, c.i.a. go,
<b>—</b>	007	OSS - Electronic Service Order Charge, Per Local Service	- CALOUAL	T T				l							1	1	
	1	Request (LSR) - UNE Only		1		SOMEC		3.50	0.00	3.50	0.00			1		1	
	-	OSS - Manual Service Order Charge, Per Local Service Request	<del>                                     </del>	l		CONICO		5.50	0.00	3.30	0.00			<b>-</b>	1	<b>-</b>	
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
LINE S	SERVICE	DATE ADVANCEMENT CHARGE				001111111		11.70	0.00	0.10	0.00				1		
O.V.		The Expedite charge will be maintained commensurate with	ReliSou	th's FC	C No 1 Tariff Section	n 5 ac annli	cable								1		
		The Expedite onlings will be maintained commensurate with	Denoca		o No.1 Tami, ocolic	l o us uppii	oubic.						1		1		
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC.												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3.												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,												
	1	Day			U1TUA	SDASP		200.00		1				1	1		
LINE	INDI ED I	EXCHANGE ACCESS LOOP	<del>                                     </del>	<del>                                     </del>	OTTOR	CDAG	<del>                                     </del>	200.00		<b>†</b>		<del> </del>		<b> </b>	<del> </del>		
5.450		E ANALOG VOICE GRADE LOOP	<del>                                     </del>	<del>                                     </del>		1	<del>                                     </del>			t	<del>                                     </del>	1		t	<del> </del>	<del>                                     </del>	
-	- *****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>	1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	1		t	<del> </del>	<del>                                     </del>	
-	-	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	<del>                                     </del>	2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	1		t	<del> </del>	<del>                                     </del>	
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>	3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72	1		<b> </b>	<u> </u>	<b> </b>	
$\vdash$	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>	1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72	1		t	<del> </del>	<del>                                     </del>	
$\vdash$	-	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	<del>                                     </del>	2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72	1	<del>                                     </del>	<del> </del>	1	<del> </del>	
$\vdash$	-	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	<del>                                     </del>	3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	1	<del>                                     </del>	<del> </del>	1	<del> </del>	
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	3	OLANL	ULAGE	31.87	40.02	5.99	3.61	1.72	<b> </b>	-	<del></del>	+	-	
1	1	Premise	1	1	UEANL	URETL		8.33	0.83	1				I		I	
$\vdash$	-	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	1	UEANL	URETL URET1	1	25.12	25.12	<del> </del>	1	1	<del>                                     </del>	<del> </del>	1	<del> </del>	
-	+	Loop Testing - Basic 1st Half Hour	-	<del>                                     </del>	UEANL	URETA	<del>                                     </del>	13.62	13.62	<del></del>	-	-		<del></del>	<del>                                     </del>	<del></del>	
	1	LOOP TESTING - DASIC AUDITIONAL MAIN MOUL		1	ULANL	OKETA	I	13.02	13.62	1			ì	1		1	l

UNRU	NDI F	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	ibit: A
214001	1255	7 HET WORK ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust aut									Elec	Manually		Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEWO		45.75	0.00								
-		(UVL-SL1)	-		UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
-		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92				-		-		
<b>+</b>		Order Coordination for Specified Conversion Time for UVL-SL1			ULANL	OLANC		10.52	10.92								
		(per LSR)			UEANL	OCOSL		57.79									
<del>                                     </del>	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED			OL/ WYL	CCCCL		07.70									
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3	1	3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00	İ					
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L l		Premise	<u> </u>	<u> </u>	UEQ	URETL		8.33	0.83	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	1		UEQ	USBMC		18.92	18.92								
1 T		Unbundled Copper Loop, Non-Design Copper Loop, billing for	1				$\neg$								_	]	
$\vdash$		BST providing make-up (Engineering Information - E.I.)	ļ		UEQ	UEQMU		7.30	7.30						1	ļ	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			LIEO	LIDEWO		44.05	7.40								
LINIDLINI	N ED E	(UCL-ND) EXCHANGE ACCESS LOOP	1		UEQ	UREWO		14.25	7.42			1					
		ANALOG VOICE GRADE LOOP	1									ļ					
		op Rates for Line Splitting (In Ga. PSC ordered the line spli	itting lo	on HSC	Cs match the lowe	r port- loop co	ombo rates LIFE	DI Y\					-		-		
<del>                                     </del>	OIAL LO	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	l i		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28	1					
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	t i	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	<del>i</del>	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		LIEALO									1		
$\vdash$		Ground Start Signaling - Zone 2	<del> </del>	2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87	}		-	<b>!</b>	<del> </del>	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87				I	1	
$\vdash$		Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	3	UEA	OCOSL	33.08	79.85 57.79	∠4.05	18.92	1.87	<del>                                     </del>			<del></del>	-	1
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+		OLA	JUUSL	ł	51.19						-	<del> </del>		1
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87				1		
<b>+</b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<del>- '-</del>	02/1	JL/ 11/2	11.57	7 3.03	24.00	10.92	7.07	1	1		<b>†</b>	1	1
		Battery Signaling - Zone 2	1	2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87				I	1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	t -	1	1			50		1.3.				1	1	
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87				I	1	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
$\vdash \!$		4-Wire Analog Voice Grade Loop - Zone 1	<u> </u>	1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12				ļ	ļ	
$\vdash$		4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>	2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12				-		
$\vdash$		4-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12				-		
$\vdash$		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	<u> </u>	UEA UEA	OCOSL UREWO	<b>+</b>	57.79	26.20	1		}		1	<b>!</b>	<del> </del>	ļ.
$\vdash$	2-WID=	ISDN DIGITAL GRADE LOOP	+	<del>                                     </del>	OLA	UKEWU		87.72	36.36	<u> </u>		<del>                                     </del>		-	<del></del>	-	1
<b>├─</b> ──	2-VVIKE	2-Wire ISDN Digital Grade Loop - Zone 1	+	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97			-	<del> </del>		1
		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	+		UDN	U1L2X	25.27	180.06	35.25	18.23	6.97	<b> </b>			<del>                                     </del>	<b> </b>	+
<del>   </del>					10014	UILEA	20.21	100.00	JJ.ZJ	10.23	0.31	1	1		1		1
		2-Wire ISDN Digital Grade Loop - Zone 2	1	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	ibit: A
CIVE	NULL	NETWORK ELLINENTO Georgia										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
0,1120			m		200	0000			== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)		ــــــــــــــــــــــــــــــــــــــ
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04	11100	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		OIKEWO		120.00	00.04								<del> </del>
		2 Wire Unbundled ADSL Loop including manual service inquiry	1														<del> </del>
		& facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	0712	O/ KEE/K	11.20	11.00	01.00	0.00	0.00						<del> </del>
		& facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop including manual service inquiry	<u> </u>		O/ IL	ONLEA	12.07	44.00	01.00	0.00	0.00						<del> </del>
		& facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)	· ·		UAL	OCOSL	20.02	57.79	01.00	0.00	0.00						1
		2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ IL	00002		07.70									1
	1	facility reservaton - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00			1			
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del>- '-</del>	+-	J. 1L	U/ 1LZ V V	11.23	77.03	51.55	0.00	0.00			<b> </b>	<u> </u>		<del> </del>
	1	facility reservation - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00			I			
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del></del>	<del>-</del>	T	J. 1	12.01	44.00	01.00	0.00	3.30			<b> </b>	<u> </u>		<del> </del>
		facility reservaton - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)	<del>- '-</del>		UAL	OCOSL	20.02	57.79	31.33	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		44.69	29.29								
	2-WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP	OAL	OINEVVO		44.03	23.23								
	Z-VVIIXL	2 Wire Unbundled HDSL Loop including manual service inquiry	TIDEE I	1													1
		& facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry	<del>- '-</del>	<del>- '-</del>	OTIL	OTILEX	7.00	44.03	31.33	0.00	0.00						
		& facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	3.03	44.03	31.33	0.00	0.00						1
		& facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)		J	UHL	OCOSL	14.40	57.79	31.33	0.00	0.00						1
		2 Wire Unbundled HDSL Loop without manual service inquiry		1	OFIL	OCOSL		31.19		1							
		and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry	<del>  '</del>	<del>  '</del>	OTIL	OTTLEVV	7.00	44.03	31.33	0.00	0.00						
		and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry	<del>  '</del>		OTIL	OTTLEVV	3.03	44.03	31.33	0.00	0.00						
		and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)	<del>  '</del>	3	UHL	OCOSL	14.40	57.79	31.33	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								1
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OFFE	OINEVVO		44.03	31.33								1
	WINCE	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDEE I	1													1
		and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop including manual service inquiry	<del>  '</del>	<del>- '</del> -	OFIL	UTIL4X	10.59	44.03	31.33	0.00	0.00						
		and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFFICE	12.00	44.03	31.33	0.00	0.00						
		and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	<del>- '</del> -	-	UHL	OCOSL	19.07	57.79	31.35	0.00	0.00			<del>                                     </del>	1		<del>                                     </del>
	<del> </del>	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	1	OI IL	JOOGL		51.19		<b>-</b>				<b>-</b>			<del> </del>
	1	and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00			I			
<del></del>	<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>- '-</del>	+-	5. IL	OI ILTVV	10.59	77.03	31.33	0.00	0.00			<del>                                     </del>	1		<del>                                     </del>
	1	and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00			1			
<b>-</b>	1	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>- '-</del>		O. IL	OI ILTVV	12.00	77.03	51.55	0.00	0.00			<b> </b>	<u> </u>		<del> </del>
	1	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00			I			
	<del> </del>	Order Coordination for Specified Conversion Time (per LSR)	<del>- '-</del>	_	UHL	OCOSL	10.07	57.79	01.00	0.00	3.00			<b>-</b>			<del> </del>
	1	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		44.69	31.55	<b> </b>				<b> </b>	<u> </u>		<del> </del>
<b>-</b>	4-WIRE	DS1 DIGITAL LOOP	<del></del>	1		5.12110		44.00	01.00	<b> </b>				<b> </b>	<u> </u>		<del> </del>
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20			t			t
	<b>†</b>	4-Wire DS1 Digital Loop - Zone 2	<b>†</b>		USL	USLXX	46.41	211.93	72.49	38.24	7.20			1			
	1	4-Wire DS1 Digital Loop - Zone 3	<del>                                     </del>		USL	USLXX	62.03	211.93	72.49	38.24	7.20			<b> </b>	<u> </u>		1
	1	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL	02.00	57.79	. 2. 10	00.27	20			t			t
	<b>†</b>	CLEC to CLEC Conversion Charge without outside dispatch	<b>†</b>		USL	UREWO		100.91	42.97	t				1			
	4-WIRF	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			† <del></del>	5			.2.01	t				t			1
	1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20			t			
	<b>†</b>	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20			t			
	<b>†</b>	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.22	196.66	37.00	18.82	7.20	1	1	1			1
	1			<u> </u>	1	1002.0	00.ZZ	.00.00	000		20	1	1	1	l		

CATEGORY	NETWORK ELEMENTS - Georgia		1													
CATEGORY											Svc Order	Svc Order	Incremental	ment: 2 Incremental		bit: A Incremental
CATEGORY											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
J L	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79	10.00								
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual			LICI	LICL BS	40.00	44.00	04.55	2.00	0.00						1
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						<b>├</b>
	2-Wire Unbundled Copper Loop-Designed including manual		2	UCL	LICL BS	40.00	44.00	04.55	2.00	0.00						1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00				1	1	<b>├</b>
	2 Wire Unbundled Copper Loop-Designed including manual		3													
	service inquiry & facility reservation - Zone 3	ı	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	<u> </u>	UCL	UCLMC		18.92	18.92								
	2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	40.00	44.00	04.55	0.00	0.00						
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual				LIOL DIA	40.00	44.00	04.55	0.00	0.00						
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPW	00.07	44.00	04.55	0.00	0.00						
	service inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22.07	44.69 18.92	31.55 18.92	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	-	-													
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								<b>——</b>
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		44.69	31.55								
	COPPER LOOP	-		UCL	UKEWU		44.69	31.33								-
	4-Wire Copper Loop-Designed including manual service inquiry		1		1											
	and facility reservation - Zone 1	1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry	-	<u>'</u>	OOL	OCL40	10.03	44.03	31.33	0.00	0.00						
	and facility reservation - Zone 2	1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry	•	-	002	OOLIO	10.22	44.00	01.00	0.00	0.00						
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ŭ	UCL	UCLMC	00.00	18.92	18.92	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry			002	OCLIVIC		10.02	10.02								
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	<u> </u>	002	002	10.00	11.00	01.00	0.00	0.00						
	and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00		1				1
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	<del>  −</del>				00	200	2.00	2.00						
	and facility reservation - Zone 3	1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						1
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	22.25	18.92	18.92	5.50	2.30				İ	İ	
	CLEC to CLEC conversion Charge without outside dispatch	I		UCL	UREWO		44.69	31.55								
LOOP MODIFIC	ATION								j							
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	L	<u> </u>	UHL, UCL, UEA	ULM4L		0.00	0.00						<u> </u>	<u> </u>	<u> </u>
				UAL, UHL, UCL,												1
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,												1
	per Unbundled Loop			UEPSB	ULMBT		17.91									<u> </u>
SUB-LOOPS																
	op Distribution	<u> </u>														1
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				luona :				]			1				1
	Up		1	UEANL	USBSA		255.76							<u> </u>	<u> </u>	1

HINRH	NDI FI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
ONBOI	NULL	D NETWORK ELEMENTS - Georgia				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.		Order vs.	Order vs.
071120	•		m			5555			101120 (4)			per LSR	per LSK		Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonred	rurring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			027412	00202							1				
		Facility Set-Up			UEANL	USBSC		175.09									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		51.61									
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
		and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working								-							
		and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1	1	1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01				Ì		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						_									
		Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
-		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
-		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12				-				
-		Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62				-				
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	÷		UEF	UCS2X	7.51	28.46	3.85	2.20	0.01		-				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-i-	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
$\vdash$		2 11110 Copper Oribunated Cub-Loop Distribution - 2018 3		- 3	UL1	JUU27	3.22	20.40	3.05	2.20	0.01	1	<b>-</b>		<del>                                     </del>		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		18.92	18.92						Ì		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01	1	<u> </u>		<b> </b>		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01				1		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	9.10	31.07	4.79	2.27	0.01				1		
		11		Ī		1	50		0		5.51			İ	İ		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12					İ	İ		
		Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62			İ					
	Unbun	dled Network Terminating Wire (UNTW)					<u> </u>										
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								
	Networ	rk Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines	Ī		UENTW	UND12		32.86	20.69								
		Network Interface Device (NID) - 1-6 lines	ı		UENTW	UND16		56.03	43.86								
		Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		2.45	2.45			<u> </u>					
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OT	HER, P	PROVISIONING ONLY - NO RATE				ļ											
<b></b>		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							ļ		
<b></b>		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				ļ					
		Haran Haran Carana (Albara Barana)			UEANL,UEF,UEQ,U	LINIEON	0.00	0.00									
UNECT	UED 5	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00		-		1	-	-	<del> </del>		
UNE UI	nek, P	PROVISIONING ONLY - NO RATE			<u> </u>	l .				l		l	1	l	i		

LINDLI	NDI E	D NETWORK ELEMENTS Coordia												A 1		F. 1.11	
UNBU	NDLE	D NETWORK ELEMENTS - Georgia	1			1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7.00.		71441	0020					
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month	l		UE3	1L5ND	10.97										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	ILSND	10.97										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UES	UESFA	255.56	1,755.25	131.90	112.91	75.00						
		Imonth			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.07										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP N	MAKE-U							.,									
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper Io	op nor	-designed ("UCLND	<u>~)                                    </u>											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Nove will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	1111 50	C annlies only to cit	cuite inetall	ed and inservic	e on or before	October 1 20	U3							
		HARING	l and	I	c applies only to ch	Cuito instan	eu anu miservic	e on or belore	October 1, 20	I							
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -	l		l <u>-</u>	l <u>-</u> -											
		OBSOLETE see **NOTE 2	ļ		ULS	ULSDC	0.61	10.51	7.70	7.00	4.20				ļ		
		Line Share Service, TRO per line activation, BST owned splitter -	l														
		Central Office Located (25% of UCLND) - please see NOTE 1				LUODT	0.70	40.54	7.70	7.00	4.00						
$\vdash$		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	<del>                                     </del>		ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				<del>                                     </del>		
		Central Office Located (50% of UCLND) - please see NOTE 1	l														
		(E:10/2/2004)	1		ULS	ULSDT	5.51	10.51	7.70	7.00	4.20		1		1		
$\vdash$		Line Share Service, TRO per line activation, BST owned splitter -	<del>                                     </del>		010	OLOD1	0.01	10.51	1.10	7.00	4.20				<del> </del>		
		Central Office Located (75% of UCLND) - please see NOTE 1	1										1		1		
		(E:10/2/2005)	1		ULS	ULSDT	8.27	10.51	7.70	7.00	4.20		1		1		
		Line Sharing - per Subsequent Activity per Line								1700	20						
		Rearrangement(BST Owned Splitter	1		ULS	ULSDS		36.23	13.23	16.94	1.69		1		1		
		Line Sharing - per Subsequent Activity per Line						-									
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
		Line Sharing - per Line Activation (DLEC owned Splitter) -	l												]		
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
	LINE S	PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	1	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU	NDLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	1	month	1		U1TD1	1L5XX	0.1154			I				Ì	Ì		
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	İ	İ	1				İ				İ	İ		
	1	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	1	month	1		U1TD3	1L5XX	2.53			I				Ì	Ì		
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility															
1	1	Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
1	1	month	1		U1TS1	1L5XX	2.53			I				Ì	Ì		
	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
1	1	Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK	FIBER		1	İ	İ	1								İ	İ		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29			1							
	1	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
	Ì	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						·									
1	1	Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	46.84			I				Ì	Ì		
	1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70						

UNBU	INDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		————————————————————————————————										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T N1	<b>D</b> '			000	D-1 (A)		
							Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001441	0011411
0VV AC	OFFICE T	EN DIGIT SCREENING				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OAA AC	CESS I	8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0006343										
		Number Reserved			OHD	N8R1X		2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		2.00	0.40								
		POTS Translations			OHD			5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
1		8XX Access Ten Digit Screening, Multiple InterLATA CXR	l												]		
<u> </u>		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68	ļ							
<u> </u>		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	ļ	2.93	0.43	ļ							
		8XX Access Ten Digit Screening, Call Handling and Destination	l		OUD	NOEEN											
		Features (OFL No. Political Control of the Pol			OHD	N8FDX	0.0000540	2.50									
		8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD OHD	-	0.0008543 0.0008543			-							
I INE IN	IEODM /	8XX Access Ten Digit Screening, w/POTS No. Delivery TION DATA BASE ACCESS (LIDB)			OHD	-	0.0008543										
LINE	IFORWIA	LIDB Common Transport Per Query			OQT		0.0000682										
		LIDB Validation Per Query			OQU	1	0.0266962										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0200302	33.24	33.24	39.35	39.35						
SIGNA	LING (C				04.,040	11112171		00.2 .	00.2	00.00	00.00						
	,,,	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
		CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527										
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	OTUEO	0.0000132										
		CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44			-							
		CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 S	ERVICE	anecieu			ODB	CCAFO		20.13	20.13	33.32	33.32						
		Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057	121.07	33.30	70.40	10.07						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				İ	3.0007			† 1					1		
		Termination	l				12.87	48.46	19.48	16.58	5.00						
		Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12			_			
		Local Channel - Dedicated - DS1 - Zone 3					164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.1154			ļ							
1		Later Was Transport De Parts L. DOA Des Facility T	1					444.00	00.00	04.55	04 =0		1		1		
CA: : ::	IC NASS	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	34.19	111.03	80.28	31.36	21.73						
CALLIN	NG NAM	E (CNAM) SERVICE	<del>                                     </del>		OQV	+	<del>                                     </del>	22.90		20.22					<del>                                     </del>		
-	-	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	1		OQV OQV	1	<del>                                     </del>	22.90		20.32 20.32			-		1		
-	1	CNAM For DB Owners - Service Establishment  CNAM For DB Owners - Service Provisioning With Point Code	1		OQ V		<del>                                     </del>	22.90		20.32		1	-		1		
		Establishment	1		OQV			959.77	709.83	251.47	184.91		1		1		
		CNAM For Non DB Owners - Service Provisioning With Point						555.77	. 55.66	2047	.001						
1		Code Establishment	1		OQV			331.89	237.45	257.65	184.91		1		1		
		CNAM for DB Owners, Per Query			OQV		0.0009924										
		CNAM for Non DB Owners, Per Query			OQV		0.0009924										
		CNAM (Non-Databs Owner), NRC, applies when using the															
		Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00								
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per	1							[			1		]		
		Switch	ļ			1	ļ <u> </u>	102.19	61.15	12.68	6.34				ļ		
VIRTU	AL COLI	OCATION	l														

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OAIL	JOKI	NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs.	Order vs. Electronic-
														1st	Add'l	Electronic- Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
	<u> </u>						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	001441	001441
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSIC	CAL CO	LOCATION						0.00			0.00						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	<u> </u>	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SE	LECTIV	E CARRIER ROUTING Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	1	End Office Establishment			SRC	SRCEO		158.92	158.92	1,633.25	1,633.25						
		Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
		Query NRC, per query			SRC		0.0020368										
AIN - E	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,			AANI	CAMOE		44 44	44 44	44.00	44.00						
		Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	<u> </u>	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0038	40.24	40.24	11.72	11.72						
		AIN SMS Access Service - Session, Per Minute					1.81										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					0.8323										
AIN - E	ELLSO	JTH AIN TOOLKIT SERVICE				1											
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						
		AIN Toolkit Service - Training Session, Per Customer			CAW	BAPVX		4,236.62	4,236.62	41.03	41.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,	,								
		DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		0.45	0.45	0.40	0.40						
	<u> </u>	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		8.15	8.15	9.16	9.16						
		DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						-									
		DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	<u> </u>	DN, CDP AIN Troubit Sonico, Trigger Access Charge, Per Trigger, Per				BAPTC		33.98	33.98	14.09	14.09						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	1	AIN Toolkit Service - Query Charge, Per Query					0.0271438	22.00	22.00	00	00						
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query				1	0.0059195										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.04										
-	<del>                                     </del>	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.04										
		Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
	İ	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	6.46	8.98	8.98								
1	1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPDS	8.54	0.45	8.15	5.71	5.71						
-	<del>                                     </del>	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAIVI	DAPDS	8.54	8.15	8.15	5.71	5./1						
		Service Subscription			CAM	BAPES	0.22	8.98	8.98								
ENHA	(CED E	TENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will															
<u> </u>		The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
-	EXIEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	שט עם ו		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
<b>—</b>	1	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	•													1		l	

UNRII	INDI FI	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
5.450		ALL TOTAL ELEMENTO Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Termination per month 1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10	45.73	43.60	21.91						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Voice Crade OCOL 1 of World			ONOVA	15110	0.4000	27.00	2.00	10.00	1.04						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	<u> </u>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	L	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	<u> </u>	<u> </u>		<u> </u>		
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	1 INTER	ROFFICE TRANSPO	RT											
		First ANNine Assistantial Control of Control of Control		1	111000		47.00	405.04	00.00	40.40	0.00						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		First 4-Wire Arialog Voice Grade Loop in Combination - Zone 2			UNCVA	UEAL4	21.00	195.94	30.30	10.42	0.00						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		_	0.10171	02/12:	00.20	100.01	00.00	.02	0.00						
		Per Month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1			111000		04.00	405.04	00.00	40.40	0.00						
-		Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
<b> </b>		Nonrecurring Currently Combined Network Elements Switch -As-	1		0140 V/	15170	0.4009	21.33	2.50	10.00	1.04				<b>-</b>		
1		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61		1				
	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
													1				
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				1		
			l			1					_		1		I		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				-		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINCAV	11.577	0.4454			1			1				
-	-	Per Month	<b> </b>		UNC1X	1L5XX	0.1154			<del>                                     </del>					1		
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		
		1/0 Channel System in combination Per Month	<del>                                     </del>		UNC1X	MQ1	69.75	86.10	45.75	45.00	21.91				<del> </del>		
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04				<del> </del>		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1				5.5555	27.00	2.50	10.00	1.54				1		
		Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				1		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									- 77						
L	<u> </u>	Interoffice Transport Combination - Zone 2	<u></u>	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		<u> </u>		<u> </u>		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												_			_
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1										1		I		
<u> </u>		64kbs)	l		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		l		L		

UNBUNDL	ED NETWORK ELEMENTS - Georgia						_		•				Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1				I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111	10112 =======	m		200	0000			101120 (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	Nonrequiring Currently Combined Network Flomenta Switch As	-				-	FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINICOC		F 70	F 70	0.04	0.04						1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						<b>├</b>
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPORT											<b>├</b>
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						<b></b>
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						L
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															ſ
	Per Month	l		UNC1X	1L5XX	0.1154					İ	1		l		1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1					1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	İ	İ		İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			CHODA	ODLOT	21.00	100.04	00.00	10.42	0.00						<del></del>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						1
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDA	UDL04	20.30	193.94	30.30	10.42	0.00						<del></del>
			3	LINODY	UDL64	38.22	405.04	00.00	40.40	0.00						i
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<del></del>
	Additional OCU-DP COCI (data) - in combination - per month															i
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<b>├</b>
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						<b></b>
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						L
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															[
	Per Month			UNC1X	1L5XX	0.1154										i
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			†	20		2.31	2.31	İ	İ		İ		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				İ		ſ
	First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				1		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		-					231	2.30	1	1		1		
1 1	Per Month	l		UNC3X	1L5XX	2.53					1					1
<del>                                     </del>	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1		2.7007		2.00					<del> </del>	1		<del> </del>		f
1 1	month	l		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1					1
$\vdash$	3/1Channel System in combination per month	1		UNC3X	MQ3	121.90	323.31	11.01	49.30	32.00	<del> </del>	1		<del> </del>		
$\vdash$	DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	<del> </del>	1		<del> </del>		
$\vdash$		1		UNUIA	וטוטט	1.35	21.33	2.90	10.86	1.04	-	-		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINICAY	LICLYY	44.00	200 45	70.44	27.04	0.00	l	1		l		1
$\vdash$	Zone 1	<b>.</b>	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1	ļ		1		
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINIOAY	1101.307		coo				l	1		l		1
$\vdash$	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						<del></del>
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l									l	1		İ		1
L	Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		ļ				<b></b>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-	l									1					1
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						1
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						1

UNBUN	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
3.1201						1						Svc Order	Svc Order	Incremental		Incremental	
1			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATEGO	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc			
CATEGO	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>										- N	. B'			000	D-1 (A)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0057										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE					****		0.0.						
H 1		4-WireVG Loop in combination - Zone 1		1 1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						<del>                                     </del>
<del>                                     </del>		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
-		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						-
				3	UNCVA	UEAL4	30.23	193.94	30.30	10.42	0.00						+
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	l		LINCVY	11.577	0.0057			I		1	1		I	Ì	
$\vdash$		Mortus	<u> </u>	<u> </u>	UNCVX	1L5XX	0.0057						ļ		<b></b>	ļ	<b>_</b>
		Interoffice Transport - 4-wire VG - Dedicated - Facility	İ		l	1				1			l				
		Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
1		Nonrecurring Currently Combined Network Elements Switch -As-	l										1				
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
		, , ,															
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
h +		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	2.53	1,200.47	020.04	41.00	20.70						†
<del>                                     </del>		Interoffice Transport - Dedicated - DS3 - 1 et Mille per Month			ONOON	TESTON	2.55										
		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
					UNCSA	UTIF3	342.02	323.91	11.01	49.36	32.00						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.70	5.70	0.04	0.04						
<b>├</b>		is Charge	<u> </u>		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		I											
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		3.1000		5.70	5.70	0.01	0.01	<b>I</b>	1		<b>†</b>	<b> </b>	<b>†</b>
<del>                                     </del>	-AILIN	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	<del> </del>	<del> </del>		1	<del> </del>	<del>                                     </del>
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 1	<b>-</b>	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	<del>                                     </del>	<b> </b>		-	-	<del> </del>
$\vdash$			-									1			-	<b> </b>	<del>                                     </del>
-		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1			1		<del>                                     </del>
		Interoffice Transport - Dedicated - DS1 combination - per mile	İ							1			l				
<b></b>		per month		ļ	UNC1X	1L5XX	0.1154										<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Facility	İ							1			l				
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1	l	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	1	1		I	Ì	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		i –		1				<u> </u>		1	İ		İ	İ	
		Combination - Zone 2	l	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	1	1		I	Ì	
$\vdash$		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	<del></del>		J	20.20	100.04	00.00	10.72	0.00	1			t	<b> </b>	+
		Combination - Zone 3	l	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1	1		I	Ì	
$\vdash$			1	3	OIVOIVA	UILZA	42.17	195.94	30.38	10.42	0.00	+	1		<del>                                     </del>	<del> </del>	1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per	l		LINIONIV	110404	4.00	07.00	0.00	40.00	4.04		l				
$\longmapsto$		month	<u> </u>	<u> </u>	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		ļ		<b></b>	ļ	<b>_</b>
		Nonrecurring Currently Combined Network Elements Switch -As-	l		l <b>.</b>	1				I		1	1		I	Ì	
igsquare		Is Charge	<u> </u>		UNC1X	UNCCC		5.70	5.70	6.61	6.61	1	ļ		ļ	ļ	ļ
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
$\Box$		First DS1 Loop Combination - Zone 1	$\Box$		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86		<u> </u>				
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						

UNBLIND	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
CHOUNDE	LD RETWORK ELLINERTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
G/200		m		200	5555			== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.53										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						i .
	3/1 Channel System in combination per month			UNCSX	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						1
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						1
	Additional DS1Loop in the same STS-1 Interoffice Transport															1
	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				<u></u>	<u></u>	L
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	•														[
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
EXT	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														l
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						l
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						l
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															i .
	Per Mile per month			UNCDX	1L5XX	0.0057										<b>.</b>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															i .
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						<b>.</b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
<b></b>	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						<del></del>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT				24.22	10=01		10.10							<del></del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						<b></b>
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<del>                                     </del>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	1L5XX	0.0057										i .
-	Per Mile per month			UNCDX	ILDAX	0.0057										<del> </del>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	U1TD6	7.83	66.53	22.64	43.42	27.60						i
	Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	<u> </u>	UNCDA	UTIDO	7.03	66.53	33.61	43.42	27.00						<del> </del>
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						1
EYTE	INDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSD	ORT w		UNCCC		5.70	5.70	10.0	10.0				t	1	<del></del>
LATE	First 2-wire VG Loop (SL2) in Combination - Zone 1	NAMOF		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		<b> </b>		t		<del>                                     </del>
	First 2-wire VG Loop (SL2) in Combination - Zone 1	<del>                                     </del>		UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		<b> </b>		t		<del>                                     </del>
	First 2-wire VG Loop (SL2) in Combination - Zone 3	<b>†</b>		UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86		<b> </b>		<b>I</b>		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť			55.55	.00.04	55.50	.0. 12	0.30				1		
	Mile	1		UNC1X	1L5XX	0.1154						1		I		1
	First Interoffice Transport - Dedicated - DS1 combination -					511101								İ		
	Facility Termination per month	1	1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		1
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10							1	l	ſ
	Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						ſ
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		1												I	1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						<b>!</b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1								<u> </u>	1		_		1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						<b></b>
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1													1		1
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1154								ļ		<b></b>
	Each Additional DS1 Interoffice Channel Facility Termination in	1		l <b>.</b>	1							1		I		1
	same 3/1 Channel System per month	ļ		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		<b></b>
	Each Additional DS1 COCI combination per month	<u> </u>	<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		]		1		1

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CABOIADE	The state of the s										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									I M	. D'						
						Rec	Nonrec			g Disconnect	201150	SOMAN		Rates (\$)	0011411	001141
-	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
FXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR				5.70	3.70	0.01	0.01						
LXIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	T	ANOI OILI W/ O/ I MIC	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per			l										1		
$\vdash$	Mile Per Month	<u> </u>	<b></b>	UNC1X	1L5XX	0.1154			ļ						ļ	
	First Interoffice Transport - Dedicated - DS1 - Facility	1		UNC1X	U1TF1	04.40	07.70	45.70	43.80	27.97		1				
<del>                                     </del>	Termination Per Month Per each 1/0 Channel System in combination Per Month	<del>                                     </del>		UNC1X UNC1X	MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97				<del>                                     </del>		
<b>—</b>	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				-		
<del>                                     </del>	3/1 Channel System in combination per month	<b>!</b>	1	UNC3X	MQ3	121.90	21.33	2.90	10.00	1.04				<del>                                     </del>		
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				<b>†</b>	1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1				7.50	200	2.50		54				1		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86				1		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1										1				
$\vdash$	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINGAY	41.5007							1				
	Channel System per month	ļ	-	UNC1X	1L5XX	0.1154								1		
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1				
	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				+		
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	0110 1/	טויטו	0.4009	21.33	2.90	10.00	1.04				t		
	Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61		1		I		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF				20								1	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1	<u></u>	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				<u></u>	<u> </u>	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2	ļ	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINORY	1101.50	00.00	405.01	00.00	40.10	0.55				1		
$\vdash$	Zone 3	<b>!</b>	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				1	-	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154								1		
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 - combination	<del>                                     </del>	<del>                                     </del>	011017	ILUM	0.1154			1	1				t		
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	69.75	86.10	70.70	70.00	21.01				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINORY	1101.50	00.55	405.01	00.00	40.10	0.55		1		I		
$\vdash$	Interoffice Transport Combination - Zone 2  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				1		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				1		
<del>                                     </del>	OCU-DP COCI (data) COCI in combination per month (2.4-	<del>                                     </del>	3	OINODA	ODESO	30.22	190.94	30.38	10.42	0.86				t		
	64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1				
	Each Additional DS1 Interoffice Channel per mile in same 3/1					0.0000	200	2.00						1		
	Channel System per month	1		UNC1X	1L5XX	0.1154						1				
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system	1										1				
	combination per month	l		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				l		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0112011222											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	•	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
<del></del>	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	20.30	133.34	30.30	10.42	0.00						
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per								-							
	Mile Per Month	<u></u>	<u>L</u>	UNC1X	1L5XX	0.1154								<u> </u>		
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month	ļ	ļ	UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINODY	10100	0.0000	07.00	0.00	40.00	4.04						
-	64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	0.9963 121.90	27.33	2.90	16.86	1.04						
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	7.55	21.00	2.30	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System								40.00							
-	combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TESTA	0.1134										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		4	LINICNIV	1141.00	10.92	105.04	26.20	10 40	6.06						
$\vdash$	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	+-	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86		-		-		
	Transport - Zone 2	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1		1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	† <del>-</del>		1	20.20	.00.04	33.30	.5. /2	0.30				1		
	Transport - Zone 3	<u>L</u>	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	<u> </u>	<u> </u>				
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month	1		UNC1X	1L5XX	0.1154										
1 1	First Interoffice Transport - Dedicated - DS1 combination -	1	1		l							1		1		
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
$\vdash$	Per each Channel System 1/0 in combination - per month	1	<del>                                     </del>	UNC1X	MQ1	69.75	86.10					-		-		
1 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1		1		
	3/1 Channel System in combination per month	1	<b>†</b>	UNC3X	MQ3	121.90	27.00	2.50	10.00	1.04				1		
	Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
i	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
1 1 -	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_									]		1		
$\vdash$	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
<del>                                     </del>	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	3	OINGINA	UILZA	42.17	190.94	30.38	10.42	0.86				1		
	system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	1-y por month	ı	1		120.000	00	200	2.00			1		1	1		

UNBL	JNDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ						· · · · · · · · · · · · · · · · · · ·							
				ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
		5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1			11041/	41.5307	0.4454										
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		same 3/1 Channel System per month			UNCIX	UTIFT	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIA	OCIDI	7.55	21.33	2.90	10.00	1.04						
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EYTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANG	SPORT		ONCCC		3.70	5.70	0.01	0.01						
	-XI-LI	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	1		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	<u> </u>	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	1	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	<b>†</b>	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3	l	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						1
	<u> </u>	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť		-020	02.00	200.40	. 5.44	301	2.00						
1	1	Mile Per Month	l		UNC1X	1L5XX	0.1154						1				]
	<b>†</b>	First Interoffice Transport - Dedicated - DS1 combination -				1				1							
	1	Facility Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1				
	1	3/1 Channel System in combination per month		1	UNC3X	MQ3	121.90	55			,				İ		İ
		Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l														
	<b> </b>	per month	ļ	1	UNCDX	1L5XX	0.0057										
	1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l		LINORY								1				]
<u> </u>	<b> </b>	Termination per month	<u> </u>	<del>                                     </del>	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	l		LINCDY	LINICCO		F 70	E 70	0.04	0.01		1				]
-	EVTEN	Is Charge	NTEDA	EEICE :	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
-	EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
-	<del>                                     </del>	First 4-wire 64 kbps Local Loop in combination - Zone 1	-	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86				-		
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	1			1		
$\vdash$	<del>                                     </del>	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	<b>-</b>	-	011007	JDL04	30.22	133.34	30.36	10.42	0.00		<b> </b>				
1	1	per month	l		UNCDX	1L5XX	0.0057						1				
-	<del>                                     </del>	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<del>                                     </del>	5.10DA	TEO//	5.0057			<del>                                     </del>			<b> </b>				
1	1	Termination per month	l		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1				
	<u> </u>	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	J. 135/1	01100	7.00	55.55	33.01	70.42	27.00						
1		Is Charge	l		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
ADDIT	IONAL N	ETWORK ELEMENTS	1	1		1		30	30	5.51	0.01						1
		ised as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									1
		ised as ordinarily combined network elements in All States, the								1							1
		urring Currently Combined Network Elements "Switch As Is"															
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
	1	Is Charge - 2 wire/4-Wire VG	l		UNCVX	UNCCC		5.70	5.70	6.61	6.61		1				
	•	•	•	•		•											

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		· ·										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intan'									Elec	Manually				Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	ı	<b> </b>	ULDD1,UNC1X	CCOSF	<b>.</b>	OI	OI	01	OI			ļ			
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,				_								
		Activity - per DS1	ı		UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
					U1TD3, ULDD3,					. ==							
		C-bit Parity Option - Subsequent Activity - per DS3	İ		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
	MULII	PLEXERS			1000			20.10									
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	0.04	0.04						
					UDL	טטוטו	0.9963	11.98	11.39	6.61	6.61	1					
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
-		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	וטוטו	0.9903	11.90	11.55	0.01	0.01	1					
		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1	ODIN	OCTOA	1.00	13.01	11.55	0.01	0.01	1					
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
-		Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	0010/1	1.00	10.01	11.00	0.01	0.01						
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		Voice Grade COCI - DS1 to DS0 Channel System - per month			027	12.10	0.1000	11.00	11.00	0.01	0.01						
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
		DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS1 COCI (used for connection to a channelized DS1 Local															
L		Channel in the same SWC as collocation) per month		<u></u>	U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61			<u> </u>			
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports							]								
		Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	he desired features	will need to I	be ordered usin	ng retail USOC	s		<b>.</b>			<b>.</b>			
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)		<u> </u>	LIEBOR	Lucasi				ļ		1			ļ		
	4	Exchange Ports - 2-Wire Analog Line Port- Res.		<b> </b>	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28			<b>.</b>			
<u> </u>		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28			-		1	
1	1	Fush and a Darks O Miles Applica Live Book of the Control of the	1	1	LIEDOD	LIEBEO	1.00		0.01	4.00	1			I			
	-	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port		<del>                                     </del>	UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28			<del>                                     </del>			
		with Caller ID (LUM)		1	UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28			1			
-	+	Exchange Ports - 2-Wire Voice Georgia basic dialing port		-	ULFOR	UEFAF	1.09	2.42	2.31	1.37	1.28			-	-	-	
	1	without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28			I			
-	1	2-Wire voice unbundled Georgia basic dialing port for use with		1	ULFOR	DEPWC	1.09	2.42	2.31	1.37	1.28	1	1	1			
		Caller ID - res		1	UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28			1			
-	+	2-Wire voice unbundled Georgia basic dialing port - outgoing			OLI OIL	JLI WW	1.09	2.42	2.31	1.37	1.20	1		t	1	1	
1	1	only	1	1	UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28			I			
		jo,		1	0_1 OIX	OF! AA!	1.09	∠.→∠	2.31	1.37	1.20	1	1	1	1	ı	ı

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
-	Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
-	Georgia Subsequent Activity			UEPSR UEPSR	UEPRU USASC	1.09 0.00	2.42 0.00	2.31 0.00	1.37	1.28						
FEAT				UEPSR	USASC	0.00	0.00	0.00								
FLAT	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)	1		OLI OIL	OLI VI	0.770	0.00	0.00								
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1				1					Ì		Ì
	Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28				ļ		ļ
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
$\vdash$	Port, with Caller ID capability		1	UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28				<b> </b>		<del> </del>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28		1		1		1
	Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPBU	1.09	2.42	2.31	1.37	1.20						
	Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			OLI OD	OLI DI	1.00	2.72	2.01	1.07	1.20						
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT																
<u> </u>	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			HEDGE	LIEDDD	1.00	20.00	10.00	44.40	0.00						
<b></b>	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	1.09 1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83						
<del>                                     </del>	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus  2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1		UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	HEDVE	4.00	00.00	10.00	44.40	0.00						
$\vdash$	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83				-		-
	Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		0_1 01	JLI AL	1.09	20.00	10.00	11.40	0.03						
	Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83		1		1		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1								- 72						
	Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way								I			]		1		1
$\vdash$	Oudial Trunk	<u> </u>	1	UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83				ļ		ļ
	2-Wire voice unbundled Georgia basic dialing port - 2-Way			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83		1		1		1
	Trunk 2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	1	1	UEFSP	UEPWI	1.09	∠8.88	13.63	11.48	0.83						
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83		1		1		1
	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00	11.40	0.00	1			1		1
FEAT				-	1	5.50	2.20	2.30	1					Ì		Ì
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)			-				· · · · · · · · · · · · · · · · · · ·								
	Exchange Ports - Coin Port					1.09	2.42	2.31		1.28						
NOTE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switche	ed data transm	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.	]		L

UNBL	JNDLEI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			١									Elec		_	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m						(+/			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availab	le only	through BFR/New	Business Re	equest Process.										
UNBU		OCAL EXCHANGE SWITCHING(PORTS)			•												
		NGE PORT RATES															
	The DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
	Reques	ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effecti	ve date of this amer	ndment shall	be provided p	ursuant to a se	parate agreen	nent or tariff at	BellSouth's d	iscretion.					
	•	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	5.50	122.26	18.65								
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
		All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels assoc	ated with 2	wire ISDN	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
L	<u> </u>	Locator Capability (E:4/1/2004)	<u> </u>		UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69	<u></u>		<u> </u>	<u> </u>		<u> </u>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,818.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	176.57									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.50									
1		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			HEDEV	DD777	0.00	04 10	04 10		I			Ì	Ì		l
<u> </u>		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43		<b>.</b>						
-		NUMBER PORTABILITY			HEDEY HEDDY	LNIDGN				1	1	-		-	-		-
<u> </u>		Local Number Portability (1 per port)	-		UEPEX UEPDX	LNPCN	1.75			1	<del>                                     </del>	<b>!</b>		1	1		1
<u> </u>	INTER	ACE (Provsioning Only)	-		LIEDEV	DD71\/	0.00	0.00	0.00	1	<del>                                     </del>	<b>!</b>		1	1		1
<u> </u>	1	Voice/Data Digital Data	-		UEPEX UEPEX	PR71V PR71D	0.00	0.00	0.00	1	<del>                                     </del>	<b>!</b>		1	1		1
<u> </u>	1	Inward Data					0.00			-	<del>                                     </del>						
<b>—</b>		Additional Channel	-		UEPDX	PR71E	0.00	0.00	0.00	1	<b>-</b>			-	-		-
<del>                                     </del>	New or	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71		1	<del></del>			-	<b> </b>		-
	<u> </u>	New or Additional - Voice/Data B Channel  New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71		<b> </b>	-			-	-		-
<b>-</b>		New or Additional Inward Data "B" Channel	-		UEPDX	PR7BD	0.00	28.71		1	<b>+</b>	-		1	1		1
$\vdash$	1	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	20.11		1	<del> </del>			1	1		1
$\vdash$	1	New or Additional Useage Sensitive Voice Data B Channel		<b>—</b>	UEPEX	PR7BU	0.00			1	t			<del>                                     </del>	<del>                                     </del>		<del> </del>
	1	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71		<u> </u>	<b> </b>						
$\vdash$	CALL T		<b>-</b>		ULI L/\		0.00	20.71		1	<del>                                     </del>			<del> </del>	<del> </del>		<del>                                     </del>
	JALL I	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00		<b>-</b>						
		Outward			UEPEX	PR7CO	0.00	0.00	0.00		<u> </u>			1	1		
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00		<u> </u>			1	1		
	UNBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,			50	0.00	0.00	0.00		t			1	1		<del> </del>
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1	1				t			1	1		<del> </del>
	1	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28			1	1		<del> </del>
						, , ,					20		·	l		L	·

IINDI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
UND	JNDLE	NETWORK ELEMENTS - Georgia					I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Order vs.	Order vs.	Order vs.	Order vs.
OA.L		TATE ELEMENTO	m	20110	500	0000			itA120 (ψ)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		'
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
1	1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28				I		
		•															
L	Ш.	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u>L</u>	UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBU		OCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU					0.0001557										
		Tandem Switching Function Per MOU (Melded)					0.000017904										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
		Melded Factor: 18.42% of the Tandem Rate		<u> </u>													
	Commo	on Transport															
<b></b>	1	Common Transport - Per Mile, Per MOU	<b> </b>	1		1	0.0000027			1		1		-	<del>                                     </del>	-	
LINIDA	NDI CD S	Common Transport - Facilities Termination Per MOU		<del>                                     </del>		<del>                                     </del>	0.0001914								<del>                                     </del>		
ONRO		PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar	nd/or Ct	oto Ca	mmiaaian rula ta	ovida Unk…	dlad Lasal C	tabing or Cit	h Borto	1		1		-	<del>                                     </del>	-	
<u> </u>		ased Rates are applied where BellSouth is required by FCC ares shall apply to the Unbundled Port/Loop Combination - Cos								ad Port soction	of this Date 5	Vhihit			<del></del>		
-		is snall apply to the Unburidled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us											n Dort/Loor	Combination	l		-
<b>-</b>		st and additional Port nonrecurring charges apply to Not Curr															
$\vdash$		st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	OHIDHI16	a compos. For Cur	Combi	LIEU COIIIDUS TI	ie nomecurin	y charges sha	26 11026 106	naneu in ine N	omecuring	- Gurrently	Combined S	COLIOTIS.	1	
<b>—</b>		ort/Loop Combination Rates	<del>                                     </del>	1		1				1		<del>                                     </del>		1	<del> </del>	1	
$\vdash$	JIVE F	2-Wire VG Loop/Port Combo - Zone 1	1	1		†	10.46								<del>                                     </del>		<del>                                     </del>
$\vdash$	+	2-Wire VG Loop/Port Combo - Zone 1	1	2		†	15.76								<del>                                     </del>		<del>                                     </del>
$\vdash$	+	2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	3		†	32.56			1					<del>                                     </del>		-
	UNFI	pop Rates	1			1	32.30								<b>-</b>		
$\vdash$	0.4E E	2-Wire Voice Grade Loop (SL1) - Zone 1	<del>                                     </del>	1	UEPRX	UEPLX	9.56			1					<del>                                     </del>		-
	1	2-Wire Voice Grade Loop (SL1) - Zone 1	<del>                                     </del>	2	UEPRX	UEPLX	14.86								<b> </b>		<del>                                     </del>
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66								<u> </u>		
	2-Wire	Voice Grade Line Port Rates (Res)		ľ		32.20	01.00				1			1	<b>†</b>	1	
		2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28			1	<b>†</b>	1	
	1	2-Wire voice unbundled port with Caller ID - res		1	UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28				<u> </u>		
	1	2-Wire voice unbundled port with earler is res	1		UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28				1		
	1	2-Wire voice unbundles res, low usage line port with Caller ID	<b>†</b>	t		1			50		20				t		
		(LUM)		1	UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28				1		
	1	2-Wire voice unbundled Georgia basic dialing port without Caller	1	1		1					0			İ	İ	İ	
1	1	ID capability - res	1	1	UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28				I		
	•																

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.12												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>F</b>	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port for use with			HEDDY	LIEDWO	0.0040	40.05	7.00	4.07	4.00						
-		Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPKA	UEPWK	0.9019	10.05	7.30	1.37	1.20						
		Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
	FEATU																
		All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	ļ	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		l												
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
-		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDETI		0.00	0.00								
	OFF/O	Premise  N PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83								
	OFF/O	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
	ļ	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<del>                                     </del>	3		+	15.76 32.56					-		-	<del>                                     </del>		
<b> </b>	LINE !	pop Rates	-	3		+	32.56										
<del></del>	OINE LO	2-Wire Voice Grade Loop (SL1) - Zone 1	<del>                                     </del>	1	UEPBX	UEPLX	9.56			<del> </del>				1	1		
	1	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	14.86					<u> </u>	<b> </b>		<b> </b>		
	<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66										
	2-Wire	Voice Grade Line Port (Bus)		Ť		1	220								1		
	1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28			İ	İ		
	<u> </u>	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28					_	
	1	2-Wire voice unbundled Georgia basic dialing port, without	l												]		
<u> </u>	ļ	Caller ID capability - bus	ļ		UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28				ļ		
	1	2-Wire voice unbundled Georgia basic dialing port for use with	l					40									
	ļ	Caller ID - bus	ļ		UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire voice unbundled Incoming Only Port without Caller ID	l		LIEDBY	HEDDE	0.0040	40.05	7.00	4 07	4.00		1		1		
	LOCAL	Capability  NUMBER PORTABILITY	-	-	UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						
<u> </u>	LUCAL	Local Number Portability (1 per port)	<b>!</b>	<del>                                     </del>	UEPBX	LNPCX	0.35						<b> </b>		-		
<del></del>	FEATU		<del>                                     </del>		OLFDA	LINE OA	0.35			<del> </del>				1	1		
-		All Features Offered		1	UEPBX	UEPVF	0.775	0.00	0.00						<b> </b>		
<b>-</b>	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	1	01. DX	JEI VI	0.773	0.00	0.00								
		The second secon		1						1		1	l	l	1		

UNBU	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
5.120				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10								
	ADDITI	ONAL NRCs				-				-							
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	OLFBX	USASZ		0.00	0.00								
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS			OLI DX	OKETE		0.00	0.00								
	3 , 0	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72				<u> </u>		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72				1		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72				1		
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87				1	İ	İ
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop - Design	<u></u>	3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
	LINIE I	2-Wire VG Loop/Port Combo - Zone 3		3		-	32.56			-							
	UNE LO	pop Rates  2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56			-							
		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66			<b>†</b>							
	2-Wire	Voice Grade Line Port Rates (RES - PBX)			OLITIO	OLILX	31.00										
	_ *****	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l									1					
		Conversion - Switch-As-Is	ļ		UEPRG	USAC2		0.10	0.10	ļ					1		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l							1					1		
<u> </u>	ADDIT	Conversion - Switch with Change	<u> </u>	<u> </u>	UEPRG	USACC		0.10	0.10	<b>.</b>					-	ļ	ļ
<u> </u>	ADDIT	ONAL NRCs  12 Wire Voice Crade Lean/Line Part Combination (DRV)	<b> </b>	<u> </u>		1				<b>!</b>					<b>!</b>	1	1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	LIEDDC	USAS2	0.00	0.00	0.00	I		1	1		I		
$\vdash$		Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1	UEPRG	USASZ	0.00	0.00	0.00	<del> </del>		1	<b> </b>		+	1	1
		Group	l					6.70	6.70	1					1		
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		0.70	0.70	<del>                                     </del>					<del>                                     </del>		
		Premise	l		UEPRG	URETL		8.33	0.83	1					1		
	OFF/O	N PREMISES EXTENSION CHANNELS						5.00	3.00	1					1		
	22.7,0	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87				1		
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87				1	İ	İ
		Non-Wire Direct Serve Channel Voice Grade	<u></u>	1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT							-								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l									1					
		Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00				l		

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted Elec		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		<del></del>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	U1TVM	0.0057	0.00	0.00								$\longmapsto$
		ort/Loop Combination Rates															<del></del>
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
-	LINE L	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										<del></del>
	ONL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	0.147	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
	2-wire	Voice Grade Line Port Rates (BUS - PBX)				_											
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPLD UEPXA	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						<b></b>
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I X	OLI AL	0.0010	10.00	7.00	1.07	1.20						
		Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						[ ]
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPAIVI	0.9019	10.05	7.30	1.37	1.20						<del>                                     </del>
		Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						1
-		2-Wire voice unbundled Georgia basic dialing port - 2-Way			OLFFX	OLF W3	0.9019	10.03	7.30	1.57	1.20						<del>                                     </del>
		Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX						40.0=	=								1
-		Trunk  2-Wire voice unbundled Georgia basic dialing port - PBX LD			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
		Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll					İ										
-		Terminal Ports	-		UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						1
<b>-</b>		2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way	1		ULFFA	UEPPVV	0.9019	10.05	1.30	1.37	1.28						
		Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	LOCAL	NUMBER PORTABILITY			HEDDY	LNDCS	2.15										
<u> </u>	FEATU	Local Number Portability (1 per port)	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00	-		<b>-</b>					$\vdash$
		All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00	1							
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	LICACO		0.40	0.40	1							1
		Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPA	USAC2	1	0.10	0.10	<del>                                     </del>		<del> </del>					
		Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
	ADDITI	ONAL NRCs															

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY	110400	0.00	0.00	0.00								
-		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User						6.70	0.70								-
		Premise			UEPPX	URETL		8.33	0.83								
-	OFF/O	N PREMISES EXTENSION CHANNELS			OLITA	OKLIL		0.55	0.03								<b>-</b>
	0.170	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						<b>-</b>
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	DFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE Po	ort/Loop Combination Rates					10.10										
	1	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		2			15.76 32.56					1					
		pop Rates		3			32.36										-
	ONL LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 900/976															
		Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking:						40.00	=								
		900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						1
-	1	2-Wire Coin Outward with Operator Screening and Blocking:		1	ULPCU	UEPRJ	0.9019	10.05	1.30	1.37	1.28						<del>                                     </del>
	1	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						1
	1	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	0.0010	10.00	7.00		1.20						
	1	LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						1
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)		i –										İ	İ		
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	1	Switch-as-is		<u> </u>	UEPCO	USAC2		0.10	0.10								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	110400		0.10	0.10								1
<u> </u>	ADDIT	Switch with change		<u> </u>	UEPCO	USACC		0.10	0.10			}		1	1		1
	ADDITI	ONAL NRCs		<u> </u>													<del>                                     </del>
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								1
<b>—</b>	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<b>!</b>	OLFOO	UUAUZ		0.00	0.00			1		1	1		$\vdash$
		Premise			UEPCO	URETL		8.33	0.83								1
-	2-WIRF	: VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		ONLIL		0.00	0.00								<b> </b>
		The second secon		<i>z</i> (						L		·		L	L		

ATECOPY  RATE LEMENTS  WAS DESCRIPTION  AND DESCRIPTION OF BCS USDC WAS DESCRIPTION OF	UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
RATE REMEMY   RATE REMAMY   RA												Svc Order	Svc Order				
ATTEMPS OF A PRINCIPATION OF A PART BELLEMINTS OF A														•			Charge -
Mile   Per   Secretary   Sec	CATECORY	DATE ELEMENTO	Interi	<b>7</b>	DOC	usos			DATEC (6)								Manual Svc
March   Marc	CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			KATES (\$)			per LSR	per LSR				Order vs.
No.   Part   P																	
No.   Percent Control Contro														1st	Add'I	Disc 1st	Disc Add'l
Print							Pec		urring		g Disconnect		•			•	
Service (10 Loss) OF Temporal Principal Centro 2-70es 1   1   2.55   1.05   1							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
20/49 Not 10,000/20 Transporter Centrol - 20/69 3   3   2   2   3   33.00   3   3   3   3   3   3   3   3   3	UNE P						05.50										<b>_</b>
System VS Looker District Control Co. 2009 3   3   47.54	-																
UNIT   Company	-					+											
Silver Note Carbot Long (SE) - Zere 1	UNE L			Ť													
2-New Vacce Grade Lazer PGE 1-2 Zong 3   0 LEPPR   0 LEPPR   109   106.05   43.66   41.80   15.44   1.80   15.44   1.80				1	UEPFR	UECF2	11.57										
20   20   20   20   20   20   20   20		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
2-Wire votes unbundled por - incision				3	UEPFR	UECF2	33.08										
2-Vive voice unbunded port with Caller D- res   2-Vive voice unbunded port outgoing only - vive outgoing only - vive outgoing only - vive port with Caller D   2-Vive voice unbunded service place of sing port without   2-Vive voice unbunded service base of sing port vive with   2-Vive voice unbunded service base of sing port vive with   2-Vive voice unbunded service base of sing port of voice with   2-Vive voice unbunded service base of sing port of voice with   2-Vive voice unbunded service base of sing port of voice with   2-Vive voice unbunded service base of sing port of voice with   2-Vive voice unbunded service base of sing port of voice with   2-Vive voice unbunded service base of sing port outgoing on the voice of sing port outgoing of voice with outgoing of voice of sing port outgoing on the voice of sing port outgoing of voice with outgoing out	2-Wire					I											
2-Wire vice unbundled pot outgoing only - ras   2-Wire vice unbundled pot outgoing only - ras   2-Wire vice unbundled Georgia basic daling port - without			1	-											<del>                                     </del>		1
2-Wire voice unburded res, low usage pire port with Caller D   UEPFR   UEPAP   1.09   166.05   4.366   41.89   15.44	$\vdash$		1	-									-				<del> </del>
LUMD   Care without decided based dating port, without   UPPR   UPPWC   1.09   166.05   43.66   41.89   15.44			<del>                                     </del>	<del>                                     </del>	OLITIK	JLI NO	1.09	100.05	45.00	41.09	15.44				<del> </del>		<del>                                     </del>
2-Wive votes unbunded decegle basic dising port, without Carles   UEPPR   UEPWC   1.09   166.06   43.66   41.89   15.44			1		UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44		1		1		
Caller (Dozabelity: res   UEPPR   UEPVC   1.09   166.05   43.66   41.88   15.44		2-Wire voice unbundled Georgia basic dialing port, without															
Callet ID -res   UEPPR   UEPVQ   1,09   160.05   43.66   41.89   15.44		Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						<u> </u>
2-Wife social ordunaled Georgia basic dialing port - outgoing   UEPFR			1		l												
Interoffice Transport. Dedicated - 2 Wire Voice Grade - Facility   UEPFR   UTY2   12.87   48.46   19.48   16.58   5.00					UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
Interceptic Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFR   U1TV2   12.87   48.46   19.48   16.58   5.00					UEDED	LIEDWD	4.00	400.05	10.00	44.00	45.44						
Intereffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFR   U1TV2   12.87   48.46   19.48   16.58   5.00	INTED	(a)			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						<del> </del>
Termination   UEPFR   U1TVZ   12.87   48.46   19.48   16.58   5.00	INTER					+											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPFR					UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
FEATURES																	
All Features Offered   UEPFR   UEPF   U.775   0.00   0.0					UEPFR	1L5XX	0.0057	0.00	0.00								
LOCAL NUMBER PORTABILITY	FEATU																
Coah Number Pottability (1 per port)					UEPFR	UEPVF	0.775	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	LOCAL				HEDED	LNDCV	0.25										
2-Wire Loop / Dedicated to Transport / 2 Wire Line Port   UEPFR	NOND				UEPFR	LNPCX	0.35										ļ
Combination - Conversion - Switch-as-is	NONK																
2-Wire Loop / Dedicated ID Transport / 2 Wire Line Port   Combination - Convesion - Switch-With-Change   UEPFR					UEPFR	USAC2		7.85	1.86								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at   UEPR   URETN   11.10   1.10																	
End User Premise					UEPFR	USACC		7.85	1.86								
2-Wire Voice Grade Loop (SL2) - Zone 1																	
UNE Port/Loop Combination Rates				<u> </u>		URETN		11.19	1.10								
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			E LINE I	PORT (I	BUS)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2   2   30.92	UNE P		1	1			25.52										
Caller ID capability - bus   Caller ID - bus						+											
UNE Loop Rates																	1
2-Wire Voice Grade Loop (SL2) - Zone 2	UNE L		1			1									İ		
2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFB   UECF2   16.95			1	1			11.57										
2-Wire Voice Unbundled port without Caller ID - bus   UEPFB   UEPBL   1.09   166.05   43.66   41.89   15.44		2-Wire Voice Grade Loop (SL2) - Zone 2		_													
2-Wire voice unbundled port without Caller ID - bus   UEPFB   UEPBC   1.09   166.05   43.66   41.89   15.44				3	UEPFB	UECF2	33.08										
2-Wire voice unbundled port with Caller + E484 ID - bus  10	2-Wire		ļ	<b></b>	HEDED	LIEDE:		/00.0-	10.5-	44.0-							<b></b>
2-Wire voice unbundled port outgoing only - bus   UEPFB   UEPBO   1.09   166.05   43.66   41.89   15.44				-													<u> </u>
2-Wire voice unbundled incoming only port with Caller ID - Bus   UEPFB   UEPB1   1.09   166.05   43.66   41.89   15.44	$\vdash$		<del> </del>	-											-		<del> </del>
2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus UEPFB UEPWD 1.09 166.05 43.66 41.89 15.44  LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44  UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44  UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44  UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44			<del> </del>	1													<del>                                     </del>
Caller ID capability - bus			1						.0.00	00	.5.44				İ		
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 LOCAL NUMBER PORTABILITY UEPFB UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPFB UEPWP 1.09 166.05 43.66 41.89 15.44 UEPFB UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPWP 1.09 INTEROPTION OF THE PORTABILITY UEPWP 1.09 INTEROPTION OF THE PORTABILITY			1		UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44		1		1		
LOCAL NUMBER PORTABILITY   UEFFB LNPCX 0.35   UEF		2-Wire voice unbundled Georgia basic dialing port for use with															
Local Number Portability (1 per port)   UEPFB   LNPCX   0.35			1		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44						
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	LOCAL					Luncii											1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	13.17=-		<b>!</b>	<u> </u>	UEPFB	LNPCX	0.35										<b>├</b>
	INTER		<del>                                     </del>														
, 1 DENDINADOD   1 DEPER 1011VZ   1287   4846   1948   1658   5.001   1   1   1   1   1		Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						

UNBLINDL	ED NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Fyhi	bit: A
SITESITEE	LE ITET TOTAL ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
<b></b>			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEDED	41.5007	0.0057	0.00	0.00								
FEAT	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPFB	UEFVF	0.775	0.00	0.00								
NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			CLITB	00/102		7.00	1.00								
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.19	1.10								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (	PBX)												
	Port/Loop Combination Rates		<u> </u>		1				j							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53			<u> </u>							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92			<u> </u>							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
<b></b>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
<b></b>	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPLD UEPXA	1.09 1.09	166.05	43.66 43.66	41.89 41.89	15.44 15.44						
<b></b>	2-Wire Voice Unbundled 2-Way Combination PBX Osage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXA	1.09	166.05 166.05	43.66	41.89	15.44						
<b></b>	2-Wire Voice Unbundled PBX LD DDD Terminals Port	-		UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
<del> </del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFIF	OLFAD	1.09	100.03	43.00	41.09	13.44						
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.03	100.05	43.00	41.03	10.44						
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1					.00.00	.0.50	55					1		
	Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1			1			.5.50								İ
	Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way						_									
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way									·						
$\sqcup \sqcup \sqcup$	Trunk	1		UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOCA	L NUMBER PORTABILITY		<u> </u>													
<del></del>	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00								
INTER	ROFFICE TRANSPORT	1			1									<b> </b>		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDED	11471/0	40.07	40.40	40.40	40.50	F 00		1		1		
$\vdash$	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00	]			1		1		
EEAT	URES	1	1	ULFFF	ILOAA	0.0057	0.00	0.00			1					
FEAT	All Features Offered	1	<del>                                     </del>	UEPFP	UEPVF	0.775	0.00	0.00	<del>                                     </del>					<del> </del>		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		02111	OLI VI	0.775	0.00	0.00	<del>                                     </del>					1		1
NOAK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+ +							<b> </b>		<del> </del>		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<b>†</b>		- 57.102		00							1		
	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86	]			1		1		
		+	1													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															

UNBL	JNDLF	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			Intori										Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	Disc 1st	Disc Add I
								Rec	Nonrec		Nonrecurring					Rates (\$)		
								1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		ORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	UNE PO	ort/Loop Combination Rates	<u> </u>	<u> </u>				47.05										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				17.05 22.44			-							
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56										
	LINEL	pop Rates		3				30.30			<b>†</b>							
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										
		ort Rate						55.55			1				İ	1	1	
		Exchange Ports - 2-Wire DID Port	1		UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27						
		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	<u> </u>	Switch-as-is	<u> </u>		UEPPX		USAC1		6.66	1.86	<u> </u>				<u> </u>	<u></u>	<u></u>	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	<u> </u>	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
	ADDITI	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.19	1.10								
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX UEPPX		ND4 ND5	0.00	0.00	0.00	-							
	1	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00	-		-			-	-	
	1	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00	-		-			-	-	
	LOCAL	NUMBER PORTABILITY			ULFFX		NDV	0.00	0.00	0.00								
	LOUAL	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			LIVI OI	0.10	0.00	0.00								
		ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		19.44										
	l	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1															
L	1	UNE Zone 2	<u> </u>	2	UEPPB	UEPPR		24.45			<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -							_									
		UNE Zone 3		3	UEPPB	UEPPR		38.09									<u> </u>	
	UNE Lo	pop Rates								•								
		2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	14.25			ļ							
				_							I				1	I	I	
	ļ	2-Wire ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB	UEPPR	USL2X	19.26										
	LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	USL2X	32.90			-					-	-	
<u> </u>		ort Rate	<b> </b>	<u> </u>	LIEDOS	HEDDO	LIEDES	5.40	404.00	111.00	10.00	0.0=			<b> </b>	<b>!</b>	<b>!</b>	
-	NONE	Exchange Port - 2-Wire ISDN Line Side Port	<del>                                     </del>	-	UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
-	NONKE	CURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<del>                                     </del>			-				<del>                                     </del>				-	<del></del>	<del></del>	
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	LIEDDD	USACB	0.00	42.52	26.99	1					1	1	
-	ADDITI	ONAL NRCs	<del>                                     </del>		OLI FD	JEI FR	JUAUD	0.00	42.52	20.99	t				1	t	t	
<b>-</b>	וווטטה	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	<del>                                     </del>				1	+			t				<del> </del>	t	t	
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00		I				1	I	I	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at						1	0.00		1				İ	1	1	
		End User Premise			UEPPB	UEPPR	URETN		11.19	1.10	I				1	I	I	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User							-									
		Premise	<u></u>		UEPPB	UEPPR	URETL		8.33	0.83	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
		NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)														
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
H	Interoffice Channel mileage each, additional mile	( DOE=	<u> </u>	UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00	<b>.</b>	<b> </b>				-	1	-
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			lateral trans	!m ml	40/0/02	 	4/4/04 th				<u> </u>	:		-	ļ	ļ
	NE-P DS1 combination rates below for in this rate exhibit applests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													п.	<del>                                     </del>	-	
	Port/Loop Combination Rates	Tunk P	ort arte	i the enec	live date c	I mis amend	illient shan be p	orovided pursu	iani io a sepai	ate agreement	or tariii at bei	isouth's di	Scretion.				
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1				1						1					
	Zone 1		1	UEPPP			106.15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLFFF		1	100.13					1					
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		1	111.54			1		1					
	Zone 3		3	UEPPP			127.15										
LINE I	oop Rates			OLITI			127.13										
JOHE !	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	46.41										
<b>+</b>	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62.03										
UNE	Port Rate		Ŭ	02		002	02.00										
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						
NONE	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDI	TIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		10.72									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
<del></del>	Subsequent Inward Tel Numbers	1	<u> </u>	UEPPP		PR7ZT		21.43		<b>.</b>					<b>.</b>		
LOCA	L NUMBER PORTABILITY	1	ļ	HEDDE		LAIDON	1					1					
	Local Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75			<b>.</b>	<b> </b>	}			<b>!</b>	1	1
INTER	RFACE (Provsioning Only)	1	<del>                                     </del>	UEPPP		DD741/	0.00	0.00	0.00	<del>                                     </del>	<b> </b>	1	-		<del>                                     </del>	-	
<del>                                     </del>	Voice/Data Digital Data	1	<del>                                     </del>	UEPPP		PR71V PR71D	0.00	0.00	0.00	<b>-</b>	-	<del>                                     </del>			<del>                                     </del>		
$\vdash$	Inward Data	1	<del>                                     </del>	UEPPP		PR71D PR71E	0.00	0.00	0.00	<b>-</b>	-	<del>                                     </del>			<del></del>		
Nove	inward Data or Additional "B" Channel	1	<del>                                     </del>	UEFFF		rk/ IE	0.00	0.00	0.00	<b>-</b>	-	<del>                                     </del>			<del></del>		
ivew (	New or Additional - Voice/Data B Channel	1	<del> </del>	UEPPP		PR7BV	0.00	13.59		<b>+</b>	1	}			+	1	1
<del>                                      </del>	New or Additional - Voice/Data B Channel	1	<b>!</b>	UEPPP		PR7BF	0.00	13.59		<del> </del>	1	1			t	1	1
<del>                                     </del>	New or Additional Inward Data B Channel	1	<u> </u>	UEPPP		PR7BD	0.00	13.59		<del>                                     </del>	<u> </u>	<del>                                     </del>			t		
CALL	TYPES	1	<u> </u>	J_111		. 13700	0.00	10.05		<del>                                     </del>	<u> </u>	<del>                                     </del>			t		
UALL	Inward	1	1	UEPPP		PR7C1	0.00	0.00	0.00	<b> </b>		1			<b> </b>		
	Outward	1	1	UEPPP		PR7CO	0.00	0.00	0.00	t	1	1			t	1	1
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00	t	1				t		
Interd	ffice Channel Mileage	1	İ			1	2.00	2.00	2.00	İ					İ		
	Fixed Each Including First Mile	1	İ	UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73				İ		
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.1154										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		i –			1											
The U	NE-P DS1 combination rates below for in this rate exhibit appl	y to the	embec	lded base	in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective o	late of	this amen	dment sha	all be provide	ed pursuant to a	a separate agre	ement or tarif	f at BellSouth's	s discretion.						
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		1	82.22			l	]				l		

UNRUN	NDI FI	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit· Δ
314001	1DEE	7 RET WORK ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
			m			5555			= 0 (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
U	JNE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
U		ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								1							
$\vdash \bot$		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79	ļ				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				l				I				1	1		
<b></b>		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79	<b>.</b>				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l	1				I				Ì	Ì		
<u> </u>		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
<b></b>	ADDITI	ONAL NRCs				1				-							
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO			0.00	0.00								
		Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
-		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO	LIDTTD		40.05	40.05								
-		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	UDTTC		13.95	13.95								
		Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDITO		13.95	13.95	-							
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		13.93	13.93			1					
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
-	RIPOL A	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		15.55	13.33	1							
<b>-</b>	J., OL,	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s			1					
		te Mark Inversion			02. 50	0002.		0.001	002.200								
i i		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
<b>—</b>		one Number/Trunk Group Establisment Charges						0.00									
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		l	1							
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00		l	1							
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers	<u></u>		UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedica	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l Digital	Loop	with 4-Wire DDITS T	runk Port				ļ				ļ	ļ		
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1				I				1	1		
$\vdash$		Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
		Interesting Observation Additional Additiona			LIEDDO	4, 5,0				I				1	1		
$\vdash$		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00	-				<b> </b>	<b> </b>		
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41 NO2	0.00	0.00	2.00	1							
$\vdash$		Termination)	-		UEPDC	1LNO2	0.00	0.00	0.00	<del>                                     </del>		1		1	1		
		Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDC	11 NOD	0.4454	0.00	0.00	I				1	1		
$\vdash$		miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.1154	0.00	0.00	<del>                                     </del>		-		<del>                                     </del>	<del>                                     </del>		
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	I				1	1		
$\vdash$		remination)	-		OLPDO	ILINU3	0.00	0.00	0.00	<del> </del>		-		1	1		
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00	I				1	1		
+		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	1		1	1				
<del>                                     </del>		Central Office Termininating Point			UEPDC	CTG	0.00			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
-		Some Shoo formining Fort			10-1 00	0.0	0.00		l	1		<u> </u>	1	l	l		

UNBUN	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Monro		Monroourring	n Dissannest			000	Rates (\$)		
-							Rec	Nonre		Nonrecurring		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4.1	WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT						First	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
		stem can have up to 24 combinations of rates depending on			her of norte used												
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C				e exhibit ann	ly to the embe	dded hase in r	lace as of 10/2	2/03 until 4/1/04	Δfter 4/1/04 t	hese rates	shall revert	to tariff rates	or a senarate	agreement	
		ts for 4-Wire DS1 Loop with Channelization with Port after the											I	to turni rutos	l separate	agreement.	
		1 Loop	0001	l aut	or time amonamen	l citati se pi e	l	l to a coparate	agroomont or	1		1					
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46,41	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00								
UN	NE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	430.40	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,032.96	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	1,205.12	0.00	0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
IVI		es of this configuration functioning as one are considered Ac	id'i arte	r tne m	inimum system con	riguration is	counted.										
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
e,		Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nolizat					0.37								-
		ot Currently Combined) in all states, except in Density Zone 1				Tation Curre	I	1									-
-	, (.t.	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	0. 10p	l IIIO													
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Bi	polar	8 Zero Substitution			020		0.00	0.0.0.	200.01	00.10	0.00						
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
Al		e Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Ex		ge Ports					ļ	ļ		ļ					ļ		<b>I</b>
		Line Side Combination Channelized PBX Trunk Port - Business											1		1		1
$\vdash$		(E:4/1/2004)			UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00						<del>                                     </del>
		Line Side Outward Channelized PBX Trunk Port - Business			HEDDY	HEDOY	4.00	0.00	0.00	0.00	0.00		1		1		1
$\vdash$		(E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00				<del> </del>		<del>                                     </del>
		Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)	1	1	LIEDDY	LIEDAY	4.00	0.00	0.00	0.00	0.00	1	1		Ì		1
		(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port		-	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00						<del></del>
	ľ	2-vvire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		1		1
Fo	ature	Activations - Unbundled Loop Concentration			OLIFA	OLFDIN	5.50	0.00	0.00	0.00	0.00						<del>                                     </del>
H-16		Feature (Service) Activation for each Line Port Terminated in D4	<del></del>			<del>                                     </del>				t			<b> </b>		<del> </del>		<del>                                     </del>
		Bank			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95		1		1		1
		Feature (Service) Activation for each Trunk Port Terminated in					21.1300	:=:00	2.00						İ		
		D4 Bank	1	1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34	1	1		Ì		1
Te		one Number/ Group Establishment Charges for DID Service					1 222								İ		
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								

Local N  FEATUR Local S  UNBUNDLED C 1. Cost 2. Featur 3. End 0 4. The fi apply al 5. Mark UNE-P 0 2-Wire N UNE Po	Reserve DID Numbers  Immorres Portability Local Number Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly.  Let Rates for Unbundled Centrex Port/Loop Combination will Incentres August 1 (Centres)  Let Rates for Unbundled Centrex Port/Loop Combination will Incentres Very Very Very Very Very Very Very Very	and/or ost Bas Usage r urrently be nego	ed Raterates in	e section in the sam the Port section of	e manner as	0.00 3.15 0.775	Nonrec First 0.00 0.00	RATES (\$)  curring Add'I 0.00 0.00	Nonrecurring First	Disconnect Add'l	Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Incremental Charge -	bit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Local N FEATUR Local S UNBUNDLED C 1. Cost 2. Featu 3. End C 4. The fi apply al 5. Mark UNE-P C 2-Wire N UNE PO	Reserve DID Numbers umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. et Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	m S S and/or ost Bass Usage r urrently	State Ced Raterates in	UEPPX UEPPX UEPPX Commission rule to e section in the same the Port section of	NDV LNPCP UEPVF provide Unbue manner as	0.00 3.15 0.775	0.00 0.00	curring Add'I 0.00			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
Local N FEATUR Local S UNBUNDLED C 1. Cost 2. Featu 3. End C 4. The fi apply al 5. Mark UNE-P C 2-Wire N UNE PO	Reserve DID Numbers umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. et Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	m S S and/or ost Bass Usage r urrently	State Ced Raterates in	UEPPX UEPPX UEPPX Commission rule to e section in the same the Port section of	NDV LNPCP UEPVF provide Unbue manner as	0.00 3.15 0.775	0.00 0.00	curring Add'I 0.00			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
Local N FEATUR Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2. Wire V UNE Po	Reserve DID Numbers umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. et Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	m S S and/or ost Bass Usage r urrently	State Ced Raterates in	UEPPX UEPPX UEPPX Commission rule to e section in the same the Port section of	NDV LNPCP UEPVF provide Unbue manner as	0.00 3.15 0.775	0.00 0.00	curring Add'I 0.00			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	S and/or ost Bassusser Usage rurrently	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	0.00 3.15 0.775	0.00 0.00	<b>Add'I</b> 0.00			•		Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	0.00 3.15 0.775	0.00 0.00	<b>Add'I</b> 0.00			SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	0.00 3.15 0.775	0.00 0.00	<b>Add'I</b> 0.00			SOMEC	SOMAN	OSS	Rates (\$)		
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	0.00 3.15 0.775	0.00 0.00	<b>Add'I</b> 0.00			SOMEC	SOMAN			SOMAN	SOMAN
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	0.00 3.15 0.775	0.00	0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local N FEATUF Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire N UNE PO	umber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport lirist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX  UEPPX  Commission rule to e section in the same the Port section of	LNPCP UEPVF provide Unbute manner as	3.15 0.775	0.00									
FEATUR Local S UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire V UNE PO	Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport i irst and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. wet Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX Commission rule to e section in the same the Port section of	UEPVF provide Unbu	0.775		0.00								1
UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire V UNE Po	RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Cc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. tet Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	UEPPX Commission rule to e section in the same the Port section of	UEPVF provide Unbu	0.775		0.00								<del></del>
UNBUNDLED C  1. Cost 2. Featu 3. End ( 4. The f apply al 5. Mark UNE-P ( 2-Wire N UNE PO	witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport I irst and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	Commission rule to e section in the sam the Port section of	provide Unbu e manner as		0.00									
UNBUNDLED C  1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire V UNE PO	All Features Available  ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC  ares shall apply to the Unbundled Port/Loop Combination - Co  office and Tandem Switching Usage and Common Transport is  irst and additional Port nonrecurring charges apply to Not Cu  lso and are categorized accordingly.  Are Rates for Unbundled Centrex Port/Loop Combination will ICENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	Commission rule to e section in the sam the Port section of	provide Unbu e manner as		0.00									<del></del>
UNBUNDLED C 1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-Pc UNE Po	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ores shall apply to the Unbundled Port/Loop Combination - Co office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	Commission rule to e section in the sam the Port section of	provide Unbu e manner as			0.00								
1. Cost 2. Featu 3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire \ UNE PO	Based Rates are applied where BellSouth is required by FCC tres shall apply to the Unbundled Port/Loop Combination - Complete and Tandem Switching Usage and Common Transport is and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or ost Bas Usage r urrently be nego	ed Raterates in	e section in the sam the Port section of	e manner as	indled Local C	0.00	0.00								
2. Featu 3. End ( 4. The f apply al 5. Mark UNE-P ( 2-Wire \ UNE PO	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport I irist and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly. Ret Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ost Bas Usage r urrently be nego	ed Raterates in	e section in the sam the Port section of	e manner as		witching or Sv	vitch Ports.								
3. End ( 4. The fi apply al 5. Mark UNE-P ( 2-Wire \ UNE Po	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. ett Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Usage rurrently	rates in	the Port section of					dled Port secti	on of this Rate	Exhibit.					
4. The fi apply al 5. Mark UNE-P ( 2-Wire \ UNE Po	irst and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. set Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	irrently be nego			this rate exh							oin Port/Lo	op Combinat	ions.		
5. Mark UNE-P ( 2-Wire \ UNE Po	tet Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo			inea Compos. For											Additional NR	Cs may
UNE-P ( 2-Wire \ UNE Po	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
2-Wire \ UNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	\	otiated	on an Individual Ca	se Basis, unt	til further notic	e.									
UNE Po		,														
	ut/I con Combination Pates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															l
	Non-Design		1	UEP91		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													l
	Non-Design		2	UEP91		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		3	UEP91		32.56										
	ort/Loop Combination Rates (Design)															<b></b>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP91		12.47										
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF91		12.47										-
1	Design		2	UEP91		17.85										
<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF91		17.05										-
	Design		3	UEP91		33.98										
	op Rate			OLI 01		00.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08										
UNE Po	orts															
	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						<b></b>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1
	Area		<u> </u>	UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						<b></b>
1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic							= 00								
$\vdash$	Local Area  2 Wise Voice Crade Port (Centrey from diff Sening Wise Center)		-	UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2. 3 Basic Local Area		1	UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						1
	Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	OLF91	DEPTIVI	0.9019	82.27	∠6.96	20.29	9.15						<del></del>
	Term - Basic Local Area			UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OE1 31	JLI IZ	0.5019	02.21	20.90	20.29	3.13						<del>                                     </del>
1 1 1	- Basic Local Area		1	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						1
<del>                                     </del>	2-Wire Voice Grade Port Terminated on 800 Service Term -		l		320	0.0019	10.00	7.50	1.57	1.20						<b>—</b>
	Basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						1
	a and Florida Only				i -	2.22.0		50		0						
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								_							
	Center)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						L
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15						1

UNBUNE	DLFD	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
ONDONE		HETWORK ELEMENTO Ocorgia										Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec			Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T &1	. B'				D-1 (A)		
							Rec	Nonrec		Nonrecurring		201150	001441		Rates (\$)	2014411	001441
	-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated in on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28	1					
10		witching			OLI 31	OLITIZ	0.3013	10.03	7.50	1.07	1.20						
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
Lo		umber Portability			02. 0.	0.1200	0.1207										
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	eature	S															
		All Standard Features Offered, per port			UEP91	UEPVF	0.775										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NA	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
NA:		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		neous Terminations Trunk Side										-					
2-1		Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45	-					
Int		ce Channel Mileage - 2-Wire			OLI 31	CLIVAO	3.30	122.20	10.03	34.02	3.43						
		nteroffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057	10.10	10.10	10.00	0.00						
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	e				0.000										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOA	400MD	0.4000										
		Different Wire Center			UEP91	1PQWP	0.4689										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
-		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLF91	IFQVV	0.4009					1					
		Slot			UEP91	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
No		curring Charges (NRC) Associated with UNE-P Centrex			02. 0.		0.1000										
		Conversion - Currently Combined Switch-As-Is with allowed		1													
		changes, per port			UEP91	USAC2		0.10	0.10								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00									
Ad		nal Non-Recurring Charges (NRC)	<u> </u>	<u> </u>													
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1	1	UEP91	URETL		8.33	0.83				1		1		
-					UEP91	UKEIL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	1	1	UEP91	URETN		11.19	1.10				1		1		
LIK		CENTREX - 5ESS (Valid in All States)	<del>                                     </del>	<del>                                     </del>	02.31	JILLIN		11.19	1.10						<u> </u>		
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)	<b>1</b>												İ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i .	1													
		Non-Design	<u></u>	1	UEP95	_1	10.46					<u> </u>	<u> </u>				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													]		
		Non-Design		2	UEP95		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		l								]		1		
<del></del>		Non-Design	<u> </u>	3	UEP95		32.56										
L		rt/Loop Combination Rates (Design)	<u> </u>	<u> </u>										ļ	<b> </b>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	4	UEP95		12.47						1		1		
		Dealgii	<u> </u>		OFL 20		12.47			l		1	·	l	1		

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
	<b>J</b>										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	<b>Manual Svc</b>	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					4= 0=										
	Design		2	UEP95	_	17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEBOE		00.00										
	Design		3	UEP95		33.98										
UNE	oop Rate		1	UEP95	115004	0.50										
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95 UEP95	UECS1 UECS1	9.56 14.86										
<b>—</b>	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95 UEP95	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP95	UECS2	11.57										
<b></b>	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										
h	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	33.08										
I INE	Port Rate	1	3	OFL 22	ULUSZ	33.08								t		1
All St		1	1		+									t		1
All St	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	<del>                                     </del>	UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28		<b> </b>		t		<del> </del>
<b> </b>	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28		l		<b> </b>		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI 50	OLI ID	0.0010	10.00	7.00	1.07	1.20						
	Area	1		UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28		1		I		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02.00	02	0.0010	10.00	7.00		1.20						
	Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	L						40.00									
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9 UEPH2	0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
11	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local	Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.4237										
Local	Number Portability	1	1	OLF 93	UKLCS	0.4237										
Local	Local Number Portability (1 per port)	<del> </del>	1	UEP95	LNPCC	0.35								<b>-</b>		
Featu		1	1	02.00	,,	0.00								<u> </u>		
, cata	All Standard Features Offered, per port	1	1	UEP95	UEPVF	0.775								<b>†</b>		1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port	1	t	UEP95	UEPVC	0.00	2.00							t		1
NARS		1												İ		İ
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	<u> </u>		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wir	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
Interd	ffice Channel Mileage - 2-Wire	ļ	ļ		1									ļ		ļ
$\vdash$	Interoffice Channel Facilities Termination	ļ	1	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
<b></b> _	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	1	UEP95	M1GBM	0.0057										ļ
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		1									<b>!</b>		<del> </del>
D4 Cr	annel Bank Feature Activations	1			1				l		1	l		l		

UNRI	UNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
3.45												Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		. Names accombine	. Diazana ast				Detec (ft)		
-	1			-		1	Rec	First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689	11131	Auu	11130	Addi	JOINLO	JOHAN	JONAN	JONIAN	JONIAN	JOWAN
		Podatio Field and St. P. Charmon Bank Control 2005 City			02. 00		0.1000			İ					İ		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.4689										
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	1		UEP95	1PQWP	0.4689			1						1	
		Different Wire Center			UEP95	TPQWP	0.4689										
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689			1							
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								İ					t		
		Slot			UEP95	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689		•								
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex					ļ										
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400		0.40	0.40								
-	-	changes, per port  New Centrex Standard Common Block	-	-	UEP95 UEP95	USAC2 M1ACS	0.00	0.10 317.90	0.10 37.59	48.99	5.92			-	-	-	-
	+-	New Centrex Standard Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92	<del>                                     </del>			<b> </b>		
	1	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	0.00	07.00	40.00	0.32				<b>†</b>	1	1
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
-	LINE D	End Use Premise  CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.19	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					1			<b>†</b>					1		
		ort/Loop Combination Rates (Non-Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D		32.56										
	LINE P	ort/Loop Combination Rates (Design)		3	UEF9D		32.36										
	O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Design		1	UEP9D		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ĺ	İ									
	1	Design		2	UEP9D		17.85										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		00.00			1							
	LINE :	Design oop Rate		3	UEP9D	1	33.98			<del>                                     </del>		-			-		
	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56			<del>                                     </del>		<b>+</b>					
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66			1							
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95										
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	33.08										
-		ort Rate TATES		-		-	<del>                                     </del>			<del> </del>					1	-	
-	ALL S	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	<del>                                     </del>	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28				+		
	1	2-Wire Voice Grade Port (Centrex 900 termination)Basic Local	1		C2. 0D	SEI 171	0.0019	10.00	7.50	1.57	1.20				<b>—</b>		
		Area	l		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				1		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	1	Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					I T										
	-	Area		-	UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
-	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		-	OFLAD	UEFIE	0.9019	10.05	7.36	1.37	1.28	-			-		
	1	Area	1		UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28					1	
	1	r		I		12=: 11	3.0010	10.00	7.50	1.07	1.20	1	1	l	l	ı	<b></b>

CATEGORY   RATE BLEMBITS   Interest   Total   Record   Total   Total   Record   Total   Tota	UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
2-700   Votes Grade Perf (Centrace / RESS-SCR17) (National Control   UPPND				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-700   Votes Grade Perf (Centrace / RESS-SCR17) (National Control   UPPND						+	_	Nonrec	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
Mean   United Point (Centrice / ESS-RECORG)   Service Course   UEPS   Outs							Rec					SOMEC	SOMAN			SOMAN	SOMAN
2-Viver Vacos Cissale Prot (Centres C (ESS-MS2003)) Sales Local   UEPVD   UEPVT   0.0519   10.05   7.38   1.37   1.28																	ĺ ·
Mean		7.000			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						<b></b>
2-WW Vaco Graph Prof. (Centrer, 166 MST-196) Basic Local   UPPID   U					HEDAD	HEDVT	0.0010	10.05	7 36	1 37	1 28						i
Area					OLI OD	OLI II	0.0010	10.00	7.00	1.07	1.20						
Area   Area		Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						<u> </u>
2-Wev Voto Grade Port (Centrace Attention See See See See See See See See See Se					LIEDOD	LIEDW/	0.0040	40.05	7.00	4.07	4.00						i '
Ages   County   Ages   County   Ages   County   Ages   County   Ages   County   Ages					UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						<del> </del>
2-Wire Votes Groof Port (Centre Wile PS) Basts Local Anne   UEP90   UEP7H   0.0010   10.06   7.36   1.37   1.28		, , , , , , , , , , , , , , , , , , , ,			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						ĺ
2-Wire Votes Grade Port Centrevordiffer SWD (EBS-MSD12)2.4   UEPID UEPYW 0.0019 10.06 7.36 1.37 1.28																	
Indication()  Basic Local Area   UEPPO   UEPPW   0,0019   10,05   7,36   1,37   1,28					UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						<b></b>
2-Wire Voice Grade Port Centrox/Bright Wing Lamp Indicators) 4   UEPPD UEPV					UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1 28						İ
Basic Local Area					021 00	JE: 1 VV	0.0010	10.03	1.30	1.37	1.20	1					
2.2-Basic Local Area		Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
Savine Votors Grade Port (Centravidifier SWC /EBS-M000)2.3.4   UEP9D UEPY0 0.9019 82.27 26.96 20.29 9.15   UEP9D UEP9D UEP9D UEP9D 0.9019 10.05 7.36 13.7 1.28   UEP9D UEP9D 0.9019 10.05 7.36 13.7 1.28   UEP9D UEP9D 0.9019 10.05 7.36 13.7 1.28   UEP9D UEP9D 0.9019 10.05 7.36 13.7 1.28   UEP9D 0.9019 10.05 7.36 13.7 1.28   UEP9D																	ĺ
Basic Local Area   UEP90   UEPY0   0.9019   82.27   26.96   20.29   0.15	<del></del>				UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						<del> </del>
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-48509)2.3.4   UEP90					UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						i
2-Wire Voice Grade Port (Centrevoldifler SWC /EBS-MS112)2.3.4   UEP9D   UEPYQ   0.9019   82.27   26.96   20.29   9.15							3.33.3										
Basic Local Area   UEP90   UEPYR   0.9019   82.27   26.96   20.29   9.15					UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						<b></b>
Description   Continue   Contin					LIEDOD	LIEDVO	0.0010	92.27	26.06	20.20	0.15						i
Basic Local Area   UEPB   UEPT   0.9019   82.27   28.96   20.29   9.15	<del>     </del>				UEP9D	UEFTQ	0.9019	02.21	20.90	20.29	9.15						<del>                                     </del>
Basic Local Area   UEPPD   UEPYS   0.9019   82.27   26.96   20.29   9.15					UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						ĺ
Sease Local Area   Centrevidifier SWC /EBS-M508)2,3,4   UEP9D   UEPY4   0.9019   82.27   26.96   20.29   9.15     Sease Local Area   Centrevidifier SWC /EBS-M5208)2,3   UEP9D   UEPY5   0.9019   82.27   26.96   20.29   9.15     Sease Local Area   Centrevidifier SWC /EBS-M5216)2,3,4   UEP9D   UEPY6   0.9019   82.27   26.96   20.29   9.15     Sease Local Area   Centrevidifier SWC /EBS-M5216)2,3,4   UEP9D   UEPY6   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY7   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY7   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY7   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY7   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY2   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY2   0.9019   82.27   26.96   20.29   9.15   Sease Local Area   UEP9D   UEPY2   0.9019   UEPY2   0.9019   UEPY2   0.9019   UEPY2   0.9019   UEPY2   0.9019   UEPY3   UEPY3   UEPY4   UEPY3   UEPY4   UEPY3																	i
Basic Local Area   UEPPD   UEPY   0.9019   82.27   26.96   20.29   9.15	-				UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						<del></del>
2-Wire Voice Grade Port (Centrev/differ SWC /EBS-M5208)2, 3   UEP9D UEPY6 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY6 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY6 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY6 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 8.2.27 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY7 0.9019 10.05 7.36 1.37 1.28   UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D 0.9019 10.05 7.36 1.37 1.28   UEP9D UE					UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						İ
2-Wire Voice Grade Port (Centrew/difer SWC / EBS-M5216)2,3.4   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 8.2.7 26.96 20.29 9.15   Basic Local Area   UEP9D UEPY0 0.9019 10.05 7.36 1.37 1.28   Basic Local Area   UEP9D UEPY0 0.9019 10.05 7.36 1.37 1.28   Basic Local Area   UEP9D UEP9D UEPY0 0.9019 10.05 7.36 1.37 1.28   Basic Local Area   UEP9D UEP9																	
Basic Local Area					UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						<b></b>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4   UEP9D UEPY7 0.9019 82.27 26.96 20.29 9.15   UEP9D UEPY7 0.9019 82.27 26.96 20.29 9.15   UEP9D UEPY8 0.9019 82.27 26.96 20.29 9.15   UEP9D UEPY9 0.9019 82.27 26.96 20.29 9.15   UEP9D UEPY9 0.9019 10.05 7.36 1.37 1.28   UEP9D UEPY9 0.9019 10.05 7.36 1.37 1.28   UEP9D UEPY9 0.9019 10.05 7.36 1.37 1.28   UEP9D UEPY9 0.9019 10.05 7.36 1.37 1.28   UEP9D					LIEDOD	LIEDVE	0.0010	92 27	26.06	20.20	0.15						ĺ
Basic Local Area	<del>     </del>				UEP9D	UEPTO	0.9019	02.21	20.90	20.29	9.15						<del>                                     </del>
Term 2.3		Basic Local Area	<u> </u>		UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent   Basic Local Area   UEP9D   UEPY9   0.9019   10.05   7.36   1.37   1.28																	i
Basic Local Area	$\vdash$				UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15	<del>                                     </del>					<del>                                     </del>
2-Wire Voice Grade Port Centrex 800 termination   UEP9D   UEP1   UEP1   UEP9D					UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						İ
FL & GA Only		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
2-Wire Voice Grade Port (Centrex)	<u> </u>				UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						<b></b>
2-Wire Voice Grade Port (Centrex 800 termination)	FL & 0				LIEDOD	LIEDHA	0.0010	10.05	7.26	1 27	1 20						<del> </del>
2-Wire Voice Grade Port (Centrex / EBS-PSET)4																	<del> </del>
2-Wire Voice Grade Port (Centrex / EBS-M5209)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5112)4					UEP9D												
2-Wire Voice Grade Port (Centrex / EBS-M5312)4		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5008)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5208)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5216)4																	<b></b>
2-Wire Voice Grade Port (Centrex / EBS-M5316)4   UEP9D   UEPH3   0.9019   10.05   7.36   1.37   1.28	$\vdash$		ļ	ļ													<b></b>
2-Wire Voice Grade Port (Centrex with Caller ID)	$\vdash$		ļ														<del>                                     </del>
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 UEP9D UEPHW 0.9019 10.05 7.36 1.37 1.28	<del>                                     </del>		<b> </b>	<b> </b>								1					<del>                                     </del>
Indication)4   UEP9D   UEPHW   0.9019   10.05   7.36   1.37   1.28	<del>                                     </del>			-	UEF9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						<del>                                     </del>
					UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						İ
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28						

UNBI	INDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
3,150		THE THORK ELLINEITIO Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
		OME William On the Book (On the County of the Diff On the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2,3		1	UEP9D	UEPHIVI	0.9019	82.21	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		2 VIII VOIDO GIAGO I GIT (GETTIEN GIII GI GIVO / EBO I GET)2,0,4			OLI OD	OLI 110	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
L	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2 Mire Voice Crade Port (Centre::/J:# CMC /EDC MESSON 6.4	1		LIEDOD	LIEDUA	0.0040	00.07	20.00	20.00	0.45		1		1		
<b>-</b>	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	<del>                                     </del>	1	UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15				<del>                                     </del>		
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	1		UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15		1		1		
-	1	2-vviie voice Grade For (Centrex/differ 5000 /EB5-ivi5208)2,3,4	1		OLFAD	UEFRID	0.9019	82.27	∠0.96	20.29	9.15	1	-		1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2 1110 10100 01440 1 011 (001110) 4110 0110 1220 1102 10/2/01			02.03	02.1.0	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching			LIEDOD	LIDEOO	0.4007										
-	I cool N	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
-	Local	lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	/ \ \ \ /			OLI 3D	LIVI CC	0.33										
	routure	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
<u></u>		aneous Terminations	<b> </b>			+				1	1				<del> </del>		
<u> </u>	∠-vvire	Trunk Side Trunk Side Terminations, each	<del>                                     </del>		UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
<b>-</b>	4-Wire	Digital (1.544 Megabits)	<del>                                     </del>		OLFBD	CENDO	5.50	122.20	10.03	54.82	3.45						
	*	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33				1		
		DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	13.95	33.30	33.51	2.30				1		
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057		•								
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
<u> </u>	D4 Cha	nnel Bank Feature Activations	<u> </u>	<b> </b>	LIEDOD	400000	0.4000			ļ					ļ		
-	<b> </b>	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
1		Footure Activation on D. A. Channel Book EV line Side I Cl-	1		UEP9D	1PQW6	0.4689						1		1		
<b>-</b>	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLFAD	IFUVVO	0.4689				1		-		1		
1		Slot	1		UEP9D	1PQW7	0.4689						1		1		
<b>—</b>	<del>                                     </del>	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<del>                                     </del>	OL1 3D	11 Q VV /	0.4009			1					<b> </b>		
1		Different Wire Center	1		UEP9D	1PQWP	0.4689						1		1		
							2200										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9D	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block	M1ACC	0.00	317.90	37.59	48.99	5.92									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					-								
Note 4	- Requires Specific Customer Premises Equipment							•								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.	•								

Version 3Q03: 11/12/2003 Page 115 of 348

LIND	IINDI E	D NETWORK ELEMENTS - Kentucky												Aucah		Exhi	L:4. A
UND	UNDLE	NETWORK ELEMENTS - Kentucky	1	1		l	I					Svc Order	Svc Order	Incremental	ment: 2 Incremental		Incremental
												Submitted	Submitted		Charge -		Charge -
												Elec	Manually	Manual Svc	Manual Svc	Charge - Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,	••••		m		200				== (4)			perLSK	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		,	1			,						
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L	l .		l				L		<u> </u>	<u> </u>	l		l	
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	ion contract e	stablished in
<u> </u>		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	s come on-li	ne for that e	element. Oth	erwise, the ma	anual ordering	g charge,
<u> </u>	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ensout	n.			1	1	П	1	1	1		Г			
1		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only	l			SOMEC		3.50	0.00	3.50	0.00				1	1	
$\vdash$	+	OSS - Manual Service Order Charge, Per Local Service Request	1			SOIVIEC		3.50	0.00	3.50	0.00	}		1	+	+	
1		(LSR) - UNE Only	1			SOMAN		7.86	0.00	0.99	0.00				I	I	
LINE S	SERVICE	DATE ADVANCEMENT CHARGE				OCIVIAIN		7.00	0.00	0.33	0.00	1					
O.V.E.		The Expedite charge will be maintained commensurate with	ReliSou	th's FC	C No 1 Tariff Section	n 5 as annli	cable										
	11012.	The Expedite sharge will be maintained commensurate with	l		o No.1 Talli, ocolic	л о аз аррп Г	Cabic.										
					UAL. UEANL. UCL.												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
1		Day	l		U1TUB, U1TUA	SDASP		200.00		1					1	1	
UNBU	NDLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		_	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65				1	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65				1	1	
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		l				1					I	I	
<u> </u>	-	Premise	<b> </b>	<u> </u>	UEANL	URETL		8.33	0.83	<b>!</b>	<b> </b>	}		1	<b>!</b>	<b>!</b>	
<b>-</b>	-	Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		46.88	46.88	<del>                                     </del>	<del> </del>	1	-	-	<del>                                     </del>	<del>                                     </del>	
		Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		24.16	24.16			1			<u> </u>	<u> </u>	

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
			1									Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u></u>		UEQ	URETL		8.33	0.83							<u> </u>	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	<u> </u>		UEQ	USBMC		9.00	9.00								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l .													
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						40.00									
		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						40.00									
-		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	HEDOD HEDOD	LIEALC	24.44	40.00	20.57	20.05	7.05						
		Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
				3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
LINIDIIN	IDI ED I	Zone 3 EXCHANGE ACCESS LOOP		3	UEPSK UEPSB	UEABS	31.11	46.66	22.57	20.05	7.00						-
UNDU		E ANALOG VOICE GRADE LOOP		1								1					1
	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1								1					
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
<b>-</b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	<del></del>		U = 1	12.07	104.00	01.01	7 0.00	14.00	<u> </u>	<b> </b>	1	1	<b> </b>	<del>                                     </del>
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		1			1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	02/1	O E / LEE	0	10 1.00	01.01	7 0.00	11.00						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	Ì														
1		Battery Signaling - Zone 3	1	3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		1			Ì	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
CHECHEL	NETWORK ELEMENTS Romany										Svc Order	Svc Order				
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-						ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIF	E ISDN DIGITAL GRADE LOOP							,,,,,,		7.44.	0020	00		00		
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch	L	<u> </u>	UDN	UREWO		91.63	44.16								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	Wire Unbundled ADSL Loop including manual service inquiry     facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u>'</u>	UAL	UALZX	10.02	141.50	19.13	09.02	11.47						
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry			5, iL	U/ LEZ/		111.00	70.70	00.02							
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	1141 0141	12.87	404.40	00.00	00.00	44.54						
-	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2W OCOSL	12.87	121.18 23.01	69.00	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	O/ IL	OKEWO		00.20	40.40								
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		23.01									
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILZVV	0.75	130.74	70.50	09.03	11.04						
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL4X	13.95	185.75	123.50	74.95	44.00						
-	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	and facility reservation - Zone 2	1	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry	·		0.12	011217	10.00	100.10	120.00	7 1.00							
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry		_		[		,									
$\vdash$	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80				-		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
$\vdash$	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.98	23.01	114.04	11.32	15.80				1		
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch	1	<del>                                     </del>	UHL	UREWO	+	86.14	40.40								
4-WIR	E DS1 DIGITAL LOOP				0	-	00.14	70.70						1		
1	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.2011222											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIRI	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			ļ. <u>.</u> .	<u> </u>											
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1		UDL UDL	UDL19 UDL19	32.48 36.37	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL UDL	UDL64 OCOSL	36.37	157.81 23.01	106.06	78.91	18.66						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WIRI	Unbundled COPPER LOOP			ODL	OKEWO		102.10	40.70								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	12.87	140.95	78.70	69.09	44.54						1
-	service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	12.87	9.00	9.00	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual			OCL	OCLIVIC		9.00	9.00								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						1
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual															1
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
-	Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		9.00	9.00								-
	(UCL-Des)			UCL	UREWO		97.23	42.48								1
4-WIRI	COPPER LOOP			002	UNLIVE		01.20	12.10								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry		_													
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.10	9.00	9.00	74.95	14.05						<del></del>
	4-Wire Copper Loop-Designed without manual service inquiry			002	CCLIIIC		0.00	0.00								
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry		3	1101	1101 414	00.40	4 40 50	07.00	74.05	44.00						1
-	and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	28.10	149.52 9.00	97.33 9.00	74.95	14.69						
	CLEC to CLEC Conversion Charge without outside dispatch			OCL	OCLIVIC		3.00	9.00								
	(UCL-Des)			UCL	UREWO		97.23	42.48								1
LOOP MODIFI	CATION															
				UAL, UHL, UCL,				·		·						
	Habitandad Laga Madification Devices of Control Control			UEQ, ULS, UEA,												1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								1
	pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		ULFOD	ULIVIZL		9.24	9.24								$\vdash$
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								1
	,,,	1		UAL, UHL, UCL,	1										1	
				UEQ, ULS, UEA,												1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												1
	per unbundled loop	l		UEPSB	ULMBT		10.47	10.47						l		

CATEGORY	RATE ELEMENTS  RATE ELEMENTS  RATE ELEMENTS  Oop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Sub-Loop Distribution Per 2-Wire Analog Voice Grade Lo	Interi m	Zone	BCS  UEANL  UEANL	USOC	Rec	Nonrec First	RATES (\$) curring Add'l	Nonrecurring First	Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
SUB-LOOPS	oop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		Zone	UEANL		Rec ·		urring			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
SUB-LOOPS	oop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		Zone	UEANL		Rec		urring			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
SUB-LOOPS	oop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		Zone	UEANL		Rec		urring			•		Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1			USBSA	Rec					SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA	Rec					SOMEC	SOMAN	OSS	Rates (\$)		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA	Rec					SOMEC	SOMAN			SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1			USBSA	Rec					SOMEC	SOMAN			SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA		FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA											
	Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1 1			USBSA											ſ
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1					207.91	207.91								ł
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I I		UEANL												í
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I			USBSB		12.50	12.50								ł
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I		Ī												1
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı		UEANL	USBSC		80.87	80.87								<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1													ł
	Zone 1			UEANL	USBSD		45.04	45.04								<b></b>
		١.	١.						====	=						í
		<u> </u>	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						<del></del>
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		1				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANL	USDINZ	9.06	05.03	39.05	39.81	7.90						
	Zone 3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						ł
	2010 0	<del>  '</del> -		OL/ WIL	CODINZ	14.02	00.03	33.03	33.01	7.90						$\overline{}$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						ł
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						í
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						<u> </u>
																ł
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC	0.57	9.00	9.00	50.04	7.00						<del></del>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
<del> </del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<del> </del>	_	UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
<b>—</b>	Cub-Loop 4-vviile intrabuliding Network Cable (INC)			OLANE	OODICT	4.30	70.43	30.31	03.24	10.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								i
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								i
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						i
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
																ł
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<del></del>	<b>L</b>	UEF	USBMC	7.00	9.00	9.00	05.01	10.00						<b></b>
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X UCS4X	7.09	102.31	56.32	65.24	10.88						
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF UEF	UCS4X UCS4X	8.66 19.40	102.31 102.31	56.32 56.32	65.24 65.24	10.88 10.88						
$\vdash$	+ vviile Copper Oribunalea Sub-Loop Distribution - Zone 3	<del></del>	3	ULF	UU34X	19.40	102.31	56.32	ხე.∠4	10.88		-		1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00				1				i
	Loop Testing - Basic 1st Half Hour	<b> </b>	1	UEF	URET1		46.88	46.88								$\overline{}$
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								í
Unbu	ndled Network Terminating Wire (UNTW)	l					-									1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								i .
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47								
$\vdash$	Network Interface Device (NID) - 1-6 lines	ļ	ļ	UENTW	UND16		115.96	91.91								<b></b>
<b></b>	Network Interface Device Cross Connect - 2 W	<u> </u>	1	UENTW	UNDC2		8.56	8.56						ļ		<del></del>
LINE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	<b> </b>	1	UENTW	UNDC4		8.56	8.56						ļ		<del>                                     </del>
UNE UTHER,	NID - Dispatch and Service Order for NID installation	<del>                                     </del>	+	UENTW	UNDBX	0.00	0.00									
<del>                                     </del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	1	UENTW	UENCE	0.00	0.00					-				1
<del>                                     </del>	OTTER SHOULD LEGISLISHMENT, FIDVISIONING OTHY - NO Rate	<del>                                     </del>	<del>                                     </del>	UEANL,UEF,UEQ,U	CLINOL	0.00	0.00					<b> </b>				
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00					1				í
UNE OTHER	PROVISIONING ONLY - NO RATE		1			5.50	0.00									

UNBUN	DLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
3												Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	7	BCS	usoc			RATES (\$)			Elec	-	Manual Svc	Manual Svc		Manual Svc
CATEGO	Kī	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic-
														1st		DISC 1St	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			, , ,												
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate  Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLS	ULSFX	300.31	331.36	330.00	173.00	120.42						
		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MA	AKE-U						1										
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
-		Loop Makeup - Preordering With Reservation, per spare facility			Olviit	OWINE		25.40	25.40								
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
		AND LINE SPLITTING  The Line Sharing monthly recurring rates for all installation		aloted f	rom Ootobor 02, 200	2 through m	idniaht Octobo	- 01 2004 abal	l he billed so f	allawa							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lidnight Octobe	1 01, 2004 Shai	i be billed as i	ollows.							
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	, pp 0		. uco.gcu (	ľ	1										
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT				L											
		2: The Line Sharing monthly recurring rates with USOCs ULS HARING	SDC and	ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		ERS-CENTRAL OFFICE BASED					1										
H		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG	1	173.62	0.00	100.40	0.00						
F	ND II	Geactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULO	ULODG		1/3.62	0.00	100.40	0.00						
	140 00	Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -									-						
		Central Office Located (25% of UCLND) - please see NOTE 1								00.4=							
$\vdash$		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1				l	1 <u> </u>										
$\vdash$		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS	1	32.90	16.43								
+		Line Sharing - per Subsequent Activity per Line			010	JLODG		32.30	10.43								
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS	1	32.90	16.43								
		Line Sharing - per Line Activation (DLEC owned Splitter) -			_												
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	]					

CATCOONY   RATE ELEMENTS   Indicate   Score   SC Company   Submitted   Submi	JNBIIND	LED NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
CATEGORY   RATE ELEMENTS   Interest   2006   RES   USOC   SATES (\$)   Charge   Cha	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LED HE HORK ELEMENTO - Remucky										Svc Order	Svc Order				Incremental
## BCS   BSCS																	Charge -
CATEGORY   RATE ELEMENTS   Image   Some			Intori														Manual Svc
Best   Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
1			m									per Lore	per Lore				Electronic-
Les States Service, 190 per fine astination, CLEC cerebral   No. 1																	Disc Add'l
In Start Service, TRO per line activation, CLEC owned   LS   U.S.CT   2.65   47.44   19.31   20.67   12.74																Disc 1st	Disc Add 1
No. State Service, 1970 per the attendance, Link's counted   State							Rec										
Spitter - Central Office Located (25% of LCLOD) - please see   ULS							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE   16-102/2003    ULS   N.B.CT   2.60   47.44   19.91   20.07   12.74																	
Use Districe Profess (1976 of USE) (1976 (1976) (1982) (																	
Spring - Certain Diffee Located (99% of UCLNN) - phases peal   ULS					ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
NOTE 16: 100200060																	
Une State Senter, SRO per tile activation, CLEC coned cycles - Centred (Prior Local Price of The VI CAS) - Property of the Control C					0	007	5.00	47.44	40.04	00.07	40.74						
Spiller - Central Office Located (75% of UC-LSD) - please see   UL-S					ULS	ULSCI	5.29	47.44	19.31	20.67	12.74	ļ					
NOTE 1 (E 10/20/2006)   ULS   ULSCT   7.94   47.44   19.31   20.67   12.76																	
EN USER ORDERING CENTRAL OFFICE BASED   UFFOR USERS USERS USERS   UFFOR USERS USERS					111 0	LUSCT	7.04	47.44	10.21	20.67	12.74						
Columbia   Columbia	LIM				OLO	ULSCI	7.54	47.44	15.51	20.07	12.74	1					
Line Spitting- per line activation IEC council opinion   Deptiti			<b>-</b>			+				1		<del>                                     </del>			t	<del> </del>	
Line Spitting: per line activation RST council - physical   UPPSR UPPSB   URREPS   0.61   37.02   21.00   21.10   0.87	-141				UEPSR UEPSB	UREOS	0.61								1	1	
Intersection   Proceedings   Process   Proce								37.02	21.20	21.10	9.87				1	1	
MAINTENANCE															1	1	
No Trouble Found - per 1/2 hour increments - Season   180.00   55.50   180.00   18	MA									112							
No Trouble Found - per 1/2 hour increments - Premium   160.00   110.00								80.00	55.00								
INTERCETCE CHANNEL - DELOCATED TRANSPORT		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
INTEROFFICE CHANNEL - DEDICATED TRANSPORT		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month   UTTX	JNBUNDLE	D DEDICATED TRANSPORT															
Per Mile per month	INT																
Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade   U1TVX   U1TVZ   29.11   47.34   31.78   22.77   8.75																	
Facility Termination					U1TVX	1L5XX	0.01										
Interoffice Channel - Dedicated Transport - 2-Wire Vice Red Bat - Park Mile per month   Interoffice Channel - Dedicated Transport - 2-Wire Vice Red Bat - Park Mile per month   Interoffice Channel - Dedicated Transport - 4-Wire Vice Grade - Park Mile per month   Interoffice Channel - Dedicated Transport - 4-Wire Vice Grade - Park Mile per month   Interoffice Channel - Dedicated Transport - 4-Wire Vice Grade - Park Mile per month   Interoffice Channel - Dedicated Transport - 56 kbps - Paralley   U1TVX   U																	
Rev Bat Per Mile per month   U1TTX   1L5XX   0.01					U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bet - Facility Termination																	
Facility Termination   UTIVX   UTITR2   29.11   47.34   31.78   22.77   8.75				<u> </u>	U1TVX	1L5XX	0.01										
InterOffice Channel - Declicated Transport - 4-Wire Voice Grade					11477.07	LIATEDO	00.44	47.04	04.70	00.77	0.75						
Per Mile per month					UTIVA	UTIKZ	29.11	47.34	31.78	22.11	8.75	1					
Interoffice Channel - Dedicated Transport -4-Wire Voice Grade   U1TVX					LI4TV/V	11 5 7 7	0.01										
Facility Termination   UITIX	-				UTIVA	ILSAA	0.01					1					
Interoffice Channel - Dedicated Transport - 56 kbps - per mile					LI1T\/Y	11117///	25.86	17 31	31 78	22 77	8 75						
Der month   Der				1	OTTVX	01114	25.00	47.54	31.70	22.11	0.73	1					
Interoffice Channel - Dedicated Transport - 56 kbps - Facility   U1TDX   U1TDS   20.97   47.35   31.78   22.77   8.75					LITDX	1I 5XX	0.0115										
Termination					01127	120701	0.01.0										
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month   U1TDX   1L5XX   0.0115     U1TDX   1L5XX   0.0115     U1TDX   U1TDA   U1T					U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
Der month						20	20.07		00		3.70				1	1	
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination				1	U1TDX	1L5XX	0.0115								1		
Termination		Interoffice Channel - Dedicated Transport - 64 kbps - Facility										İ					
month   U1TD1   1L5XX   0.23					U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75			<u></u>	<u></u>	<u> </u>	<u></u>
Interoffice Channel - Dedicated Transport - DS1 - Facility   U1TD1   U1TF1   96.04   105.52   98.46   23.09   20.49														_			
Termination					U1TD1	1L5XX	0.23										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  U1TS1  U																	
month   mont					U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49	<u> </u>					
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  U1TD3  U1TF3  1,175.15  335.40  219.24  89.57  87.75  87.75  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1  IL5XX  4.97  U1TS1					l <u></u> -	1									I	1	
Termination per month					U1TD3	1L5XX	4.97					ļ					
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  DRC Dark Fiber - Interoffice Channel  DRC Dark Fiber - Interoffice Channel  DRC Dark Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  DRC Dark Fiber - Strands, Per Route Mile or Fraction Thereof per month - Local Loop  DRC Dark Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop  UDF, UDFCX UDF14  47.01					LUTDO	LIATES	4 4== 45								I	1	
month				<u> </u>	צטווט	U11F3	1,1/5.15	335.40	219.24	89.57	87.75				-		
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber - Interoffice Channel  UDF, UDFCX UDF14  Table - Tour Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF14  Table - Tour Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF14  Thereof per month - Local Loop UDF, UDFCX UDF14  Thereof per month - Local Loop UDF, UDFCX UDF14  Table - Tour Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14  Table - Tour Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14  Table - Tour Fiber - Tour Fibr		·		1	LIATOA	41.577	4.07								1		
Termination			-	<del>                                     </del>	01191	ILOAX	4.97			1		<del>                                     </del>			<del></del>	-	
DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  UDF, UDFCX 1L5DF 30.74  NRC Dark Fiber - Interoffice Channel  UDF, UDFCX UDF14 732.53 192.67 377.27 241.67  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop  UDF, UDFCX 1L5DL 47.01					HITS1	LITES	1 1/0 51	335 40	210 24	80 57	Q7 7F				I	1	
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  UDF, UDFCX 1L5DF 30.74  NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 732.53 192.67 377.27 241.67  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 47.01	DARK FIRE		-		01101	01110	1,149.51	აათ.40	219.24	09.57	01.15	}		1	<del> </del>	1	1
Thereof per month - Interoffice Channel	ZANN FIBE					1				1		1		1	t	1	1
NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 732.53 192.67 377.27 241.67 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 47.01					UDE UDECX	11.5DF	30 74								I	1	
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 47.01	-		1				30.74	732.53	192 67	377.27	241 67	1		1	<b>I</b>	<b> </b>	
Thereof per month - Local Loop UDF, UDFCX 1L5DL 47.01					,	327		702.00	102.01	011.21	2-11.07				1	1	
					UDF, UDFCX	1L5DL	47.01								I	1	
NRC Dark Fiber - Local Loop UDF, UDFCX UDFL4 732.53 192.67 377.27 241.67								732.53	192.67	377.27	241.67				İ	İ	

CATEGORY   RATE ELEMENTS   Intelligence   Page	IINBIIND	) ED	NETWORK ELEMENTS - Kentucky												Attach	mont: 2	Euki	hit: A
APP   SAME   S	CIADOIAL	, <u>LED</u>	NETWORK ELEMENTS - Rentucky					1					Svc Order	Svc Order				Incremental
CATEGORY   RATE ELEMENTS   March   2004   RATE   1905		J																Charge -
CATEGORY   RATE ELEMENTS   m   2006   RATE (E)   pp 1.50   Code vs.   Code		- 1		1														Manual Svc
No.   Section	CATEGOR	Y	RATE ELFMENTS		Zone	BCS	USOC			RATES (\$)								
188   Add   Direct   189   Direct	CATEGOR	`'	KATE ELEMENTO	m	20116	ВСО	0000			KATEO (ψ)			per LSR	per LSR				Order vs.
Bit																		Electronic-
Company   Comp															1st	Add'l	Disc 1st	Disc Add'l
Macros   Control   Science   Control   Contr									Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
BOX ACCESS TO PLOTE SCREENING   Control   Co								Rec					SOMEC	SOMAN			SOMAN	SOMAN
BXX. Access Tem Dig Screening, Recommission Charge Per BXX No.	8XX ACCE	SS TE	EN DIGIT SCREENING															
Number Reserved   OHD   N001X		8	BXX Access Ten Digit Screening, Per Call			OHD		0.0006478										
DOCK Access Ten Dig Screening, Per SDX No. Established Wind Print Treatellands   Dock		8	BXX Access Ten Digit Screening, Reservation Charge Per 8XX															
POTS Translations		١	Number Reserved			OHD	N8R1X		4.14	0.70								
December   December		8	BXX Access Ten Digit Screening, Per 8XX No. Established W/O															
DOTS Translations						OHD			8.78	1.18	7.08	0.86						
BXX Access Ton Dig Scorening, Charge Children Front, A Copt   Park Ext. Million   Pa																		
Per BOX Number   Services for Data Services in Multiple InterLATA CRR   OHD   NBTOX   4.14   2.07						OHD	N8FTX		8.78	1.18	7.08	0.86						
SXX.Access Ten Digit Scienting, Ministry Per Ministry P																		
Routing Per CRR Requisted Per SX No.   OPE   N8PXX	<b></b>					OHD	N8FCX		4.14	2.07	<b>.</b>					<b>.</b>		
BEX.Access Tan Digit Screening, Carriage Per Requiset   OPP   NBFX   4.88   0.70		8	BXX Access Ten Digit Screening, Multiple InterLATA CXR															
SOX Access Tea Digit Screening of BFT, No. Delivery,	$\vdash$										-				<b> </b>	-	ļ	
Features	$\vdash$				<u> </u>	OHD	INSFAX		4.85	0.70	<b>!</b>				<b> </b>	<b>!</b>	1	
BXX Access Fat Digit Screening w PST No. Delivery,   OHD   0.0009478						OLID	NOEDY		4.44	4.44								
BOX Access Tan Digit Screening, w POTS No. Delivery,	$\vdash$			-	<del>                                     </del>		INSEDX	0.0006470	4.14	4.14	<del>                                     </del>				-	<del></del>		
LINE NORMATION DATA BASE ACCESS (LIDB)	<del></del>				-		+				<del>                                     </del>				-	-	-	
LIDB Common Transport Per Cuery	LINE INCO					OHD		0.0000478					1					
LIDB Validation Per Ouery   LOB Organistry Perform Code Establishment or Change   OQT, OQU   NRBPX   S512   67.59	LINE IN					OOT	1	0.000023			<b>†</b>							
LIDB Originating Point Code Establishment or Change	h																	
SIGNALING (CCS7)   Signaling Connection, Per 56 Khops Facility   UDB   TPP++							NRBPX	0.0101022	55.12		67.59							
CGSF Signaling Connection, Per 168 Köps Facility	SIGNALIN										7.1.00							
CCSF Signaling Termination, Per STP Fort						UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
CCS7 Signaling Connection, Per link (6 link) (also known as D link)						UDB	PT8SX	151.39										
CCSF Signaling Connection, Per Ink (8 Ink), (also known as D ink)   UDB   TPP++		(	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
Inix   UDB   TPP++ 20.71		(	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
CCS7 Signaling Usage, Per ISUP Message			CCS7 Signaling Connection, Per link (B link) (also known as D															
CCST Signaling Usage Surrogate, per link per LATA							TPP++		43.56	43.56	22.45	22.45						
CCST Signaling Point Code, per Originating Point Code   Establishment or Change, per Styl affected   UDB   CCAPO   46.02   46.02   56.43   56.43																		
Establishment or Change, per STP affected						UDB	STU56	751.08										
CCS7 Signaling Point Code, per Destination Point Code									40.00		=0.40	=0.40						
Establishment or Change, Per Stp Affeted	ļ				<u> </u>	UDB	CCAPO		46.02	46.02	56.43	56.43						
E911 SERVICE						LIDD	CCADD		40.00	40.00	50.40	50.40						
Local Channel - Dedicated - 2-wr Voice Grade Per Mile	FO44 CED		establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	ESIT SEK		ocal Channel - Dedicated - 2-wr Voice Grade				1	10 57	265 70	46 OC	46.70	4 00				+		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility   29.11   47.34   31.78   22.77   8.75	$\vdash$						1		200.78	40.90	40.79	4.98			1	t	1	
Termination   29.11   47.34   31.78   22.77   8.75	<del></del>						1	0.0115			<del> </del>					<del> </del>	-	
Local Channel - Dedicated - DS1 - Zone 1								29.11	47.34	31.78	22.77	8.75			1	I		
Local Channel - Dedicated - DS1 - Zone 2							İ								1	1		
Local Channel - Dedicated - DS1 - Zone 3   164.50   209.60   176.51   30.21   21.07							İ											
Interoffice Transport - Dedicated - DS1 Per Mile							1											
CALLING NAME (CNAM) SERVICE																		
CALLING NAME (CNAM) SERVICE																		
CNAM For DB Owners - Service Establishment								96.04	105.52	98.46	23.09	20.49						
CNAM For Non DB Owners - Service Establishment	CALLING																	
CNAM For DB Owners - Service Provisioning With Point Code   Establishment																		
Establishment	<b></b>					OQV	ļ		25.34	25.34	23.30	23.30				<b>.</b>		
CNAM For Non DB Owners - Service Provisioning With Point   Code Establishment   OQV   546.40   393.74   438.93   317.61			· · · · · · · · · · · · · · · · · · ·			001/		]	4 = 2 . = :						1	I		
Code Establishment	$\vdash$				<u> </u>	υψγ	1		1,591.54	1,177.08	431.95	317.61			<b> </b>	<b>!</b>	1	
CNAM for DB Owners, Per Query						001		]	E46 40	202.74	420.00	247.64			1	I		
CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	$\vdash$				-		+	0.0010349	046.40	393.74	438.93	317.61	-		<del>                                     </del>	<del>                                     </del>		
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	$\vdash$			-			1				<del> </del>		-		1	+	1	
Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	$\vdash$					~ v	1	0.0010340			t				1	t	1	
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per						OOV	CDDCH	]	595 00	595 00	I				1	I		
Selective Routing Per Unique Line Class Code Per Request Per	SELECTIV					~~*	300011		333.00	333.00	<b>I</b>		<u> </u>		<b> </b>	<b>I</b>		
	7						1				<b>I</b>		<u> </u>		<b> </b>	<b>I</b>		
1   DANICH			Switch						93.53	93.53	15.58	15.58				1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1				1	Nonrec	rrina	Monroourring	Disconnect			220	Rates (\$)		
		<u> </u>				Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION						FIISL	Auu i	FIISL	Auu i	JOIVILO	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
VIIKTOAL GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO	LLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP	0.0007500	2.06	2.06								
AIN DELLEO	Query NRC, per query UTH AIN SMS ACCESS SERVICE	<u> </u>		SRC		0.0037502										
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,	1														
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
		1		•	JJL		70.00	-10.00	44.00	77.55				1		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4608										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	1				0.4606										
AIN - BELLOO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer			-	BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								40.00							
-	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP	1			BAPTO		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			BAFTO		31.01	31.01	10.50	10.50						
	DN, CDP	1			BAPTC		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<b>†</b>					001	331	.5.50	.0.50				1		
	DN, Feature Code	1			BAPTF		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit						_						_		_	
	Subscription, Per Node, Per Query	<u> </u>			ļ	0.0066492								ļ		
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes	<b></b>	-		ļ	0.07								<del> </del>		
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1		CAIVI	DAFIVIO	1.87	0.04	0.04	6.08	6.08						
	Subscription	1		CAM	BAPLS	3.26	9.56	9.56			1	1		1		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	<b>†</b>				5.20	5.50	5.50						1		
	Subscription	1		CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1														
	Service Subscription	<u> </u>		CAM	BAPES	0.11	9.56	9.56								
	KTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combination	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.			ļ		
EXIEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED First 2-Wire VG Loop (SL2) in Combination - Zone 1	טע עבו		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				-		
	i iisi z-vviie vo Loop (SLz) iii Combination - Zone i	1		UINCVA	UEAL2	12.07	125.22	bU.48	90.66	7.84	l	L		<u> </u>		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						<b></b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>07											1
	per month			UNC1X	1L5XX	0.19										<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Facility					=										1
	Termination per month			UNC1X	U1TF1 MQ1	79.02 113.33	181.24	123.53 14.74	56.72 1.86	22.32 1.67	1					<del>                                     </del>
<b>—</b>	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNCVX	1D1VG	0.62	57.26 6.71	4.84	1.80	1.67						<del>                                     </del>
	Voice Grade COCI - Per Month			UNCVX	IDIVG	0.62	0.71	4.84			1					<del>                                     </del>
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						1
<del>                                     </del>	Lacit / Additional 2-14116 VO Loop (OL 2) III Combination - Zone 1	<del> </del>	<u> </u>	0110 1/	JLALZ	12.07	125.22	00.40	33.03	7.04						t e
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						1
	Land Land Land Land Land Land Land Land	1	Ė			5		55.10	55.55	54						1
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84								ſ
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSF	PORT											
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						<b>L</b>
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						<b></b>
	First 4 Wire Applied Vision One to Leave to Combined to 1			1110101	115 41 4	05.00	405.00	00.40	50.00	7.04						i
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINICAY	1L5XX	0.19										1
-	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	ILSAA	0.19					1					
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	1					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						<b>——</b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	15170	0.02	0.7 1	4.04								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						i
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
$\vdash$	Is Charge	<u> </u>		UNC1X	UNCCC		8.98	8.98	11.17	11.17						<b></b>
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAI	NSPORT						ļ					<b></b>
1 1	First A Wise FOKhan Digital One to Love to Occultivation 7			LINCDY	LIDL 50	07.50	405.00	00.40	50.00	7.0.						1
$\vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	<b>!</b>	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	}				1	<del>                                     </del>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
$\vdash$	i iist 4-vviile sondps Digital Grade Loop iii Combination - Zone Z	1		OINCDA	UDLOG	32.48	125.22	60.48	59.69	1.84						<del>                                     </del>
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del> </del>		CITODA	JULIO	30.37	120.22	00.40	33.03	7.04						t e
1 1	Per Month	1		UNC1X	1L5XX	0.19										1
	Interoffice Transport - Dedicated - DS1 - combination Facility	1				55										1
1 1	Termination Per Month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					Ī										
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						<b>!</b>
1 1 -	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1				$\exists$										1
$\vdash$	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84	ļ					<b></b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_	UNCDX	UDL56	36.37	405.00	00.40	50.00	7.4						1
<u> </u>	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	1	1			I	

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Exhi	oit: A
SHOUNDER	- Nemucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	NATE ELEMENTO	m	20116	ВСО	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
-			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Additional OCU-DP COCI (data) - in combination per month (2.4-						FIISL	Auu i	FIISt	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	64kbs)	1		UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	UNCDA	וטוטט	1.32	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EVTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN				0.90	0.30	11.17	11.17	-					
EXIE	NDED 4-WIRE 64 RBF3 EXTENDED DIGITAL LOOP WITH DEDIN	CATED	DSTIN	TEROFFICE TRAINS	I						1					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
<del></del>	I list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone 1			UNCDA	UDL04	21.39	123.22	00.40	39.09	7.04	-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
<del></del>	1 list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone Z			UNCDA	UDL04	32.40	123.22	00.40	39.09	7.04	-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			Ì	Ì		
$\vdash$	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	OINCDA	UDL04	30.37	123.22	60.48	59.69	1.84	-	-	-	-		
	Per Month			UNC1X	1L5XX	0.19			1							
$\vdash$	interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>	<del>                                     </del>	OINCIA	ILOAA	0.19			<del>                                     </del>							
				LINGAV	LIATEA	70.00	404.04	400.50	50.70	20.20						
$\vdash$	Termination Per Month 1/0 Channel System in combination Per Month	<del>                                     </del>	<del>                                     </del>	UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67	-					
$\vdash$	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	<del>                                     </del>	<del>                                     </del>	UNCDX	1D1DD	113.33	6.71	4.84	1.86	1.67	-					
<b></b>		-	-	UNCDX	טטוטו	1.32	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	UDL64	27.50	125.22	60.48	59.69	7.04						
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINODY	1101.04	00.40	405.00	00.40	50.00	7.04						
-	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	1101.04	00.07	405.00	00.40	50.00	7.04						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)	-	-	UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		0.00	0.00	44.47	11.17						
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC4	INTER				8.98	8.98	11.17	11.17						
EXIE		בט טפו	INIER			86.47	210.70	114.60	63.96	47.07						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>	2	UNC1X UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97 17.97						
<b>-</b>	4-Wire DS1 Digital Loop in Combination - Zone 2		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	-					
<del></del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIA	USLAA	291.70	210.70	114.60	63.96	17.97	-					
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility	<u> </u>	<u> </u>	UNCIA	ILSAA	0.19										
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
<b>-</b>				UNCIA	UTIFT	79.02	101.24	123.33	30.72	22.32	-					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	11.17	11.17			Ì	Ì		
EVTE	IS Charge  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED Des	INTER				8.98	8.98	11.17	11.17						
EVIE	First DS1Loop in Combination - Zone 1	LD D33		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			-	-		
$\vdash$	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	-	2	UNC1X UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			-	<b> </b>		
<del></del>	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			-	<b> </b>		
<del>                                     </del>	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	3	OINCIA	USLAA	291.76	210.70	114.00	03.96	17.97	1	1				
	Per Month	1	1	UNC3X	1L5XX	4.09			I				Ì	Ì		
$\vdash$	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1	OINOSA	ILUAA	4.09			<del></del>		-	-	-	-		
	month	1	1	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39			Ì	Ì		
$\vdash$	3/1Channel System in combination per month	1	1	UNC3X UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-	-	-	-		
<del></del>	DS1 COCI in combination per month	<del>                                     </del>	1	UNC1X	UC1D1	11.80	6.71	4.84	15.12	5.30	<del>                                     </del>	1	1	1		
$\vdash$	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	OIVOIA	וטוטט	11.00	0.71	4.64	<del>                                     </del>				<b> </b>	<b> </b>		
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		1				
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	- '	ONOIA	USLAA	00.47	210.70	114.00	05.90	17.97	1	1				
	Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			Ì	Ì		
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOIA	USLAA	114.10	210.70	114.00	05.90	17.97	1	1				
	Zone 3	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			Ì	Ì		
$\vdash$	Additoinal DS1 COCI in combination per month	1	3	UNC1X	UC1D1	11.80	6.71	4.84	03.90	17.97	-	-	-	-		
$\vdash$		-	-	OIVOIA	וטוטט	11.00	0.71	4.64	<del>                                     </del>				<b> </b>	<b> </b>		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC3X	UNCCC		8.98	8.98	11.17	11.17			Ì	Ì		
EVTE	_lis Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	L E INTE				8.98	8.98	11.17	11.17			<b> </b>	<b> </b>		
EXIE	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	-					
$\vdash$	2-WireVG Loop in combination - Zone 1  2-WireVG Loop in combination - Zone 2	<del>                                     </del>		UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	<del>                                     </del>	-				
	2-vviie vo Loop in combination - Zone Z	<u> </u>		OIAOAV	ULALZ	17.40	120.22	00.48	59.69	1.64	1	1	l	l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
												Svc Order Submitted	Incremental			
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)			Elec per LSR		Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						<b>↓</b>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			UEAL4	29.26	125.22	60.48	59.69	7.84						ļ
	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2			UNCVX UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84			1	1		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01	120.22	00.40	00.00	7.04						
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC	21120	8.98	8.98	11.17	11.17						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		-								1			
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTE	Is Charge  NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INT	EDOEE	UNC3X	UNCCC		8.98	8.98	11.17	11.17						<del> </del>
LATE	STS-1 Local Lolp in combination - per mile per month	<u> </u>		UNCSX	1L5ND	9.25										+
	STS-1 Local Loop in combination - Facility Termination per			0.10071	120112	0.20										
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	per month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	4.09										
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	SPORT	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				-		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84			1	1		
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						1
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS														1
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			ļ			<b></b>
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			L	L		

UNRII	INDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit· Δ
SINBU	HULE	NETWORK ELEMENTS - Remucky				1						Svc Order	Svc Order	Incremental			Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILSAA	4.09			-							
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	2	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport						-									
		Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport	1				$\Box$							1	]		
	ļ	Combination - Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			ļ	ļ		
	<u> </u>	DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	11.80	6.71	4.84					ļ	ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
-	EVTEN	Is Charge	DO INT		UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE 4-wire 56 kbps Local Loop in combination - Zone 1	SPS INT		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	ONODA	ODESO	30.37	125.22	00.40	33.03	7.04						
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.01										
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEG	17.20	30.03	33.07	30.31	22.72						
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		3.50	3.30	1				İ	Ì		
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		l <u>-</u>	I	$\neg$			_				1	1		
<u> </u>	ļ	Mile	ļ		UNC1X	1L5XX	0.19			ļ				ļ	ļ		
		First Interoffice Transport - Dedicated - DS1 combination -			LINICAY	LIATE 4	70.00	404.01	100 50	50.70	00.00						
<u> </u>	<b> </b>	Facility Termination per month	<b> </b>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	<u> </u>	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	<u> </u>		UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67						
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30			1	1		
<b>-</b>	<del>                                     </del>	Per each DS1 COCI in combination per month	<del>                                     </del>		UNC1X	UC1D1	11.80	6.71	4.84	10.12	5.50			<del> </del>	<del> </del>		
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1					50	5.71		1							
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			1	1		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u> </u>	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84			<u> </u>	L		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1							-								
	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	ļ	Each Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.62	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINIOAN	41.5307				I				1	1		
<u> </u>	<b> </b>	Channel System per month	<b> </b>		UNC1X	1L5XX	0.19			1							
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1	Jame or i Onannei Oystein per month	<u> </u>	1	014017	UTILL	19.02	101.24	123.33	30.72	22.32	l	l	1	1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	Notice Comments Remarks		1								Svc Order	Svc Order	Incremental	Incremental		
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	1	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zork	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXIE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
h + + -	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	- '	UNCVA	UEAL4	29.20	123.22	00.40	59.09	7.04	1					
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
-	First 4-Wire Analog Voice Grade Local Loop in Combination -			ONCVX	OLAL	34.23	120.22	00.40	33.03	7.04	1					
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	_ <u> </u>		J T	33.30	120.22	55.40	55.59	7.04						t
	Mile Per Month			UNC1X	1L5XX	0.19										1
	First Interoffice Transport - Dedicated - DS1 - Facility			-	1	20										
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 = 304											
<b></b>	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.00	404.04	123.53	56.72	22.32						
	same 3/1 Channel System per month  Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	79.02 0.62	181.24 6.71	4.84	56.72	22.32						
-	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCVA	IDIVG	0.62	0.71	4.04								-
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				0.30	0.30	11.17	11.17						
- LXIL	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1	THAIRDI ON WOO	I											
	Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.19										<u></u>
	First Interoffice Transport - Dedicated - DS1 - combination						_									1
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
$\vdash$	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.32	6.71	4.84								<b></b>
$\vdash$	3/1 Channel System in combination per month	1	ļ	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	ļ					<b>├</b>
$\vdash$	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	11.80	6.71	4.84	ļ		<u> </u>					<b>├</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1,	LINCDY	LIDLEC	07.50	405.00	00.40	50.00	7.04						1
<del></del>	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	1	-				<del></del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNUDA	UDLS6	32.48	123.22	60.48	59.69	1.84	1	-				<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
<del>                                     </del>	OCU-DP COCI (data) COCI in combination per month (2.4-	1	- 3	SHODA	30130	30.37	120.22	00.40	39.09	7.04	1					<del>                                     </del>
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1.2.22	02	0.71	0-1								
	Channel System per month			UNC1X	1L5XX	0.19										1
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1		1	50										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
		•			•				•			•				-

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	ibit: A
CIVECIVEL	Refront Elemento Reflectly										Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		lust a ut									Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															DISC ISL	DISC Add I
						Boo	Nonred	curring	Nonrecurring	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	I MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINIOAN	41.5307				I			1				
$\vdash$	Mile Per Month			UNC1X	1L5XX	0.19								ļ		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -				1											
-	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINCDY	4D4DD	4.00	0.74	4.04								
-	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84	45.40	5.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	UDL64	27.50	405.00	00.40	50.00	7.04						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<u> </u>	- 1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						-
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL04	32.40	123.22	00.40	39.69	7.04						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDA	UDL04	30.37	123.22	00.40	39.09	7.04						-
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
<del>  </del>	Each Additional DS1 Interoffice Channel per mile in same 3/1			OHODA	10100	1.02	0.71	4.04								
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.17	120701	0.10										<u> </u>
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.17		70.02	101.21	120.00	00.72	22.02						
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination - per month	ļ		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Decreed to the IODAL COOL (DECTED):	1		LINIONIN	11046				I			1				
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>		UNCNX	UC1CA	2.84	6.71	4.84								<b>_</b>
<del>                                     </del>	3/1 Channel System in combination per month	<b> </b>		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<del>                                     </del>
<del>                                     </del>	Per each DS1 COCI in combination per month	<b> </b>		UNC1X	UC1D1	11.80	6.71	4.84	<del>                                     </del>	-		ļ	-	1	-	<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINICNIV	1141.07	40.44	405.00	00.40	50.00	7.04		1				
<del>                                     </del>	Combination - Zone 1	<del>                                     </del>	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84			-	1	-	-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		1				
<del>                                     </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		OINCINA	UILZX	∠5.∪8	125.22	bU.48	59.69	7.84		1	1		1	1
	Combination - Zone 3	1	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		1				
<del>                                     </del>	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	<del>                                     </del>	J	0140147	JILEA	42.07	120.22	00.40	39.09	7.04			1	1	1	<del>                                     </del>
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84	1							
l l	-, por month	<u> </u>		1	120.00	07	5.71	01	1		1			l		

UNBUN	DLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										r							
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAY	41.5307	0.40										
-		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		same 3/1 Channel System per month			UNCIX	UTIFT	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	11.00	0.71	4.04								
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
F	XTFN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		ONCCC		0.30	0.30	11.17	111.17						
h ===	, <u></u>	First 4-wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		First Interoffice Transport - Dedicated - DS1 combination - Per		ΙŤ	-	1	2011.0			1							
		Mile Per Month			UNC1X	1L5XX	0.19						1				
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
		2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_				0.40 =0									
		3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINICAY	LINICOC		0.00	0.00	44.47	44.47						
	VTEN	ls Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FEIGE :	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
-	VIEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
-		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
+		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	<b>-</b>	- 3	014007	JDLJ0	30.37	123.22	00.40	35.09	1.04		<b> </b>				
		per month			UNCDX	1L5XX	0.01						1				
$\vdash$		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1	1		1.20,51	0.01						<b> </b>				
		Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-		1	-			55.55							l		
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		1				
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	FRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					·	
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile				1							1				
		per month			UNCDX	1L5XX	0.01										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
$\vdash$		Termination per month		ļ	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-	1							I			1				
		Is Charge		ļ	UNCDX	UNCCC		8.98	8.98	11.17	11.17						
		ETWORK ELEMENTS	<u> </u>	<u> </u>	mat ample to a fine	landada A - I - I		i.							ļ		
		ised as a part of a currently combined facility, the non-recurr													1		
		used as ordinarily combined network elements in All States, t					AS IS Charge of	ioes not.		<del>                                     </del>							
l N	onrec	urring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	onarge	(One a	ppnes to each com	ibination)	<del>                                     </del>			<del>                                     </del>			-				
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
ш_		10 Onargo - 2 WIII 0/7-VVIII VO	L	1	OIVOVA	311000		0.30	0.30	11.17	11.17	1	L		L		

CATEGORY   RATE ELEMENTS   Nater   South   S	Exhibit: A	Fyh	ment: 2	Attach												NDLED NETWORK ELEMENTS - Kentucky	UNBUNDI F
CATEGORY   RATE ELEMENTS   Interl   Zone   BCS   USCC   RATES (3)   USCC   RATES (4)   USC   RATES (5)   USC   RATES (5)   USC   RATES (6)   USC   RATES (7)   USC   RATES (					Svc Order	Svc Order										TOTAL PROPERTY OF THE PROPERTY	S.ADOIADEL
ATTENDED   PROPERTY																	
MAIS   19   per Light   Delay   Conference															Intori		
Bestoning   Best					,	per LSR			RATES (\$)			USOC	BCS	Zone		ORY RATE ELEMENTS	CATEGORY
14   A671   Disc 1st		Electronic-			<b>,</b>	<b>,</b>									m		
Note																	
No.									_								
Reservating Controls Control Control Relation Element State As In 1972   11.77   11.	1										Rec						
No.   Disprey - 598 H 209   11.77	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First							-
National Control Control Network Elements Switch - Ab- 1 (NCC)		İ					44.47	44.47	0.00	0.00		LINICOC	LINCDY				
No.   No.		⊢—	<del>                                     </del>				11.17	11.17	8.98	8.98		UNCCC	UNCDX				<b>—</b>
Noncestimp Currently Combined National Seasons As   NACSX   UNCCC   8.88   8.86   11.17   11.17		İ					11 17	11 17	8 08	8 08		LINICCC	LINC1Y				
In Charge - 1083			+				11.17	11.17	0.30	0.30		ONCCC	ONCIX				<del>                                     </del>
Nonescuring Currently Control Alertonic Extremits Switch App   (I) NCSX		İ					11 17	11 17	8 98	8 98		UNCCC	UNC3X				
District Section   District Se			1						0.00	0.00		0.1000	0.100/				
Optional Features & Functions:   UTTO1,   UTTO							11.17	11.17	8.98	8.98		UNCCC	UNCSX				
Clear Channel Capability Extended Frame Option - per DS1																	Option
Clear Channel Capability Super FrameCotion - per DS1													U1TD1,				
Clarar Channel Capability Super FrameCytion - per DS1							OI	01	OI	OI		CCOEF			I	Clear Channel Capability Extended Frame Option - per DS1	
Clare Channel Capability (SFESP) Cysion - Subsequent   I UNDTI, UPID.   NRCCC   164.918   23.828   1.968   0.785		1															
Activity - per DS1		<u> </u>					OI	01	OI	OI		CCOSF			I		
Cut of Parity Option - Subsequent Activity - per D83   i US3, UNICX   NRCC3   206.708   7.208   68245   08		1					_		_					I			
Cub Raminy Option - Subsequent Activity - per OS3		<b>└</b>	<b></b>				0.78S	1.99S	23.82S	184.91S		NRCCC				Activity - per DS1	<u> </u>
MULTIPLEXERS		1			1							LIDOS:			l .		
DS1 to DS0 Channel System per month							0S	.6924S	7.20S	205.70S		NRCC3	UE3, UNC3X		i		<u> </u>
OCU-PP COCI (data) - OSI to DS0 Channel System - per month (2-44-8tbs) used for a Local Local Channel System - per month (2-44-8tbs) used for a Cocal Local Channel System - per month (2-44-8tbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UITUB   U										== 00	110.00	1101	1000				MULTI
month (24-Ablibs) used for a Local Loop		⊢					1.67	1.86	14.74	57.26	113.33	MQ1	UNC1X				
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-4-8bts) used for connection to a channelized DS1   U1TUD   1D1DD   1.32   10.07   7.08			ļ						7.00	40.07	4.00	4D4DD	LIDI				
month (2.4-646cb) used for connection to a channelized DS1   U1TUD   1D1DD   1.32   10.07   7.08		<del></del>	+						7.08	10.07	1.32	טטוטו	UDL				
Cocal Channel in the same SWC as collocation		İ															
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			ļ						7.08	10.07	1 32	1D1DD	LITTUD				
month for a Local Loop			+ +						7.00	10.07		.5.55	01102				
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SIVC as collocation			ļ						7.08	10.07	2.84	UC1CA	UDN				
month used for connection to a channelized DS1 Local Channel   U1TUB   UC1CA   2.84   10.07   7.08																	
Voice Grade CCCI - DSI to DSI Channel System - per month   UEA			ļ														
Used for a Local Loop			ļ						7.08	10.07	2.84	UC1CA	U1TUB			in the same SWC as collocation	
Voice Grade COCI - DSI to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																	
USE   USE   DEST COLOR   USE									7.08	10.07	0.6228	1D1VG	UEA				
Same SWC as collocation		İ															
DS3 to DS1 Channel System per month		İ															
STS-1 to DS1 Channel System per month																	
DSI COCI used with Loop per month																	
DST COCI (used for connection to a channelized DST Local Channel in the same SWC as collocation) per month	_	<del></del>	<del>                                     </del>				5.30	15.12							1		<del>                                     </del>
Channel in the same SWC as collocation) per month		+	<b>┼──</b> ┤					1	7.08	10.07	11.80	UCTD1	USL		<b> </b>		<del>                                     </del>
DS1 COCI used with Interoffice Channel per month  DS3 Interface unit (DS1 COCI) used with Local Channel per month  DS3 Interface unit (DS1 COCI) used with Local Channel per month  ULDD1 UC1D1 11.80 10.07 7.08  UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  Exchange Ports  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRO 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan with Oct Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LIM)  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LIM)  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13		1	1		1				7.00	10.07	11 90	LIC1D1	1.11Τ1.1Δ		1		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month	+	<del></del>	+											<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs   NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs   NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs   Exchange Ports - 2-Wire Analog Line Port Res.	+	<del></del>	+						1.00	10.07	11.00	COIDI	101101				<del>                                     </del>
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WINE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  UEPSR  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Voice Mentudled KY extended local dialing parity Port with Caller ID - Res.  UEPSR  UEPRR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRR  UEPRR  UEPRR  UEPRR  UEPRR  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPSR  UEPRR  UEPRR  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPSR  UEPRR  UEPRR  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPSR  UEPSR  UEPRR  UEPRR  1.49  3.74  3.63  2.23  2.13		1			1				7.08	10.07	11.80	UC1D1	ULDD1		1		
Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.  UEPSR  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13			1						7.50		50	1			1		UNBUNDLED I
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.  UEPSR UEPRL 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13  UEPSR UEPAP 3.74 3.63 2.23 2.13			†					1			1	1					
2-WIRE VOICE GRADE LINE PORT RATES (RES)			† †						s	ng retail USOC:	oe ordered usir	will need to	he desired features	& TN, th	KY, LA	NOTE: Although the Port Rate includes all available features in GA	NOTE:
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.																2-WIRE VOICE GRADE LINE PORT RATES (RES)	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.							2.13	2.23	3.63	3.74	1.49	UEPRL	UEPSR			Exchange Ports - 2-Wire Analog Line Port- Res.	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1									]						
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID  UEPSR  UEPRM  1.49  3.74  3.63  2.23  2.13  UEPAP  1.49  3.74  3.63  2.23  2.13			<u> </u>				2.13	2.23	3.63	3.74	1.49	UEPRC	UEPSR			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID  UEPSR  UEPRM  1.49  3.74  3.63  2.23  2.13  UEPAP  1.49  3.74  3.63  2.23  2.13		1	1		1							L	l		1		
dialing parity Port with Caller ID - Res.		<b>↓</b>	<b>↓</b>				2.13	2.23	3.63	3.74	1.49	UEPRO	UEPSR	$\sqcup \sqcup$	ļ		$\vdash$
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID  UEPSR  UEPAP  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPAP  1.49  3.74  3.63  2.23  2.13		1	1		1		- · -					LIEDE	LIEDOD		1		
with Caller ID (LUM)		<b>├</b>	┼───┤				2.13	2.23	3.63	3.74	1.49	UEPRM	UEPSR		<u> </u>		$\vdash$
Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13		1	1		1		0.40	0.00	0.00			LIEDAD	LIEDOD		1		
without Caller ID		⊢	<del> </del>				2.13	2.23	3.63	3.74	1.49	UEPAP	UEPSK	<del>                                     </del>	<u> </u>		<del>                                     </del>
		1	1		1		2 12	2 22	3 63	3 74	1 40	LIEDWE	LIEDSD		1		
I I IZ-Wire voice unnungied Low Usage Line Port without Caller II.) I I I I I I I I I I I I I I I I I	+	<del></del>	+		<b> </b>		2.13	2.23	3.03	3.14	1.49	OLFVVE	OLFOR	1	1	2-Wire voice unbundled Low Usage Line Port without Caller ID	<del>                                     </del>
Capability   UEPSR   UEPRT   1.49   3.74   3.63   2.23   2.13		1	1				2 12	2 22	3 63	3.74	1 ⊿0	UEPRT	LIFPSR		l		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Б	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIF	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	4.40	0.74	0.00	0.00	0.40						
	Bus  Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13	-					
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	unbundied port with Galler+E404 ID - Bus.			OLI OD	OLI DO	1.43	5.74	3.03	2.20	2.10						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		1				
	Exchange Ports - 2-Wire VG unbundled KY extended local							2.00		0						
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		1				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan											1				
$\vdash$	without Caller ID	<u> </u>		UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBE	1.49	3.74	3.63	2.00	2.13		1				
<b></b>	Capability Subsequent Activity			UEPSB UEPSB	USASC	0.00	0.00	0.00	2.23	2.13						
EEAT	URES			UEFOD	USASC	0.00	0.00	0.00	-		-					
FLAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
-	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
<b></b>	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	1.49 1.49	39.05 39.05	18.17 18.17	15.38	0.89 0.89						
h + +	2-Wire Voice Unburidled PBX LD DDD Terminals Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38 15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.43	33.03	10.17	13.30	0.03						
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling				1					_						
$\vdash$	Port Without LUD	<u> </u>		UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.49	39.05	10 47	45.00	0.89		1				
<del></del>	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>		ULFOF	JEFAL	1.49	39.05	18.17	15.38	0.89		-		1		1
	Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				-2.7	0	55.00	.0.17	.5.50	0.00						
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		1				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES						,									
	All Available Vertical Features	ļ		UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)	1			1	4 40	0.74	2.00	0.00	2.13	1					
Loss	Exchange Ports - Coin Port Switching Features offered with Port	-			+	1.49	3.74	3.63	2.23	2.13						
	: Transmission/usage charges associated with POTS circuit s	witched	lisado	will also annly to o	ircuit switcho	nd voice and/or	circuit ewitch	ed data tranco	l nission by R.Cl	l nannels associ	iated with 2	wire ISDN -	norts	1		-
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features	_ a.anai	51119	Jug Di Idilew		7		- acres oupdo		The state of the s						
	included				UEPEX	101.60	188.36	95.15	61.92	22.67		1				
	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	ANGE PORT RATES															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	NETWORK ELEMENTS Romany										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	_	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring		001150	001111		Rates (\$)	001441	001111
The Di	I 61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Daw	in this	nata aubibit anniu t	. 41		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a											riii rates or	a separate ag	reement.		
Reque	Exchange Ports - 2-Wire DID Port	arter tire	enecu	UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
<b>+</b>	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			02. 2%	022	.0.01	02.10	.0.02	02.10	0.00						
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	Transmission/usage charges associated with POTS circuit sy															
	Access to B Channel or D Channel Packet capabilities will be	e availat	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Busines:	Request Pro	cess.	
EXCHA	ANGE PORT RATES (continued)	<u> </u>														
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67						
<del>                                     </del>	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<del>                                     </del>		UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		-	-		-	-
<del>                                     </del>	Physical Collocation - DS1 Cross-Connects	1	$\vdash$	UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57	1	1	1	1	1	1
<del>                                     </del>	Virtual collocation - DST Closs-Connects  Virtual collocation - Special Access & UNE, cross-connect per	<del>                                     </del>		OLILA OLFDA	r = 11 1	1.40	44.23	31.30	12.01	11.37						
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57				1		
Detaile	d E911 with Locator Capability (required with UEPEX port)						20	200	:01							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
New o	Additional PRI Telephone Numbers	-														
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.07	0.54									
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
1.55	Inward Tel Numbers [Customer Testing Purposes]	<u> </u>	<u> </u>	UEPEX	PR7ZT	0.00	25.41	25.41					ļ	<b> </b>	ļ	ļ
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)	1		UEPEX UEPDX	LNPCN	1 75					1	ļ		<del>                                     </del>		
INTED	Local Number Portability (1 per port) FACE (Provsioning Only)	<del>                                     </del>		OLPEA UEPDA	LINECIN	1.75			-		-	-	1	-	1	1
INTER	Voice/Data	<del>                                     </del>		UEPEX	PR71V	0.00	0.00	0.00				<b> </b>		<b> </b>		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00						Ì		
New o	Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48	•								
	New or Additional Inward Data "B" Channel	ļ		UEPDX	PR7BD	0.00	15.48							ļ		
	New or Additional Useage Sensitive Voice Data "B" Channel	ļ		UEPEX	PR7BS	0.00	15.48									
	New or Additional Useage Sensitive Digital Data "B" Channel	<b> </b>	-	UEPEX	PR7BU	0.00	15.48		-			1	-	<b> </b>	-	-
CALL	New or Additional PRI "D" Channel  TYPES	<del>                                     </del>		UEPEX	PR7EX	0.00	15.48					-	-		-	-
CALL	Inward	1	$\vdash$	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1	1	1	1	1	1
	Outward	<del>                                     </del>		UEPEX OLFDX	PR7CO	0.00	0.00	0.00								
	Two-way	<b>†</b>		UEPEX	PR7CC	0.00	0.00	0.00			1		1	1	1	
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	/				2.00	2.00	2.00								
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Res	ļ		UEPVR	UERLC	1.49	3.74	3.63						ļ		
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1		UEPVR	UERTE	1.49	3.74	3.63	]		1	1	]		l	l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
04750001	DATE EL EMENTO	Interi	<b>-</b>	200				DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		l	oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	3.74	3.63								
Non-R	decurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10								ļ
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Haland Hala Barreta Call Francis Cardina Anna Callina Barreta			LIED) (D	LIEDAG	4.40	0.74	0.00								1
-	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								ļ
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERTE	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1	<b>†</b>	UEPVB	UERTR	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service Expanded and	1														
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-R	ecurring							•								
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D	110400		0.40	0.40								1
LINDLINDI ED	allowed change (PIC and LPIC)  LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		0.10	0.10								
	ffice Switching (Port Usage)															
Liid C	End Office Switching Function, Per MOU					0.0011971										
	End Office Trunk Port - Shared, Per MOU					0.0002112										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port - Shared, Per MOU					0.0002416										
	Tandem Switching Function Per MOU (Melded)					0.000094381										-
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000117538										
Comm	Melded Factor: 48.65% of the Tandem Rate															
Comm	non Transport Common Transport - Per Mile, Per MOU					0.000003										
	Common Transport - Facilities Termination Per MOU					0.0007466										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0007 100										
	Based Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	nmission rule to pro	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
Featu	res shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate s	ection in the same i	manner as th	ey are applied	to the Stand-A	lone Unbundle								
	ffice and Tandem Switching Usage and Common Transport U															1
	rst and additional Port nonrecurring charges apply to Not Cur	rently C	ombine	d Combos. For Cur	rently Combi	ned Combos t	he nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	<u> </u>													
UNE F	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	1	1			10.79										
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	1	2			10.79					1					
	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	1	3			31.74			<del> </del>							
UNE L	oop Rates	1	٦			51.74										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			Ì							
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						,
$\vdash$	2-Wire voice unbundled port with Caller ID - res	1	<u> </u>	UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - res     2-Wire voice Grade unbundled Kentucky extended local dialing	1	<b>}</b>	UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67						
	parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		1				ı
	2-Wire voice unbundles res, low usage line port with Caller ID	1	<del>                                     </del>	OLI IXX	OLI KIVI	1.15	21.29	15.48	2.05	2.07						
	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		1				ı
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan	1														I
	without Caller ID	1	<u></u>	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67	<u> </u>	<u> </u>				
	2-Wire voice unbundled Low Usage Line Port without Caller ID							· · · · · · · · · · · · · · · · · · ·					-			
	Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67						ı

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  Svc Order Submitted Submitted Charge - Manually per LSR Order vs. Order vs.		,		1													bit: A
CATEGORY   RATE ELEMENTS   Interf.	TEGORY											Svc Order	Svc Order		ment: 2 Incremental	Incremental	
CATEGORY   RATE ELEMENTS   Mark   Sone   BCS   USOC   RATES (6)   per LSR   per LSR   Corter vs.   Blectronic-   Electronic-   Electronic-   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Sone   Electronic-   Electr	TEGORY											1			Charge -	Charge -	Charge -
Content	TEGORY		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Rectronic   State		RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Rec			""											Electronic-	Electronic-	Electronic-	Electronic-
FEATURES														1st	Add'l	Disc 1st	Disc Add'l
Features			1			_	1	Manraa	vina	Monroourring	Dissennest			220	Botos (\$)		
FATURES			<u> </u>	1		+	Rec					COMEC	COMAN		SOMAN	SOMAN	SOMAN
ADDITIONAL NINCE PROTECTION   DEPTY	CEAT	LIDES	1					FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
LOCAL NUMBER PORTABILITY   LOCAL Number Protability () per port)   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LURCX   LUEPRX   LUEPRX   LUEPRX   LURCX   LUEPRX   LUE	FEAT		1		HEDRY	LIED\/E	0.00	0.00	0.00								
Local Number Portability (1 per port)	LOCA				OLITAX	OLI VI	0.00	0.00	0.00								
NONRECURRING CHARGES (IRCs) - CURRENTLY COMBINED			1		UEPRX	LNPCX	0.35										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is   UEPRX   USAC2   0.10   0.10	NONE																
Switch-as-is   UEPRX   USAC2   0.10   0.10   0.10																	
Switch with change					UEPRX	USAC2		0.10	0.10								
ADDITIONAL NRCs   Carlot Copy/Line Port Combination - Subsequent   Carlot Vivo Vice Grade Loop/Line Port Combination - Subsequent   Carlot Vivo Vice Grade Loop/Line Port Combination - Subsequent   Carlot Vivo Vice Grade Loop At End User   Carlot Vivo Vice Grade Extension Copy - Non-Design   Carlot Vivo Vice Grade Extension Loop - Non-Design   Lepenx   UERN   UERN   UEA		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
Review   Comparison   Compari		Switch with change			UEPRX	USACC		0.10	0.10								
Minbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Rate Rate Rate Rate Rate Rate Rate Rate	ADDI																
Inhumided Miscellaneous Rate Element, Tag Loop at End User   Premise   UEPRX			1			1	$\Box$										1 7
Premise			ļ		UEPRX	USAS2	0.00	0.00	0.00								<b></b> '
OFFON PREMISES EXTENSION CHANNELS					HEDDY	LIDET:											1 '
2 Wire Analog Voice Grade Extension Loop - Non-Design   1 UEPRX   UEAEN   10.56   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Non-Design   2 UEPRX   UEAEN   15.34   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAEN   31.11   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Design   1 UEPRX   UEAEN   31.11   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Design   1 UEPRX   UEAED   12.67   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPRX   UEAED   17.45   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade - Facility   1 UEPRX   UEAED   33.22   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade - Vivore Grade - Facility   1 UEPRX   UEAED   33.22   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade - Vivore Grade - Facility   1 UEPRX   UITVZ   23.95   98.09   53.67   56.31   22.42   VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE - VIVORE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEVRX			ļ		UEPRX	URETL		8.33	0.83								
2 Wire Analog Voice Grade Extension Loop - Non-Design   2 UEPRX   UEAEN   15.34   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAEN   31.11   46.66   22.57   26.65   7.65   2 Wire Analog Voice Grade Extension Loop - Design   1 UEPRX   UEAED   12.67   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPRX   UEAED   17.45   134.99   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   17.45   134.99   81.87   73.65   14.88   3 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   3 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   4 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   4 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   4 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   4 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.99   81.87   73.65   14.88   4 Wire Analog Voice Grade Extension Loop - Design   4 Wire Analog Voice Grade Extension Loop - Design   4 Wire Analog Voice Grade Extension Loop - Design   4 Wire Analog Voice Grade Extension Loop - Design   4 Wire Analog Voice Grade Extension Loop - Design   4 Wire Analog Voice Grade Loop Wirth 2-Wire Voice Grade Loop Wirth 2-Wire Voice Order - Wire Voice Wirth 2-Wire Voice Wirth 2-Wire Voice Wirth 2-Wire Voice Grade Loop (St.1) - Zone 1   UEPRX   UEPLX   4 Wire Voice Unbundled port with Caller ID - bus   UEPRX	OFF/0		<b>!</b>	1	LIEDDY	LIEAEN	40.50	40.00	22.57	20.05	7.05				1	1	<del>                                     </del>
2 Wire Analog Voice Grade Extension Loop – Non-Design   3 UEPRX   UEAEN   31.11   46.66   22.57   26.65   7.65																	
2 Wire Analog Voice Grade Extension Loop - Design   1 UEPRX   UEAED   12.67   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPRX   UEAED   17.45   134.89   81.87   73.65   14.88   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   33.22   134.89   81.87   73.65   14.88   3   3   3   3   3   3   3   3   3																	
2 Wire Analog Voice Grade Extension Loop - Design   2 UEPRX   UEAED   17.45   134.89   81.87   73.65   14.88	_		1									1					
2 Wire Analog Voice Grade Extension Loop - Design   3   UEPRX																	-
INTEROFFICE TRANSPORT																	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	INTER			Ť	02.101	027.23	00.22	10 1.00	01.01	7 0.00	11.00						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile																	
OF Fraction Mile		Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
UNE Port/Loop Combination Rates		or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
2-Wire VG Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2   2   15.52	UNE I																
2-Wire VG Loop/Port Combo - Zone 3   3   31.74																	
UNE Loop Rates																	
2-Wire Voice Grade Loop (SL1) - Zone 1	<del>-  </del>			3			31.74										
2-Wire Voice Grade Loop (SL1) - Zone 2   2   UEPBX   UEPLX   14.37	UNE			4	HEDDY	LIEDLY	0.04										
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPBX   UEPLX   30.59																	
2-Wire Voice Grade Line Port (Bus)   UEPBX UEPBL   1.15   21.29   15.49   2.85   2.67	_		1									1					
2-Wire voice unbundled port without Caller ID - bus   UEPBX   UEPBL   1.15   21.29   15.49   2.85   2.67	2-Wir			3	OLFBX	OLFLX	30.39										-
2-Wire voice unbundled port with Caller + E484 ID - bus   UEPBX   UEPBC   1.15   21.29   15.49   2.85   2.67					LIFPBX	UEPBI	1 15	21 29	15 49	2.85	2 67						
2-Wire voice unbundled port outgoing only - bus   UEPBX   UEPBO   1.15   21.29   15.49   2.85   2.67																	
2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  UEPBX  UEPBM  1.15  21.29  15.49  2.85  2.67  2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID  UEPBX  UEPBX  UEPBM  1.15  21.29  15.49  2.85  2.67			1														
parity port with Caller ID - bus																	ļ
2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID UEPBX UEPWF 1.15 21.29 15.49 2.85 2.67		parity port with Caller ID - bus	<u></u>	<u> </u>			1.15					<u> </u>	<u> </u>	<u> </u>			1
without Caller ID         UEPBX         UEPWF         1.15         21.29         15.49         2.85         2.67					UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67						
																	1
2-Wire voice unbundled Incoming Only Port without Caller ID			ļ		UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67						<b></b> '
			1			[ ]											1 '
Capability	,		<del>                                     </del>	<b></b>	UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67				ļ	ļ	<b></b>
LOCAL NUMBER PORTABILITY	LOCA		<del>                                     </del>	<b></b>	HEDDY	LNDCV	0.05								ļ	ļ	<b>├</b>
Local Number Portability (1 per port)   UEPBX LNPCX 0.35	FEAT		<del>                                     </del>		UEPBX	LNPCX	0.35										<del>                                     </del>
FEATURES	FEAT		<del> </del>	<del>                                     </del>	LIEDDV	LIED\/E	0.00	0.00	0.00								<del>                                     </del>
Nonrecurring Charges (Nrcs) - Currently Combined	NONE		<del>                                     </del>		OLFDA	OLF VF	0.00	0.00	0.00						1	1	<del>                                     </del>
NONRECONKING CHARGES (INCS) - CORRENTET COMBINED	NONE		<del>                                     </del>	<del>                                     </del>		+ -	<del>                                     </del>										<del>                                     </del>
Switch-as-is USAC2 0.10 0.10			1		UEPBX	USAC2		0.10	0.10								1
2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1			1	1	20	20								
Switch with change UEPBX USACC 0.10 0.10			1		UEPBX	USACC		0.10	0.10								1
ADDITIONAL NRCs	ADDI																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent																	
Activity UEPBX USAS2 0.00 0.00		Activity	<u></u>	<u> </u>	UEPBX	USAS2	I	0.00	0.00			<u></u>	<u> </u>	<u> </u>			1

UNRII	NDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
5.400		5 HE HORR ELEMENTO - Nemucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS		L .	LIEBBY		10.50	10.00		20.05							
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX UEPBX	UEAEN	31.11 12.67	46.66 134.89	22.57 81.87	26.65	7.65 14.88						
		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65 73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INTER			3	UEPBX	UEAED	33.22	134.89	81.87	73.00	14.88						
$\vdash$	INIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>			+				1			-		+	1	1
		Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42				1		
$\vdash$		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		OLI DA	01172	23.93	90.09	55.67	30.31	22.42	1			1		
		or Fraction Mile	1		UEPBX	U1TVM	0.0095	0.00	0.00				1		I	1	
	2 WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBA	OTTVIVI	0.0093	0.00	0.00			-			-		
		ort/Loop Combination Rates	<del>                                     </del>			+				1					t	1	1
$\vdash$	JINE P	2-Wire VG Loop/Port Combo - Zone 1	<del>                                     </del>	1		+	10.79			1					<del>                                     </del>	<del>                                     </del>	
$\vdash$		2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2		+	15.52			1					t	1	1
		2-Wire VG Loop/Port Combo - Zone 3		3		+	31.74										
-	LINE L	pop Rates		3		+	31.74										
	OIVE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ŭ	OLI IKO	OLI LX	00.00										
	_ ,,,,,	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+											
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY			OLI IKO	OLITO	1.10	21.20	10.40	2.00	2.07						
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU						0.10										
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED						0.00									
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00				1		I	1	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					-									1
		Group	<u> </u>			<u> </u>	<u> </u>	7.86	7.86	<u>                                       </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1		UEPRG	URETL		8.33	0.83				1		I	Ì	
	OFF/O	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
		Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42				<u> </u>		<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										

ATE ELEMENTS  ***BCS**** BCS**************************	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  RATE CLEMENTS  REC.	0.1.2011222		1									Svc Order	Svc Order				
CATE CLIMENTS																	
CATEGORY   RATE ELEMENTS																	
No.   No.	CATEGORY	DATE ELEMENTS	Interi	Zone	BCS.	LISOC			DATES (\$)								
March   Marc	CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR				
No.   Recommon   No.   Recommon   No.   Recommon   No.   N														Electronic-	Electronic-	Electronic-	Electronic-
Mile   Labor Reside   Mile														1st	Add'l	Disc 1st	Disc Add'l
Mile   Labor Reside   Mile								NI		T	. D'				D-1 (A)		
Will Loop Rates							Rec										
Private Votes Closed Lote (15: 1) - Zere 1								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2   20/1997   Victor Control Lock (15 11 ) - Zene 2   2   20/1997   Victor Control Lock (15 11 ) - Zene 3   3   3   3   3   3   3   3   3   3	UNE L																
2-Yebs Vance Cooked Long (St. 1) - Zonn 3																	
Design   D		2-Wire Voice Grade Loop (SL 1) - Zone 2															
Line Side Uthursted Construction 29Villy FBN Trush Rus - Bus   UEPPX		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
Une Side Univariated Course (PRX Trush Fort - Bus   UEPPX	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Une Side Univariated Course (PRX Trush Fort - Bus   UEPPX		, ,															
Une Side Univariated Course (PRX Trush Fort - Bus   UEPPX		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
Line Side Librarius Secretary PEX Frank Pair - Bus   UEPPK   UEP1   1.15   21.28   15.49   2.26   2.67																	
2-Wire Vice Influended OutDis Althorough EXP To Terman RPG Ame Calling Part   UEPPA   UEPPA   1.15   21.29   15.40   2.85   2.67																	
Port					02.17	02	0	21120	10.10	2.00	2.01						
2-Wine Vaco Inhunded PRIX. D Termina Ports   UPPX					LIEDDY	HEPΩΔ						1					
2-Wine Value Developed 2-Wing Conferentiate PRIX Lagge Port   UEPPX   UEPX   UEPX   1.15   21.29   15.49   2.86   2.07			1	1			1 15	21.20	15 40	2.05	2.67	1	<del> </del>	1	<b>†</b>	1	1
2-Wine Valor Unbrunded PRX Toll Terminal Hotel Ports   UEPPX   UEPX			<del>                                     </del>									-			-		
2-West Votes Unbunded PRX. LD Promis Selection of Principles Port   UEPPX			1	-								1			1	1	1
S-Wise Vace Unbunded PRIX. D Terminal Switchboard Port   UEPPX   UEP	$\vdash$		<b>!</b>									1			1		1
Description   Description	<del></del>		<del>                                     </del>									ļ					ļ
Capable Port   Capa			<b>!</b>		UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67	ļ					
2-Wire Vote Unburnded 2-Way PEX Kentucky Room Area   UEPPX   UEPX   UEPX   1.15   21.29   15.49   2.85   2.67			1		l	1							İ				
Calling Port whota LUD					UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
2-Wire Vote of Inhurded PRX Kentucky LID Area Calling Port   UEPPX   UEPX   1.15   21.29   15.49   2.85   2.67																	
2-Wire Voice Inhundred PBX Kentucky Pennium Calling Port   UEPPX   UEPX   1.15   21.28   15.49   2.85   2.67		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
2-Wirk Voice Inhundled PBX Kentucky Pennium Calling Port   1.15   21.28   15.48   2.85   2.67		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Unbundled 2-Way Restudely Area Calling Port					UEPPX	UEPXH	1.15	21.29	15.49		2.67						
Welford LUD																	
2-Wire Voice Urbounded OutDial Kentucky NRR Ase Calling Port   UEPPX   UEPOK   1.15   21.29   15.49   2.85   2.67					UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
Port   UEPPX   UEPOK   1.15   21.29   15.49   2.85   2.67					OLI I X	02.70	0	21.20	10.10	2.00	2.01						
2-Wire Voice Unbundled Z-Way PEX Hotel/Hospital Economy   UEPPX   UEEX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEEX   UEPX   UEPX   UEPX   UEEX   UEPX   UEEX   UEPX   UEEX   UEPX					LIEDDY	HEDOK	1 15	21.20	15.40	2.95	2.67						
Administrative Calling Port   UEPPX   UEPPX   UEPPX   1.15   21.29   15.49   2.85   2.67	+				ULFFX	OLFOR	1.13	21.29	13.49	2.03	2.07						
2-Wire Votes Unbundled 2-Wire Pixe Hotel/Hospital Economy   UEPX					LIEDDY	LIEDVI	1 15	24.20	15 10	2.05	2.67						
Room Calling Port					UEPPA	UEFAL	1.15	21.29	15.49	2.00	2.07						
2-Wire Voice Unburdled 1-Way Outgoing PBX Hotel/Hospital   UEPPX UEPX UEPX UEPX   UEEX   UEPX   UE					l												
Discourt Room Calling Port					UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Inhundled 1-Way Outgoing PBX Measured Port   UEPPX   UEEX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEEX																	
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)					UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
FEATURES	LOCAL																
All Features Offered					UEPPX	LNPCP	3.15	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEATU	IRES															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -   UEPPX USAC2   8.45   1.91					UEPPX	UEPVF	0.00	0.00	0.00								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -   UEPPX USAC2   8.45   1.91	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
Conversion - Switch -As-Is		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Carrier Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change					LIFPPX	USAC2		8 45	1 91								
Conversion - Switch with Change					02.17	007.02		0.10	1.01								
ADDITIONAL NRCs					LIEDDY	LISACC		8 45	1 01								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group   7.86   7.86   7.86   7.86	ADDIT			-	OLITA	00/100		0.40	1.01								
Subsequent Activity   UEPPX   USAS2   0.00	ADDIT			-		_											
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group   7.86			1		HEDDY	LICACO	0.00	0.00	0.00			I	1	Ì		Ì	l
Group	<del>                                     </del>		1		UEPPA	USAS2	0.00	0.00	0.00	<del> </del>		<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>
Unbundled Miscellaneous Rate Element, Tag Loop at End User   UEPPX   URETL   8.33   0.83			1									I	1	Ì		Ì	Ì
Premise			<b>!</b>			$\bot$		7.86	7.86	ļ		ļ					
OFF/ON PREMISES EXTENSION CHANNELS         Local Channel Voice grade, per termination         1 UEPPX         P2JHX         12.67         134.89         81.87         73.65         14.88         14.88           Local Channel Voice grade, per termination         2 UEPPX         P2JHX         17.45         134.89         81.87         73.65         14.88         14.88         14.88         14.88         14.88         14.88         18.18 <td></td> <td></td> <td>1</td> <td></td> <td>l</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>I</td> <td>1</td> <td>Ì</td> <td></td> <td>Ì</td> <td>Ì</td>			1		l	1						I	1	Ì		Ì	Ì
Local Channel Voice grade, per termination   1 UEPPX   P2JHX   12.67   134.89   81.87   73.65   14.88					UEPPX	URETL		8.33	0.83								
Local Channel Voice grade, per termination   2   UEPPX   P2JHX   17.45   134.89   81.87   73.65   14.88	OFF/O			1													
Local Channel Voice grade, per termination   3   UEPPX   P2JHX   33.22   134.89   81.87   73.65   14.88				1													
Non-Wire Direct Serve Channel Voice Grade				2					81.87								
Non-Wire Direct Serve Channel Voice Grade	İ	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						
Non-Wire Direct Serve Channel Voice Grade   2   UEPPX   SDD2X   18.12   170.06   78.10   119.62   15.80				1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
Non-Wire Direct Serve Channel Voice Grade   3   UEPPX   SDD2X   29.64   170.06   78.10   119.62   15.00				2				170.06									
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	INTER		1			1				1		İ		İ	İ	İ	İ
			1			+ +				1		<del> </del>	1	<b>†</b>	1	<b>†</b>	<del> </del>
		Termination	1		UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	I	1	Ì		Ì	l

UNBUND	I FD	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fvhi	bit: A
21120110	<u>7</u>	METHORN ELLINERTO Remucky		1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>F</b>	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
,																	
L	_						Rec	Nonrec		Nonrecurring					Rates (\$)		
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		r Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								İ
2-W		/OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT .	-	OLFFX	OTTVIVI	0.0093	0.00	0.00			1					
		t/Loop Combination Rates	·			+											
		-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
		-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2	-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UN		p Rates															
		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
<u> </u>		-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59									ļ	<del></del>
2-W		oice Grade Line Ports (COIN)				1									1	-	<b>├</b>
		-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		1				1
$\vdash$		-Wire Coin 2-Way with Operator Screening (AL, KY)		-	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67				+		<del>                                     </del>
<b></b>		-Wire Coin 2-Way with Operator Screening (AL, KT) -Wire Coin 2-Way with Operator Screening and Blocking: 011,	<u> </u>		0L1 00	OLFIL	1.15	21.29	13.49	2.00	2.07				<del>                                     </del>		<del>                                     </del>
		00/976, 1+DDD (AL, KY, LA, MS)		1	UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		1				1
		-Wire Coin 2-Way with Operator Screening and 011 Blocking			02. 00	02.101	0	220		2.00	2.01						
		(Y)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2	-Wire Coin 2-Way with Operator Screening & Blocking:															
	9	00/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2	-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
		-Wire Coin Outward with Operator Screening and 011 Blocking															İ
		GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
		-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.45	04.00	45.40	0.05	0.07						
		11, 900/976, 1+DDD (AL, KY, LA, MS) -Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67				-		<del></del>
		+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						İ
		-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						-
		-Wire Coin Outward Smartline with 900/976 (all states except			02.00	02. 0.0		220	10.10	2.00	2.01						
		A)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
AD	DITIO	NAL UNE COIN PORT/LOOP (RC)															
		INE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LO		NUMBER PORTABILITY															
	Ĺ	ocal Number Portability (1 per port)			UEPCO	LNPCX	0.35	, i							ļ		<u> </u>
NO		URRING CHARGES - CURRENTLY COMBINED				<b> </b>									1		<b></b>
		-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	LIEDCO	116460		0.40	0.40				1				1
		Switch-as-is -Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		0.10	0.10						<b>-</b>		<del>                                     </del>
		-wire voice Grade Loop / Line Port Combination - Conversion -		1	UEPCO	USACC		0.10	0.10				1		I		1
ΔD		NAL NRCs			02, 00	20/100		0.10	0.10						<b>-</b>		<b>—</b>
		-Wire Voice Grade Loop/Line Port Combination - Subsequent				1 1	+					1			<b>†</b>	1	<b>†</b>
		ctivity			UEPCO	USAS2		0.00	0.00						1		1
	U	Inbundled Miscellaneous Rate Element, Tag Loop at End User				1		_									
	Р	Premise			UEPCO	URETL		8.33	0.83							<u> </u>	1
		OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	RES)												
UN		t/Loop Combination Rates		L .		<b> </b>	10.5								1		<b></b>
		-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.90									ļ	<b>├</b>
-		-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.68								<del>                                     </del>		<del></del>
LINI		-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	34.45					-	-		<del></del>	1	<del></del>
UN		-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67					1	-		<del> </del>	1	<del>                                     </del>
<b></b>		-Wire Voice Grade Loop (SL2) - Zone 1 -Wire Voice Grade Loop (SL2) - Zone 2	<u> </u>	2	UEPFR	UECF2	17.45								<del>                                     </del>		<del>                                     </del>
		-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	33.22								1		
2-W		oice Grade Line Port Rates (Res)		<u> </u>		1											
		-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
		-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
	2	-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						

UNBLIND	LFD	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
3.120110	Ť	Remarks Remarks										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing			UEDED	LIEDDM	4.00	400.00	04.44	04.00	0.07						
$\vdash$		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
$\vdash$		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			UEFFR	UEPAP	1.23	120.90	04.11	01.92	9.97						
		without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INT		FFICE TRANSPORT			UEFFR	UEPVVE	1.23	120.90	04.11	01.92	9.97	1					
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility								<b>†</b>							
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	02	20.00	00.00	00.01	00.01							
		or Fraction Mile	1		UEPFR	1L5XX	0.0095			I			1		I	1	
FE/	ATUR					1	3.0003			1					1	1	
	/	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
LO		NUMBER PORTABILITY															
	l	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u></u>														
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
UNI		rt/Loop Combination Rates															
$\vdash$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			18.68 34.45			1							
LINI		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	34.45			-							
UNE		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
-		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45					1					
	- 1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
2-W		oice Grade Line Port (Bus)			02.1.2	020.2	00.22										
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice Grade unbundled Kentucky extended local dialing															
	F	parity port with Caller ID - bus	<u></u>		UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
$\bot$		without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
Loc		NUMBER PORTABILITY	ļ			1				ļ					1	ļ	
<del></del>		Local Number Portability (1 per port)	ļ		UEPFB	LNPCX	0.35										
INT		FFICE TRANSPORT	<u> </u>			1				-					-	<b> </b>	ļ
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDED	LIATI/O	00.05	00.00	50.07	50.01	00.40		1		I	1	
$\vdash$		Termination	<del>                                     </del>		UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42	-			<del>                                     </del>	<del>                                     </del>	-
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		UEPFB	1L5XX	0.0095			I			1		I	1	
HEE/	ATUR	or Fraction Mile	<del>                                     </del>		ULFFD	ILOAA	0.0095			<del>                                     </del>			<b> </b>		<del>                                     </del>	-	
FEF		All Features Offered	1		UEPFB	UEPVF	0.00	0.00	0.00	<del> </del>		-	<b> </b>		+	1	1
NO.		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>		CLID	OLI VI	0.00	0.00	0.00	t					t	1	1
1401		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-			+				<b>-</b>					<b>-</b>		
		Combination - Conversion - Switch-as-is	l		UEPFB	USAC2		9.03	1.87	1					1		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1					3.55		t					1	1	
		Combination - Conversion - Switch with change	1		UEPFB	USACC		9.03	1.87	I			1		I	1	
		Jnbundled Miscellaneous Rate Element, Tag Designed Loop at								1					1		İ
	E	End User Premise	1		UEPFB	URETN		11.21	1.10	I			1		I	1	
	/IRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (I	PBX)												
	E Poi	rt/Loop Combination Rates															
	-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										

CATEGORY	RATE ELEMENTS	Interi m									Svc Order	Svc Order	Incremental	ment: 2	Exhil Incremental	Incremental
CATEGORY	RATE ELEMENTS															
CATEGORY	RATE ELEMENTS		1								Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
			Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		111						(+)			per LOR	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					<u> </u>							<u> </u>			ואני ואני	DISC AUU I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
$\overline{}$	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
0.140	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22										
2-wire	Voice Grade Line Port Rates (BUS - PBX)				1											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
$\vdash$	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
-	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		<b> </b>				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
<u> </u>	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73	<u> </u>	<u></u>		<u> </u>		
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
1 1 -	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port				I 7							1				
$\vdash$	without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDV.		,	=0.5-								
$\vdash$	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
1 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXM	1.23	164.07	78.65	75.05	8.73		1				
$\vdash$	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPAM	1.23	164.27	78.65	75.05	8.73				-		
1 1	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		1				
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73				1		
LOCA	L NUMBER PORTABILITY			OLI I I	OLI AU	1.23	104.27	70.00	75.05	0.73						
2307	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT					3.10	3.00	3.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				† †											
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											
	or Fraction Mile			UEPFP	1L5XX	0.0095										
FEATU																
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED												_			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port											1				
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87								
1 1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87								
1 1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
LINDUNES ES	End User Premise			UEPFP	URETN		11.21	1.10	ļ					ļ		
	PORT/LOOP COMBINATIONS - COST BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	BODT			+ +				1							
	Port/Loop Combination Rates	PURI			+				1			<b> </b>				
UNE P	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		<del>                                     </del>	21.30			1					1		
<del>                                     </del>	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2		+ +	26.08			1			<b> </b>				
<del>                                     </del>	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+ +	41.85			1			<b> </b>				
UNE L	oop Rates				† †	55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	17.45								l		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	33.22										
UNE P	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31						

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1						-	l 1	Nonrec	urring	Nonrecurring	n Disconnect		l	088	Rates (\$)		L
							-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONDE	CURRING CHARGES - CURRENTLY COMBINED					1		LIISI	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOMAN	SOWAN	SOWAN	SOWAN
-	NONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion					1						1					
		with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
	ADDITI	ONAL NRCs			OLITA		00/110		7.00	1.01								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OL: 1X		00/10/		02.20	02.20								
		End User Premise			UEPPX		URETN		11.21	1.10								
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
	UNE Po	rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		25.69										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		50.21										
		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
				_														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		22.33										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USLZX	40.63										
	UNE PO	ort Rate  Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56	1					<b></b>
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPK	UEPPB	9.59	320.53	209.13	92.19	17.56						
	NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
	ADDITI	ONAL NRCs			02	02	00/102	0.00										
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	1	End User Premise			UEPPB	UEPPR	URETN	]	11.21	1.10					1	I		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			l		1	†			İ	l				1	İ	
1	1	Premise			UEPPB	UEPPR	URETL	]	8.33	0.83					1	I		1
	LOCAL	NUMBER PORTABILITY					1	†			İ	l				1	İ	
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
		NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)		-			, and the second									
	<u> </u>	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								<b></b>
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
<u> </u>		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	ļ				ļ	ļ		<b>↓</b>
L		ERMINAL PROFILE				=	ļ						ļ					<b>├</b>
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<b>├</b>
<u> </u>		CAL FEATURES			LIEBBB	LIEBBE	LIED) =	2.0-					<u> </u>		<b> </b>	-	ļ	<b>├</b>
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								<b>├</b>
<u> </u>	INTERC	OFFICE CHANNEL MILEAGE			ļ		1	ļ					1					<b>├</b>
		Interoffice Channel mileage each, including first mile and			LIEDDE	LIEDDD		00.10	47.01	04 =0	00					1		1
-	<b> </b>	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75	1		-	1		<del>                                     </del>
		Interoffice Channel mileage each, additional mile	DODE		UEPPB	UEPPR	INTGNIN	0.01	0.00	0.00						<del>                                     </del>		<del></del>
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			ldad bess	in place -	1 of 10/2/02 :	until 4/4/04 Aft	or 4/1/04 th	rotoo obali	ort to toriff		to comm	iol ograema	<u> </u>	1		<del>                                     </del>
<u> </u>		E-P DS1 combination rates below for in this rate exhibit apply ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													fit.	<del>                                     </del>	-	<del>                                     </del>
	Reques	to for 4-write Dot Digital Loop with 4-write found Dot Digital 1	I WIIK PO	ort arte	title effec	LIVE UALE C	n uns ameno	mient snan de p	novided purst	iani io a sepai	are agreement	or tariii at Bei	isoutii s ai	sciellon.		L	l .	1

UNR	UNDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit: A
5.40	L	NET TOTAL ELEMENTO Remarky										Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rrina	Nonrecurring	n Diagonnoot			220	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNF P	ort/Loop Combination Rates	1					11131	Auu	THOU	Auu	JOINEC	JOHAN	JOWAN	JONIAN	JOHIAN	JONAN
	0.1.2.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 1		1	UEPPP		170.06										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		197.70										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
		Zone 3		3	UEPPP		381.35										
-	UNE L	pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP	USL4P	86.47										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	114.10										
	1	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP	USL4P	297.76								1		
	UNE P	ort Rate	1			1									Ì		
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	4	Combination - Conversion -Switch-as-is (E:4/1/2004)	ļ		UEPPP	USACP	0.00	81.70	61.37						ļ		
	ADDIT	ONAL NRCs															
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP	PR7TF		0.54									
-	-	Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	<u> </u>	UEPPP	PR/IF		0.54									
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		OLITI	110710		12.71	12.71								
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
	LOCAL	NUMBER PORTABILITY						-									
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
-	New or	Additional "B" Channel New or Additional - Voice/Data B Channel	1	<u> </u>	UEPPP	PR7BV	0.00	15.48									
-		New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
		New or Additional Inward Data B Channel	1		UEPPP	PR7BD	0.00	15.48									
	CALL						0.00										
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								-
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage	ļ			1	00.5	105.55							ļ		
<u> </u>	+	Fixed Each Including First Mile	<b>!</b>	<u> </u>	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49				<b> </b>		
<u> </u>	V-MIDE	Each Airline-Fractional Additional Mile  DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del> </del>	-	UEPPP	1LN1B	0.23								-		
-		IE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base in place a	s of 10/2/03 :	intil 4/1/04 Aft	er 4/1/04 these	rates shall re-	vert to tariff rate	es or a senara	te commerc	ial agreeme	nt.	1		
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											a agreenie				
		ort/Loop Combination Rates	1		Jillonamon on			pa.a.c agre									
	1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	147.99										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	<u> </u>	175.62										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28		· · · · · · · · · · · · · · · · · · ·								
	UNE L	pop Rates															
	1	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPDC	USLDC	86.47										
-	+	4-Wire DS1 Digital Loop - UNE Zone 2	<b>!</b>	2	UEPDC	USLDC	114.10				-				<b> </b>		
	LINE	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	<del>                                     </del>	3	UEPDC	USLDC	297.76					-			-		
	UNE P	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1	-	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		-		-		
<b>—</b>	NONRE	ECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<del>                                     </del>	021 00	30011	01.32	700.01	313.32	170.19	10.30	-			<del> </del>		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			<del>                                     </del>						1			1		
		- Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4		92.84	46.70				1		1		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
L		- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>		UEPDC	USAWA		92.84	46.70								
						•							•				

CATEGORY	ED NETWORK ELEMENTS - Kentucky  RATE ELEMENTS	Interi									Cyo Ordor	Cur Ouden	Incremental	ment: 2	Incremental	bit: A
	RATE ELEMENTS	Interi														Incremental
	RATE ELEMENTS	Interi									Submitted		Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS	Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
			Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
APPI		m						- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
APPI													1st	Add'l	Disc 1st	Disc Add'l
Appli															DISC 1St	DISC Add I
APPE						Rec	Nonre		Nonrecurring	Disconnect				Rates (\$)		
ADDI						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEBBO	UDTTA		45.00	45.00								
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		15.09	15.09								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEFDC	UDITB		15.09	15.09								<del></del>
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
<del></del>	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		15.05	15.05								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	<b>†</b>			-22		.0.00	.0.00								
	Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		15.09	15.09								1
BIPO	LAR 8 ZERO SUBSTITUTION	1														
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								
Alterr	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00								
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
Dedic	Reserve DID Numbers rated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Dimital		UEPDC	NDV	0.00	0.00	0.00								
Dealc	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	with 4-wire DDI15 i	runk Port											
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
<del></del>	Termination)			OLFDC	ILINOT	90.04	103.32	30.40	23.09	20.49						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	TENOT	0.20	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25						0.00	0.00								
	miles	1		UEPDC	1LNOB	0.45	0.00	0.00								1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1		-		20	3.30	2.30								
	Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00								1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC	0.45	0.00	0.00	<u> </u>							1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00				-						
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on				1		<u> </u>		<u> </u>		<u> </u>	ــــــــــــــــــــــــــــــــــــــ				<b>↓</b>
	INE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	<b>↓</b>
	ests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSou	uth's discretion	on.					<b>↓</b>
UNE	OS1 Loop	<b>!</b>	- 4	LIEDMC	LICI DO	00.47	0.00	0.00								+
<del></del>	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	86.47	0.00	0.00								<b>├</b>
<b> </b>	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	<del>                                     </del>	3	UEPMG UEPMG	USLDC	114.10 297.76	0.00	0.00	<del>                                     </del>							<del></del>
LINE		ne)	3	ULFIVIG	USLUC	291.16	0.00	0.00	-							<del></del>
ONE I	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	111.16	0.00	0.00								<del></del>
<del></del>	48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	222.32	0.00	0.00	<del>                                     </del>							<del></del>
$\vdash$	96 DSO Channel Capacity -1 per 4 DS1s	<del> </del>		UEPMG	VUM96	444.64	0.00	0.00	<del>                                     </del>							<b>—</b>
	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	666.96	0.00	0.00								<b>—</b>
<del>                                     </del>	192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG	VUM19	889.28	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM2O	1,111.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s	<b>†</b>		UEPMG	VUM28	1,333.92	0.00	0.00								

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							News		None no occumina e	Discounces			220	Detec (f)		
	1						Rec		curring Add'l	Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	First 0.00	0.00	FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
		480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,223.20	0.00	0.00			1					
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00			1					
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.112.48	0.00	0.00								
	Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio													
		mum System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
		Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	d									
<u> </u>	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's	<b>_</b>	ļ					ļ					
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port						=	400.00								
	Dinala	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
	Біроіаі	r 8 Zero Substitution						-				1					
		Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -			OLFIVIG	CCOSI	0.00	0.001	730.005			1					
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	Alterna	te Mark Inversion (AMI)			020	0002.	0.00	0.00.	. 00.000								
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00		0.00								
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
		nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEFFA	UEFIX	1.15	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			OLITA	OLI DIVI	0.00	0.00	0.00	0.00	0.00						
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			l												
		Kentucky Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00	ļ					
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1		LIEDDY	LIEDCW	4.45	0.00	0.00	0.00	0.00				1		
<u> </u>	Footor	Kentucky Only – Calling Plan (E:4/1/2004) e Activations - Unbundled Loop Concentration	<del>                                     </del>		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00	<del>                                     </del>			-		
<b>-</b>	reature	Feature (Service) Activation for each Line Port Terminated in D4	1			+	1	<b>+</b>	1	<b>+</b>		}		1	1	1	1
1		Bank	l		UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
	1	Feature (Service) Activation for each Trunk Port Terminated in	1			~	0.02	20.40	10.41	7.17	7.10	1			<b> </b>		
1		D4 Bank	1		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54				1		
	Teleph	one Number/ Group Establishment Charges for DID Service							1		-						
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
<u> </u>		Reserve Non-Consecutive DID Numbers	ļ		UEPPX	ND6	0.00	0.00	0.00	ļ					ļ		
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
-	Local N	Number Portability			LIEDDY	LNDCD	2.45	0.00	0.00								
<u> </u>	EEAT	Local Number Portability - 1 per port  RES - Vertical and Optional	<del>                                     </del>		UEPPX	LNPCP	3.15	0.00	0.00	<del>                                     </del>		1	-		-		
<b> </b>		Switching Features Offered with Line Side Ports Only	1			+	1	<b>+</b>	1	<b>+</b>		}		1	1	1	1
-	Local	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>			<del> </del>		
UNBUI	NDLED (	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S		02. 1 A	JEI VI	0.00	0.00	0.00								
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	Switching or Sv	vitch Ports.						1		
														·		•	•

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
ONDONDE	TOTAL ELEMENTO ROMANN	1									Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	_	_	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>P</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444
						Rec		curring	Nonrecurring			•		Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2. Fe	satures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	I-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	nd Office and Tandem Switching Usage and Common Transport														A 1 17071 NIE	
	ne first and additional Port nonrecurring charges apply to Not C	urrentiy	Comb	inea Combos. For	Currently Co	ombinea Combo	s, the nonrec	urring charges	snall be those	identified in t	ne Nonrecu	rring - Curr	entry Combine	ea sections.	Additional NR	ccs may
	y also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will	ho nom	atiotod	an an Individual Ca	oo Boolo un	til further netic		ı	1		1			ı	1	1
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualea	on an muividuai Ca	Se basis, un	til lurther notic	в.									
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1						<b>†</b>							
	Port/Loop Combination Rates (Non-Design)															
- 0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1							1				1	İ		i
L l	Non-Design	<u> </u>	2	UEP91	<u> </u>	15.52			<u> </u>				<u> </u>			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	<u> </u>	3	UEP91		31.74										
UNE	Port/Loop Combination Rates (Design)															
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		l					_				_		1	
$\vdash$	Design	ļ	1	UEP91	ļ	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			40.00										
	Design		2	UEP91		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		24 27										
LINE	Loop Rate		3	UEF91		34.37										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEP91	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	33.22										
UNE	Ports															
All S	tates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOA	LIEDVAA	4.45	04.00	45.40	0.05	0.07						
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area	1		UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67			I	1	1	]
<del>                                     </del>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		OLI 31	OLFIZ	1.15	21.29	15.49	2.00	2.07			<del> </del>	1		
	- Basic Local Area	1		UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67			I	1	1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	<b>1</b>				0	220	.5.70	2.30	2.57			1	1	1	
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67			1			
AL, I	KY, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )	<u> </u>		UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			l								_	1	]	
	Center)2,3	ļ		UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67			ļ	ļ	ļ	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1		LIEDOA	LIEBC -								I	1	1	
$\vdash$	Service Term	ļ	ļ	UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67			-			
	O Milita Maine Conda Bost townsis at a U.S. Attack to the	1		LIEDO4	LIEDOS		04.65	45.40	0.5-	0.07			1			
<del></del>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	-	UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67			<del>                                     </del>	<b> </b>	<b> </b>	
1 000	2-Wire Voice Grade Port Terminated on 800 Service Term	1	-	UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Loca	Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.8873			+				+			
Loca	Il Number Portability	<del>                                     </del>		OL1 31	UNLUG	0.0073			<del> </del>				<del> </del>	1		<del>                                     </del>
Loca	Local Number Portability (1 per port)	<b>!</b>		UEP91	LNPCC	0.35			t		<del>                                     </del>		t	<del>                                     </del>	<del> </del>	<del>                                     </del>
Feat		<b>1</b>			50	0.00			1				1	1	1	
		1		l .	1	l l		L	L		·	L	L	L	L	

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	84'11	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations		1													
$\vdash$	∠-vvire	Trunk Side			LIED04	CENIAC	40.54	00.40	45.00	50.40	F 00				<del>                                     </del>		
$\vdash$	Interes	Trunk Side Terminations, each ice Channel Mileage - 2-Wire	<del>                                     </del>	$\vdash$	UEP91	CENA6	10.51	92.18	15.82	52.16	5.30				<del>                                     </del>		
-	interoff	Interoffice Channel Facilities Termination - Voice Grade	<del>                                     </del>		LIED01	M1GBC	29.11			<del></del>					-	-	
$\vdash$	<del>                                     </del>	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	$\vdash$	UEP91 UEP91	M1GBC M1GBM	29.11			<del>                                     </del>					<del>                                     </del>		
-	Footure	Activations (DS0) Centrex Loops on Channelized DS1 Service	``		OLF91	IVITGDIVI	0.01			<del></del>					-	-	
		nnel Bank Feature Activations	ie I														
-	D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62					1					
		1 eature Activation on 5-4 Channel Bank Centrex Loop Siot			OLF91	IFQW3	0.02										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
-	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF91	IFQWO	0.02					1					
		Slot			UEP91	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	II QVV	0.02										
		Different Wire Center			UEP91	1PQWP	0.62										
		Different Wife Genter			OLI 91	II QVVI	0.02			<b>†</b>							
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			02. 0.		0.02					1					
		Slot			UEP91	1PQWQ	0.62										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
	Additio	nal Non-Recurring Charges (NRC)															
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	]						_			1		_		
<u> </u>	<u> </u>	Premise	<u> </u>		UEP91	URETL		8.33	0.83								
1	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		L	l	]			I			1		I		
<b></b>	L	End Use Premise	ļ		UEP91	URETN	ļļ	11.21	1.10	<b>.</b>					<b>.</b>		
<u> </u>		CENTREX - 5ESS (Valid in All States)	ļ	$\vdash$		4											
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	<b> </b>						-					-		
<u> </u>	UNE Po	ort/Loop Combination Rates (Non-Design)	<u> </u>	<b> </b>						-					-		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	ایا	LIEDOE		10.70			1					1		
$\vdash$	<del>                                     </del>	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		10.79			<del>                                     </del>					<del>                                     </del>		
		Non-Design		2	UEP95		45.50										
-	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OLF 90	+	15.52			<del></del>					-	-	
1	1	Non-Design	1	3	UEP95		31.74			I			1		I		
$\vdash$	LINE P	ort/Loop Combination Rates (Design)	<del>                                     </del>	3	OL1 30	+	31.74			t					t	1	
	511L 11	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	!			+				<b> </b>			l		<b> </b>		
1	1	Design	1	1	UEP95		13.82			I			1		I		
$\vdash$	<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	+	021 00	+	10.02			t			<b> </b>		t		
1	1	Design	1	2	UEP95		18.60			I			1		I		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	.5.50			t					<b>†</b>	1	
1	1	Design	1	3	UEP95		34.37			I			1		I		
	UNE Lo	op Rate		ΙŤ			007			1					1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64			1					1		
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	14.37			İ					İ	İ	
		201 A 2 A 2 A															

CATEGORY   RATE ELEMENTS   Interiment   Zone   BCS   USOC   RATES (s)   Secondary   Seco		UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	urring Add'l  15.49  15.49	2.85 2.85 2.85	2.67 2.67	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Intent m   Zone   BCS   USOC   RATES (\$)   Elect per LSR   per LSR		UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	urring Add'l  15.49  15.49	2.85 2.85 2.85	2.67 2.67	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS		UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	urring Add'l  15.49  15.49	2.85 2.85 2.85	2.67 2.67	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
CATECOUNT   NATE ELEMENTS   Mark   Care		UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	urring Add'l  15.49  15.49	2.85 2.85 2.85	2.67 2.67	-		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Section   Sect		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49	2.85 2.85 2.85	2.67 2.67	-		1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
1st		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49	2.85 2.85 2.85	2.67 2.67	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)		
2-Wire Voice Grade Loop (St. 1) - Zone 3   3   UEP95   UECS1   30.59   UECS2   12.67		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49	2.85 2.85 2.85	2.67 2.67	SOMEC	SOMAN			SOMAN	SOMAN
2-Wire Voice Grade Loop (St. 1) - Zone 3   3   UEP95   UECS1   30.59   UECS2   12.67		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	30.59 12.67 17.45 33.22 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49	2.85 2.85 2.85	2.67 2.67	SOMEC	SOMAN			SOMAN	SOMAN
2-Wire Voice Grade Loop (SL 1) - Zone 3   3 UEP95   UECS2   12.67		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	12.67 17.45 33.22 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
2-Wire Voice Grade Loop (St. 2) - Zone 1		UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	12.67 17.45 33.22 1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
2 Wifer Voice Grade Loop (SL 2) - Zone 2   2 UEP95   UECS2   33.22		UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9 UEPY2	UECS2 UECS2 UEPYA UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	17.45 33.22 1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
2-Wire Voice Grade Loop (St. 2) - Zone 3   3   UEP95   UECS2   33.22		UECS2  UEPYA UEPYB  UEPYH  UEPYM  UEPYZ  UEPY2  UEPY2	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	33.22 1.15 1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
UNE Port Rate		UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	1.15 1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
All States		UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2	UEPYB UEPYH UEPYM UEPYZ UEPY9	1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
2-Wire Voice Grade Port Centrex 800 termination   UEP95		UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2	UEPYB UEPYH UEPYM UEPYZ UEPY9	1.15 1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49	2.85	2.67						
2-Wire Voice Grade Port (Centrex with Caller ID)*Basic Local   UEP95   UEPYH   1.15   21.29   15.49   2.85   2.67		UEPYH UEPYM UEPYZ UEPY9 UEPY2	UEPYH UEPYM UEPYZ UEPY9	1.15 1.15 1.15	21.29 21.29	15.49	2.85							i
Area		UEPYM UEPYZ UEPY9 UEPY2	UEPYM UEPYZ UEPY9	1.15	21.29			2.67						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800   UEP95   UEPYM   1.15   21.29   15.49   2.85   2.67		UEPYM UEPYZ UEPY9 UEPY2	UEPYM UEPYZ UEPY9	1.15	21.29			2.67						
Center)2,3 Basic Local Area		UEPYZ UEPY9 UEPY2	UEPYZ UEPY9	1.15		15.49	2.85							
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800   UEP95   UEPYZ   1.15   21.29   15.49   2.85   2.67		UEPYZ UEPY9 UEPY2	UEPYZ UEPY9	1.15		15.49	2.85							1
Service Term - Basic Local Area		UEPY9 UEPY2	UEPY9		21.29		2.00	2.67						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   - Basic Local Area   UEP95   UEPY9   1.15   21.29   15.49   2.85   2.67		UEPY9 UEPY2	UEPY9		21.29	15 10	205	2.67						ı
Basic Local Area		UEPY2		1.15		15.49	∠.85	2.67						
2-Wire Voice Grade Port Terminated on 800 Service Term -   UEP95   UEPY2   1.15   21.29   15.49   2.85   2.67		UEPY2		1.13	21 20	15 /0	2 85	2 67						ı
Basic Local Area			HEBV2		21.29	15.49	2.00	2.07						
AL, KY, LA, MS, SC, & TN Only			IULCIZ	1.15	21.29	15.49	2.85	2.67						1
2-Wire Voice Grade Port (Centrex)		UEPQA	022	0	21120	10.10	2.00	2.0.						
2-Wire Voice Grade Port (Centrex 800 termination)			UEPQA	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service   UEP95   UEPQM   1.15   21.29   15.49   2.85   2.67		UEPQB	UEPQB	1.15	21.29	15.49	2.85	2.67						
Center)2,3		UEPQH	UEPQH	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP95														
Term 2,3		UEPQM	UEPQM	1.15	21.29	15.49	2.85	2.67						<u></u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP95   UEPQ9   1.15   21.29   15.49   2.85   2.67														1
2-Wire Voice Grade Port Terminated on 800 Service Term		UEPQZ	UEPQZ	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Grade Port Terminated on 800 Service Term		LIEDOO	LIEDOO	1 15	24.20	15 40	2.05	2.67						1
Local Switching	_													
Centrex Intercom Funtionality, per port   UEP95   URECS   0.8873		OLI QZ	OLI QZ	1.15	21.23	10.40	2.00	2.07						
Local Number Portability   Local Number Portability (1 per port)   UEP95   LNPCC   0.35		URECS	URECS	0.8873										
Local Number Portability (1 per port)				0.00.0										
All Standard Features Offered, per port   UEP95   UEPVF   0.00		LNPCC	LNPCC	0.35										
All Select Features Offered, per port UEP95 UEPVS 0.00 405.66														
														1
					405.66									<u> </u>
All Centrex Control Features Offered, per port UEP95 UEPVC 0.00		UEPVC	UEPVC	0.00			ļļ							1
NARS Used to Manager Combination USED Co		LIABOY	LIABOY	2.22	0.00	2.22	0.00	2.00						
Unbundled Network Access Register - Combination   UEP95   UARCX   0.00   0.00   0.00   0.00   0.00   0.00   Unbundled Network Access Register - Indial   UEP95   UAR1X   0.00														
Unbundled Network Access Register - Indial UEP95 UAR1X 0.00 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Indial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Indial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0.00 0.00 0.00   Unbundled Network 0.00 0.00 0.00														
Dinburding Network Access Register - Outdial   DEPS   DAROX   0.00   0.00   0.00   0.00   0.00		UARUA	UARUA	0.00	0.00	0.00	0.00	0.00						
intro-criaticous retininaturis  2-Wire Trunk Side							<del>                                     </del>							
		CEND6	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire Digital (1.544 Megabits)														·
DS1 Circuit Terminations, each   UEP95   M1HD1   74.77   164.86   77.74   60.69   3.86				74.77	164.86	77.74	60.69	3.86						
DS0 Channels Activated, each		M1HDO	M1HDO	0.00	15.09									
Interoffice Channel Mileage - 2-Wire														
Interoffice Channel Facilities Termination UEP95 M1GBC 29.11							ļ <u> </u>							
Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01		M1GBM	M1GBM	0.01										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service				1										
D4 Channel Bank Feature Activations   UEP95   1PQWS   0.62   UEP95   D.62   UEP		100000	100000	0.60			<del>                                     </del>							
I eaure Aureaum on 5-4 Chairne bank Centrex Loop Sick   DCF25   IFQV5   U.02		IFUVO	IFUWS	0.62			<del>                                     </del>							
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62		1POW6	1POW6	0.62										1
Feature Activation on D-4 Channel Bank FX Trunk Side Loop		11 9000	11 3000	0.02										
Slot		1PQW7	1PQW7	0.62										1
Feature Activation on D-4 Channel Bank Centrex Loop Slot -														
Different Wire Center UEP95 1PQWP 0.62				0.62			1		l	1				ı

UNBUND	LEC	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
5,155,165		Italian in indicately										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							B	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										1
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.62										1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
Nor	n-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0.102	0.102								1
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									1
Add		nal Non-Recurring Charges (NRC)															
İ		Unbundled Miscellaneous Rate Element, Tag Loop at End Use					ĺ										
l		Premise	<u> </u>		UEP95	URETL		8.33	0.83	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
		End Use Premise	1		UEP95	URETN		11.21	1.10	I				Ì	I	I	1
UNI	E-P (	CENTREX - DMS100 (Valid in All States)															
2-W	/ire \	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNI	E Po	rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP9D		10.79										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.52										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		31.74										1
UNI	E Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP9D		13.82										ı
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		18.60										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		34.37										1
UNI		op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22										
		rt Rate															
ALI		ATES															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1								<u> </u>						1
		Area	<u> </u>		UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						<u> </u>
	T	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1								<u> </u>						1
		Area	<u> </u>		UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67				<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															1
		Area	<u> </u>		UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67						<b></b>
	T	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1								<u> </u>						1
		Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67						<b>!</b>
	T	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1								<u> </u>						1
L		Area	<u></u>		UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67			L			<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															1
		Area	<u> </u>		UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						
	T	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1								<u> </u>						1
		Area	<u> </u>		UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67				<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1								<u> </u>						1
		Area		<u></u>	UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect	001150	001111		Rates (\$)	001141	001441
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY2	1.15										
AL. KY	Local Area , LA, MS, SC, & TN Only			OLLAD	UEF12	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>					
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	<b> </b>	<b> </b>	UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	<del>                                     </del>	1	UEP9D UEP9D	UEPQF UEPQG	1.15 1.15	21.29 21.29	15.49 15.49	2.85	2.67 2.67	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4	1		UEP9D	UEPQT	1.15	21.29	15.49	2.85 2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<del>                                     </del>	UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5206)4  2-Wire Voice Grade Port (Centrex / EBS-M5216)4	-		UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	1		UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	<u> </u>					
	2-Wire Voice Grade Port (Centrex with Caller ID)	1		UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67				İ		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
0.150	J.112	NETWORK ELEMENTO ROMANY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7.44	101	71441	0020					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		2 VIII VOICE GIAGET ON (CENTRONGING CVVC/EBE MOCCO)2,0,4			OLI OD	OLI QT	1.10	21.25	10.40	2.00	2.07						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	1	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
		lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Feature				UEP9D	UEPVF	0.00										
-		All Standard Features Offered, per port All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					-				
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	+03.00									
	NARS	7 in Contrast Contrast Catalog Charles, por port			02.00	02. 10	0.00										
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
		Digital (1.544 Megabits)			OLFBD	CLINDO	10.51	92.10	13.02	32.10	5.50						
	7 11110	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09			0.00						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										
	Factor	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01			-							
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service Innel Bank Feature Activations	e	$\vdash$		+						<del>                                     </del>					
-	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot		$\vdash$	UEP9D	1PQWS	0.62			1		<b>+</b>					
	1	Chainer Bank Control Edge Olot	1		05		0.02					1		1	1		1
1		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62								1		1
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	1	Slot			UEP9D	1PQW7	0.62										
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOD	4D014/D	0.00								1		1
	1	Different Wire Center	1		UEP9D	1PQWP	0.62			<b> </b>		1	-		<del>                                     </del>		<del>                                     </del>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62								1		1
	1	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	$\vdash$	021 00	11 34 77 7	0.02					1		1	1		1
		Slot			UEP9D	1PQWQ	0.62								1		1
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62							1			
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							•								
		NRC Conversion Currently Combined Switch-As-Is with allowed				1				]					1		1
<u> </u>	1	changes, per port			UEP9D	USAC2		0.102	0.102								
1	1	Conversion of existing Centrex Common Block, each New Centrex Standard Common Block	1		UEP9D UEP9D	USACN M1ACS	0.00	18.95 669.80	8.32 78.32	111.05	13.27	1	-		<del>                                     </del>		<del>                                     </del>
	1	new Centrex Standard Common Block	l	1	OLLAD	MIACO	0.00	08.600	78.32	111.05	13.27	1	L	L	<u> </u>		1

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						L
A -1 -114	NAR Establishment Charge, Per Occasion	ļ		UEP9D	URECA	0.00	72.75									<b></b>
Addit	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use				_	-										<del>                                     </del>
	Premise			UEP9D	URETL		8.33	0.83								i '
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.21	1.10								<u> </u>
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<b></b>
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>			+	<del>                                     </del>										<del></del>
	Non-Design	1	1	UEP9E	1	10.79										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>			1	.5.75										
	Non-Design	<u></u>	2	UEP9E	1	15.52					<u> </u>	<u> </u>		<u> </u>		<u>                                     </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ ,
	Non-Design		3	UEP9E		31.74										<b></b> '
UNE	Port/Loop Combination Rates (Design)	ļ														<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	1	1	UEP9E		13.82										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OLF9L		13.02										<del>                                     </del>
	Design		2	UEP9E		18.60										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		34.37										<u> </u>
UNE I	oop Rate															L
-	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	9.64										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E UEP9E	UECS1 UECS1	14.37 30.59										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										
	Port Rate															<b></b>
AL, F	L, KY, LA, MS, & TN only	ļ		LIEDOE	LIEDVA	4.45	24.20	15.40	2.05	0.07						<b>├</b>
-	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						<del> </del>
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						ĺ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1														
	Area	<u> </u>		UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1			-								1
	Center)2,3 Basic Local Area	<del>                                     </del>		UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						<b>├</b>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						İ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del>                                     </del>		OLF 3L	ULF 1Z	1.13	21.29	15.49	2.05	2.07						<del></del>
	- Basic Local Area	1		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						1 '
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area	ļ		UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						<b></b> '
AL, K	Y, LA, MS, & TN Only	<b>!</b>		LIEDOE	LIEDCA	4.45	04.00	45.40	0.05	0.07						<del>                                     </del>
$\vdash$	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)	<del>                                     </del>		UEP9E UEP9E	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1	<del>                                     </del>		UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1					20									
	Center)2,3	<u> </u>		UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						L
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
	Service Term	<b>!</b>		UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						<b></b>
	2 Wire Voice Grade Port terminated in an Magalink or activities	1		UEP9E	UEPQ9	1.15	24.20	15.49	2.05	2.67						İ
<del>                                     </del>	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP9E UEP9E	UEPQ9 UEPQ2	1.15	21.29 21.29	15.49	2.85 2.85	2.67						<del>                                     </del>
Local	Switching	1		JL1 3L	OLI QZ	1.13	21.29	10.43	2.00	2.07						
1 200	Centrex Intercom Funtionality, per port	1		UEP9E	URECS	0.8873										[
Local	Number Portability															

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Factor	Local Number Portability (1 per port)	-		UEP9E	LNPCC	0.35										Ь
Featu	All Standard Features Offered, per port	<u> </u>		UEP9E	UEPVF	0.00										$\vdash$
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									<del>                                     </del>
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						<b>L</b>
<b></b>	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-		UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
Misce	ellaneous Terminations	1		UEP9E	UARUX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						<b></b>
Intere	DS0 Channel Activated Per Channel  office Channel Mileage - 2-Wire	1		UEP9E	M1HDO	0.00	15.09		<del> </del>		<del>                                     </del>					<del>                                     </del>
interc	Interoffice Channel Facilities Termination			UEP9E	M1GBC	29.11										<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										<b></b>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ĺ
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.62										
	Different Wire Center			UEP9E	1PQWP	0.62										-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.62										
	Slot			UEP9E	1PQWQ	0.62										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															ĺ
	changes, per port  Conversion of Existing Centrex Common Block, each	1		UEP9E UEP9E	USAC2 USACN		0.102 18.95	0.102 8.32								<del>                                     </del>
	New Centrex Standard Common Block	1		UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						<del>                                     </del>
	New Centrex Customized Common Block	1		UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						<b>—</b>
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Addit	ional Non-Recurring Charges (NRC)															<b>.</b>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<b></b>
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	-		+				1		-					<del>                                     </del>
	Non-Design	1	1	UEP93		10.79										İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP93		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP93	1	31.74										
UNF	Port/Loop Combination Rates (Design)	1	3	OLFSS	+	31.74			1		-	-				<del>                                     </del>
ONE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	1	UEP93	1	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	Ė		1											
	Design	1	2	UEP93	l .	18.60										<u> </u>

RATE ELEMENTS  RATE ELEMENTS  RATE STEPPEN SUBMITTED  TOTAL STATE	UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
ATE ELEMENTS   First   Comment   Com	0.1.00.1.0.2.2											Svc Order	Svc Order				Incremental
ATTEMPT PARTE LEMENTS with a book part of the part of																	
ATTECHY  RATE ELEMENTS  May be a control of the con																	
No.   No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
New York Control Reserved Control Processor (1982)   14			m						- (17			per LSK	per LSK				
Property   Property																	
A														1st	Add'I	Disc 1st	Disc Add'i
A								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Severe College College Part (Contemple Contemple Contemple Contemple College							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Dispired   Section   Sec		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
DEF Description   Descriptio				3	UFP93		34 37										
Description   1.1   DePRI   1.5   DePRI   1.5   DePRI   DEPRI   DEPRI   DEPRI   DEPRI   DEPR	UNFI			Ŭ	OLI GO		04.07										
3 With Vision Conduct Long (St. 17 - Zene 2   2   URPPS)	OIVE E			1	HEP93	LIECS1	9.64										
2-Wite Votes Conduct Long (10, 11 - Zene 3   1, UPPS)				2													
SWYEN VOICE Clased Loop (St. 27- Zoze 1   1   UEP93																	
E-Wire Vivos Clarks Log (18, 2- Xon 2)			<del>                                     </del>									1					
Device Vision Closels Part Centres Base Local Pere   Lo																	
URP Fort Rate			<u> </u>														
ALYK_LA, MS, & The only	UNED		<u> </u>	3	UEF93	UECSZ	33.22										
2-Vivie Voice Grade Pot (Centries 80 Internationalistational   UPP3   UPP4   1.15   21.29   15.40   2.85   2.67			<u> </u>	-		_											
2-Wire Voce Grade Port (Centres with Cales PO) Beac Local   UEPP3	AL, KY		<del>                                     </del>		LIEDOS	LIEDVA	4 45	04.00	45.40	0.05	0.07	1			<del>                                     </del>		
Area			<u> </u>		UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67				-		
2-Wire Voice Grade Prt (Centres with Caller D) (Blasic Local Area   UEP93   UEP74   1.16   2.129   15.49   2.65   2.67			1	1	LIEBOO	LIEDVO		04.00	45 **	0.00	0			Ì	I	Ì	
Area   2   2   15.40   2.26   2.57			<u> </u>		UEP93	OFFAR	1.15	21.29	15.49	2.85	2.67	1			<b></b>	ļ	
2-Wine Vasor Grade Port Clearters from diff Serving Wise Center - 2.3 -800   UEP93   UEP74   1.15   21.29   15.49   2.85   2.67			1	1										Ì	I	Ì	
Center():2.3 Black Local Area			ļ		UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67				<b></b>		
2-Wive Voice Grade Port, Der Serving Wire Center - 23 - 800   UEP93   UEP72   1.15   21.29   15.49   2.85   2.67																	
Service Term - Basic Local Area   UEP93   UEP72   1.15   21.29   15.49   2.86   2.67					UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
2-Wire Voce Grade Port terminated in on Megalnik or equivalent   UEP93 UEP93 UEP93 1.15 21.29 15.49 2.85 2.67																	
Basic Local Area					UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
Bavite Votes Grade Port Terminated on 800 Service Term -   UEP93		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
Basic Local Area		- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
2-Vivr Voice Grade Port (Centrex 800 Item/nation)   UEP93   UEP0A   1.15   21.29   15.49   2.86   2.67		2-Wire Voice Grade Port Terminated on 800 Service Term -															
2.Wire Voice Grade Port (Centrex 80t emmination)																	
2-Wire Voice Grade Port (Centrex with Caller ID)1		2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Grade Port (Centrex from dilf Serving Wire Center - 2,3 - 800   UEP93   UEP93   UEP92   1.15   21.29   15.49   2.85   2.67		2-Wire Voice Grade Port (Centrex 800 termination)								2.85							
Center 2,3		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3-800   UEP33		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Service Term		Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
Service Term		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
Local Switching		Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
Local Switching																	
Local Switching		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
Centrex Intercom Funtionality, per port   UEP93 URECS   0.8873		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Centrex Intercom Funtionality, per port   UEP93 URECS   0.8873	Local	Switching															
Local Number Portability   1 per port)					UEP93	URECS	0.8873										
Local Number Portability (1 per port)	Local																
Features					UEP93	LNPCC	0.35										
All Standard Features Offered, per port   UEP93   UEPVF   0.00	Featur		<b>†</b>			1								1	t	1	
AII Centrex Control Features Offered, per port   UEP93   UEPVC   0.00			1		UEP93	UEPVF	0.00					Ì	1	1	1	1	
NARS   Unbundled Network Access Register - Combination   UEP93   UARCX   0.00	l		<b>†</b>											1	t	1	
Unbundled Network Access Register - Combination	NARS	The second secon	1				0.00					Ì	1	1	1	1	
Unbundled Network Access Register - Indial   UEP93	1.5.110	Unbundled Network Access Register - Combination		t	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	1	<b>-</b>	<del> </del>	<b>—</b>	<b> </b>	
Unbundled Network Access Register - Outdial			<del>                                     </del>									1			<b> </b>		
Miscellaneous Terminations			<del>                                     </del>	<b>-</b>								<del> </del>	1	<b> </b>	t	<b> </b>	
2-Wire Trunk Side	Miscol		<del>                                     </del>	<del>                                     </del>	OL: 30	JANOA	0.00	0.00	0.00	0.00	0.00	<del> </del>			<del> </del>	-	
Trunk Side Terminations, each			<del>                                     </del>	<b>-</b>		+				1		<del> </del>	1	<b> </b>	t	<b> </b>	
4-Wire Digital (1.544 Megabits)   UEP93   M1HD1   74.77   164.86   77.74   60.69   3.86   DSD Channels Activated, Per Channel   UEP93   M1HD0   0.00   15.09   UEP93   M1HD0   0.00   15.09   UEP93   M1HD0   UEP93   M1HD0   UEP93   M1HD0   UEP93   UEP93   M1HD0   UEP93	2-11116		<del>                                     </del>		UFP93	CENDS	10 51	92.19	15.82	52 16	5 30	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
DS1 Circuit Terminations, each	4.Wire		<del>                                     </del>	1	021 00	52,150	10.51	32.10	10.02	52.10	5.50	1	1	1	t	1	
DS0 Channels Activated, Per Channel   UEP93   M1HDO   0.00   15.09	7-1116			-	I IED03	M1HD1	74 77	16/ 06	77 74	60.60	3 00	t	1	1	<del> </del>	1	
Interoffice Channel Mileage - 2-Wire  Interoffice Channel Facilities Termination  Interoffice Channel Brillege, per mile or fraction of mile  UEP93 M1GBC 29.11  Interoffice Channel mileage, per mile or fraction of mile  UEP93 M1GBM 0.01  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93 1PQWS 0.62			<del>                                     </del>						11.14	60.09	3.66	1	<del>                                     </del>	1	<del> </del>	1	
Interoffice Channel Facilities Termination UEP93 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile UEP93 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.62	Interes		<del>                                     </del>		OLF 33	טטווואו	0.00	15.09		1		1	<del>                                     </del>	1	<del> </del>	1	
Interoffice Channel mileage, per mile or fraction of mile UEP93 M1GBM 0.01  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.62	interor		<del>                                     </del>	<del>                                     </del>	LIEDO2	MICEC	20 11			-		-	-		<b>-</b>		
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.62			<del>                                     </del>							-		1			<del>                                     </del>		
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.62	F4				OFLAS	MIDDIN	0.01			-		1			<del>                                     </del>		
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.62			e	-		+						1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
	D4 Cha		<b> </b>		LIEDOS	4001410	0.00			1		1	1	1	<del>                                     </del>	1	
Foother Assistation on D. A Channel Book F.V. line Side Lang State		reature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	IPQW5	0.62					1	1		1		
		Francisco Anticontino de D. A. Change el Breel, EVIII de Cilia i de Cilia i			LIEDOS	4001440	0.00								1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Dan .	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage								_	•						
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment									•						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.			•						

Version 3Q03: 11/12/2003 Page 155 of 348

_														•		•	
UNBU	NDLE	NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
														Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	USOC			DATES (A)			Elec	-	Manual Svc	Manual Svc		Manual Svc
CATEG	URT	RATE ELEMENTS	m	Zone	всэ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TI - 117							NE 7 T				D			,	Ar - 1	
		one" shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become a clec/html/inter				ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deaver	aged UNE Zone	Designation	ons by Centi	ral Office, refe	er to internet \	Website:	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	III .							1					
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently conta	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
	each of	the 9 states.		-			-						-				
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			in this category ref	lects the cha	arge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	g charge,
<b> </b>	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.		1	1				ı	1	1		1		
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				CONILO		5.50	0.00	5.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
UNRUM	DI ED E	Day XCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL UEANL	UEASL UEASL	12.90 23.33	36.54 36.54	16.87 16.87								
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	23.33 48.43	36.54 36.54	16.87								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	OL, 1L	52,102	70.70	00.04	10.07								
		Premise		L	UEANL	URETL		8.33	0.83		<u></u>	<u> </u>			<u> </u>		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17					·		_	
		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		19.28	19.28								

UNRU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
214100	HULL	NET WORK ELLWILLING - Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
'		Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		47.50	47.50								
	2 MIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
$\vdash$	2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<del>                                     </del>	1	UEQ	UEQ2X	12.40	35.27	15.60	-							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>                                     </del>		UEQ	UEQ2X	14.32	35.27	15.60								
$\vdash$		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del></del>	3	«	JEGEN	10.07	55.21	13.00	<b>I</b>		<u> </u>		<b> </b>	<b>I</b>	<b> </b>	1
1		Premise	1		UEQ	URETL	l	8.33	0.83	I				1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	<b>†</b>		1		İ	2.50	2.00	1					1		
1		Non-Designed (per loop)	1		UEQ	USBMC	l	7.92	7.92	I				1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
1 '		BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU	l	13.04	13.04	I				1	I	1	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.,	LIEDOD LIEDOD	115 450	40.00	00.54	40.07	0.00	0.00						
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	25.55	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0. 02. 02	027120	10.10	00.01		0.00	0.00						
'		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.93	102.10	65.72						<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							<u> </u>								
<u> </u>		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	25.35	102.10	65.72						1		
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_	L	1				1					1		
<u> </u>		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	50.46	102.10	65.72								
<b>└</b>		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		17.56						ļ		ļ	ļ
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	44.00	400.40	05 =0						1		
$\vdash \vdash \vdash$		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.93	102.10	65.72	<del>                                     </del>				<b> </b>	<del>                                     </del>	<b> </b>	
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	100 10	65.72						1		
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>		ULA	UEAKZ	∠5.35	102.10	05.72	<del>                                     </del>				-	<del></del>	-	
1		Battery Signaling - Zone 3	1	3	UEA	UEAR2	50.46	102.10	65.72	I				1	I	1	
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	3	UEA	OCOSL	30.40	17.56	05.72	t				<del> </del>	t	<del> </del>	
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.59	36.30	<b>I</b>		<u> </u>		<b> </b>	<b>I</b>	<b> </b>	
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.20	1.10	<b>I</b>		<u> </u>		<b> </b>	<b>I</b>	<b> </b>	1
	4-WIRE	E ANALOG VOICE GRADE LOOP	1		1			5	0	t				1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1	<b>†</b>	1	UEA	UEAL4	30.81	127.40	91.02	1				İ	1	1	
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.32	127.40	91.02	1					1		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
			1									Svc Order	Svc Order		Incremental		
												1	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)	ı	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP								1							
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WIRE	HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry	1	1											1		1
		and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	16.24	153.26	104.54						ļ		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		4-Wire Unbundled HDSL Loop without manual service inquiry	1	l .		[ ]									1		1
		and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
		4-Wire Unbundled HDSL Loop without manual service inquiry	1	l _		1								Ì	I		1
		and facility reservation - Zone 2	<b>!</b>	2	UHL	UHL4W	16.65	129.00	92.20								<u> </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry	1	_											1		1
		and facility reservation - Zone 3	<b>!</b>	3	UHL	UHL4W	17.34	129.00	92.20								<b>_</b>
		Order Coordination for Specified Conversion Time (per LSR)	<b>!</b>	<u> </u>	UHL	OCOSL		17.56	40.01								<b>_</b>
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch	<b> </b>	<u> </u>	UHL	UREWO		86.00	40.34						-		<b>_</b>
<u> </u>	4-WIRE	DS1 DIGITAL LOOP	<b>!</b>	<b>L</b> .	1101	1101.007	05.70	045 10	450.00						-	1	<b>├</b>
<b> </b>		4-Wire DS1 Digital Loop - Zone 1	<b>!</b>		USL	USLXX	85.70	245.16	152.98					<del> </del>	<b>!</b>	1	<del>                                     </del>
		4-Wire DS1 Digital Loop - Zone 2	<b> </b>		USL	USLXX	194.96	245.16	152.98						-		<b>_</b>
		4-Wire DS1 Digital Loop - Zone 3	<b>!</b>	3	USL	USLXX	491.94	245.16	152.98						-	1	<b>├</b>
	l	Order Coordination for Specified Conversion Time (per LSR)	1	<u> </u>	USL	OCOSL		17.56		1		1	<u> </u>	l	l	L	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		_	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	38.92	121.86	85.48								
-	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL	00.00	17.56	05.40								
<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	7	UDL UDL	UDL64 UDL64	30.99 36.78	121.86 121.86	85.48 85.48	<del>                                     </del>					<del>                                     </del>		
<b> </b>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+	3	UDL	UDL64 UDL64	36.78 38.92	121.86 121.86		<b>-</b>	1	<del>                                     </del>		-	<del></del>		
<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	38.92	121.86	85.48	<del>                                     </del>					<del>                                     </del>		
<b> </b>	CLEC to CLEC Conversion Charge without outside dispatch	+	-	UDL	UREWO		17.56	49.67	<b>-</b>	1	<del>                                     </del>		-	<del></del>		
2 14/1	RE Unbundled COPPER LOOP	<u> </u>		UDL	UKEWU		101.97	49.07								
2-991	2-Wire Unbundled Copper Loop-Designed including manual	1			+						1					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual	+	<del>- '-</del>	OOL	OCLI D	12.23	110.10	07.40	<u> </u>		1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual		-	002	OOLI D	14.00	110.10	07.40								
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.70	7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry		_			40.00										
<b></b>	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	10.99	139.69	90.96								
-	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	22.27	115.43	78.63								
<b> </b>	and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		UCL	UCL4VV	22.21	115.43	78.63								
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry	+		OOL	OCLAVV	10.55	110.40	70.03	<u> </u>		1					
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								
<b> </b>	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.55	7.92	7.92								
<b>—</b>	CLEC to CLEC Conversion Charge without outside dispatch	1		002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47	1					1		
LOOP MODI		1			1				1				1	1		
		1		UAL, UHL, UCL,	1				1					1		
				UEQ, ULS, UEA,	1				1					1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	İ				I				Ì	I		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	1					1		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire					İ										
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,									]			
1 1				UEQ, ULS, UEA,	1				I				1	I		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	l				I				1	I		
	per unbundled loop	1		UEPSB	ULMBT		12.15	12.15	1					L		

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	JONI	RATE ELEMENTS	m	ZUITE	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic- 1st	Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred		Nonrecurring D					Rates (\$)		
OUD I	0000		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L		l pop Distribution															
	Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								+							
		Up	- 1		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.			LIODOO		00.40	00.40								
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEANL	USBSC		86.16	86.16	-							
		Set-Up	1 .		UEANL	USBSD		27.13	27.13								
	1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>					27.10	27.10	<del>                                     </del>							
		Zone 1	1	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·								
		Zone 2	I	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	Ι,	3	UEANL	USBN2	21.45	63.89	30.06								
$\vdash$	<del>                                     </del>	ZONG 3	+-	3	OLAINL	OODINZ	21.40	03.09	30.06	<del>                                     </del>							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						-	-								
		Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
<u> </u>		Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		2010 0		Ü	OL/ WIL	COBIN	10.27	70.70	72.02								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<b>-</b>		UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71	-							
		Sub-Loop 4-wire intrabuliding Network Cable (INC)	<u>'</u>		UEANL	USBR4	0.58	57.54	23.71	+							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	<del>                                     </del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06	+							
-	1	2 vviile Sopper Oribunialed Sub-Loop Distribution - 2018 3	<del>- '</del> -	3	OLI	0032A	12.70	03.09	30.06	<del>                                     </del>							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS4X	8.03	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	10.71	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.08	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	1	Loop Testing - Basic 1st Half Hour	<b> </b>		UEF	URET1		33.17	33.17	<del>                                     </del>							
	1	Loop Testing - Basic Additional Half Hour	1		UEF	URETA		19.28	19.28	1							
	Unbun	dled Network Terminating Wire (UNTW)															
	L	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	Networ	rk Interface Device (NID)	ļ		LIENTA/	LINDAO		40.00	07.00	<del>                                     </del>							
-	1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	1		UENTW UENTW	UND12 UND16		42.26 62.86	27.83 48.43	+							
<u> </u>		Network Interface Device (NB) - 1-6 lines  Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73	1							
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
	1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		$oxed{oxed}$							
<u> </u>	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		<del>                                     </del>							
1		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	THER. P	PROVISIONING ONLY - NO RATE			L141 VV	CIVEOIN	0.00	0.00		<del>                                     </del>							
3.12	, 1	OHE! HO WILL	1			l							l	l	l		

LINDLI	NDI E	D NETWORK ELEMENTS Lauriniona												A 11 I		F.1.1	
UNBU	NDLE	D NETWORK ELEMENTS - Louisiana		1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhil	
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,	l <u></u>											
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				l											
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ļ
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP		<u> </u>													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				l											
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															l l
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per				l											
		month			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP N	/IAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															, ,
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
		AND LINE SPLITTING															
		<ol> <li>The Line Sharing monthly recurring rates for all installation</li> </ol>					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	<u>")                                    </u>											
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
$\vdash$	SPLITT	TERS-CENTRAL OFFICE BASED		<u> </u>		05 .					ļ						
$\vdash$		Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA	187.17	183.33	0.00		1				1		
$\vdash$		Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDB	46.79	183.33	0.00		ļ						<u> </u>
$\vdash$		Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS	ULSD8	15.59	183.33	0.00		ļ						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1		000		00.00	0.00				1		Ì		
$\vdash$	END :::	deactivation (per LSOD)		1	ULS	ULSDG		83.98	0.00	1	<b> </b>		ļ		<del> </del>		
$\vdash$	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<del>                                     </del>							<b> </b>						
		Line Sharing - per Line Activation (BST Owned splitter) -		1	111.6	III epo	0.04	47.07	40.00				1		Ì		
$\vdash$		OBSOLETE see **NOTE 2		1	ULS	ULSDC	0.61	17.97	10.29	1	<b> </b>		ļ		<del> </del>		
		Line Share Service, TRO per line activation, BST owned splitter -		1									1		Ì		
		Central Office Located (25% of UCLND) - please see NOTE 1		1		LII CDT	0.40	47.0-	10.00				1		Ì		
$\vdash$		(E:10/2/2003)		1	ULS	ULSDT	3.10	17.97	10.29	1	<b> </b>		ļ		<del> </del>		
		Line Share Service, TRO per line activation, BST owned splitter -															l l
		Central Office Located (50% of UCLND) - please see NOTE 1			0	LUODT	0.00	47.07	40.00								l l
$\vdash$		(E:10/2/2004)		<u> </u>	ULS	ULSDT	6.20	17.97	10.29		1						
		Line Share Service, TRO per line activation, BST owned splitter -										1					
		Central Office Located (75% of UCLND) - please see NOTE 1				LII ODT	0.00	47.00	40.00			1					
<b> </b>		(E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29		ļ						<b></b>
		Line Sharing - per Subsequent Activity per Line				LII CDC		45.01	7.5-								I
$\vdash$		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		15.91	7.95		ļ						-
		Line Sharing - per Subsequent Activity per Line				000											ı
$\vdash$		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		15.91	7.95	-	ļ				ļ		
		Line Sharing - per Line Activation (DLEC owned Splitter) -		1			0.04	47.44	40.04				1		Ì		
		OBSOLETE see **NOTE 2	l	<u> </u>	ULS	ULSCC	0.61	47.44	19.31		l		l				

	LED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
01120112												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
0475000	.,	DATE EL EMENTO	Interi	<b>-</b>	D00				D 4 T F O (6)			Elec		Manual Svc	Manual Svc		
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	g Disconnect	1		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
$\vdash$		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned			OLO	OLOGI	0.20	47.44	19.51								
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
LIN	IE SP	LITTING															
EN		ER ORDERING-CENTRAL OFFICE BASED				110565											<u> </u>
$\vdash$		Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS UREBP	0.61 0.61	17.97	10.29		1	<u> </u>		-	<b> </b>		<b></b> '
$\vdash$		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		<del>                                     </del>	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61	17.97 17.97	10.29	-	-	<b> </b>					<del> </del> '
MΔ		NANCE			OLI OK OLFOD	OIVEDV	0.01	17.37	10.29		<b> </b>	<b> </b>					<del>                                     </del>
III		No Trouble Found - per 1/2 hour increments - Basic	1			† †		80.00	55.00		1				1		
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		EDICATED TRANSPORT															
INT		FFICE CHANNEL - DEDICATED TRANSPORT															<u> </u>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATOR	41.577	0.040										
<b></b>		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.013										<u> </u>
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	01112	22.00	00.00	20.02								
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			11477.07	41.500/	0.040										
+-+		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		<u> </u>	U1TVX	1L5XX	0.013										-
	l.	Recollect Charmer - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	19.81	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01114	10.01	00.00	20.02								
		per month			U1TDX	1L5XX	0.013										
	T i	nteroffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5307											
$\vdash$		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		-	U1TDX	1L5XX	0.013				<del> </del>	<b> </b>					<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								1
$\vdash$		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		<b>-</b>	CIIDA	31100	13.01	33.37	20.02			1					<del>                                     </del>
		month			U1TD1	1L5XX	0.2652										1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	70.47	86.69	79.44								
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
<b></b>		month			U1TD3	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	850.45	270.69	158.05								1
<del>                                     </del>		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	כעווט	01113	050.45	270.09	150.05		1				1		
		month			U1TS1	1L5XX	6.04										1
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	ŀ	Termination			U1TS1	U1TFS	830.19	270.69	158.05								
DARK FIBE																	$oxed{oxed}$
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41.505	25.00										
$\vdash$		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel		-	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	25.28	620.60	133.88					-	-		<del> </del>
$\vdash$		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	<del>                                     </del>	ODE, ODEOA	JDI-14	1	020.00	133.68		1	<u> </u>			<del> </del>		<del>                                     </del>
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	52.23								1		
-		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		620.60	133.88		İ			İ	İ		

LINID	IINDI E	D NETWORK ELEMENTO Lauraiana															
UNB	UNDLE	D NETWORK ELEMENTS - Louisiana	1			1	1					Cue Onden	Cora Cardan		ment: 2	Exhi	
													1	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
OA.L		NATE ELEMENTO	m		200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX	ACCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.51	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.77	0.78								
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.77	0.78								
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.51	1.26								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OUD	N8FMX		0.00	4.00								
-		Routing Per CXR Requested Per 8XX No.			OHD OHD	N8FAX		2.93 2.93	1.68 0.43								
_		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	INSFAX	-	2.93	0.43								
		Features			OHD	N8FDX		2.51									
-		realules			טחט	INOFUA		2.31				1					
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
-		8XX Access Ten Digit Screening, w/ 6XX No. Delivery, per query			מווט	+	0.0000367					1					
		query			OHD		0.0006387										
LINE	INFORM	ATION DATA BASE ACCESS (LIDB)			OLID	+	0.0000007										
	IIII OIIII	LIDB Common Transport Per Query			OQT	+	0.0000221										
		LIDB Validation Per Query			OQU		0.0135077										
		LIDB Originating Point Code Establishment or Change			OQT. OQU	NRBPX		33.33									
SIGN	ALING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
F044	0550//05	Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911	SERVICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21								
-	-	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	├			+	18.32	187.51	32.21		1	<del>                                     </del>			-		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				+	18.32	187.51	32.21		1			-	1		
1	-	Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3	<del>                                     </del>			+	0.013	107.51	JZ.Z I		1	<del>                                     </del>			<del> </del>		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Fer Facility		1		+	0.010				1						
1		Termination	1			1	22.60	39.36	26.62						1		
		Local Channel - Dedicated - DS1 - Zone 1	<b>†</b>			1	39.18	172.34	149.27		1				1		
		Local Channel - Dedicated - DS1 - Zone 2				1	121.58	172.34	149.27		İ			İ	İ		
		Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27								
		Interoffice Transport - Dedicated - DS1 Per Mile					0.2652										
								_									
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u> </u>				70.47	86.69	79.44		<u> </u>			<u></u>	L		
CALL	ING NAM	IE (CNAM) SERVICE			-												
		CNAM For DB Owners - Service Establishment			OQV			22.29	·								
		CNAM For Non DB Owners - Service Establishment	<u> </u>		OQV	1		22.29									
		CNAM For DB Owners - Service Provisioning With Point Code				1											
		Establishment	ļ		OQV	+	ļ	962.22	711.64		ļ				ļ		
		CNAM For Non DB Owners - Service Provisioning With Point	1		001	1	]								1		
<u> </u>		Code Establishment	ļ		OQV		0.00100:-	332.43	238.05		ļ	1					
<u> </u>	-	CNAM for DB Owners, Per Query	<b> </b>		OQV	+	0.0010217				1	}		1	<del> </del>		
er: -	CTIVE	CNAM for Non DB Owners, Per Query	<b> </b>	-	OQV	+	0.0010217				1	1			ļ		
SELE	CTIVE R	OUTING	1				1				1	<u> </u>	l	l			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per						00.05	00.05								
VIRTUAL COLI	Switch						82.25	82.25								
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CO	LLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment		-	UEBIB	SRCEC		100,209.33	101.00								1
	End Office Establishment Query NRC, per query			UEBIB UEBIB	SRCEO	0.0030293	164.29	164.29								+
	JTH AIN SMS ACCESS SERVICE		1	0.00	1	0.0030293			1						1	+
1	AIN SMS Access Service - Service Establishment, Per State,															†
	Initial Setup			A1N	CAMSE	<u>                                       </u>	38.30	38.30			<u></u>				<u> </u>	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN SMS Access Service - User Identification Codes - Per User				0.0.0.0.0		00.00	00.00								
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		33.99	33.99								+
	Initial or Replacement			A1N	CAMRC		41.39	41.39								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			, ,	0,	0.0022	11.00	11.00								
	AIN SMS Access Service - Session, Per Minute					0.5795										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8104										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		38.30	38.30								
	AIN Toolkit Service - Training Session, Per Customer		1	CAIVI	BAPVX		4,175.10	4,175.10								1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VX		4,173.10	4,173.10								<del>                                     </del>
	DN, Term. Attempt				BAPTT		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		22.47	22.47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAPIO		33.47	33.47								+
	DN. CDP				BAPTC		33.47	33.47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		33.47	33.47								
	AIN Toolkit Service - Query Charge, Per Query					0.0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access		-			0.006569										1
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.00										+
	Subscription			CAM	BAPMS	10.90	7.60	7.60								
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.80	8.41	8.41								<u> </u>
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			ļ												
<b> </b>	Subscription			CAM	BAPDS	8.20	7.60	7.60								<b> </b>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES	0.09	8.41	0.44								
	Service Subscription (TENDED LINK (EELs)		1	CAIVI	DAPES	0.09	8.41	8.41	1							+
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not apr	olv for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					<del>                                     </del>
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ng charges below v	will apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	RT					_						

UNBUN	IDLF	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITECIT	DEL	THE TWORK ELEMENTO LOGISTATIO		l								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
1			1	l -						1 1		1	<u> </u>	<u> </u>	_		1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
			l									1		]			1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26	1					1		<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	INTE	ROFFICE TRANSPO	DRT											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
				_													
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
				_					4= 00								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5307	0.0050										
-		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
-		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97		-							<b></b>
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	59.97	12.96 4.26	-							-
		Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	IDIVG	0.0497	5.91	4.20	+							-
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONCVX	OLAL	30.01	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	30.32	34.21	45.03								
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
<del>                                     </del>		Additional Voice Grade COCI in combination - per month	1	Ť	UNCVX	1D1VG	0.6497	5.91	4.26	+				1	<u> </u>		<b>†</b>
		Nonrecurring Currently Combined Network Elements Switch -As-	l				2.2.0	2.01	20	1				1	t		
		Is Charge	l		UNC1X	UNCCC		5.43	5.43	1					1		1
E	XTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			İ										
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09	1		1		1	I		1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09	<u>1                                     </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					<u> </u>			<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile									<u> </u>						1
		Per Month			UNC1X	1L5XX	0.2652										<u></u>
	Ī	Interoffice Transport - Dedicated - DS1 - combination Facility	1	l -			Π			1 1		1	<u> </u>	<u> </u>	_		1
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								1
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								1
		OCU-DP COCI (data) per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.38	5.91	4.26	1				ļ	ļ		<b>I</b>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l			1	[			1					1		1
<b></b> _		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09	1				ļ	<b>.</b>		<b></b>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	١.						1		1		Ì	I		1
<b>—</b>		Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	36.78	94.21	45.09	<b></b>							<del>                                     </del>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l		LINODY	LIDI 50	00.00	04.01	45.00				1				1
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								1

UNBLINDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
SHESHEL	LE IVOIN LELINEITO - Louisiana		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
		1	1			I					Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES (\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	-	Nonrec	urrina	Nonrecurring Di	iooonnoot		l	000	Rates (\$)		
						Rec			First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	A 11% 1 0011 DD 0001 (1-1-)				-		First	Add'l	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	I	3	UNCDX	UDL64	38.92	94.21	45.09				1				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile											l				
	Per Month	I		UNC1X	1L5XX	0.2652						1				
	interoffice Transport - Dedicated - DS1 combination - Facility	1	1		,	0.2002			<del>                                     </del>			1		t		
	Termination Per Month	I		UNC1X	U1TF1	70.47	143.58	103.88				1				
<del>                                     </del>	1/0 Channel System in combination Per Month	<b>!</b>	<b>!</b>	UNC1X	MQ1	105.09	59.97	12.96	<del>                                     </del>							
<del>                                     </del>	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	<del>                                     </del>	<del>                                     </del>	UNCDX	1D1DD	1.38	59.97	4.26	<del>                                     </del>			l		1	1	1
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1	OHODA	טטוטו	1.38	0.81	4.20	++			-		-		
			4	LINCDY	UDL64	30.99	94.21	45.09								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_					4= 00								
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	I		UNC1X	U1TF1	70.47	143.58	103.88				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	i –		T	1			i i			İ		1	İ	İ
	Is Charge	I		UNC1X	UNCCC		5.43	5.43				1				
FXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.40	0.40	<del>                                     </del>			<b> </b>				
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89	<del>                                     </del>			l		<b> </b>		
<del>                                     </del>	First DS1Loop in Combination - Zone 2	<del>                                     </del>	2	UNC1X	USLXX	194.96	169.22	100.89	<del>                                     </del>			l		1	1	1
<del>                                     </del>	First DS1Loop in Combination - Zone 2  First DS1Loop in Combination - Zone 3	<del>                                     </del>		UNC1X	USLXX	491.94	169.22	100.89	<del>                                     </del>			l		1	1	1
<del>                                     </del>	Interoffice Transport - Dedicated - DS3 combination - Per Mile	<del>                                     </del>	3	014017	JULAN	431.34	103.22	100.09	<del>                                     </del>			l		1	1	1
	Per Month	l		UNC3X	1L5XX	6.04						l				
$\vdash$	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1	OINOOA	ILOAA	6.04			<del>                                     </del>					-		
		l		LINIOOV	LIATEO	050 :-	000 00	404 10				l				
$\vdash$	month	<b>!</b>	<u> </u>	UNC3X	U1TF3	850.45	296.68	121.16	<b>-</b>			ļ		-		ļ
$\vdash$	3/1Channel System in combination per month	<b>!</b>	<u> </u>	UNC3X	MQ3	201.48	107.05	91.25	<b>-</b>			ļ		-		ļ
	DS1 COCI in combination per month	ļ	ļ	UNC1X	UC1D1	11.78	5.91	4.26	$\vdash$							
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1	ļ	1	UNC1X	USLXX	85.70	169.22	100.89								
	Additional DS1Loop in DS3 Interoffice Transport Combination -	I				]						1				
	Zone 2	<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1								-		1			l	1
	Zone 3	I	3	UNC1X	USLXX	491.94	169.22	100.89				1				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2-WireVG Loop in combination - Zone 1	T		UNCVX	UEAL2	14.93	94.21	45.09								
	2-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL2	25.35	94.21	45.09	<del>                                     </del>			1			1	1
	2 This to Loop in combination Zone Z	1		J. 15 VA	O L / 1LL	20.00	U-1.Z1	-0.03				L		1	l	l

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			1110000	41.5007	0.040										
		Month Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.013			-							
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	011172	22.00	72.00	41.70								
		Is Charge			UNCVX	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
		4-WireVG Loop in combination - Zone 1		_	UNCVX	UEAL4	30.81	94.21	45.09								
$\vdash$	+	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL4 UEAL4	38.32 60.39	94.21 94.21	45.09 45.09	+							
-	+	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	OIVOVA	ULAL4	60.39	94.∠1	45.09	+ +							
	1	Month			UNCVX	1L5XX	0.013										
		Interoffice Transport - 4-wire VG - Dedicated - Facility								1							
	<u> </u>	Termination per month	ļ		UNCVX	U1TV4	19.81	72.60	41.75	ļ							
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICVAY	LINGGG	1	F 40	5.43								
	EVTEN	ls Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTED	EEICE	UNCVX	UNCCC		5.43	5.43	-							
-	LAILN	DS3 Local Loop in combination - per mile per month	INTERC	I	UNC3X	1L5ND	10.04			+ +							
		200 200ai 200p iii oonibiilaaaan pariiiio pariiiolaa			0.100/1	120112	10.01										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility			LINIONY	LIATEO	050.45	000.00	101.10								
		Termination per month			UNC3X	U1TF3	850.45	296.68	121.16	-							
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.43	5.43								
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		011000		0.40	0.40								
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.04										
		STS-1 Local Loop in combination - Facility Termination per															
<u> </u>		month			UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.04										
-		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	TLOAK	0.04										
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNCSX	UNCCC		5.43	5.43								
<u> </u>	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT 1	LINICNIV	LIALOV	22.00	94.21	45.09	+							
<b>-</b>	1	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2	-	2	UNCNX UNCNX	U1L2X U1L2X	22.09 35.28	94.21	45.09 45.09	+			-				
	1	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09	<del>                                     </del>							
		Interoffice Transport - Dedicated - DS1 combination - per mile		Ť	-				.2.30								
	1	per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAV	LIATE4	70.4-	440.50	400.00	1 T							
-	+	Termination per month	<b></b>	-	UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96	+							
	+	1/0 Channel System in combination - per month 2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	105.09	59.97	12.96 4.26	<del>                                     </del>							
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			2	00.0/(	2.55	0.01	7.20	<del>                                     </del>							
		Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	22.09	94.21	45.09	<u> </u>							
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
<u> </u>	<del> </del>	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	+							
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
<b>—</b>	+	Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	OIVOIVA	UILZA	03.18	94.∠1	45.09	+							
	1	month			UNCNX	UC1CA	2.96	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-								1							
	<u> </u>	Is Charge		<u> </u>	UNC1X	UNCCC	1	5.43	5.43	1							
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE			05.70	400.00	400.00	+							
$\vdash$	+	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	<del>                                     </del>	2	UNC1X UNC1X	USLXX	85.70 194.96	169.22 169.22	100.89 100.89	+							
		i iiai DOT Loop Combination - Zone Z	l		UNUIA	USLAA	134.90	103.22	100.09			1	l		l .		

UNBU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
0.400	.1044	J. T. T. J. T. C. L. L. L. L. L. L. L. L. L. L. L. L. L.									Sv	c Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			er LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)		P	Jei Lak	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring Disco	nnect			oss	Rates (\$)		
								First	Add'l	First Ac	dd'I S	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
-		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport			UNC1X	UC1D1	11.78	5.91	4.26								
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	USLAA	65.70	109.22	100.89								
		Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport	1			30200	104.00	700.22	100.00						1		
		Combination - Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89						1		
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26						1		
		Nonrecurring Currently Combined Network Elements Switch -As-					1										
		Is Charge			UNCSX	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		ls Charge			UNCDX	UNCCC		5.43	5.43								
	EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT			LIDL C4	20.00	04.04	45.00								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX UNCDX	UDL64 UDL64	30.99 36.78	94.21 94.21	45.09 45.09		-						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09	-							
-		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL04	30.92	34.21	45.09								
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ОПОВА	TEOTO	0.010										
		Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09						İ		
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		First Interoffice Transport - Dedicated - DS1 combination - Per							·								
		Mile			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -				=.											
		Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
$\vdash$		Per each DS1 Channelization System Per Month	<b> </b>		UNC1X	MQ1	105.09	59.97	12.96								
$\vdash$		Per each Voice Grade COCI - Per Month per month	<del>                                     </del>		UNCVX	1D1VG	0.6497	5.91	4.26						<del>                                     </del>		
$\vdash$		3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-		UNC3X	MQ3 UC1D1	201.48	107.05	91.25						ļ		
$\vdash$	<b>-</b>	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	<del>                                     </del>		UNC1X	ועוטט	11.78	5.91	4.26						-		
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.93	94.21	45.09						1		
$\vdash$		Each Additional 2-Wire VG Loop(SL2) in the same DS1	<b> </b>		OINOVA	JEALE	17.53	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	Ė			20.00	J1	.0.50						1		
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	50.46	94.21	45.09						1		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month	<u></u>		UNC1X	1L5XX	0.2652										
	-	Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						-										
			<u> </u>			Rec	Nonrec			g Disconnect				Rates (\$)		
	F1-A-1-17'		1	LINIOAV	110454	44.70	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	LINICCO		5.40	F 40								
EVTE	Is Charge  NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EBOEE	ICE TO		UNCCC		5.43	5.43								
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKOFF	TOE IK	ANSPURI W/ 3/1 N	NUA											
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -		+ '-	UNCVA	ULAL4	30.01	34.21	43.03			1					
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OLAL	30.32	34.21	43.03			1					
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOVA	OL71L4	00.00	04.21	40.00								
	Mile Per Month		1	UNC1X	1L5XX	0.2652										
<del></del>	First Interoffice Transport - Dedicated - DS1 - Facility	1	1		,,	3.2002						<b> </b>	<b> </b>	1	<b> </b>	<b> </b>
	Termination Per Month	1	1	UNC1X	U1TF1	70.47	143.58	103.88	Ì				Ì		Ì	l
<del>- 1</del>	Per each 1/0 Channel System in combination Per Month	1	1	UNC1X	MQ1	105.09	59.97	12.96			1				1	
	Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	0.6497	5.91	4.26	1	1	1		1	1	1	<del> </del>
	3/1 Channel System in combination per month		1	UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10.17	00.5.		0.01	20								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	O. T.O. T.A.	OZ, IZ I	00.01	02.	10.00								
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	OHOVA	OL71L4	00.02	04.21	40.00								
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<u> </u>	0.1017	OL/IL!	00.00	02.	10.00								
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.17	120701	0.2002										
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-					0.0.0.										
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE				0.10	0.10								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	T	1													
	Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1													
	Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1 -										İ		İ	İ
	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
l	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť		1			.5.50	Ì	1			1		1	İ
	Mile Per Month	1	1	UNC1X	1L5XX	0.2652			Ì				Ì		Ì	l
	First Interoffice Transport - Dedicated - DS1 - combination	1	1						İ	İ			İ	İ	İ	İ
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	11.78	5.91	4.26								
ĺ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		l													
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09	Ì				Ì		Ì	l
ĺ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
[	Interoffice Transport Combination - Zone 2	<u>L</u>	2	UNCDX	UDL56	36.78	94.21	45.09	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09				1	Ì		Ì	l
	OCU-DP COCI (data) COCI in combination per month (2.4-				ĺ	Ì										
	64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	1.38	5.91	4.26	<u> </u>	<u> </u>	L	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.2652			<u> </u>	<u> </u>	L	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in					ļ										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Or Submit Elec per L	Manually	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-					+		Nonrec	urrina	Nonrecurring Discor	noct		088	Rates (\$)		
						Rec	First	Add'l	First Ad		C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system						11130	Auu	That Au	00	O COMPART	COMPAR	COMPAR	COMPAR	COMPAR
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-														
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	PFICE	TRANSPORT W/ 3/1	MUX						_				
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						*								
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice							45.00							
-	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	38.92	94.21	45.09			_				
	Mile Per Month			UNC1X	1L5XX	0.2652									
	First Interoffice Transport - Dedicated - DS1 combination -														
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25			-				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
h + + + + + + + + + + + + + + + + + + +	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	30.76	94.21	45.09			+				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System														
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.2652									
h + + + + + + + + + + + + + + + + + + +	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSXX	0.2652					+				
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88							
	Each Additional DS1 COCI in the same 3/1 channel system														
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		5.43	5.43							
FXTE	Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	2T w/ 3/	1 MIIX	UNCIX	UNCCC		5.43	5.43			+				
EXIL	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	11 11/ 0/	IIIOX												
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
-	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	35.28	94.21	45.09			-				
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							
	First Interoffice Transport - Dedicated - DS1 combination - Per			OHOHA	OTLEX	00.10	04.21	40.00							
	Mile per month			UNC1X	1L5XX	0.2652									
	First Interoffice Transport - Dedicated - DS1 combination -														
-	Facility Termination per month			UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96			-				
<del>                                     </del>	Per each Channel System 1/0 in combination - per month			OINO I A	IVIQ I	105.09	59.97	12.90		-	+				
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26			1				
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09			1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<del>- '</del> -	OI TOI TA	JILEA	22.09	34.∠ I	40.08							
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	<u> </u>			<u> </u>	<u> </u>		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							

UNRI	INDI =	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: A
CIAD	JINDLL	DINETWORK ELLINENTO - Louisiana										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_				
OA! L	00	TOTAL ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect			220	Rates (\$)		
-	+						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel				-		riist	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SUMAN	SOWAN
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								1
-	+	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINA	UCTCA	2.90	5.91	4.20								<del> </del>
		Channel System per month			UNC1X	1L5XX	0.2652										i
	+	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.2032										<del> </del>
					UNC1X	U1TF1	70.47	143.58	103.88								1
	+	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	70.47	143.58	103.88								<del> </del>
					UNC1X	UC1D1	44.70	5.04	4.26								1
		combination per month			UNCTX	OCIDI	11.78	5.91	4.26				ļ				+
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAN	1111000		5.40	5.40								1
		Is Charge			UNC1X	UNCCC		5.43	5.43								<b></b>
	EXIEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRANS				0= =0	400.00	100.00								<b></b>
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								<b></b>
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								<b></b>
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								<b></b>
		First Interoffice Transport - Dedicated - DS1 combination - Per		1											Ì		1
		Mile Per Month			UNC1X	1L5XX	0.2652										<b></b>
		First Interoffice Transport - Dedicated - DS1 combination -															1
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								<b></b>
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								<b>!</b>
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								<b></b>
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.2652										l
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								L
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								L
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
		1		1	UNC1X	USLXX	85.70	169.22	100.89								1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i
		2		2	UNC1X	USLXX	194.96	169.22	100.89								L
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
		3		3	UNC1X	USLXX	491.94	169.22	100.89								<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE :	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															1
L_		per month	<u></u>	<u>L</u>	UNCDX	1L5XX	0.013				<u> </u>	<u></u>	<u></u>		<u>                                       </u>		<u> </u>
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															1
		Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								ſ
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															ſ
		per month		1	UNCDX	1L5XX	0.013								Ì		1
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility									1						1
		Termination per month		1	UNCDX	U1TD6	15.61	72.60	41.75						Ì		1
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1							İ				İ		ſ
		Is Charge		1	UNCDX	UNCCC		5.43	5.43						Ì		1
ADDIT	IONAL I	NETWORK ELEMENTS		1							İ				İ		ſ
		used as a part of a currently combined facility, the non-recurr	ng chai	raes do	not apply, but a S	Switch As Is cl	narge does apr	olv.			İ	İ			İ		
		used as ordinarily combined network elements in All States, th									İ	İ			İ		
		curring Currently Combined Network Elements "Switch As Is"					2.2 2				1	1	1		<del> </del>		f
<u> </u>			90	, 55							1	1	·		1		

UNRU	NDI F	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
CIABO	11066	ALT WORK ELLINERTO' LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,		Order vs.	Order vs.	Order vs.
071120			m			5555			= (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								ł '
		Nonrecurring Currently Combined Network Elements Switch -As-															[
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								i '
		Nonrecurring Currently Combined Network Elements Switch -As-															·
		Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								i '
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								í
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								ł
	Option	al Features & Functions:															i
					U1TD1,												ĺ
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	OI	01	OI						l
					U1TD1,												ı
		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						L
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												ĺ
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						l
					U1TD3, ULDD3,												ĺ
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
	MULTIF	PLEXERS															<u> </u>
		DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								<u> </u>
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															í
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								<u> </u>
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															í
		month (2.4-64kbs) used for connection to a channelized DS1															í
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								<b></b>
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															ł
		month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								<b></b>
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															í
		month used for connection to a channelized DS1 Local Channel															í
		in the same SWC as collocation		<u> </u>	U1TUB	UC1CA	2.96	6.39	4.58								<b></b>
		Voice Grade COCI - DS1 to DS0 Channel System - per month				404140	0.0407	0.00	4.50								í
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								<b></b>
		Voice Grade COCI - DS1 to DS0 Channel System - per month															ł
	l	used for connection to a channelized DS1 Local Channel in the	l		LIATUC	1011/0	0.0407	0.00	4.50	1					1		i
-	<b>-</b>	same SWC as collocation DS3 to DS1 Channel System per month	-	-	U1TUC UNC3X	1D1VG MQ3	0.6497 201.48	6.39 107.05	4.58 91.25	-	<b> </b>				-		
-	<b>-</b>	STS-1 to DS1 Channel System per month	-	-	UNCSX	MQ3	201.48	107.05	91.25	-	<b> </b>				-		
-	1	DS1 COCI used with Loop per month	1	1	USL	UC1D1	11.78	6.39	4.58	1		1			1		
<b>—</b>	<u> </u>	DS1 COCI (used for connection to a channelized DS1 Local	1	<del>                                     </del>	001	55151	11.76	0.39	7.30	<del>                                     </del>					<del>                                     </del>		
	l	Channel in the same SWC as collocation) per month	l		U1TUA	UC1D1	11.78	6.39	4.58	1					1		i
	1	DS1 COCI used with Interoffice Channel per month	1	1	U1TD1	UC1D1	11.78	6.39	4.58	t					<b>†</b>		1
	1	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	1		30.51	11.70	0.00	4.50	<b> </b>	<u> </u>		l		<b> </b>		ſ
	l	month	l		ULDD1	UC1D1	11.78	6.39	4.58	1					1		í
UNBUN	IDLED I	OCAL EXCHANGE SWITCHING(PORTS)	l	<del>                                     </del>				2.00		1					t		í
		ge Ports				1				İ					İ		i
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	ng retail USOC	s								í
		VOICE GRADE LINE PORT RATES (RES)															í
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21								ĺ
		•															ĺ
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	<u>L</u>	UEPSR	UEPRC	1.52	2.31	2.21	L	<u> </u>	<u></u>	<u></u>		<u> </u>		<u> </u>
		-															1
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	Ш.	UEPSR	UEPRO	1.52	2.31	2.21	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
		Exchange Ports - 2-Wire VG unbundled LA extended local															1
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21	L					<u> </u>		<u> </u>
	l	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus	l	1			-	<u> </u>									
		with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21								
	1	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	1									1		_		1
		with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21	1							

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CHECHEL	TEL TOTAL ELEMENTO EGUIDIANA										Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan															
	without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus															
-	without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								<b>├</b> ──
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.52	2.31	2.21								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -					. =0										İ
-	Bus  Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.52	2.31	2.21								<del></del>
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21								1
	and and port with Gallot (E-10-110 Dag.	1		02. 00	32, 50	1.02	2.51	2.21	+							
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.52	2.31	2.21								1
	Exchange Ports - 2-Wire VG unbundled LA extended local							_								
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with					. =0										
	Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area	1		UEPSB	UEPB1	1.52	2.31	2.21								
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
-	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan			OLI OD	OLI AA	1.02	2.01	2.21	-							
	without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
	Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4.50	0.04	0.04								
-	Capability Subsequent Activity			UEPSB UEPSB	UEPBE USASC	1.52 0.00	2.31 0.00	2.21 0.00								<del>                                     </del>
FEAT				ULFSB	USASC	0.00	0.00	0.00	+							<del>                                     </del>
I LA	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42								
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42								
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPPO UEPP1	1.52 1.52	30.37 30.37	14.42 14.42								<del>                                     </del>
-	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1		UEPSP	UEPLD	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42	-							<b>—</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42								
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del>                                     </del>		UEPSP	UEPXD	1.52	30.37	14.42	<b></b>							<del>                                     </del>
	Capable Port			UEPSP	UEPXE	1.52	30.37	14.42								1
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			OLI GI	OLI AL	1.02	00.07	14.42								
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<del>                                     </del>	<del>                                     </del>	ULPOP	JEFAIVI	1.52	30.37	14.42	+							<del>                                     </del>
	Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42								
FEAT	Subsequent Activity	ļ	<u> </u>	UEPSP	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features	1	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	+		-	-				$\vdash$
	r ii r waliable vertical i catures	1	1	OLI OI OLFOL	OLI VI	0.00	0.00	0.00			1	I	L	L		

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
330,113	European										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec		urring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EX	CHANGE PORT RATES (COIN)															
L	Exchange Ports - Coin Port	I.,		L	<u> </u>	1.52	2.31	2.21	<u> </u>	<u> </u>		L				
	TE: Transmission/usage charges associated with POTS circuit so TE: Access to B Channel or D Channel Packet capabilities will be													- Danisant Da		
	TE: Access to B Channel of D Channel Packet capabilities will be ED LOCAL EXCHANGE SWITCHING(PORTS)	e avanai	Die only	y through BFR/New	Business Re	quest Process.	Rates for the	раскет сараы	lities will be a	etermined via t	ne Bona Fio	ie Request/	New Busines:	s Request Pro	ocess.	
	CHANGE PORT RATES				1						-			-		1
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	t in this	rate evhibit annly t	o the embed	dad hasa in nla	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 th	lese rates shall	revert to ta	riff rates or	a senarate an	reement		
	quests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											lii rates or	a separate ag	reement.		
- Ite	Exchange Ports - 2-Wire DID Port	1		UEPEX	UEPP2	8.29		18.20		Denocuary a	isoretion.					
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					0.20										
	capability (E:4/1/2004)	1		UEPDD	UEPDD	68.47	196.18	92.92				1		1		
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	1	UEPTX, UEPSX	U1PMA	10.07	70.76	51.46	İ	1			İ			İ
	All Features Offered	1	1	UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	İ	<b>†</b>				İ		i e
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								1
NO	TE: Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to ci		ed voice and/or		ed data transm	nission by B-C	hannels assoc	ated with 2	wire ISDN ı	orts.			1
NO	TE: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	ocess.	
EX	CHANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
Det	ailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per			HEDEV	LIED4A	0.00	4 700 00									
	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1A	0.00	1,792.00									
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	174.03									
No	v or Additional PRI Telephone Numbers		1	UEPEX	UEPIB	0.00	174.03				1					
INC	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-													
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			-			_									
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]	<u></u>	<u>L</u>	UEPDX	UEP1E	0.00	0.48		<u> </u>	<u> </u>			<u></u>	<u> </u>		<u> </u>
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]	<u> </u>	<u> </u>	UEPEX	PR7ZT	0.00	22.35	22.35								
LO	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	<u> </u>		UEPEX UEPDX	LNPCN	1.75										
INT	ERFACE (Provsioning Only)	<u> </u>	<u> </u>		ļ									ļ		ļ
	Voice/Data	ļ	ļ	UEPEX	PR71V	0.00	0.00	0.00		ļ				1		ļ
	Digital Data	ļ	1	UEPEX	PR71D	0.00	0.00	0.00							ļ	ļ
k)	Inward Data	<b>!</b>	1	UEPDX	PR71E	0.00	0.00	0.00	<b> </b>	1			1	<b>!</b>	ļ.	ļ
Nev	w or Additional Channel	l	1	LIEDEY	DD7D\/	0.00	4444			<del>                                     </del>				<del>                                     </del>	1	<del> </del>
	New or Additional - Voice/Data "B" Channel  New or Additional - Digital Data "B" Channel	<del>                                     </del>	1	UEPEX UEPEX	PR7BV PR7BF	0.00	14.11 14.11			<b> </b>				<del>                                     </del>		<b> </b>
<b> </b>	New or Additional Inward Data "B" Channel	<del> </del>	1	UEPEX	PR7BD	0.00	14.11		-	<b> </b>			-	-	<b> </b>	<b> </b>
$\vdash$	New or Additional Useage Sensitive Voice Data "B" Channel	<del>                                     </del>	+	UEPEX	PR7BS	0.00	14.11			-		-		<del>                                     </del>	1	<b>}</b>
<b> </b>	New or Additional Useage Sensitive Voice Data B Channel	<del> </del>	1	UEPEX	PR7BU	0.00	14.11		-	<b> </b>			-	-	<b> </b>	<b> </b>
<del>                                     </del>	New or Additional PRI "D" Channel	<del>                                     </del>	1	UEPEX	PR7EX	0.00	14.11		1	1			1	t	1	1
CA	LL TYPES	<del>                                     </del>	<del>                                     </del>	OLI LA	111/2	0.00	14.11		<u> </u>	<del> </del>		<b> </b>		t	1	<del> </del>
- OA	Inward	1	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			<u> </u>	<b> </b>		<b>I</b>	1	1
	Outward	t	<del>                                     </del>	UEPEX	PR7CO	0.00	0.00	0.00			<u> </u>	<b> </b>		<b>I</b>	1	1

UNRI	INDI FI	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit· Δ
ONE	JINDEL	THE TWORK ELLINERTO LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred			Disconnect				Rates (\$)		
-	LINIDIIN	DI ED DODT	,					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	ONBON	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21			1					
		Oribundied Nemote Can't Gwarding Service, Area Caning, Nes			OLI VIX	OLIVAC	1.02	2.01	2.21			1					
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
	<u> </u>	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUN	DLED REMOTE CALL FORWARDING - Bus	ļ			ļ				ļ							
	1	Halana Had Barrata Oall Frances III Oall Annual III o	1		LIEDVD	UED40							1		1		
	<del>                                     </del>	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>	<u> </u>	UEPVB	UERAC	1.52	2.31	2.21	ļ	<b> </b>	<u> </u>			<b> </b>		
		Habitadlad Bamata Call Forwarding Continue Lacel Calling Day			UEPVB	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB UEPVB	UERTE	1.52										
		Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31 2.31	2.21 2.21			1					
		Unbundled Remote Call Forwarding Service, intraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and			UEFVB	UEKIK	1.52	2.31	2.21								
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
	Non-Re	curring			OLI VD	OLIVO	1.02	2.01	2.21								
	THOI INC	Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBU	NDLED L	OCAL SWITCHING, PORT USAGE															
	End Of	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
		n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port - Shared, Per MOU					0.000222										
		Tandem Switching Function Per MOU (Melded)					0.000035296										
-	+	Tandem Trunk Port - Shared, Per MOU (Melded) Melded Factor: 33.08% of the Tandem Rate	<del>                                     </del>	<del>     </del>		1	0.000073438			1	-	1	<b> </b>		-		
		on Transport				1				<del> </del>		<u> </u>			1		
	Commit	Common Transport - Per Mile, Per MOU				1	0.0000032			<del> </del>		<u> </u>			1		
-	+-	Common Transport - Facilities Termination Per MOU	<del>                                     </del>			<del> </del>	0.0003748			<del> </del>	<u> </u>	<b> </b>	<b> </b>		<del> </del>		
UNBU	NDLED P	ORT/LOOP COMBINATIONS - COST BASED RATES				1	0.0000.40										
		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Cor	nmission rule to pro	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.	Ì	Ì				İ		
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
	End Of	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of th	is rate exhibi	it shall apply to	all combinati	ons of loop/po	ort network ele	ments except	for UNE Coi	n Port/Loop	Combination	ns.		
	The fire	t and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Combi	ned Combos tl	he nonrecurrin	g charges sha	III be those ide	ntified in the N	lonrecurring	ı - Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
	<u> </u>	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		1	13.13			[							
	1	2-Wire VG Loop/Port Combo - Zone 2		2		ļ	23.75			ļ		ļ					
		2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		<b> </b>	49.62			ļ							
-	UNE Lo	op Rates	<b> </b>		HEDDY	LIEDLY	44 77			ļ	<b> </b>	ļ			<del> </del>		
-	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	<del>                                     </del>	1 2	UEPRX UEPRX	UEPLX UEPLX	11.77 22.39			<b> </b>							
-	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>		UEPRX	UEPLX	48.26			<b> </b>							
-	2-Wire	Voice Grade Line Port Rates (Res)	<del>                                     </del>	3	OLFIVA	OLFLA	40.20			1	1	<b> </b>	-		1		
-	2-44116	2-Wire voice unbundled port - residence	<del>                                     </del>		UEPRX	UEPRL	1.36	38.85	19.08	<del> </del>					<b> </b>		
-	1	2-Wire voice unbundled port with Caller ID - res	<b> </b>		UEPRX	UEPRC	1.36	38.85	19.08	<b>†</b>							
	1	2-Wire voice unbundled port with Galler 15 - res	1		UEPRX	UEPRO	1.36	38.85	19.08	1	1				1		
	1	2-Wire voice Grade unbundled Louisiana extended local dialing	1				50	33.30	.0.50	1	1				1		
	1	parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08								
												-					

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
-	2 Mire voice unbundled Louisiana Area Plus with Caller ID. rea				+	1100	First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								1
	2-Wire voice unbundles res, low usage line port with Caller ID			02.100	02.7.0	1.00	00.00	10.00								
	(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								1
	2-Wire voice unbundled Louisiana Area Plus Port without Caller			OLFRX	OLFWG	1.30	36.63	19.00								
	ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								ı
	2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	4.00	00.05	40.00								i l
FFA	Capability TURES			UEPRX	UEPRT	1.36	38.85	19.08								$\overline{}$
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
NON	Local Number Portability (1 per port)  RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0.35										$\vdash$
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								i
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
ADD	Switch with change ITIONAL NRCs			UEPRX	USACC		0.10	0.10								<del></del>
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								i
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBBY												l
OEE/	Premise ON PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83								
OF 17	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								Ī
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPRX UEPRX	UEAED UEAED	14.93 25.35	102.10 102.10	65.72 65.72								$\vdash$
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRX	U1TV2	22.60	20.20	20.00								i
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPRX	01172	22.00	39.36	26.62								
	or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								i
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+	13.13										
<b>-</b>	2-Wire VG Loop/Port Combo - Zone 1		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										i
UNE	Loop Rates			HEDDY	HEDLY											
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	1 2	UEPBX UEPBX	UEPLX UEPLX	11.77 22.39										
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 2	<b> </b>		UEPBX	UEPLX	48.26										
2-Wi	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08								
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	1		UEPBX UEPBX	UEPBC UEPBO	1.36 1.36	38.85 38.85	19.08 19.08								<del></del>
	2-Wire voice dribdridied port odigoring only - bus  2-Wire voice Grade unbundled Louisiana extended local dialing			011 D/	02.00	1.30	30.03	13.00								
	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08								
<del>                                     </del>	2-Wire Voice Unbundled Louisiana Business Dialing Plan				02.701	1.50	00.00	10.00								
	without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08								
	учиточт банет по баравшку	1	1	ULFDA	UEPDA	1.30	30.85	19.08	L			l l		l		

UNBU	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
01120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
								First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability		<u> </u>	UEPBX	UEPBE	1.36	38.85	19.08								
		NUMBER PORTABILITY		<u> </u>	LIEDDY	LNDOV	0.05										
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00		+						
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFBA	OLF VI	0.00	0.00	0.00	<del>                                     </del>							
	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+				<del>                                     </del>							
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						-									
1		Switch with change	1		UEPBX	USACC		0.10	0.10	]			1				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	<u></u>		UEPBX	USAS2		0.00	0.00	<u> </u>					<u> </u>		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	23.33	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
		Wire Analog Voice Grade Extension Loop – Design     Wire Analog Voice Grade Extension Loop – Design		3	UEPBX UEPBX	UEAED UEAED	25.35 50.46	102.10 102.10	65.72 65.72								
	INITED	DFFICE TRANSPORT		3	UEPBA	UEAED	50.46	102.10	05.72								
	INTERC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1								+						
		Termination			UEPBX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		OLI DX	01172	22.00	33.30	20.02		+						
		or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)					0.0.0										
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
<u> </u>	0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPRG	UEPLX	48.26										
<u> </u>	∠-wire	Voice Grade Line Port Rates (RES - PBX)	<b>!</b>	<u> </u>		1				<del>                                     </del>							
1		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res	1		UEPRG	UEPRD	4 30	66.04	24.00	]			1				
-	LOCAL	NUMBER PORTABILITY	1		ULFRU	UEPKU	1.36	66.91	31.29	<del>                                     </del>			-				
<b> </b>		Local Number Portability (1 per port)	<b>!</b>	1	UEPRG	LNPCP	3.15	0.00	0.00	<del>                                     </del>	-						
$\vdash$	FEATU		<del>                                     </del>		021110	111 01	5.15	0.00	0.00	<del>                                     </del>			<b> </b>				
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		-	1	2.20	2.20	2.30	i i							
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
L	<u></u>	Conversion - Switch-As-Is	<u>L</u>		UEPRG	USAC2		7.68	1.85	<u>                                      </u>			<u> </u>		<u> </u>		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.68	1.85								
<u> </u>	ADDITI	ONAL NRCs															
1		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		l	1				]			1				
<u> </u>		Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00	<b> </b>							
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						<b>-</b>	<b>-</b>								
<u> </u>		Group	<b>!</b>	<u> </u>		1		7.11	7.11	1					ļ		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		UEPRG	LIDET		0.00	0.00	]			1				
-	OEE/O	Premise PREMISES EXTENSION CHANNELS	1	<del>                                     </del>	UEPRG	URETL	<b></b>	8.33	0.83	<del>                                     </del>			<b> </b>				
-	OFF/OF	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	14.93	102.10	65.72	<del>                                     </del>			<b> </b>				
-	-	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	1	2	UEPRG	P2JHX P2JHX	25.35	102.10	65.72	<del>                                     </del>			<b> </b>				
L	<u> </u>	Local Orialinei voice grade, per termination	1		טבו ווט	I ZJI IA	25.55	102.10	05.72	<u> </u>			l				

CATEGORY   MATE ELEMENTS   Marie   Done   BCS   USOC   RATE (B)   Statistical Control of	UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ATTECHNISH ART ELEMENTS   Seat	CHECHEL	ED HEITIGIAN ELEMENTO EGGISIANA										Svc Order	Svc Order				Incremental
ACTE CHILDRENTS  RATE ELHIBATTS  RATE PLUMBATES  RATE PLUMBATE SIGN PARTICLES (B)  RATE PLUMBATES (B)  RAT																	Charge -
### CONTROL OF PLAN PLAN   Deep Line   Dee	1		Inter'														Manual Svc
Betroin:   Betroin:	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
1			m									per Lore	per Lore				Electronic-
No.   No.																	Disc Add'l
Comparison   Com																D130 131	Disc Add I
Description   Control Control Control (Control Contr							Rec										
INTEGER TRANSPORT										First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestive Transport - Decisional - 2 Wiles Voice Grade - Facility   Legisland   Legisl	L			3	UEPRG	P2JHX	50.46	102.10	65.72								
Terristation	INTE			<u> </u>													
Intercitive Transport - Poblanded - 2 Wire Vision Granter - Per Mello   James Port Care Commission Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Commission Rates   James Vision Rate Vision Rates   James Vision Rates					LIEDDO	11477.00	00.00	00.00	00.00								
OF Printer Mail   SHIPPY CONTROL GRADE LOOP WITH SWIRE LINE PORT (BUS - PRIS)	-				UEPRG	U11V2	22.60	39.36	26.62								
2-Wine Voca Grandard Corp WITH 2-WINE LURP PORT (BUS - PRX)					LIEDDC	LIATVAA	0.013	0.00	0.00								
Deep Port Long Continuition Rates	2.WI				UEPRG	UTIVM	0.013	0.00	0.00	-		-			-		
2-Wine Vol Loop/Prof Combor - Zone 1						_											
2-Wine Vot CoopProf Control - Zone 3   3   5   5   5   5   5   5   5   5	ONE			1			13 13					1					
December   December						+											
UNE Loop Rates				_		+											
2-Wine Voso Gradu Loog (St. 1) - Zone 2   2   UEPPX   UEPX   2.2   2.5	UNF			Ŭ			70.02			<u> </u>				1	<u> </u>		
2-Wire Votos Gridad Lone (St. 1) - Zone 3   3   UEPPX   UEPLX   22.30	- Unit		<b>†</b>	1	UEPPX	UEPLX	11.77			<b>I</b>		<u> </u>		<b> </b>	<b>I</b>		
2-Wire Voice Grade Line Port Lates (BUS - PRY)										t	1			1	<b>†</b>	1	1
2   2   2   2   2   2   2   2   2   2			1							t				1	1		
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	2-Wi		<b>†</b>	Ť	:	J	.5.20			t				1	t		
Line Side Unbundled Culward PSX Trunk Port - Bus   USPPX   USPPC   1-36   66.91   31.29						1				1				İ	1		
Line Side Unbundled Outward PSX Trunk Port - Bus   UEPPX   UEPP1   1-36   66.91   31.29		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29								
Line Side Unbundled Incoming PEX Trunk Port - Bits   UEPPX   UEPL2   1.36   66.91   31.29																	
2-Wire Vote Urbundled 2-Way PC Combination PRX Lossiana   UEPPX   UEPL2   1.36   66.91   31.29																	
Calling Port																	
2.Wive Violac Unbounded 2-Way Combination PBX Usage Port   ULEPN   ULEPN   1.36   66.91   31.29					UEPPX	UEPL2	1.36	66.91	31.29								
2-Wire Voice Unburided PRX LD DID Terminals Port   UEPPX   UEPX   1.36   66.91   31.29					UEPPX	UEPLD	1.36	66.91	31.29								
2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Pott   UEPPX   UEPX   1.36   66.91   31.29		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
2-Wire Voice Unbundled PSL ID Terminal Switchboard IDO   Capable Port   UEPPX UEPX   1.36   66.91   31.29		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29								
2-Wire Voice Unbundled PSk LD Terminal Switchboard IDD		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29								
Capable Port		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port   UEPX		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port					UEPPX	UEPXE	1.36	66.91	31.29								
Administrative Calling Port																	
Administrative Calling Port					UEPPX	UEPXK	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy   UEPPX UEPX																	
Room Calling Port					UEPPX	UEPXL	1.36	66.91	31.29								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port   UEPPX   UEXACT   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UEPX   UE																	
Discount Room Calling Port			<u> </u>	<u> </u>	UEPPX	UEPXM	1.36	66.91	31.29	ļ					ļ		
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local   UEPPX			1		l	1				I				1	I		
Discount Calling Port			ļ		UEPPX	UEPXO	1.36	66.91	31.29	ļ				ļ	ļ		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPPX   UEPX   1.36   66.91   31.29			1		LIEDDY	LIEDY'S				I				1	I		
LOCAL NUMBER PORTABILITY	$\vdash$		<u> </u>							<b>.</b>				<b> </b>	-	ļ	ļ
Local Number Portability (1 per port)	H		<u> </u>	<u> </u>	UEPPX	UEPXS	1.36	66.91	31.29	-					-		
FEATURES	LOC		<b> </b>	<u> </u>	LIEDDY	LNDCD	0.4-	0.00	0.00	<b>!</b>	-			<del> </del>	<b>!</b>	1	1
All Features Offered			<b> </b>	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00	<b>!</b>	-			<b> </b>	<b>!</b>	1	1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is   UEPPX	FEA		<del>                                     </del>	-	LIEDDY	LIED\/E	0.00	0.00	0.00	<del>                                     </del>		-		<del>                                     </del>	<del>                                     </del>		-
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is   UEPPX   USAC2   7.68   1.85	NON		├	<del>                                     </del>	OLFFA	UEFVF	0.00	0.00	0.00	<del>                                     </del>				-	<del></del>		
Conversion - Switch-As-Is	NON		<del>                                     </del>			+				<del> </del>		-		1	+	1	1
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change  Leppx			1		LIEPPX	LISAC2		760	1 95	I				1	I		
Conversion - Switch with Change	<del>                                     </del>		<del>                                     </del>		OLI I A	UUAUZ		1.00	1.05	t				1	t	1	1
ADDITIONAL NRCs  2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group  UEPPX USAS2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			1		UEPPX	USACC		7 68	1 85	I				1	I		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	ADD		<b>†</b>			0000		7.00	1.00	<b>I</b>		<u> </u>		<b> </b>	<b>I</b>		
Subsequent Activity			1			1				t				1	1		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group   7.11			1		UEPPX	USAS2	0.00	0.00	0.00	I				1	I		
Group   7.11			<b>†</b>	<del>                                     </del>			2.00	2.00	2.00	t				1	t		
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPX URETL 8.33 0.83  OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72	1 1							7.11	7.11	1					1		
Premise			1	1						1	İ			İ	İ	İ	İ
OFF/ON PREMISES EXTENSION CHANNELS			1		UEPPX	URETL		8.33	0.83	I				1	I		
Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72	OFF/																
				1	UEPPX	P2JHX	14.93	102.10	65.72								
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72								

UNBU	INDLEI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
01120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					-	1	Nonrec	urring	Nonrecurring	g Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72	11130	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	INTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
-		ort/Loop Combination Rates  2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13			-							
		2-Wire VG Coin Port/Loop Combo – Zone 1		2			23.75										
-	<u> </u>	2-Wire VG Coin Port/Loop Combo – Zone 2  2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	49.62			<del>                                     </del>		-	-		<del> </del>		
		pop Rates		5		+	73.02			<b>†</b>	1	1		1	1		
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77			1							
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without													]		
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	UEPRB	4.00	00.05	40.00								
		(AL, LA, MS)  2-Wire Coin 2-Way with Operator Screening & Blocking:			UEPCO	UEPRB	1.36	38.85	19.08								
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
		2-Wire Coin Outward without Blocking and without Operator			OLI OO	OLI OD	1.00	00.00	10.00								
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and 011 Blocking						00.00									
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) 2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO UEPCO	UEPNA UEPCB	1.36 1.36	38.85 38.85	19.08 19.08	1							
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCB	1.30	30.00	19.06	-			-				
<u> </u>		UNE Coin Port/Loop Combo Usage (Flat Rate)	<u> </u>		UEPCO	URECU	1.81	0.00	0.00	0.00	0.00				<b> </b>		
		NUMBER PORTABILITY			02. 00	311200	1.01	5.00	3.00	5.00	3.00						
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			1					İ		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED													İ		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	<u> </u>	Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO					I					1		
<u> </u>	ADDIT	Switch with change			UEPCO	USACC		0.10	0.10	1	1			-	<del> </del>		
	ADDITI	ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				<b>_</b>	1	-	-				
		Activity Activity			UEPCO	USAS2		0.00	0.00	1							
<b>-</b>	<b>†</b>	Unbundled Miscellaneous Rate Element, Tag Loop at End User			021 00	00,102		0.00	0.00	<b>-</b>	1	<u> </u>			<b> </b>		
		Premise			UEPCO	URETL		8.33	0.83	I					1		
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (										1			
	UNE Po	ort/Loop Combination Rates		l ì													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	ļ	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87			ļ					ļ		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
<u> </u>	UNE LC	pop Rates		4	LIEDED	LIECES	44.00			<del>                                     </del>					-		
$\vdash$	<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		1 2	UEPFR UEPFR	UECF2	14.93 25.35			<b>_</b>	1	-	-				
-		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46			<del>                                     </del>				-	1		
$\vdash$	2-Wire	Voice Grade Line Port Rates (Res)		3	OLITIN	OLOI Z	30.40			<del>                                     </del>		-	-		<del> </del>		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93	<b>+</b>							
						, U.L. 11L	1.02	10-11	01.00	1	1	1	1	l	1		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
020												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								<b></b>
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								<b></b>
		2-Wire voice Grade unbundled Louisiana extended local dialing															í
		parity port with Caller ID - res		<u> </u>	UEPFR	UEPAS	1.52	104.41	67.93								<del></del>
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEDED	LIEDAG	4.50	404.44	07.00								í
-		(1102)		-	UEPFR	UEPAG	1.52	104.41	67.93								<del></del>
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93								ł
					UEPFR	UEPAP	1.52	104.41	67.93								
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID	l	1	UEPFR	UEPWG	1.52	104.41	67.93						Ì		1
	INITED	OFFICE TRANSPORT			UEPFK	UEPWG	1.52	104.41	07.93								
$\vdash$	41 EK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	<del>                                     </del>		+				<del>                                     </del>					<del> </del>		
		Termination	l		UEPFR	U1TV2	22.60	39.36	26.62						1		i
$\vdash$		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	<del>                                     </del>	021111	01172	22.00	55.50	20.02	<del>                                     </del>					<del>                                     </del>		
		or Fraction Mile	l		UEPFR	1L5XX	0.013										i
	FEATU				OLITIK	120701	0.010										
	· LAIO	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY			02	02. 1.	0.00	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															i
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								í
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															í
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								í
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															í T
		End User Premise			UEPFR	URETN		11.20	1.10								l
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												<u> </u>
	UNE P	ort/Loop Combination Rates															<u> </u>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										<b></b>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										<b></b>
		pop Rates		L .		115050	1100										<b></b>
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										<b></b>
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										<del>                                     </del>
	0 M:	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
-	z-wire	Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus	-	-	UEPFB	UEPBL	1.52	104.41	67.93	<del>                                     </del>					-		
<u> </u>		2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus	<b>!</b>	<del>                                     </del>	UEPFB UEPFB	UEPBC	1.52	104.41	67.93	<del>                                     </del>					-		
-		2-Wire voice unbundled port outgoing only - bus	1	1	UEPFB	UEPBO	1.52	104.41	67.93			1	1				
		2-Wire voice Grade unbundled Alabama extended local dialing			02110	02.00	1.02	104.41	01.33	<del>                                     </del>					<del> </del>		
		parity port with Caller ID - bus	l		UEPFB	UEPAW											i
		2-Wire voice Grade unbundled Louisiana extended local dialing	1			02.700									1		í
		parity port with Caller ID - bus	l	1	UEPFB	UEPAX	1.52	104.41	67.93						Ì		1
		2-Wire voice unbundled incoming only port with Caller ID - Bus	l	<del>                                     </del>	UEPFB	UEPB1	1.52	104.41	67.93	1					1		í
		2-Wire voice unbundled Louisiana Bus Area Calling Port with		1		1				1					İ		i Total
		Caller ID (BUC)	l		UEPFB	UEPAA	1.52	104.41	67.93						1		i
		2-Wire Voice Unbundled Louisiana Business Dialing Plan															1
		without Caller ID	<u> </u>	<u>L</u>	UEPFB	UEPWH	1.52	104.41	67.93	<u>                                      </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
	LOCAL	NUMBER PORTABILITY															<u> </u>
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTER	OFFICE TRANSPORT		<u> </u>													<b>i</b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l														i
		Termination			UEPFB	U1TV2	22.60	39.36	26.62								1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l														i
		or Fraction Mile			UEPFB	1L5XX	0.013										<del>                                     </del>
<u> </u>	FEATU		<u> </u>		LIEDED	LUEDI (E									<b> </b>		<del></del>
$\vdash$		All Features Offered	<b> </b>	<u> </u>	UEPFB	UEPVF	0.00	0.00	0.00								<b></b>
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	l	<u> </u>											l		L

CATEGORY RATE ELEMENTS  RATE ELEMENT	UNRUN	DI FI	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Exhil	hit: A
CATEGORY   PARTE ELEMENTS   Decoration   D	5.45514	J	THE THORK ELLINEITIO LOGISIANA										Svc Order	Svc Order				Incremental
APPLICATION   RATE FLEMENTS   Rate   Rose   Rose   RATE (S)   Prof.   RATE (S)   Prof.   Rate   Rose   Ro																		Charge -
CATEGORY   RAYE ELEMENTS   Max   Zone   BCG   USC   RAYES (1)   part 15R   part 15R   Content vs. Co				Inter'														Manual Svc
Description   Description	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
14   April   Discrete   Discret				m						.,,			per Loix	per Lor				Electronic-
Nonexemble   Non																		
SWILLOW TOTALIST TRUSTED TO STATE THE PAIN   SOME																	DISC 1St	DISC Add I
Description   Description								Pec										
Combination - Committed - State State								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wite Loop Deficienced ST Transport 2 Way Line Pert   USPFR																		
Combestation - Convenience - Seattle with the harge   MEPFB   USACC   B 2.2   1.81						UEPFB	USAC2		8.24	1.81								
Unbloaded Microalisance Rate Element, Top Designed Layer at   1,20   1,10   1																		
First later Persons	-					UEPFB	USACC		8.24	1.81								
2 WINE VOICE LOOP VAINE VOICE GNAME OF TRANSPORT / 2 WINE VOICE (STATE OF THE LINE OF TH						LIEDED	LIDETNI		11 20	1 10								
Description of Combination Relates	2	-WIRE		FINE	OPT (		UKLIN	-	11.20	1.10	<b>†</b>							
2-Wine V6 Location Transport Part Centres - Zener 1   1   16.86				LINE	1710	DA)	+	-			<b>†</b>							
2-Wine Vot Control TransportPet Comino - Zone 2   2   2   5.5   5.168					1			16.45										
Declaration   Declaration					2						İ							
2-Wine Voca Grade Long (SL2) - Zone 1   1   UEPPP UECP2   14-93																		
2-Wire Vose Grade Lords (SL2) - Zone 3   3_UEPPP   UEPS   25.58	U	NE Lo																
2-Wire Voice Grade Land Part Rate (BUS - PRX)					1													
2									_	•								
Line Side Unbumilled Curbination 2-Way PRX Trunk Port - Bus	$\coprod$				3	UEPFP	UECF2	50.46										
Line Side Unbunded Outward PSX Turk Port - Bus   UEPPP   UEPPP   UEPPP   1.52   132.47   82.14	2.	-Wire	Voice Grade Line Port Rates (BUS - PBX)	ļ							ļ				ļ	ļ		
Line Side Unbundled Outward PRX Turk Port - Bus			December 10 and			LIEDED	LIEDES											
Line Side Unbunded Horoming PRX Trank Port - Biss																		
2-Wire Voice Unbundled 2-Way PEX (Justiens and Calling Port   UEPFP   UEPL2   1.52   132.47   82.14											1							
Calling Port					<u> </u>	UEPFP	UEPP1	1.52	132.47	82.14			-					
2.Wire Vices Unburdied 2-Way Combination PBX Usage Port   UEPFP   UEPXA   1.52   132.47   82.14						LIEDED	HEDL 2	1.52	122 47	92.14								
2.Wire Visce Unbunded PXX Tol Terminal Hotel Ports   UEPFP   UEPXA   1.52   132.47   82.14													1					
2-Wire Voice Unburided PEX LD DOT Emmals Port   UEPPP   UEPX   1.52   132.47   82.14																		
2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Port   UEPFP   UEPXC   1.52   132.47   82.14																		
2-Wire Voice Unbundled PSK LD Terminal Switchboard IDD   UEPFP   UEPKD   1.52   132.47   82.14																		
Capable Port						UEPFP												
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port   UEPX   1.52   132.47   82.14			2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port						UEPFP	UEPXE	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy   UEPFP   UEPXL   1.52   132.47   82.14																		
Administrative Calling Port						UEPFP	UEPXK	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Hotel/Hospital   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Hotel/Hospital   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Louisiana Local   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   1.52   132.47   82.14   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPVF   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPVF   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPVF   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   0.00   Recommediated 1-Way Outgoing PBX Measured Port   UEPFP   UEPXM   0.00   0.00   0.00   0.00																		
Room Calling Port						UEPFP	UEPXL	1.52	132.47	82.14								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital   UEPFP   UEPXO   1.52   132.47   82.14						LIEDED	LIEDVA	4.50	100.47	00.44								
Discount Room Calling Port						UEPFP	UEPXM	1.52	132.47	82.14	-							
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port   UEPFP   UEPXP   1.52   132.47   82.14						LIEDED	LIEDYO	1.52	132 47	82 14	I				1	1		
Discount Calling Port	+			<b> </b>		OLFIF	ULFAU	1.52	132.47	02.14	<del> </del>		-		1	1		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPFP   UEPXS   1.52   132.47   82.14						UEPFP	UEPXP	1 52	132 47	82 14								
LOCAL NUMBER PORTABILITY											1				1	1		
Local Number Portability (1 per port)	L	OCAL					1											
INTEROFFICE TRANSPORT  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination  UEPFP U1TV2 22.60 39.36 26.62  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile  FEATURES  IAI Features Offered  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81  UEPFP USACC 8.24 1.81				l		UEPFP	LNPCP	3.15	0.00	0.00					1	1		
Termination	II.		OFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFP 1L5XX 0.013																		
Or Fraction Mile   UEPFP   1L5XX   0.013						UEPFP	U1TV2	22.60	39.36	26.62								
FEATURES   UEPFP UEPVF 0.00 0.00 0.00   UEPFP UEPVF 0.00 0.00   UEPFP UEPVF 0.00 0.00 0.00 0.00   UEPFP UEPVF 0.00 0.00 0.00 0.00   UEPFP UEPVF 0.00 0.00 0.00	1 [			1		l	1 7	Ι Τ			_				1	1		
All Features Offered	$\vdash \vdash$			ļ		UEPFP	1L5XX	0.013			ļ				ļ	ļ		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change  UEPFP USACC 8.24 1.81  Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise  UEPFP URETN 11.20 1.10  UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	<u> </u>			<b> </b>	<u> </u>	LIEDED	LIED) /C	0.00	0.00	0.00	<b>.</b>	-			<b> </b>	<b> </b>		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81  Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES  2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT				<del>                                     </del>	-	UEPFP	UEPVF	0.00	0.00	0.00	<del>                                     </del>	-	-		<del>                                     </del>	<del>                                     </del>		
Combination - Conversion - Switch-as-is	⊢ N	UNKE		<del>                                     </del>			+ -	+			+							
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change  UEPFP USACC 8.24 1.81  Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10  UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-Wire Voice GRADE Loop- BUS ONLY - WITH 2-WIRE DID TRUNK PORT						LIEPEP	USAC2		8 24	1 21	1				1	1		
Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81  Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10  UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES  2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	+			<del>                                     </del>		0=111	00,102	+	0.24	1.01	t				<del> </del>	<del> </del>		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise  UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES  1.10  1.10  1.10  1.10  1.10  1.10  1.10  1.10  1.10  1.10						UEPFP	USACC		8.24	1.81	I				1	1		
End User Premise				<b>1</b>			1				1				İ	Ì		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT			End User Premise			UEPFP	URETN		11.20	1.10	I				1	1		
			PORT/LOOP COMBINATIONS - COST BASED RATES															
UNE Port/Loop Combination Rates				PORT														
	U	NE Po	ort/Loop Combination Rates															

CATEGORY   RATE ELEMENTS   Interest   December   Dece	IINBIINDI E	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Evh:	hit· Δ
ATTECHNESS  BATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  Inst m  RATE ELEMENTS  RATE ELEMENTS  Inst m  RATE ELEMENTS  RATE	SHOUNDLE	D INC. INC. IN LELIVICIA 10 - LOUISIANA	1										Svc Order	Svc Order				Incremental
ACTION RATE ELEMENTS   Body			1															Charge -
### CAPPE OF THE PROPERTY OF T																		Manual Svc
Recommendation	CATEGORY	RATE EL FMFNTS		Zone	R	cs	usoc			RATES (\$)								
Second Color   Seco	CATEGORI	KATE ELEMENTO	m	20116		00	0000			KATEO (ψ)			per LSR	per LSR				Order vs.
Part																		Electronic-
Perf   April   Congress   Congr															1st	Add'l	Disc 1st	Disc Add'l
Perf   April   Congress   Congr									Nonrec	urring	Nonrecurring	Disconnect			220	Pates (\$)	l	
2-Vive 1/5 Locacy 2/Vive DID Trans Part Garder U.H. 2/Vive 2/Vive 1/2 Locacy 2/Vive DID Trans Part Garder U.H. 2/Vive 2/Vive 2/Vive 1/2 Locacy 2/Vive DID Trans Part Garder U.H. 2/Vive 2/Viv								Rec					SOMEC	SOMAN			SOMAN	SOMAN
2-Vive VC Loca/2-Vive DIO Trank Port Control: URE Zone 2   2   33.62		2 Wire VG Leep/2 Wire DID Trunk Port Combo LINE Zone 1		1				22.20	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
Description   Comparison   Co							1				-					-		
UNE Loop Research   Company   Comp																		
Print   Prin	LINE			3				30.73										
2-th Analys Nor-Gride Logo (1921) LINE 2009 2   16679Y   16701   23,30   167	UNE L			-	LIEDDY		LIECDA	44.00										
Description   Description																		
DIEPTOK NEWS   COLUMN   COLU																		
Exchange Ports - 2-Wire Did Port	LINE D			3	UEPPA		DECDI	30.46										
NONECURRING CHARGES - CURRENTLY COMBINED	UNEF			<u> </u>	LIEDDY		LIEDD1	0.07	217.05	92.02								
2-Wire Voso Grade Log / 2-Wire DID Trans Port Combination -   UEPPX	NOND				UEPPA		UEPUI	0.21	217.93	03.92								
Solid-Tai-Size   Company	NONRI		<del>                                     </del>	<del>                                     </del>			-	-			<del>                                     </del>					-		
2-Wise Votes Grade Loop / 2-Wise DID Trust Port Conversion   UEPPX			1		LIEDDY		110.001		7.40	1.04			1					
Weith Boll South Allowable Changes	<del>  </del>		1	1	UEPPX		USACT		7.10	1.81	1				1	<del>                                     </del>	-	
ADDITIONAL NRCs			1		LIEDDY		110440		7.10	4.04								
Description   Description					UEPPX		USATC		7.10	1.81								
Universided Macedianeous Rate Element, Tag Designed Loop at English Control   University   Uni	ADDIT		<b>!</b>		HEDDY		110404		00.01	00.01						1		
End User Premise	<del>  </del>		1	1	UEPPX		USAS1		26.01	26.01					-	1		
Telephone NumberTrunk Group Establisment Charges   UEPPX   NOT   0.00																		
DID Trunk Termination (One Per Pert)	LL				UEPPX		UREIN		11.20	1.10								
Additional DID Numbers for ears Group of 20 DID Numbers   VEPPX   ND4   0.00	Teleph																	
DID Numbers, Non- consecutive DID numbers   UEPPX   NOS   0.00																		
Reserve Non-Consecutive DID numbers																		
Reserve DID Numbers   UEPPX   NOV   0.00																		
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTAL CRADE LOOP WITH 2-WIRE ISIDN DIGITAL LINE SIDE PORT   LOCAL NUMBER PORTABILITY																		
Local Number Portability (1 per port)					UEPPX		NDV	0.00	0.00	0.00								
Z-WIRE ISON Digital Grade Loop/ZW ISDN Digital Line Side Port   UEPPR UEPPR   UEPPR	LOCAL																	
UNE Port/Loop Combination Rates							LNPCP	3.15	0.00	0.00								
WI SON Digital Grade Loop/ZW ISON Digital Line Side Port   UEPPR   U			NE SIDE	PORT														
UNE Zone 1	UNE P																	
2W ISDN Digital Grade Loop/ZW ISDN Digital Line Side Port - UNE Zone 2																		
UNE Zone 2				1	UEPPB	UEPPR		27.48										
ZW ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -     UEPPB UEPPR   70.99																		
UNE LOR Rates				2	UEPPB	UEPPR		40.34										
UNE Loop Rates																		
2-Wire ISDN Digital Grade Loop - UNE Zone 1				3	UEPPB	UEPPR		70.99										
2-Wire ISDN Digital Grade Loop - UNE Zone 2   2 UEPPB UEPPR USL2X   31.95	UNE L																	
2-Wire ISDN Digital Grade Loop - UNE Zone 3   3   UEPPB   UEPPB   USL2X   62.60		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
2-Wire ISDN Digital Grade Loop - UNE Zone 3   3   UEPPB   UEPPB   USL2X   62.60			1	1													I	-
UNE Port Rate			<u> </u>														<u> </u>	
Exchange Port -2-Wire ISDN Line Side Port				3	UEPPB	UEPPR	USL2X	62.60		-		-						
NONRECURRING CHARGES - CURRENTLY COMBINED   2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port   Combination - Conversion   UEPPB   UEPPR   USACB   0.00   37.40   26.23	UNE P																	
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port   UEPPB UEPPR USACB   UEPPB USACB   UEPPB USACB   UEPPB USACB   UEPPB USACB   UEPPB USACB   USACB   UEPPB USACB   USACB					UEPPB	UEPPR	UEPPB	8.39	184.10	128.42		-						
Combination - Conversion	NONRI																	
ADDITIONAL NRCS   Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPPB UEPPR URETN   11.20   1.10																		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			<u></u>	Ш_	UEPPB	UEPPR	USACB	0.00	37.40	26.23	<u> </u>		<u>                                      </u>	<u>                                      </u>	<u> </u>	<u> </u>		
End User Premise	ADDIT	IONAL NRCs																
End User Premise		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
Premise			1	1	UEPPB	UEPPR	URETN		11.20	1.10					Ì	I		
Premise		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
Local Number Portability (1 per port)			1	1	UEPPB	UEPPR	URETL		8.33	0.83			l	l	Ì			
Local Number Portability (1 per port)	LOCAL	NUMBER PORTABILITY																
B-CHANNEL USER PROFILE ACCESS:		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CVS/CSD (DMS/5ESS)	B-CHA																	
CVS (EWSD)		CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
CSD		CVS (EWSD)		1	UEPPB		U1UCB	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)				1														
CVS/CSD (DMS/5ESS)	B-CHA		C,MS, &	TN)														
CVS (EWSD)   UEPPB UEPPR U1UCE 0.00 0.00 0.00			Ι΄		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
			1	1							1				İ	İ	İ	
		CSD	1		UEPPB			0.00	0.00	0.00	1		İ	İ	İ			

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	ibit: A
CITECITE											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually		_	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								_								
						Rec		urring		g Disconnect	L			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	R TERMINAL PROFILE			HEDDD HEDDD	1.141.15.40	0.00	0.00	0.00								
VEDT	User Terminal Profile (EWSD only) TICAL FEATURES			UEPPB UEPPR	U1UMA	0.00	0.00	0.00	-		-					<u> </u>
VERI	All Vertical Features - One per Channel B User Profile	-		UEPPB UEPPR	UEPVF	0.00	0.00	0.00								<u> </u>
INITE	ROFFICE CHANNEL MILEAGE	1		OLFFB OLFFR	OLFVI	0.00	0.00	0.00			1					<del>                                     </del>
11412	Interoffice Channel mileage each, including first mile and															<del>                                     </del>
	facilities termination			UEPPB UEPPR	M1GNC	22.613	39.36	26.62								
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.013	0.00	0.00			1					1
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT				0.0.0										
	JNE-P DS1 combination rates below for in this rate exhibit appl			ded base in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff ra	tes or a separa	te commerc	ial agreeme	nt.			
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	runk Po	ort afte	r the effective date of	of this amend	dment shall be p	provided pursu	ant to a separ	ate agreement	or tariff at Be	South's di	scretion.				
UNE	Port/Loop Combination Rates						•	-								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE												1			
$\vdash$	Zone 2		2	UEPPP		289.78			ļ	ļ			1	1		<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	l					1				1	1		
	Zone 3		3	UEPPP		586.76										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP	USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	194.96										
LINE	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94										
UNE	Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	94.82	443.08	251.60	-		1			-		
NONE	RECURRING CHARGES - CURRENTLY COMBINED	-		UEPPP	UEPPP	94.02	443.06	231.00								-
NONF	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1									1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	115.63	76.29								
ADDI	TIONAL NRCs			OLITT	00/10/	0.00	110.00	70.20								<del> </del>
7.55.	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										1					•
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.48									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		22.35	22.35								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
$\vdash$	Digital Data	-		UEPPP	PR71D	0.00	0.00	0.00	-	1			-	-		<b>_</b>
NI	Inward Data	1	<del>                                     </del>	UEPPP	PR71E	0.00	0.00	0.00	<del>                                     </del>	<del> </del>	1		<del>                                     </del>	<del>                                     </del>	1	1
New (	or Additional "B" Channel New or Additional - Voice/Data B Channel	1	<del>                                     </del>	UEPPP	PR7BV	0.00	14.11		<del>                                     </del>	1	<del>                                     </del>	<b></b>	<del></del>	<del></del>	1	<del> </del>
$\vdash$	New or Additional - Voice/Data B Channel	<u> </u>	1	UEPPP	PR7BF	0.00	14.11		-	+	<u> </u>		-	-	<b> </b>	<del> </del>
<del>                                     </del>	New or Additional Inward Data B Channel	1	1	UEPPP	PR7BD	0.00	14.11		1	1	<del> </del>	1	1	1		<del>                                     </del>
CALL	TYPES	1	<u> </u>	0=111	. 10,00	0.00	17.11		<del>                                     </del>	1	1		t	t	1	<del>                                     </del>
- JALL	Inward		<del>                                     </del>	UEPPP	PR7C1	0.00	0.00	0.00	1				1	1		
	Outward		1	UEPPP	PR7CO	0.00	0.00	0.00	1	1			1	1		
	Two-way	1	i –	UEPPP	PR7CC	0.00	0.00	0.00	1	İ	1		1	1		
Interd	office Channel Mileage		1													
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7352	86.69	79.44								
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	fective c	late of	this amendment sha	III be provide	ed pursuant to a	a separate agre	eement or tarif	f at BellSouth'	s discretion.						
UNE	Port/Loop Combination Rates	1			ļ					ļ	1					ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	ļ	154.17			ļ	1			ļ	ļ		<b></b>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	ļ	263.43			1	1			1	1		<u> </u>
<u> </u>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	ļ	560.41				ļ					ļ	<b></b>
UNE	Loop Rates	1		l	l	1			L	<u> </u>	1			L	l	

CATEGOR	RY RATE ELEMENTS											I Svc Order	Svc Order	Incremental	Incremental	Incremental	Increr
			Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1			1	UEPDC	USLDC	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3				UEPDC UEPDC	USLDC	194.96 491.94										
UN	NE Port Rate			3	OLFDC	USLDC	451.54										
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)				UEPDC	UDD1T	68.47	441.34	245.90								
NC	ONRECURRING CHARGES - CURRENTLY COMBIN	ED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk F	Port Combination															
	- Switch-as-is (E:4/1/2004)				UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk I - Conversion with DS1 Changes (E:4/1/2004)				UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk F	Port Combination															
45	- Conversion with Change - Trunk (E:4/1/2004)  DDITIONAL NRCs				UEPDC	USAWB		125.75	65.08								
AD	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - N	RC -				+										-	
	Subsequent Channel Activation/Chan - 2-Way				UEPDC	UDTTA		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - S				02. 00	05.17		1 1.00	1 1100								
	Channel Activation/Chan - 1-Way Outward Trur				UEPDC	UDTTB		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - S Activation/Chan Inward Trunk w/out DID	ubsqnt Channel			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - S	ubsqnt Chan															
	Activation Per Chan - Inward Trunk with DID				UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - S	ubsqnt Chan			LIEBBO	UDTTE		44.00	44.00								
DIE	Activation / Chan - 2-Way DID w User Trans POLAR 8 ZERO SUBSTITUTION				UEPDC	UDTTE		14.06	14.06								
ы	B8ZS -Superframe Format				UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format				UEPDC	CCOEF			605.00s								
Alt	ternate Mark Inversion																
	AMI -Superframe Format				UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format				UEPDC	MCOPO		0.00	0.00								
Tel	elephone Number/Trunk Group Establisment Charg	ges				LIBTOY											
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk G	roun			UEPDC UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Inward Trunk Gro				UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbe				UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers ,				UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.				UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers				UEPDC	NDV	0.00	0.00	0.00								
De	edicated DS1 (Interoffice Channel Mileage) - FX/FC		Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 mile Termination)	es (Facilities			UEPDC	1LNO1	70.47	86.69	79.44								
	Termination)				OLFDC	ILINOT	70.47	80.09	75.44								
	Interoffice Channel Mileage - Additional rate per				UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 mi Termination)	,			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per miles	mile - 9-25			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ mil	es (Facilities															
+	Termination)				UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per	mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated				UEPDC	LNPCP	3.15	0.00	0.00	0.00		<u> </u>					
- 4.	Central Office Termininating Point WIRE DS1 LOOP WITH CHANNELIZATION WITH P	ODT			UEPDC	CTG	0.00					<u> </u>					
	wire DS1 LOOP WITH CHANNELIZATION WITH Provider is 1 DS1 Loop, 1 D4 Channel Bank, and up to		vations			+						<b> </b>					
	ach System can have up to 24 combinations of rate				ber of ports used												
	ne UNE-P DS1 combination rates below for 4-Wire					te exhibit app	ly to the embe	dded base in n	lace as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
Red	equests for 4-Wire DS1 Loop with Channelization v																
UN	NE DS1 Loop																
L	4-Wire DS1 Loop - UNE Zone 1			1	UEPMG	USLDC	85.70	0.00	0.00								

UNBL	JNDLEI	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
UND	, ND LL	THE THORK ELEMENTO LOGICIANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Name		. Names according	. Diazannast			220	Rates (\$)		
			1			-	Rec	First	curring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	FIISL	Add I	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
		4-Wire DS1 Loop - UNE Zone 3	1		UEPMG	USLDC	491.94	0.00	0.00								<del>                                     </del>
	UNE DS	60 Channelization Capacities (D4 Channel Bank Configuration	ns)		020	00250	101101	0.00	0.00								
		24 DSO Channel Capacity - 1 per DS1	T T		UEPMG	VUM24	97.35	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00								_
-		480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM4O VUM57	1,947.00 2.336.40	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 24 DS1s	1		UEPMG	VUM67	2,336.40	0.00	0.00								
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	aliztio					0.00								-
		num System configuration is One (1) DS1, One (1) D4 Channe						Stem									<del>                                     </del>
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without				1											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
	System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and										
	New (N	ot Currently Combined) in all states, except in Density Zone 1	1 of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
	Bipolar	8 Zero Substitution				ļ											
		Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	0.00:	005.00								
		Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00i	605.00s	1							
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
	Alterna	te Mark Inversion (AMI)			OLFIVIG	CCOLI	0.00	0.001	003.005								
	Antoma	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								<del>                                     </del>
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	1							
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
		ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
1		Line Side Inward Only Channelized PBX Trunk Port without DID	1		HEDDY	LIEDAY	4.50	0.00	2.55		0.00		1		1		
	-	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	l		UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00				<b> </b>		<del> </del>
1		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	1		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		1		1		
<del></del>	<del>                                     </del>	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	<del>                                     </del>		OLFFA	OLF DIVI	0.29	0.00	0.00	0.00	0.00				1		1
		(AL, KY, LA, MS, & TN)(Conversion from Network Access	1			1				I			1		1		
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination	<b>†</b>			1		2.30	2.30	1.50	2.30				1		
1		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1				I			1		1		
<u> </u>		Service) (E:4/1/2004)	<u>L</u>		UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>		<u> </u>		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –						_								_	
		Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						<u> </u>
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1		LIEBBY								1		1		
<u> </u>	 	Louisiana Only – Calling Plan (E:4/1/2004)	<u> </u>		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00				<b> </b>		<b></b>
ļ	reature	Activations - Unbundled Loop Concentration	ļ			1				<b>.</b>							<del>                                     </del>
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			LIEDDY	100\\\	0.6407	05.00	12.40	1							
<u> </u>	<b> </b>	Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>		UEPPX	1PQWM	0.6497	25.36	13.40	<b>-</b>			<b> </b>		-		<del>                                     </del>
		D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40	1							
-	Telenh	one Number/ Group Establishment Charges for DID Service	<b>!</b>		OLI FA	11-0440	0.0497	70.05	10.40	<del> </del>					<u> </u>		<del>                                     </del>
<b>-</b>	Lorebill	DID Trunk Termination (1 per Port)	<b>!</b>		UEPPX	NDT	0.00	0.00	0.00	<del>                                     </del>			<b> </b>		<del> </del>		<del>                                     </del>
		DID Numbers - groups of 20 - Valid all States	1		UEPPX	ND4	0.00	0.00	0.00	1	1				1		
	1	groups of 20 Tails all States	<u> </u>		···	1	5.00	5.00	5.00	1	1	L			1		

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec			Disconnect				Rates (\$)		
		N 0 / BBN 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00								
	I acal N	lumber Portability			UEPPX	NDV	0.00	0.00	0.00								
	Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
-	FΕΔΤΙΙ	RES - Vertical and Optional			OLFFX	LINE CE	3.13	0.00	0.00								
		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUN	DLED (	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	s														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to	provide Unbu	indled Local S	witching or Sw	itch Ports.								
		ires shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		irst and additional Port nonrecurring charges apply to Not C	urrently	Combi	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		lso and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ise Basis, unt	il further notice	э.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
		Non-Design		1	UEP91		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
		Non-Design		2	UEP91		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDO4		40.00										
	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP91		49.62										
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
		Design		1	UEP91		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 31	+	10.23										
		Design		2	UEP91		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 0.		20.7 1										
		Design		3	UEP91		48.26										
	UNE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25.35		<u> </u>								
		2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	UEP91	UECS2	50.46										
	UNE Po		<u> </u>			1											
	All Stat	es (Except North Carolina and Sout Carolina)	<b></b>		LIEBA	1155)(4	,										
<u> </u>		2-Wire Voice Grade Port (Centrex ) Basic Local Area	<u> </u>		UEP91	UEPYA	1.36	38.85	19.08						ļ		
1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDO4	LIEDVE	4.00	00.0-	10.00				1				
-		Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEPYB	1.36	38.85	19.08								
1		2-wire voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area	1		UEP91	UEPYH	1.36	38.85	19.08				1				
-	-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	<del>                                     </del>		OLF31	OLF ( F	1.30	აი.ინ	19.08	1			-		1		
		Note 2, 3 Basic Local Area	1		UEP91	UEPYM	1.36	104.41	67.93				1				
$\vdash$	<b>-</b>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del>                                     </del>		OL1 01	OLI (IVI	1.30	104.41	01.33				<b> </b>				<del> </del>
1		Term - Basic Local Area	1		UEP91	UEPYZ	1.36	104.41	67.93				1				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			0.	1	00		300								
1		- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -								İ	l				İ		
1		Basic Local Area	1		UEP91	UEPY2	1.36	38.85	19.08				1				
	AL, KY	LA, MS, & TN Only	1														
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
L	<u> </u>	Center)2,3	<u></u>		UEP91	UEPQM	1.36	104.41	67.93								

UNRI	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
3,450	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DITE : TOTAL ELLINEITIO LOUISIGNA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:			1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m			1								Electronic-	Electronic-	Electronic-	Electronic-
1						1								1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates (\$)	0011411	001111
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
		Service Territ			OLF91	ULFQZ	1.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08								
	Local	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Featur				LIEBO.		2.22										
-		All Standard Features Offered, per port			UEP91 UEP91	UEPVF	0.00	440.05									
		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP91 UEP91	UEPVS UEPVC	0.00	412.25		1							
-	NARS	All Control i catules Offered, per port	1	<b>-</b>	OLF31	OLF VC	0.00			<del> </del>		1	1	1	1	1	1
<b>-</b>		Unbundled Network Access Register - Combination	<del>                                     </del>		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1					
<b>—</b>		Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1		1	1	1	1
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e	<u> </u>													
	D4 CH	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497										
		reature Activation on 5-4 Grianner Bank Gentrex Loop Glot			OLI 31	II QWO	0.0437										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.6497										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.6497										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDO4	10000	0.6407										
$\vdash$	<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	<b>-</b>	UEP91 UEP91	1PQWQ 1PQWA	0.6497 0.6497			<del> </del>		1	1	1	1	1	1
<b> </b>	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	<del>                                     </del>	1	OL: 91	11 QVIA	0.0497			<del>                                     </del>		<b> </b>		<del> </del>	<b> </b>		
		Conversion - Currently Combined Switch-As-Is with allowed	<u> </u>			1				1				1	1		
		changes, per port	1		UEP91	USAC2		0.10	0.10	1				1	1		
		Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40		ļ				ļ	ļ		
	<u> </u>	Secondary Block, per Block	<u> </u>	<b></b>	UEP91	M2CC1	0.00	79.31				<u> </u>		ļ	ļ	ļ	ļ
<u> </u>	V alaliti	NAR Establishment Charge, Per Occasion	<del>                                     </del>	-	UEP91	URECA	0.00	73.93		<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>		
<b></b>	Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del>                                     </del>	-		+				<del>                                     </del>		1		-	-	1	1
	ĺ	Premise			UEP91	URETL		8.33	0.83								
<b>—</b>		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		0.	0		0.00	0.00	<b>†</b>		1		1	1	1	1
	ĺ	End Use Premise			UEP91	URETN		11.20	1.10								
	UNE-P	CENTREX - 5ESS (Valid in All States)			-	1		0								1	1
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															_
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	<u> </u>	Non-Design	<u> </u>	1	UEP95		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOE	1	00.75			1				1	1		
-	<b> </b>	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	2	UEP95	+	23.75			<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>		<b></b>
1	l	Non-Design	1	3	UEP95	1	49.62			I				1	1		
	l	I ton Dough	l	J	OLI 30	1	45.02			1		1	1	1	1	l	L

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
0.120	/\\D	THE THORK ELLINEITIO LOGICIANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>	<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
	LINE D	antil con Combination Bates (Besien)				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE PO	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					$\vdash \vdash \vdash$
		Design	1	1	UEP95		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>- '</del> -	OLI 33	1	10.23					1					
		Design		2	UEP95		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.00		20.7 1										
		Design		3	UEP95		51.82										ļ '
	UNE Lo	pop Rate					0.10=								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
		ort Rate															
<u> </u>	All Stat		ļ			<u> </u>				ļl					ļ	ļ	<b></b>
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
-		Area			UEP95	UEPYH	1.36	38.85	19.08						-		<b></b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.02								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEF95	UEPTIVI	1.30	104.41	67.93								-
		Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	OLI 33	OLI IZ	1.50	104.41	07.33			1					
		- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -			02.00	020	1.00	00.00	10.00								
		Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								ļ '
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1							]					_	]	1
<u> </u>	ļ	Term 2,3	ļ		UEP95	UEPQZ	1.36	104.41	67.93	ļl					ļ	ļ	<b></b>
1		L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	1						]					I	1	1
<u> </u>	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	ļ	UEP95	UEPQ9	1.36	38.85	19.08						-		<b>├</b>
<u> </u>	1' 2	2-Wire Voice Grade Port Terminated on 800 Service Term	<b> </b>	<del>                                     </del>	UEP95	UEPQ2	1.36	38.85	19.08			}		1	<b>!</b>	<del> </del>	<del>                                     </del>
<b>—</b>		Switching Centrex Intercom Funtionality, per port	<del>                                     </del>	<u> </u>	UEP95	URECS	0.8577					<b> </b>		-	<b>-</b>		<del></del>
<b></b>		lumber Portability	<del>                                     </del>		OLF90	UKEUS	0.8577			1		}		1	<del> </del>	1	<del>                                     </del>
$\vdash$		Local Number Portability (1 per port)	<del>                                     </del>		UEP95	LNPCC	0.35			<del>                                     </del>		1		1	t	1	
	Feature		1	1	02.00		0.00								<b>-</b>		
		All Standard Features Offered, per port	1		UEP95	UEPVF	0.00								1	1	
		All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										ļ .
	NARS	- 1	1			1				j		İ					
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side	<u> </u>		L	1											1
<u> </u>		Trunk Side Terminations, each	<u> </u>	<u> </u>	UEP95	CEND6	8.29	115.85	18.20						ļ		<b></b>
<u> </u>		Digital (1.544 Megabits)	ļ		LIEDAE			100 :-				ļ					<b>├</b>
<u> </u>		DS1 Circuit Terminations, each	<b> </b>	<del>                                     </del>	UEP95	M1HD1	68.47	196.18	92.92			}		1	<b>!</b>	<del> </del>	<b>├</b>
-		DS0 Channels Activated, each	-	-	UEP95	M1HDO	0.00	14.06							<del>                                     </del>	<b> </b>	<del>                                     </del>
		ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		1	UEP95	M1GBC	22.60	39.36	26.62						<del>                                     </del>		<del></del>
	1	interonice Channel Facilities Tellfilliation	1	1	OLF 30	WITGE	22.00	39.36	20.02	ı		<u> </u>	l	l	1	1	

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
0												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	<b>Manual Svc</b>	Manual Svc	<b>Manual Svc</b>	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''									1		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Name		l Name accomin	g Disconnect			000	Detec (\$)		
						_	Rec		curring			COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBM	0.013	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Eggture	e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF93	IVITGDIVI	0.013										
		innel Bank Feature Activations															
	D-F Onto	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
		- Catalon Citization Citization Damit Control 2006 Citization			02.00	4.1.5	0.0.0.										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.6497										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.6497										
	1		1			1							1	_	_	_	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497			ļ	ļ			1	1	1	
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		LIEDOS	400000									I		
		Slot			UEP95	1PQWQ	0.6497										
	Nac 5	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497			1	1			1	1	1	1
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				+										-	
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.10								
		changes, per port Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	-	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40	10.10								
		New Centrex Standard Common Block			UEP95	M1ACC	0.00	680.40									
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									
	Additio	onal Non-Recurring Charges (NRC)			02.00	0.120/1	0.00	. 0.00									
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.20	1.10								
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					40.40										
		Non-Design		1	UEP9D		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	+	23.75										
		Non-Design		3	UEP9D		49.62										
	LINE D	ort/Loop Combination Rates (Design)		3	OLFBD	+	45.02					1					
	ONET	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	l	Design	l	1	UEP9D		16.29							1	1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-	1				Ì	Ì			1	1	1	
	1	Design	1	2	UEP9D	i l	26.71						1	I	I	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		51.82										
	UNE Lo	oop Rate							•								
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	11.77										
	ļ	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ		UEP9D	UECS1	22.39					ļ					
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>		UEP9D	UECS1	48.26			ļ	ļ	<u> </u>					
	<b> </b>	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<b> </b>		UEP9D UEP9D	UECS2 UECS2	14.93 25.35			1	1	ļ		<b>!</b>	<b>!</b>	<b>!</b>	
	<u> </u>		<u> </u>		UEP9D UEP9D	UECS2	25.35 50.46			<b> </b>	<b> </b>	1		<b>-</b>	<del>                                     </del>	<b>-</b>	-
	LINE P	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	<del>                                     </del>	3	OLFAD	UEUSZ	50.46			<b>†</b>	<b>†</b>	1		<del> </del>	<del> </del>	<del> </del>	1
	ALL ST		<del>                                     </del>			+ -				<b>†</b>	<b>†</b>	<del>                                     </del>		t	<del>                                     </del>	t	
	ALL 31	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>		UEP9D	UEPYA	1.36	38.85	19.08	<b>†</b>	<b>†</b>	<del>                                     </del>		t	<del>                                     </del>	t	
	1	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local	1		CL. 0D	3L1 1/1	1.50	00.00	10.00	<b>†</b>	<b>†</b>			<b>-</b>	<b>-</b>	<b>-</b>	
	1	Area	1		UEP9D	UEPYB	1.36	38.85	19.08				1	I	1	I	
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			-	1		22.20		1	1			1	1	1	
	1	Area	1		UEP9D	UEPYC	1.36	38.85	19.08				1	I	1	I	
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local										1					
	l	Area	l		UEP9D	UEPYD	1.36	38.85	19.08						1	1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
J J. 17 EL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	l	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			LIEBAB												
<b>—</b>	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.36	38.85	19.08								
	Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYV	1.36	38.85	19.08	1	1						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	JLI I V	1.30	30.03	13.00	<b>†</b>	<b>†</b>	<u> </u>					
	Area			UEP9D	UEPY3	1.36	38.85	19.08	1	1						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	UEPYW	4.00	20.05	40.00	1	1						
<b>—</b>	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYW	1.36	38.85	19.08								
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI 10	1.00	00.00	10.00								
	2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	HEDVD	4.00	404.44	07.00								
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4						-									
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
-	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 14	1.00	104.41	07.00								
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93	1	1						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93	1	1						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<b>-</b>	OLFAD	JEF1/	1.36	104.41	67.93	<del>                                     </del>	<del>                                     </del>						
	Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93		1						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO		00.00	40.00	1	1						
AI V	Local Area Y, LA, MS, SC, & TN Only		<b>!</b>	UEP9D	UEPY2	1.36	38.85	19.08	<del>                                     </del>	<del>                                     </del>	-					
AL, K	2-Wire Voice Grade Port (Centrex)	-	1	UEP9D	UEPQA	1.36	38.85	19.08	<del> </del>	+	-	-				
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4	-		UEP9D UEP9D	UEPQF UEPQG	1.36 1.36	38.85 38.85	19.08 19.08	<del>                                     </del>	<del>                                     </del>	1					
<del>    </del>	2-Wire Voice Grade Port (Centrex / EBS-M5312)4  2-Wire Voice Grade Port (Centrex / EBS-M5008)4		<b>-</b>	UEP9D	UEPQG	1.36	38.85	19.08	<del>                                     </del>	<del>                                     </del>						
	2-Wire Voice Grade Port (Centrex / EBS-M5006)4  2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08	<b>†</b>	<b>†</b>						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonre		Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															1
	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
																ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
	0 ME - 1/2 - 0 - 1 - D - 1/0 - 1 1/2 - 0 ME 140)0 0 4			LIEDOD	LIEBOB	4.00	404.44	07.00								1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
	0 ME - 1/2 - 0 - 1 - D - 1/0 - 1 1/2 - 0 ME 040)0 0 4			LIEDOD	LIEBOO	4.00	404.44	07.00								1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93	-							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								ı
	2-vvire voice Grade Port (Centrex/diller SvvC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93	-							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								1
	2-Wile Voice Grade Fort (Certifex differ SWC /EB3-W3200)2,3,4			OLFBD	ULFQS	1.30	104.41	07.93			1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								1
<del> </del>	2-Wile Voice Grade Fort (Certifex differ SWC /EB3-W3210)2,3,4			OLF9D	ULFQU	1.30	104.41	07.93	1							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLI QI	1.00	104.41	07.00								
	Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								1
	16111 2,0			OLI OD	OLI QL	1.00	104.41	07.00								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
Loc	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
Loc	al Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Fea	tures															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NAF	RS															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						I
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	cellaneous Terminations				1				1							
2-W	ire Trunk Side	ļ		LIEDAD	lonus -				ļ	ļ						,l
<b>—</b>	Trunk Side Terminations, each	ļ	<b>.</b>	UEP9D	CEND6	8.29	115.85	18.20								
4-W	ire Digital (1.544 Megabits)	<u> </u>	1	LIEDOD	MALIE:				<b>_</b>					ļ		
$\vdash$	DS1 Circuit Terminations, each	<u> </u>	1	UEP9D	M1HD1	68.47	196.18	98.62	<b>.</b>					1		
1	DS0 Channels Activiated per Channel	<del>                                     </del>	<b>.</b>	UEP9D	M1HDO	0.00	14.06		<del>                                     </del>	ļ	-					
inte	roffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		1	UEP9D	M1GBC	22.60	39.36	26.62	<del>                                     </del>							
$\vdash$	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	1	UEP9D UEP9D	M1GBC M1GBM	0.013	39.36	20.02	<b>-</b>			<b> </b>				
Eco	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	1	OLFBD	IVITGDIVI	0.013			<b>+</b>	1		<b> </b>		1		
	Channel Bank Feature Activations	,e			+				<del> </del>	1				1		
154	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>		UEP9D	1PQWS	0.6497			<del>                                     </del>			<b> </b>				
<del>                                     </del>	1 Salaro / Salvation on D-4 Chairner Dank Centres Loop Stot	1		OL: 3D	11 Q 11 0	0.0497			<del>                                     </del>	<del> </del>						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.6497			I			1				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			05		0.0.07			<u> </u>							
	Slot			UEP9D	1PQW7	0.6497			1							1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			-					1	İ				İ		
1 1	Different Wire Center	1		UEP9D	1PQWP	0.6497			I			1				, l
	•				•			•		•	•	•	•		•	

UNBUN	DLFI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITECIT		THE THORK ELEMENTO LOGICIANA	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
A	dditio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83						<u> </u>	<u> </u>	
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.20	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-	Wire '	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
Ul	NE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		49.62										
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		51.82										
U	NE Lo	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	11.77										
$oxed{oxed}$		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39			<b>.</b>				ļ	<b>.</b>	<b>.</b>	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26							ļ	<b>.</b>	<b>.</b>	
$oxed{oxed}$		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93							ļ	<b>.</b>	<b>.</b>	
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 2	<b> </b>	2	UEP9E	UECS2	25.35										
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	<b> </b>	3	UEP9E	UECS2	50.46			<b> </b>							
		ort Rate	<u> </u>			+	1								-	-	
A	L, FL,	KY, LA, MS, & TN only	<u> </u>		LIEDOE	LIEDY/A	1.00	00.0=	10.00						-	-	
$\vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area	<u> </u>		UEP9E	UEPYA	1.36	38.85	19.08						-	-	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDOE	LIEDVD		00.05	40.00			1		Ì	I	I	
-		Area	1		UEP9E	UEPYB	1.36	38.85	19.08					-	1	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEDOE	LIED/41	4.00	00.0-	10.00			1		Ì	I	I	
<u> </u>		Area	<u> </u>		UEP9E	UEPYH	1.36	38.85	19.08						-	-	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEDOE	LIED 44	4.00	404.41	07.00			1		Ì	I	I	
$\vdash$		Center)2,3 Basic Local Area	<u> </u>		UEP9E	UEPYM	1.36	104.41	67.93						-	-	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	l		LIEDOE	LIEDY 7	4.00	404.41	07.00						1	1	
$\vdash$		Service Term - Basic Local Area	1		UEP9E	UEPYZ	1.36	104.41	67.93	ļ		ļ		1	<del>                                     </del>	<del>                                     </del>	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		LIEDOE	LIEDYO	4.00	00.0-	10.00						1	1	
$\vdash$		- Basic Local Area	<b> </b>		UEP9E	UEPY9	1.36	38.85	19.08	<b> </b>							
		2-Wire Voice Grade Port Terminated on 800 Service Term -	l		LIEDOE	LIEDY CO									1	1	
<del></del>	100	Basic Local Area	<u> </u>		UEP9E	UEPY2	1.36	38.85	19.08						-	-	
A	L, KY,	LA, MS, & TN Only	ļ		LIEDOE	LIEBC :		22.2-							-	-	
$\vdash$		2-Wire Voice Grade Port (Centrex )	<b> </b>		UEP9E	UEPQA	1.36	38.85	19.08								
$\vdash$		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08	-							
oxdot		2-Wire Voice Grade Port (Centrex with Caller ID)1	l	l	UEP9E	UEPQH	1.36	38.85	19.08			l		<u> </u>			

UNBII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
5.450	. 12 LL	State English Edulation										Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			l m											Electronic-	Electronic-	Electronic-	Electronic-
						1 1								1st	Add'l	Disc 1st	Disc Add'l
																-100	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
						_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEBON	4.00	404.44	07.00								
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
		Service Terrii			UEF9E	UEFQZ	1.30	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08								
	Local S	Switching			OLI OL	OLI QZ	1.00	00.00	10.00								
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
	NARS				-												
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
<u> </u>	L	Unbundled Network Access Register - Outdial	ļ		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				1		
<u></u>		aneous Terminations	ļ														
<u></u>	2-Wire	Trunk Side	<u> </u>		LIEBOE	OFNIDO	0.00	445.00	10.00						-		
	4 18/5-	Trunk Side Terminations, each	<u> </u>		UEP9E	CEND6	8.29	115.85	18.20						-		
	4-Wire	Digital (1.544 Megabits)	<b> </b>		LIEDOE	MALIDA	CO 47	400.40	92.92	ļ					<b>!</b>		
-		DS1 Circuit Terminations, each DS0 Channel Activated Per Channel	<del>                                     </del>		UEP9E UEP9E	M1HD1 M1HDO	68.47 0.00	196.18 14.06	92.92						<del>                                     </del>		
-	Interes	Fice Channel Mileage - 2-Wire	1		UEF9E	INITIDO	0.00	14.06							+		
	meror	Interoffice Channel Facilities Termination	<del>                                     </del>		UEP9E	M1GBC	22.60	39.36	26.62	<del> </del>					t		
		Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>		UEP9E	M1GBC	0.013	39.30	20.02	<del> </del>					t		
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e			0.5/11/	0.010						<b> </b>		<b>I</b>		
		nnel Bank Feature Activations	Ī			† †	İ								1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
					*												
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9E	1PQW6	0.6497						1		I		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot	<u> </u>		UEP9E	1PQW7	0.6497								<u></u>		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
		Different Wire Center			UEP9E	1PQWP	0.6497										
			l														
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l			1									1		
		Slot	ļ		UEP9E	1PQWQ	0.6497										
	Non 5	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP9E	1PQWA	0.6497								-		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<b> </b>			+ +	<b>+</b>			ļ					<b>!</b>		
		NRC Conversion Currently Combined Switch-As-Is with allowed	1		LIEDOE	LICACO	l	0.10	0.40				1		I		
<b>—</b>	<b>-</b>	changes, per port Conversion of Existing Centrex Common Block, each	<del>                                     </del>		UEP9E UEP9E	USAC2 USACN		0.10 36.66	0.10 16.10				<b> </b>		<del>                                     </del>		
<b> </b>	-	New Centrex Standard Common Block	1		UEP9E UEP9E	M1ACS	0.00	680.40	10.10	1			-		<del> </del>		
<b> </b>	-	New Centrex Standard Common Block	1		UEP9E UEP9E	M1ACC	0.00	680.40		1			-		<del> </del>		
<b>-</b>		NAR Establishment Charge, Per Occasion	<del>                                     </del>		UEP9E	URECA	0.00	73.93							t		
<b> </b>	Additio	onal Non-Recurring Charges (NRC)	1			5.125/1	0.00	70.00					<b> </b>		<b>I</b>		
<b>-</b>		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l			1	İ								1		
		Premise	l		UEP9E	URETL	l	8.33	0.83						1		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			-	1 - 1	İ	2.20	2.30						1		
		End Use Premise	1		UEP9E	URETN	l	11.20	1.10				1		I		
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u></u>														
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												_			
		Non-Design		1	UEP93		13.13										

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$)  Svc Order Submitted Charge - Manually per LSR Per LSR Per LSR Submitted Charge - Manually per LSR Submitted Submitted Charge - Manually per LSR Submitted	chment: 2	Exhibit: A
CATEGORY   RATE ELEMENTS   Interi m   Zone   BCS   USOC   RATES (5)   Submitted Submitted Clear per LSR   Charge-per LSR	al Incremental Incren	remental Incremental
CATEGORY   RATE ELEMENTS		harge - Charge -
CATEGORY   RATE ELEMENTS   Min.   Zone   BCS   USOC   RATES (5)   per LSR   per LSR   Conterval, per LSR   per LSR		nual Svc Manual Svc
Rec		rder vs. Order vs.
1st		
Second   S		ectronic-
2-Wire VL Loop/2-Wire Voice Grade Port (Centrex/Port Combo-Non-Design   23.75   24.7	Add'I Disc	Disc 1st Disc Add'l
2-Wire VL Loop/2-Wire Voice Grade Port (Centrex/Port Combo-Non-Design   23.75   24.7	S Rates (\$)	l l
2   2   2   2   2   2   2   2   2   2		SOMAN SOMAN
Non-Chesign   2 IUFP93   23.75	JOHAN JOH	JONIAN JONIAN
2-Wife Vota Copta Centre (Port Centre (Por		
NN-Design   September   Sept	+	
New Port/Loop Combination Rates (Design)		
2-Wire Voto Grade Port (Centrex) Port Combo   1   UEP93   16.29		
Design		
2-Wire VL Copt2-Wire Valce Grade Port (Centrex/Port Combo-   Design   1		
Design   2   UFP93   26.71		
2-Wire Voice Grade Port (Centrex)Port Combo - Design   State Local Area   LeP93   Le		
Design   SUPE Lop Rate   SUPE Lop Rate   SUPE Lop Rate Lap Rate Lop Rate Lop Rate Lap Rate Lop Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap Rate Lap		
WHE Loop Rate		
WHE Loop Rate		1
2-Wire Voice Grade Loop (St.1) - Zone 1		
2-Wire Viole Grade Loop (St. 1) - Zone 2   2 UEP33 UECS1   22.36	+ + + -	
2-Wire Voice Grade Loop (SL 1) - Zone 3   3 UEP93   UECS2   48,26	+	<u> </u>
2-Wire Voice Grade Loop (SL 2) - Zone 1	+	+
2-Wire Voice Grade Loop (SL 2) - Zone 2   2 UEP93   UECS2   25.35   UNE PORT Rate   UEP93   UEP94   UEP95   UEP95   UEP96	+	+
2-Wire Voice Grade Loop (St 2) - Zone 3   3   UEP93   UECS2   50.46	+	<del> </del>
UNE Port Rate	+	
AL, KY, LA, MS, & TN only		
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local   UEP93   UEPYB   1.36   38.85   19.08		
Area		
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local   UEP93   UEPYH   1.36   38.85   19.08		
Area		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 2,3 - 800   UEP93   UEPYM   1.36   104.41   67.93		
Center)2,3 Basic Local Area		
Center)2,3 Basic Local Area		
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800   Service Term - Basic Local Area   UEP93   UEPY2   1.36   104.41   67.93		
Service Term - Basic Local Area	1	
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		
Basic Local Area	+	
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area   UEP93   UEP94   1.36   38.85   19.08		
Basic Local Area	+ + + -	
2-Wire Voice Grade Port (Centrex )		
2-Wire Voice Grade Port (Centrex 800 termination)		
2-Wire Voice Grade Port (Centrex with Caller ID)1		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3		
Center)2,3		
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800   UEP93   UEPQZ   1.36   104.41   67.93		1
Service Term		
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP93		
2-Wire Voice Grade Port Terminated on 800 Service Term		
2-Wire Voice Grade Port Terminated on 800 Service Term		
2-Wire Voice Grade Port Terminated on 800 Service Term		
Local Switching   Centrex Intercom Funtionality, per port   UEP93   URECS   0.8577     UEP3   URECS   0.8577     UEP3   URECS   UREC	1	
Centrex Intercom Funtionality, per port   UEP93 URECS 0.8577	1	
	+ + + -	
E-our runnour ortaining	+	
Local Number Portability (1 per port) UEP93 LNPCC 0.35	+	+
Features United Fortability (1 per port) ULF-93 Livred 0.53	+	+
Features   All Standard Features Offered, per port   UEP93   UEPVF   0.00   73.93   27.14	+	<del> </del>
	+	
All Centrex Control Features Offered, per port UEP93 UEPVC 0.00 73.93 27.14	+	<del></del>
NARS USE OF THE PROPERTY OF TH	+	
Unbundled Network Access Register - Combination UEP93 UARCX 0.00 0.00 0.00 0.00 0.00		
Unbundled Network Access Register - Indial   UEP93		
Unbundled Network Access Register - Outdial   UEP93		
Miscellaneous Terminations Miscellaneous Terminations		
2-Wire Trunk Side		
Trunk Side Terminations, each         UEP93         CEND6         8.27         115.85         18.20		
4-Wire Digital (1.544 Megabits)		
IDS1 Circuit Terminations, each   UEP93   M1HD1   68.47   196.18   92.92	<del>                                     </del>	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93				ļ	ļ				
Additio	nal Non-Recurring Charges (NRC)				_						ļ	ļ				
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEBOO	LIDETI		0.00	0.00								
	Premise			UEP93	URETL		8.33	0.83				ļ				
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOO	LIDETN		44.00	4								
	End Use Premise			UEP93	URETN		11.20	1.10			1	1				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD						-				1	1				
	- Requires Interoffice Channel Mileage		3		-						1	1				
	- Installation is combination of Installation charge for SL2 Loc	op and F	ort		+		1				1			-		
	- Requires Specific Customer Premises Equipment		-4- 4	f !-	. Company Trans	na and Candida					1			-		
Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth if	i General Tern	ns and Conditio	ns.				1	1		1		

UNB	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>,</b>	<b>P</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	71 - 117			<u>L</u>				NE 7 T.		L'B.	111111111111111111111111111111111111111	<u> </u>					
		one" shown in the sections for stand-alone loops or loops as				ograpnically	/ Deaveraged U	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zon	e Designatio	ons by Cent	rai Office, refe	er to internet	website:	
ODED		ww.interconnection.bellsouth.com/become_a_clec/html/inter_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	m	1				1	1	ı		1	1	1	ı
OFER		(1) CLEC should contact its contract negotiator if it prefers the	o "etato	specif	ic" OSS charace as	ordored by t	ha Stata Comm	iccione The	nee charges o	urrently centa	nad in this rat	o ovhibit ar	the Bellee	uth "rogional	" corvice orde	ring charges	CI EC may
		ther the state specific Commission ordered rates for the servi															
		f the 9 states.	ce orde	ing ci	larges, or CLLC may	elect the re	gioriai service i	ordering charg	e, nowever, C	LEC Call Hot O	Main a mixture	or the two	regardiess i	i CLEC ilas a	merconnecti	on contract e	Stabilistieu II
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	o the SOMEC rate li	stad in this	category Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronics	ally For thos	a alamants
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B			e ili tilis category rei	iects the ch	arge triat would	i be billed to a	OLLO Olice el	ectionic order	ng capabilities	s come on-n	ine for that	element. Oth	erwise, the m	andar ordering	g charge,
-	COMIA	OSS - Electronic Service Order Charge, Per Local Service	l	<del></del>		I						I					l
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				1		
	1	OSS - Manual Service Order Charge, Per Local Service Request						3.30	0.00	3.30	0.00			1	1	1	
		(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00			1	I	1	
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
		, , , , , , , , , , , , , , , , , , ,			,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
	LIDI TO	Day		<u> </u>	U1TUB, U1TUA	SDASP		200.00		-					-		
ONBU		EXCHANGE ACCESS LOOP		1						1	-	1	-	-	1	-	-
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP		L_	LIFANI	LIEALO	40.00	07.00	47.55	20.40	F 05				-		
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	}		<b> </b>	<b>!</b>	<del> </del>	ļ
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25	1	-	-	1	-	-
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25	1	1	1	<del>                                     </del>	1	-
-	+	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25	1	-	-	1	-	
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25				-		
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25	}		<b> </b>	<b>!</b>	<del> </del>	ļ
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25				-		
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	}		<b> </b>	<b>!</b>	<del> </del>	<b></b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIFANII	LIDET		0.00	0.00	I				Ì	I	Ì	1
	1	Premise		<u> </u>	UEANL	URETL		8.33	0.83	<b>.</b>					-		1
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36	1			1		1		l

UNBL	INDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0.150	MULLI	THE TOTAL ELEMENTO MICOLOGICA										Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
<u> </u>		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		10 10	18.19								
	2-WIRE	Unbundled COPPER LOOP			UEAINL	UCUSL		18.19	10.19								
	_ ******	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	Τì		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
<u> </u>	ļ	Premise No. 10 April	<u> </u>	ļ	UEQ	URETL		8.33	0.83								
1		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	1	UEQ	USBMC		9.00	0.00				1		1		
-	1	Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for	1	1	UEU	OSBIVIC		8.20	8.20								
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
		Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			HEDOD HEDOD	UEALS	40.00	27.00	47.55	22.40	F 0F						
		Zone 1  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	HEDOD HEDOD	LIEALO	25.00	27.00	47.55	22.40	F 0F						
		Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	OEI OIL OEI OB	CEADO	20.00	07.02	17.00	20.40	0.20						
		Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
UNBUN		XCHANGE ACCESS LOOP															
$\vdash$	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	<u> </u>	<del>                                     </del>	+						<del>                                     </del>					<b> </b>
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b> </b>	+ -		J L / 1.L L	15.09	100.00	00.20	52.02	10.37	<del>                                     </del>	<b> </b>				
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				l											
<u> </u>	1	Ground Start Signaling - Zone 4	ļ	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
<b></b>	1	Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	<del>                                     </del>	UEA	OCOSL		18.19						-	-		
		Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	02.1	CE/ U.Z	10.00	100.90	00.20	02.02	10.07						
1		Battery Signaling - Zone 2	1	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		1		1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEAS?		,		=0.0-							
<b> </b>	1	Battery Signaling - Zone 4 Order Coordination for Specified Conversion Time (per LSP)		4	UEA UEA	UEAR2 OCOSL	45.72	105.96	68.28	52.82	10.37	-					
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	UEA	OCOSL	l	18.19				1	l	l .	L		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
<del>                                     </del>						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29	11130	Auu i	JONEC	JONAN	JONAN	JOHAN	JOHIAN	JOINAIN
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIF	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19	00.00								
0 14/15	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
Z-VVIF	E ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37	-			1		
<del>                                     </del>	2-Wire ISDN Digital Grade Loop - Zone 1  2-Wire ISDN Digital Grade Loop - Zone 2	<b>-</b>		UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN	U1L2X	37.34	117.61	79.92	52.82	10.37				1		
	2-Wire ISDN Digital Grade Loop - Zone 4	1	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)	1		UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP	-												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		2		1141 01/	44.47	101.07	70.04	50.00	7.00						
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		3	OAL	UALZA	11.74	121.21	70.61	30.36	7.93						
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.00	18.19	70.01	00.00	1.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	1141 0141	44.74	00.45	50.00	50.00	7.00						
	facility reservaton - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL	12.03	18.19	30.03	30.30	7.55						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE I	LOOP		1									1		
	2 Wire Unbundled HDSL Loop including manual service inquiry						İ									
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	l	l		,									
	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93				-		
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	9.87	120.00	79.52	E0 20	7.00	1	1				
<b>—</b>	& facility reservation - Zone 3  2 Wire Unbundled HDSL Loop including manual service inquiry	1	3	UIL	UHLZX	9.87	129.98	79.52	50.38	7.93				-		
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	1	1				
	Order Coordination for Specified Conversion Time (per LSR)	1	_	UHL	OCOSL	10.40	18.19	13.32	50.56	1.33				1		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1			1									1		
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	1	2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry			l	l		,				1	1				
	and facility reservation - Zone 3	1	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93	1	1				
<del>     </del>	Order Coordination for Specified Conversion Time (per LSR)	1	4	UHL	OCOSL	10.40	18.19	00.74	30.38	1.93	-	-		1		
	CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>		UHL	UREWO		85.98	40.33								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE I	LOOP				33.50	.0.00								
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68				<u> </u>		

UNRU	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	nit· A
5.400		5 ILL I TORIX ELEMENTO - IMISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>F</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect	201150	001141		Rates (\$)	001141	001141
		4 Wise Hebrard and HDCL Leasting to the discourse of a series in series				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
-		4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILAX	10.40	130.74	100.20	30.72	10.00						
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
<u> </u>		and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68			ļ	<b> </b>		
		4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	11111 4147	15.59	122.00	05.50	FG 70	10.00						
-		and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	3	UIL	UHL4W	15.59	133.62	95.50	56.72	10.68			-			
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	14.40	18.19	95.50	30.72	10.00						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
-	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	34.55	126.53	88.85	60.68	14.64						
-		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	3		UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64				<b> </b>		
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	<del>                                     </del>		UDL	UDL64 UDL64	40.76 32.25	126.53	88.85	60.68	14.64	-		-	-		
$\vdash$	1	Order Coordination for Specified Conversion Time (per LSR)	1	+	UDL	OCOSL	32.23	18.19	00.00	00.00	14.04	-			<del> </del>		
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDL	UREWO		101.94	49.66						1		
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1	<u></u>	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
1		2-Wire Unbundled Copper Loop-Designed including manual													]		
		service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual		_	LICI	LICE DD		400.01	00.0=	50.00	7.00						
-	1	service inquiry & facility reservation - Zone 3	<del>                                     </del>	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93	1			<del>                                     </del>		
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
<b>—</b>	1	Order Coordination for Unbundled Copper Loops (per loop)	1	+	UCL	UCLMC	12.09	8.20	8.20	30.36	1.93	-			<del> </del>		
		2-Wire Unbundled Copper Loop-Designed without manual				COLIVIO		0.20	0.20								
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93				1		
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93				<u> </u>		
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	ļ	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93				ļ		
1		2-Wire Unbundled Copper Loop-Designed without manual	1			LIOLES:									1		
-		Service inquiry and facility reservation - Zone 4	<b> </b>	4	UCL UCL	UCLPW	12.69	95.21 8.20	57.09 8.20	50.38	7.93			-	<b> </b>		
		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	<u> </u>	UCL	UCLIVIC		8.20	გ.20			l		l			

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UCL-Des)			UCL	UREWO		95.21	42.40								
4-W	RE COPPER LOOP			002	0.12110		00.21	12.10								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry		Ť		55245	21.00	144.00	<b>υ</b> π.ΖΖ	55.72	10.00						
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								lacksquare
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry		Ī _													
	and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						$\vdash$
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						i l
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	21.00	8.20	8.20	00.72	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP MOD	FICATION			UAL. UHL. UCL.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
<b>—</b>	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		32.57	32.57								├──
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS	-Loop Distribution															<del></del>
Jub	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						0.00									
-	Up			UEANL	USBSA		259.69									<del></del>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		22.77									
	Facility Set-Up	1		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	† :														
	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71	<del> </del>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.20	8.20			-					<del>                                     </del>
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35	<u> </u>					<u> </u>

IINRI	INDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
CIADO	JINDEL	HETWORK ELLINENTO - INISSISSIPPI	1				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	
														ist	Addi	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	l l		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
						1100140		0.00	0.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	4.40	8.20	8.20 24.55	F4 07	0.25	1					
	<del> </del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<u> </u>	<u> </u>	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		-				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	]	8.20	8.20					1	I	1	]
-	1	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	-	UEANL	URET1	<del>                                     </del>	34.36	34.36	1		}		1	<del> </del>	1	1
-	1	Loop Testing - Basic 1st Hall Hour	<del>                                     </del>		UEANL	URETA	<del>                                     </del>	19.97	19.97	1		1		1	t	1	1
	+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<del>                                     </del>	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71			<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>
-	+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	H	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71	<del>                                     </del>		<del> </del>	t	<del> </del>	<del> </del>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<del>i i</del>		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u> </u>		UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
					-				• • • • • • • • • • • • • • • • • • • •		-						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
	Unbun	dled Network Terminating Wire (UNTW)															
	<u> </u>	Unbundled Network Terminating Wire (UNTW) per Pair		<u> </u>	UENTW	UENPP	0.3366	30.55									
-	Networ	k Interface Device (NID)			LIENITA	LINIDAO		43.84	28.90								
-		Network Interface Device (NID) - 1-2 lines			UENTW UENTW	UND12 UND16		43.84 65.30	50.36								
		Network Interface Device (NID) - 1-6 lines				UNDC2	-	5.94	50.36			1					
-	1	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	<del>                                     </del>	-	UENTW UENTW	UNDC2 UNDC4	<del>                                     </del>	5.94	5.94	-				-	-	-	-
LINE	THEP P	ROVISIONING ONLY - NO RATE	<del>                                     </del>	-	OLINIW	UNDC4	<del>                                     </del>	5.94	5.94	1		}		1	<del> </del>	1	1
ONE C	THER, F	NID - Dispatch and Service Order for NID installation	1	<del>                                     </del>	UENTW	UNDBX	0.00	0.00		<del> </del>				<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>
-	<del>                                     </del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<del>                                     </del>		UENTW	UENCE	0.00	0.00				<b> </b>		<del> </del>	<del>                                     </del>	<u> </u>	<b> </b>
	1	The factor of th			UEANL,UEF,UEQ,U		3.00	3.00						1	<u> </u>		
		Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00						1	I	1	1
UNE C	THER. P	ROVISIONING ONLY - NO RATE			<u> </u>		2.00	2.00						İ	İ	İ	İ
	1		1				į į					İ					
1			1	1	UAL,UCL,UDC,UDL,		]							1	I	1	]
		Unbundled Contact Name, Provisioning Only - no rate	1	1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00		Ì				Ì	I	Ì	Ì
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	<u> </u>	rate	<u> </u>		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00						<u> </u>	<u></u>	<u> </u>	<u> </u>
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			1			_								]	]
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	1	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -													1		
L	<u> </u>	no rate	ļ		USL	CCOEF	0.00	0.00		ļ				ļ	ļ	ļ	ļ
HIGH	CAPACIT	Y UNBUNDLED LOCAL LOOP	ļ		ļ		ļ			ļ				ļ	ļ	ļ	ļ
		High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	1		41.515								1	I	1	1
	<u> </u>	month	<u> </u>		UE3	1L5ND	11.20					<u> </u>		<b> </b>	-	<b> </b>	<b> </b>
		High Capacity Unbundled Local Loop - DS3 - Facility	1	1	LIES	UE3PX	200.45	454.40	205 17	400.00	00.40			1	I	1	1
-	1	Termination per month	<del>                                     </del>	-	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19	1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLEY	1L5ND	11 00								1		
L		month	1	1	UDLSX	ILDIND	11.20					1			<u> </u>		

LINIBU	NIDI E	NETWORK ELEMENTO Minding!															
UNBU	INDLE	NETWORK ELEMENTS - Mississippi	1	1	ı	1	1					00	00		ment: 2	Exhi	
														Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	JOKI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						1
LOOP I	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															1
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								1
		Loop Makeup - Preordering With Reservation, per spare facility															1
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								1
LINE		AND LINE SPLITTING			UIVIK	UIVIKIVIQ		0.0052	0.6652			-					<b> </b>
LINE 3		: The Line Sharing monthly recurring rates for all installation	ne comi	alotod f	rom Octobor 02, 200	12 through m	idnight Octobo	r 01 2004 cha	l he hilled as t	follows:		1					1
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lidingiit Octobe	1 01, 2004 Sila	i be billed as i	ioliows.							
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	ppc: ic	l l	l designed ( GOEINE	, ,											
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															1
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															<b></b>
		Line Sharing - per Line Activation (BST Owned splitter) -				000	0.04	40.00	40.00	40.04	4.00						i
		OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Central Office Located (25% of UCLND) - please see NOTE 1															1
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						1
		Line Share Service, TRO per line activation, BST owned splitter -			010	OLOD1	2.70	10.02	10.00	10.04	4.00						
		Central Office Located (50% of UCLND) - please see NOTE 1															i
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						1
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															i
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						1
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line						40									1
	ļ	Rearrangement(DLEC Owned Splitter)	<u> </u>	<b>!</b>	ULS	ULSCS		16.48	8.24	ļ					ļ		$\vdash$
1		Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1			0.04	47.44	40.04	20.27	40.74		1		1		1
-		OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned	<del>                                     </del>	<u> </u>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						$\vdash$
		splitter - Central Office Located (25% of UCLND) - please see	1	1		1							1		1		1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						1 1
		Line Share Service, TRO per line activation, CLEC owned	<del>                                     </del>	<b>†</b>	010	02001	2.13	77.44	10.01	20.07	12.74				<b> </b>		$\vdash$
		splitter - Central Office Located (50% of UCLND) - please see	1	1		1							1		1		1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned		1	-	1									1		
		splitter - Central Office Located (75% of UCLND) - please see	1	1		1							1		1		1
<u></u>		NOTE 1 (E:10/2/2005)	<u></u>	<u>L</u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74						<u> </u>
		PLITTING															
	END US	ER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical	ļ		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93				ļ		igsquare
<u> </u>		Line Splitting - per line activation BST owned - virtual	ļ	<u> </u>	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
<u> </u>		ENANCE	<u> </u>	<u> </u>		<del>                                     </del>	ļ		/-						<b> </b>		←──
-		No Trouble Found - per 1/2 hour increments - Basic	<b> </b>	<u> </u>		1	1	80.00	55.00								$\vdash$
$\vdash$		No Trouble Found - per 1/2 hour increments - Overtime	<del>                                     </del>	<del>                                     </del>		+		120.00	82.50 110.00	1		-			<del>                                     </del>		$\vdash$
		No Trouble Found - per 1/2 hour increments - Premium	1		1	1		160.00	110.00	1		1	i		1		1

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		201150	001111		Rates (\$)	001141	001441
LINDLIND	I ED D	EDICATED TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FII																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41 EDE	20.07										
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	28.27	642.79	138.67	326.97	203.85	<del>                                     </del>					
+		Dark Fiber - Interoffice Charmer  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI, ODI OX	ODI 14		042.79	130.07	320.97	203.03						
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
8XX ACC	ESS T	EN DIGIT SCREENING			OLID		0.000001										
$\vdash$		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		-	OHD		0.0006216										
		Number Reserved			OHD	N8R1X		2.60	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple Interl ATA CXP.			OHD	N8FCX		2.60	1.30								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD OHD	N8FMX N8FAX		3.04	1.74								
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination						3.04	0.44								
		Features			OHD OHD	N8FDX	0.0000040	2.60									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	<u> </u>		טחט	1	0.0006216			1		1	<u> </u>		<u> </u>		

LINDUND	ED NETWORK ELEMENTS Missississis												A 11 1		F.A.	
ONBOND	LED NETWORK ELEMENTS - Mississippi	1			1	1					00	00		ment: 2		bit: A
													Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006216										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
-	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597		0==1	40.50	10.50						
<del>                                     </del>	CCS7 Signaling Connection, Per link (A link)	<del>                                     </del>	<b>.</b>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	-			<del>                                     </del>		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	1		UDB	TPP++	16.55	35.74	35.74	16.53	16.53		1		1		
<b> </b>	CCS7 Signaling Usage, Per ISUP Message	├	1	UDB	177++	0.0000149	35.74	35.74	10.53	10.53		<b> </b>		-		
<del>                                     </del>	CCS7 Signaling Usage Surrogate, per link per LATA	<del>                                     </del>		UDB	STU56	683.55								1		1
<del>                                     </del>	CCS7 Signaling Osage Surrogate, per link per LATA  CCS7 Signaling Point Code, per Originating Point Code	<del>                                     </del>		000	31000	000.00						<b> </b>		<del> </del>		
	Establishment or Change, per STP affected	1		UDB	CCAPO	]	29.18	29.18	35.78	35.78		1		1		
E911 SERVI				022	00/11 0		20.10	20.10	000	00.70						
	Local Channel - Dedicated - 2-wr Voice Grade				1	14.91	194.22	33.36	37.79	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Later William Towns of De Protect DOA Box For Will Town South					57.00	00.70	00.00	40.00	44.00						
CALLING N	Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE					57.33	89.79	82.28	16.86	14.90						
CALLING N	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23	-					
<del>                                     </del>	CNAM For Non DB Owners - Service Establishment			OQV	1		23.09	23.09	21.23	21.23						
<b>-</b>	CNAM For DB Owners - Service Provisioning With Point Code			OQV			25.05	25.03	21.20	21.20						
	Establishment			OQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point				1		*******									
	Code Establishment			OQV			344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per	1				[						1		]		
	Switch	ļ	ļ		1	ļ	85.19	85.19	14.19	14.19				ļ		
VIRTUAL C	DLLOCATION CONTRACTOR OF THE C	<u> </u>			1	ļ										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1		HEDOD HEDOD	VE41.0	0.0000	40.0=	11.0-				1		1		
BHASICVI	Splitting COLLOCATION	<b> </b>	1	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45				<del> </del>		1
FRISICAL	Physical Collocation-2 Wire Cross Connects (Loop) for Line	<del>                                     </del>			+	<del>                                     </del>										
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELEC	TIVE CARRIER ROUTING	<del>                                     </del>		OLI ON OLFOD	I L ILO	0.0200	12.37	11.07	0.04	5.45				<u> </u>		
Jan Selec	Regional Service Establishment	<del>                                     </del>		SRC	SRCEC	<del>                                     </del>	101,685.12		8,640.51			<b> </b>		<del> </del>		
	End Office Establishment	1		SRC	SRCEO	†	167.49	167.49	1.71	1.71				1		
	Query NRC, per query			SRC	1	0.0030502										l
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE													<u> </u>		
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	<u> </u>		A1N	CAMSE		39.67	39.67	40.92	40.92						
	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u> </u>		A1N	CAMDP	ļ	7.87	7.87	9.14	9.14						
	AIN SMS Access Service - Port Connection - ISDN Access	ļ	ļ	A1N	CAM1P	ļ	7.87	7.87	9.14	9.14				ļ		
	AIN SMS Access Service - User Identification Codes - Per User	1				]						1		1		
<u> </u>	ID Code		1	A1N	CAMAU	l	35.21	35.21	27.21	27.21		l		l		]

UNBUNDLI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0021	42.13	42.13	11.78	11.78						
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute				-	0.5649										
	AIN SMS Access Service - Company Performed Session, Per					0.0040										
	Minute					0.8393										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		39.67 4.226.54	39.67 4.226.54	40.92	40.92						
<del>                                     </del>	AlN Toolkit Service - Training Session, Per Customer  AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAL AV		4,220.34	4,220.04	<del>                                     </del>		<del>                                     </del>					
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
$\vdash$	DN, Off-Hook Delay	<u> </u>			BAPTD		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
<del>                                     </del>	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFIN		1.87	1.87	9.14	9.14	<del>                                     </del>					
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		04.07	04.07		4444						
-	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0535577	34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.0333377										
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	DAI WO	11.11	7.07	7.07	3.34	5.54						
	Subscription			CAM	BAPLS	2.71	8.71	8.71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHANCED E	Service Subscription XTENDED LINK (EELs)			CAM	BAPES	0.09	8.71	8.71	<b>†</b>							
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	olv for UNE com	nbinations pro	visioned as ' C	Ordinarily Com	ined' Network	Elements.					
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for											
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	_													
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1 2	UNCVX	UEAL2 UEAL2	13.89	105.96	68.28	52.82	10.37						
<del>                                      </del>	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2 UEAL2	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37	-					
	First 2-Wire VG Loop (SL2) in Combination - Zone 4	1		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile								1							
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	LIATE 4	54.70	00.70	00.00	10.00	44.00						
<del>                                     </del>	Termination per month 1/0 Channelization System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10	<del>                                     </del>					
<del>                                     </del>	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10	<del>                                     </del>					
					1	2.2.01	5.02		1							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Fort All Provide Nation Violence (2) 201 201 201 201 201 201 201 201 201 201		_	LINIONA	LIEALO			22.5	====							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	<b></b>	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2 The To Loop (OL 2) in Combination - Zone o				J	27.00	100.00	00.20	52.52	10.07						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						ı
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER				3.03	3.03	7.20	7.20						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						<b> </b>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						ı
			_			00.00										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
<del> </del>	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	TEOXX	0.1013										
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						ı
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.5737	6.62	4.74								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						ı
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						ı .
	Additional Voice Grade COCI in combination - per month		4	UNCVX	1D1VG	0.5737	6.62	4.74		14.04						
	Nonrecurring Currently Combined Network Elements Switch -As-					515151										
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI:	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813			33.00							
	Interoffice Transport - Dedicated - DS1 - combination Facility			-												
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87 0.00	10.10 0.00						<b></b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONCDX	טטוטו	1.22	0.02	4.74	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						ł
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			5.10 <i>D</i> /1	55200	04.00	120.00	00.00	33.00	14.04						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						 
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.00	0.50	20	20						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						

UNBUNE	LEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		51 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		_				400 =0									
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		First A Mire Odlike - Picital Occile Level is Occile and - 7 O		3	LINIODY	LIBL 04	40.70	100 50	00.05	00.00	44.04						
-		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UDL64	32.25	120.53	88.85	80.08	14.64				-		<del></del>
		Per Month			UNC1X	1L5XX	0.1813										
-		interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAX	0.1013										-
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00			1	<b>†</b>	1	t
	-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1		1.2.22		3.02		3.00	3.00			1	<b>†</b>		<b>†</b>
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1		1	I		1
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		Ė		1	2	.20.00	55.50	55.50	54			1	1		t
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					000										
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.4040										
-		Per Month			UNC1X	1L5XX	0.1813			-							<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
<u> </u>		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UTIFT	31.72	09.79	02.20	10.00	14.90						-
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FY	TENI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.03	5.05	1.20	7.20						
<del></del> -		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<b> </b>		<b> </b>	<b>I</b>		<b>—</b>
<b> </b>		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	<b> </b>		<b> </b>	<b>I</b>		<b>—</b>
<del>                                     </del>		First DS1Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			1	1		t
		First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			İ	İ		
		Interoffice Transport - Dedicated - DS3 combination - Per Mile									1						
		Per Month			UNC3X	1L5XX	4.29			1					1		1
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29			<u> </u>	<u></u>	<u></u>	<u> </u>
		3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional DS1Loop in DS3 Interoffice Transport Combination -				I				_	]	1		1	_		1
		Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07				1		<b>↓</b>
		Additional DS1Loop in DS3 Interoffice Transport Combination -				1				I		1		1	I		1
		Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			ļ	<b>.</b>		<b></b>
		Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINGAY	1101.307			.== :-			1		1	I		1
		Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						<b></b>
		Additional DS1Loop in DS3 Interoffice Transport Combination -			LINGAY	LICLYS	450 40	050.00	450.45	40.40	10.0-	1		1	I		1
<b></b>		Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			<b> </b>	<b>!</b>	1	<del>                                     </del>
$\vdash$	-	Additional DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			<del>                                     </del>	<del>                                     </del>		<del></del>
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20				1		1
EV	TEN	is charge DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CRAD	I FINTE			-	5.03	5.03	1.20	1.20			-	<del></del>	-	<del></del>
F^		2-WireVG Loop in combination - Zone 1	JRAD		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		-	-	-	-	<del></del>
		2 TYTIC TO LOOP III COMDINATION - ZONE 1	L		01101/	JUNE	13.09	100.30	00.20	J2.0Z	10.37	L	<u> </u>	I	1	L	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						<b></b>
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						<del>                                     </del>
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						<del>                                     </del>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.00088										1
<del> </del>	Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.00000										
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	02	20.02	10	2	20							
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						i .
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE													
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						ſ
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															ĺ
	Month	<u> </u>		UNCVX	1L5XX	0.00088										<b>.</b>
	Interoffice Transport - 4-wire VG - Dedicated - Facility															1
	Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						<del>                                     </del>
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE		41 ENID	44.00										+
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.20										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						1
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	454.15	205.47	123.23	00.19						<b></b>
	Interoffice Transport - Dedicated - DS3 - Per Mile per Month  Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSA	ILSAA	4.29										<del>                                     </del>
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						i
<b>—</b>	Nonrecurring Currently Combined Network Elements Switch -As-			ONOOX	01110	041.00	200.07	100.70	02.00	00.20						<b>—</b>
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						i .
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.29										<u> </u>
	Interoffice Transport - Dedicated - STS-1 combination - Facility															i .
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						<b>.</b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICOS		5.00	F.00	7.00	7.00		1				1
EVTE	Is Charge	I TDAS	CDODT	UNCSX	UNCCC	<del>                                     </del>	5.63	5.63	7.20	7.20				1	1	<del>                                     </del>
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				-	-	<del>                                     </del>
$\vdash$	First 2-Wire ISDN Loop in Combination - Zone 1  First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X U1L2X	27.59	117.61	79.92	52.82	10.37		<b> </b>		1	1	<del>                                     </del>
	First 2-Wire ISDN Loop in Combination - Zone 2  First 2-Wire ISDN Loop in Combination - Zone 3	1	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		<b> </b>		1	1	<del>                                     </del>
<del>                                     </del>	First 2-Wire ISDN Loop in Combination - Zone 4	<b>!</b>		UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 combination - per mile	1	_		J	55.15	117.01	10.02	02.02	10.07		<b> </b>				<u> </u>
	per month	1		UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		-	1									İ	İ	ſ
	Termination per month	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				1
	1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														1
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						<b>!</b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														1
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	L BLOS N												1
$\vdash$	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37				ļ	ļ	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINIONIV	LIALOY	50.40	447.01	70.00	50.00	10.0-		1				1
	Combination - Zone 4	1	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	l	<u> </u>		l .	l	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.		Order vs.
	····	m									per LSK	per LSK	Order vs.		Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		I .
-			-			Rec	First		First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Additional Quite ICDN COCI (DDITE) in combination and		-		+		FIISL	Add'l	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1			1-2-2	5					i			1		Ì
	Termination per month	1	1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29	I	1				
<del>                                     </del>	3/1 Channel System in combination per month	<del>                                     </del>	1	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82	1		1	1		1
<del>                                     </del>	DS1 COCI in combination per month	<del>                                     </del>	1	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	<del> </del>		1	<del>                                     </del>		}
$\vdash$		<del>                                     </del>	<del>                                     </del>	ONCIA	OCIDI	2.02	0.02	4.74	0.00	0.00	-	-		-		-
]	Additional DS1Loop in the same STS-1 Interoffice Transport	1	١,	LINGAY	LICLYY	70.00	050.00	450.45	40.40	40.07	I	1				
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	FROFE													
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
<del></del>	4-wire 56 kbps Local Loop in combination - Zone 3	<del>                                     </del>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
-			4	UNCDX	UDL36	32.23	120.55	00.00	00.00	14.04						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINICDY	41 EVV	0.0000										
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
]	Per Mile per month	1	1	UNCDX	1L5XX	0.0098					I	1				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1			1						i			1		Ì
	Facility Termination per month	1	1	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11	I	1				
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-		t		220	22.02	40.70	21.01	17.20	,.11	<del> </del>			t		1
	Is Charge	1	1	UNCDX	UNCCC		5.63	5.63	7.20	7.20	I	1				
EYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCD	OPT W		514000		5.05	5.05	1.20	1.20	1			1		<b>†</b>
	First 2-wire VG Loop (SL2) in Combination - Zone 1	· ANOP		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	<del> </del>		1	<del>                                     </del>		}
<del>                                     </del>		<del>                                     </del>		UNCVX	UEAL2						<del> </del>		1	<del>                                     </del>		}
$\vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 2	<del>                                     </del>				18.75	105.96	68.28	52.82	10.37	-			-		-
<del>                                     </del>	First 2-wire VG Loop (SL2) in Combination - Zone 3	-		UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	1		1	-		1
<b></b>	First 2-wire VG Loop (SL2) in Combination - Zone 4	<u> </u>	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	ļ					
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1813								1		
	First Interoffice Transport - Dedicated - DS1 combination -	1	1								I					
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.5737	6.62	4.74							_	

UNBUNDL'	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1								Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:	1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_			40.75	40= 00		=====	40.00						
<b></b>	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	LINIOVA	UEAL2	27.55	405.00	CO 00	50.00	40.07						
<b></b>	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Each Additional Voice Grade COCI in combination - per month	1	4	UNCVX	1D1VG	0.5737	6.62	4.74	52.62	10.37	1					
<del>  </del>	Each Additional DS1 Interoffice Channel per mile in same 3/1	+	<b>!</b>	OINOVA	טיוטו	0.5737	0.02	4.74	t				1	t	t	1
	Channel System per month			UNC1X	1L5XX	0.1813			1					1	1	
<del></del>	Each Additional DS1 Interoffice Channel Facility Termination in	+	<u> </u>	5.101A	120/01	5.1013			t					t	t	
	same 3/1 Channel System per month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				I	I	
	Each Additional DS1 COCI combination per month	1	<b>†</b>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				1	1	
	Nonrecurring Currently Combined Network Elements Switch -As-	-1	1		1	2.02	3.32		5.50	5.50				1	1	İ
	Is Charge		1	UNC1X	UNCCC		5.63	5.63	7.20	7.20				I	I	
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	TEROFF	ICE TR						1	1			İ	1	1	İ
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per				41 =>04											
	Mile Per Month	1		UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility			LINIOAN	U1TF1	54.70	00.70	00.00	40.00	14.90						
<b></b>	Termination Per Month	1		UNC1X UNC1X	MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	10.10						
<b></b>	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.5737	6.62	4.74		10.10						
<b></b>	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
<b>—</b>	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1					
<del>                                     </del>	Additional 4-Wire Analog Voice Grade Loop in same DS1	+	<u> </u>	014017	30101	2.02	0.02	4.74	0.00	0.00				t	t	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64				I	I	
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	<del></del>		22.27	21.71	102.21	5-1.55	00.00	14.04	<u> </u>		1	<b>I</b>	<b>I</b>	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				I	I	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	t -	-	1 1	22.23		230	22.30	1				1	1	İ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				I	I	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1			1											1
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				I	I	
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1813			<u> </u>	<u></u>			<u></u>	<u></u>	<u></u>	<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		Ι				_					_	_	
$\vdash$	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20				1	ļ	ļ
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	I MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		l .	LINODY	LIDI 50		,							I	I	
$\vdash$	Zone 1	ļ	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_	LINCDY	LIDI 50	04.55	400 50	20.65	20.00	44.61				I	I	
$\vdash$	Zone 2	+	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	-		-	<del>                                     </del>	<del>                                     </del>	-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64				I	I	
	LOUIC 3	1	3	OINCDV	UDLOD	40.76	120.53	88.85	80.00	14.04	1		l	1	1	ļ
$\vdash$	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						1									

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-					Nonrec	rurring	Nonrecurring	Disconnect		J.	oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										ĺ
	First Interoffice Transport - Dedicated - DS1 - combination															ĺ
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<b></b>
	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	-		UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87 0.00	10.10 0.00						<del>                                     </del>
	3/1 Channel System in combination per month	-		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b>—</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								0.00							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						ĺ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						<b></b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINCDY	LIDLE?	40.70	400 50	20.5-	20.00							1
$\vdash$	Interoffice Transport Combination - Zone 3  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						<del> </del>
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		1				1
	OCU-DP COCI (data) COCI in combination per month (2.4-		7	ONODA	ODESO	32.23	120.55	00.03	00.00	14.04						<u> </u>
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						ĺ
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															ĺ
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<b> </b>
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-	_		UNCIA	OCIDI	2.02	0.02	4.74	0.00	0.00						1
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						ĺ
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00									
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						<b>!</b>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_				400 50									ĺ
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						<del>                                     </del>
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						ĺ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	ONODA	ODLOT	40.70	120.00	00.03	00.00	14.04						
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						ĺ
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -				=				40.00							ĺ
	Facility Termination Per Month	-		UNC1X	U1TF1	51.72	89.79 91.57	82.28 62.94	16.86	14.90						<del>                                     </del>
	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	1		UNC1X	MQ1	102.85	91.57	6∠.94	10.87	10.10						<del>                                     </del>
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						1
	3/1 Channel System in combination per month	1		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74		0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						<b></b>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	LINCDY	LIDL 64	24.55	400 50	00.05	00.00	44.04						1
<del></del>	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	+	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						$\vdash$
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1				1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1		UUD/	55207	70.70	120.00	55.05	33.00	14.04						
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															ſ
	combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						<b></b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAV	41.5307	0.4040										1
<b></b>	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	1		UNC1X	1L5XX	0.1813										<del> </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	came of Containion Oyotom por month	<del></del>	1	J.131/	101111	01.72	00.73	02.20	10.00	14.30	1					

UNBUND	) Fr	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	nit· Δ
31130110		ALL TOTAL ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						-
		Nonrecurring Currently Combined Network Elements Switch -As-															i
	/TENI	Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOF	T / 0/	4 841137	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I WUX		-				-							
		Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
-		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOIN	OTLEX	21.01	117.01	70.02	02.02	10.07						<u> </u>
		Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination						_									
<u> </u>		Transport - Zone 3	<u></u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	<u> </u>	<u> </u>		<u></u>		<u> </u>
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						ļ
		First Interoffice Transport - Dedicated - DS1 combination - Per															. <u></u>
		Mile per month			UNC1X	1L5XX	0.1813										<b>.</b>
		First Interoffice Transport - Dedicated - DS1 combination -											1		1		ı
		Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each Channel System 1/0 in combination - per month		<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						1
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
<del> </del>		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00						
		Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															1
		system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAY	41.5307	0.4040										i
-		Channel System per month			UNC1X	1L5XX	0.1813			1							
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	1	<del>                                     </del>	014017	OTTET	31.72	09.19	02.28	10.00	14.90				<del> </del>		
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		1		1		İ
		Nonrecurring Currently Combined Network Elements Switch -As-					2.02	3.02		5.00	0.00						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		1		1		İ
EX	TENI	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						ı
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					•	
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						-
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month		ļ	UNC1X	1L5XX	0.1813								ļ		
		First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		1		1
<del></del>		3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
$\vdash$		Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74		0.00				1		
		Each Additional DS1 Interoffice Channel per mile in same 3/1			OI TO IX	50151	2.02	0.02	7.74	0.00	0.00						
		Channel System per month			UNC1X	1L5XX	0.1813			1			1		1		ı
		Each Additional DS1 Interoffice Channel Facility Termination in			-					1					1		
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				<u> </u>		ı
	T	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													]		
		1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		l		]		ı.

UNRU	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit· Δ
CIADO	MULL		1	l	I							Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
																	-
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	3ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														150	Addi	DISC 1St	DISC Add I
	1			1				Nonre	arina	Monroourring	Disconnect		l	000	Rates (\$)		
				1			Rec										
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		5		J	UNCIX	USLAA	200.74	255.95	130.43	40.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EVTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDA	EEICE		0.1000		0.00	0.00	7.20	7.20						
<u> </u>	EVIEN		NIEKU							ļ		<b>.</b>	<b> </b>	ļ			
	1	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64			]			
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		1				
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
<b>—</b>	1	First 4-wire 56 kbps Local Loop in combination - Zone 5	<b>-</b>	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		l	l			
	<del>                                     </del>		<del>                                     </del>	4	OINODA	ODESO	32.25	120.33	00.00	80.08	14.04	-	<del>                                     </del>	<del> </del>			
1	1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l	1		1		1	1		1	1	l	1			
<u> </u>	<u></u>	per month	<u> </u>	<u>L_</u>	UNCDX	1L5XX	0.0098	<u> </u>	L	<u> </u>	<u></u>	<u> </u>	L	L	<u> </u>		
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
				<u> </u>	CNODA	01100	22.02	40.70	21.01	17.20	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month			UNCDX	1L5XX	0.0098										
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			0.1027	120701	0.0000										
					LINODY	LIATEDO	00.50	40.70	07.57	47.00	7.44						
		Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDIT	IONAL N	IETWORK ELEMENTS			İ												
7.22		used as a part of a currently combined facility, the non-recurr	na cha	race de	not apply but a S	witch Ac Ic c	harao done ani	nlv									
		used as ordinarily combined network elements in All States, the					As is Charge	does not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each comb	oination)											
	1	Nonrecurring Currently Combined Network Elements Switch -As-	l	1		1			1					1			
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20	ĺ	l				
<b></b>	<b>†</b>	Nonrecurring Currently Combined Network Elements Switch -As-	<b>-</b>	t		3		0.00	0.00	7.20	7.20	l .	<b> </b>	<b> </b>			
l	1		l	1	LINCDY	LINICOO			5.00	7.00	7.00	1	l	1			
		Is Charge - 56/64 kbps		<b></b>	UNCDX	UNCCC		5.63	5.63	7.20	7.20		ļ				
		Nonrecurring Currently Combined Network Elements Switch -As-						1			1	ĺ	l				
1	1	Is Charge - DS1	l	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20	1	l	1			
	1	Nonrecurring Currently Combined Network Elements Switch -As-						1			1						
1	1	Is Charge - DS3	l	1	UNC3X	UNCCC		5.63	5.63	7.20	7.20	1	l	1			
	-			<b>!</b>	UINCOA	UNCCC		5.03	5.03	1.20	1.20	<b>.</b>					
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	l	1	l	1		1	1		1	I	l	1	1		
	<u> </u>	ls Charge - STS1	<u></u>	<u></u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20		<u> </u>	<u> </u>			
	Option	al Features & Functions:	l	1		1			1					1			
					U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	Li		ULDD1,UNC1X	CCOEF		OI	οι	οı	OI	ĺ	l				
-	1	State Statistics Supulsing Extended Frame Option - per DOT	<del>- '-</del>	1		JUUL1		·	<u>.</u>	· ·	·-	1	<b> </b>	1	-		
1	1	01011-01-110	l .	1	U1TD1,	00005		اما	اما	01	01	1	l	1			
	1	Clear Channel Capability Super FrameOption - per DS1		<u> </u>	ULDD1,UNC1X	CCOSF		01	01	UI	01						
1	1	Clear Channel Capability (SF/ESF) Option - Subsequent	1	1	ULDD1, U1TD1,	1		<u> </u>	1		<u> </u>	1	1	1			
		Activity - per DS1	L		UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S	ĺ	l				
				t	U1TD3, ULDD3,	1											
l	1	C hit Parity Ontion Subsequent Activity, nor DS2		1	UE3, UNC3X	NDCC3		219 725	7 669	72015	0S	1	l	1			
<u> </u>		C-bit Parity Option - Subsequent Activity - per DS3		1	ULO, UNUOX	NRCC3		218.72S	7.66S	.7201S	uo		ļ	ļ			
	MULTI	PLEXERS		<u> </u>		<u> </u>			<u> </u>	<u> </u>							
		DS1 to DS0 Channel System per month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		1				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per					_										
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74		1	ĺ	l				
	1	וווטוונו (ב.ד-טדתטט) עספע וטו מ בטכמו בטטף			ODL	טטוטו	1.22	0.02	4.74	l			l	l .			

UNRI	INDI FI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
OND	JIVDELI	THE TWO THE ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	I							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															1
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	0.00	0.00	4.74								1
		month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDIN	UCTCA	2.62	6.62	4.74								$\vdash$
		month used for connection to a channelized DS1 Local Channel															1
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								1
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						-
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
		DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74	000	02.02						
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74								1
UNRU	NDI ED I	OCAL EXCHANGE SWITCHING(PORTS)			OLDD1	OCIDI	12.96	0.02	4.74								
ONDO		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired feature	s will need to b	e ordered usin	g retail USOCs	<b>i</b>								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Evahanga Parta 2 Wire Analog Line Part with Caller ID. Bea			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						i l
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						-
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFSK	OLFVVJ	1.41	2.35	2.29	1.42	1.33						
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
<b>—</b>	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -		-		+											$\vdash$
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						1
		Exchange Ports - 2-Wire VG unbundled Line Port with			02. 03	02. 02		2.00	2.20		1.00						
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						i l
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
1		Exchange Ports - 2-Wire VG unbundled MS extended local			LIEDOD	LIEDAY	, , ,	0.00	0.00	4.40	4.00						1
<b>—</b>	+	dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with		-	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						$\vdash$
		Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						1
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan						2.00	2.20	2	50						
	<u> </u>	without Caller ID	<u> </u>	<u>L</u>	UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						<u> </u>
		2-Wire voice unbundled Incoming Only Port without Caller ID															
<u> </u>	1	Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						$\vdash$
<b>—</b>	FEATU	Subsequent Activity		-	UEPSB	USASC	0.00	0.00	0.00								$\vdash$
<b>-</b>		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								$\vdash$
	1				1 00	1,7	50	3.30	5.00			1	l	L	·		

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
CIAD	ONDEL	NETWORK ELEMENTO IMISSISSIPPI					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
J			m			5555			== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92						
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										1					
		Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92				<u> </u>		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33						
		Transmission/usage charges associated with POTS circuit s													L		
		Access to B Channel or D Channel Packet capabilities will be	availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	termined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES	<u> </u>	<u> </u>		<u> </u>	L					L			l		
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
-	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	arter the	errecti	ive date of this amer	ndment shall UEPP2	be provided p	ursuant to a se 120.00		ent or tariff at	BellSouth's d 3.88	scretion.	ļ		-		-
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			LIEDDD	LIEDDO	58.41	000.40	96.25	74.00	0.54						
<b>_</b>	1	capability (E:4/1/2004)	<b> </b>	1	UEPDD UEDCY	UEPDD		203.19		74.86	2.54	ļ	ļ		-		-
-	-	Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered		1	UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
-	-			1	UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
-	NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	witch o -		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	iccion by B O	annole acces	atod with a	wire ICDN -	norte			<b> </b>
<b>-</b>		Transmission/usage charges associated with POTS circuit s Access to B Channel or D Channel Packet capabilities will be													Poguet Pro	ress	
-		NGE PORT RATES (continued)	availai	T	I I I I I I I I I I I I I I I I I I I	Lusiness Re	quest FIUCESS.	Nates for the	Packet capabi	ines will be de	reminieu via t	lie Bulla Fit	ie nequesti	TEM DUSINESS	i nequest FIO		
<b>-</b>	EXCHA	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	<del>                                     </del>	1		1						-			1		1
1	1	Locator Capability (E:4/1/2004)	1		UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	1	1				
-	1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69						
<b>-</b>	1	Physical Collocation - DS1 Cross-Connects	<del>                                     </del>	<b>!</b>	UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	<b> </b>	<b> </b>				
	+	Virtual Collocation - Special Access & UNE, cross-connect per	1	<b>!</b>	SELEX SELEX	· - · · ·	1.14	22.10	10.02	5.00	0.01						
	1	DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
1	Detaile	d E911 with Locator Capability (required with UEPEX port)	<b>†</b>	1	SELEX OFFER	511017	1.14	22.10	10.02	0.00	5.31	<b> </b>	<b> </b>				
<b> </b>	_ June	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<del>                                     </del>	1		1						l	l				
	1	Locator Capability - Initial Profile Establishment per CLEC per	1									1	1				
	1	State	1		UEPEX	UEP1A	0.00	1.814.00		156.15		1	1				
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>	İ			5.00	.,000		.00.10							
	1	Locator Capability - Subsequent Profile Changes, Additions,	1									1	1				·
	1	Deletions	1		UEPEX	UEP1B	0.00	176.15				1	1				
	New or	Additional PRI Telephone Numbers	<b>†</b>			1	2.20										i
1		and the second second		•													

Version 3Q03: 11/12/2003 Page 215 of 348

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
CITE	ONDEL	NETWORK ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(4)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
1		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.15	23.15				1				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTERI	ACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									
	CALL																
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.0988	0.0988								
		Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D	110466											
	LINIBUT	allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988	ļ				1	1	1	<del>                                     </del>
<u> </u>	ONBO	DLED REMOTE CALL FORWARDING - Bus	-			-						-	ļ	-	1	-	<u> </u>
		Hobundled Remote Cell Fernander Continue Area Cellina D			LIEDVB	LIEDAC		0.00	0.00	4 40	4.00		1				
-	-	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						<del> </del>
		Habitandlad Barrete Call Familia 15 - Oct 15 - 1 - 1 Collins			LIEDVD	LIEDLO		2.00	0.00		4.00		1				
-	-	Unbundled Remote Call Forwarding Service, Local Calling - Bus	-		UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	-	ļ	-	1	-	<u> </u>
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.41 1.41	2.39	2.29 2.29	1.42	1.33						
<u> </u>		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.41	∠.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33		1				
<u> </u>	Non D				ULFVD	DEKAN	1.41	2.39	2.29	1.42	1.33				-		<del>                                     </del>
<del></del>	NON-Re	Unbundled Remote Call Forwarding Service - Conversion -				1	-								1		<del> </del>
1		Switch-as-is			UEPVB	USAC2		0.0988	0.0988				1				
<del></del>	-	Unbundled Remote Call Forwarding Service - Conversion with			OLF VD	USAUZ	-	0.0908	0.0968					-	1		<del> </del>
1		allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988				1				
LINRII	INDI ED I	OCAL SWITCHING, PORT USAGE			OLI VD	30,00		0.0500	0.0300	<del> </del>				1	1	1	1
SINDO		fice Switching (Port Usage)				+				<del>                                     </del>							<del>                                     </del>
<del></del>	Life Of	End Office Switching Function, Per MOU				1	0.0010269			<del>                                     </del>		<b>-</b>			1		<del>                                     </del>
<b>-</b>		End Office Switching Function, Fer MOU  End Office Trunk Port - Shared, Per MOU				1	0.0010269			<del> </del>				1	1	1	1
<b>-</b>	Tander	n Switching (Port Usage) (Local or Access Tandem)		<del>                                     </del>		+	0.000101					1			<del> </del>		<del>                                     </del>
	ranaei		L	L	l	<u> </u>	l .			l .		L	L	L	L	L	

IINR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
OND	JINDEL	HETWORK ELLINENTO - INISSISSIPPI	1				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OAIL	00	TATE ELEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															ļ
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Comb	ned Combos th	ne nonrecurrin	g charges sha	I be those ider	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ														
	UNE Po	ort/Loop Combination Rates	<b>!</b>			-	10.0-										-
<u> </u>	-	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	12.22 17.13								-		1
-		2-Wire VG Loop/Port Combo - Zone 2		2													
-		2-Wire VG Loop/Port Combo - Zone 3		3			26.26 44.91										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
		pop Rates		4	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)		-	CLITOR	OLI LX	40.00										
	2 *******	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU																
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
		NUMBER PORTABILITY			LIEBBY .												
<u> </u>		Local Number Portability (1 per port)	<b>!</b>		UEPRX	LNPCX	0.35								<del> </del>		<b>!</b>
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			-									<del>                                     </del>		<del>                                     </del>
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPRX	USAC2		0.0988	0.0988				1		1		I
<u> </u>	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<del>                                     </del>		OLFKA	USAUZ		0.0988	0.0988		-				-		-
1	1	Switch with change	1		UEPRX	USACC		0.0988	0.0988				1		1		I
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKX	USACC		0.0900	0.0900								
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs	1			<b>†</b>		0.00	0.00				<b> </b>		<b> </b>		<b>I</b>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	1		UEPRX	USAS2	0.00	0.00	0.00								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	1	Premise	1		UEPRX	URETL		8.33	0.83				1		1		I
	OFF/O	PREMISES EXTENSION CHANNELS	<u> </u>														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25		1				
			+														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
				1	UEPRX UEPRX UEPRX	UEAEN UEAED UEAED	43.85 13.89 18.75	37.92 105.96 105.96	17.55 68.28 68.28	23.48 52.82 52.82	5.25 10.37 10.37						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INIE	ROFFICE TRANSPORT  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
	Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIX	OTTVZ	20.52	40.77	21.51	17.20	7.11						
	or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<del> </del>	3		-	17.13 26.26			1					<b>-</b>		-
LINE	Loop Rates	1	3	+		∠0.∠0			1		-	-		-	-	-
OIAE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	10.98			+		<del>                                     </del>	1		<b>†</b>	<b> </b>	<b>†</b>
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
2-Wi	re Voice Grade Line Port (Bus)			HEDDY	LIEDDI	4.00	40.04	10.01	04.00	0.50						
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	<u> </u>		UEPBX UEPBX	UEPBL UEPBC	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58				-		
	2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice dribdridied port outgoing only abus			OLI BX	OLI BO	1.25	40.51	13.04	24.30	0.30						
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID	ļ		UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
LOC	AL NUMBER PORTABILITY	1		UEPBA	UEPBE	1.23	40.31	19.04	24.90	0.56				1		1
200,	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA <sup>7</sup>	TURES					3.33										
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>		UEPBX	USAC2		0.0988	0.0988						-		
	Switch with change			UEPBX	USACC		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	00/100		0.0000	0.0000								
	Subsequent Database Update						0.00	0.00								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	ļ		UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS		1	OLI BX	OKLIL		0.00	0.03								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b> </b>	4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25						
<del></del>	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	<del> </del>	2	UEPBX UEPBX	UEAED UEAED	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design	<del>                                     </del>			UEAED	27.55	105.96	68.28	52.82	10.37				<b> </b>		<del>                                     </del>
	2 Wire Analog Voice Grade Extension Loop – Design	1			UEAED	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT	1														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	<del>                                     </del>	<u> </u>	UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1	1	UEPBX	U1TVM	0.0088	0.00	0.00								
1 1	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1	1	OLPDA	OTTVIVI	0.0088	0.00	0.00	-		<del>                                     </del>		ļ	-		-

CATEGORY	O NETWORK ELEMENTS - Mississippi															
CATEGORY											Svc Order	Svc Order	Incremental	ment: 2 Incremental	Incremental	bit: A Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY											Elec		Manual Svc	Manual Svc		Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rt/Loop Combination Rates		_		1	10.00										
	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.22 17.13										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4		+	44.91										
	op Rates		-		+	44.51										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res	<u> </u>		UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR																
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		7.00	4.04								
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00								
	ONAL NRCs						0.00	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+ +											
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.110	00,102	0.00	0.00	0.00								
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/ON	I PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37				-	-	
	PFFICE TRANSPORT				1				ļ					-	-	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11		1		I	I	
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEFRG	UTIVZ	20.32	40.77	21.57	17.26	7.11				<b>-</b>	<b>-</b>	-
	or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00				1				
2-WIPE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		OLFING	JIIVIVI	0.0008	0.00	0.00	1					t	t	
	ort/Loop Combination Rates	<b>-</b>			+ +				1			<b> </b>		t	t	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22								1	1	
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13								1	1	
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04								1	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68								1	1	
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)				1											
1 1 1	Live Oille Helevelle LOverlive Co. O. Wee BDV.T 1. S S.			HEDDY	LIEBBO	4.00	00.07	00.10	07.00			1		I	I	
$\vdash$	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<b>-</b>	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17				<b>!</b>	<b>!</b>	1
<b> </b>	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	-		UEPPX UEPPX	UEPPO UEPP1	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		<b> </b>		<del></del>	<del>                                     </del>	-
$\longrightarrow$	2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		<b> </b>		<del>                                     </del>	<del>                                     </del>	-
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPPX	UEPLD	1.23	69.37	32.48		6.17		<b> </b>		<del> </del>	<del> </del>	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
5.1.2511.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· ·		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>							Nonros	rrina	Nonrecurring	Dissennest			000	Rates (\$)		
-			<u> </u>		-	Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD									-						
	Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									0.45						
$\vdash$	Discount Room Calling Port	1	-	UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17	1	-	-	<del>                                     </del>		
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	1	<b>-</b>	OLFFA	ULFAQ	1.23	09.37	32.48	31.00	0.17	1	1	1	<del> </del>		1
	Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17				1		
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17				1		
LOC	AL NUMBER PORTABILITY									-						
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		7.00	4.04								
-	Conversion - Switch with Change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPPX	USACC		7.96	1.91				-		-		
	Subsequent Database Update						0.00	0.00								
ADD	ITIONAL NRCs						0.00	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS	1		LIEDDY	DO II IV	40.00	105.00	00.00	50.00	40.00			ļ	-		ļ
$\vdash$	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37			-	1		-
<del>                                     </del>	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	1	3	UEPPX UEPPX	P2JHX P2JHX	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37		-		<del>                                     </del>		
	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	1	4	UEPPX	P2JHX P2JHX	45.72	105.96	68.28	52.82	10.37	1	1	1	<del> </del>		1
INTE	ROFFICE TRANSPORT	1	+	OLI I A	1 2011/	40.12	105.50	00.20	32.02	10.37				<del> </del>		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1												1		
	Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11				1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0088	0.00	0.00					<u></u>	<u></u>		<u></u>
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT		-				•		•						
UNE	Port/Loop Combination Rates															
<b></b>	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2		1	17.13							-	1		-
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		+	26.26 44.91						-		<del>                                     </del>		
LINE	2-Wire VG Coin Port/Loop Combo – Zone 4 Loop Rates	1	4		+	44.91			1		-		1	<del> </del>		1
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	10.98					1	1	1	<del> </del>		1
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	15.91								t		
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	25.04								1		
	2-Wire Voice Grade Loop (SL1) - Zone 4	1	4	UEPCO	UEPLX	43.68										
2-Wi	re Voice Grade Line Ports (COIN)	1					İ									
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58				I .		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge -
						Rec	Nonred	curring	Nonrecurring	Disconnect		1		Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)      2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						
	with Dialing Parity (MS)  2-Wire Coin 2-Way with Operator Screening and o'r Biocking,  2-Wire Coin 2-Way with Operator Screening & Blocking:			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)  2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	1+DDD, 011+, Local; with Dialing Parity (MS) 2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						
	Screening (KY, LA, MS)  2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						
	Screening; With Dailing Parity (MS)  2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and 011			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	Blocking; with Dialing Parity (MS)  2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	011, 900/976, 1+DDD (AL, KY, LA, MS)  2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	1+DDD, 011+, and Local (AL, KY, LA, MS) 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			UEPCO UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	011+, and Local; with Dialing Parity (MS)  2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY			UEPCO	LNPCX	0.35										<del> </del>
NONR	Local Number Portability (1 per port)  ECURRING CHARGES - CURRENTLY COMBINED			UEPCU	LINPUX	0.35										1
- NOW	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.0988	0.0988								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity     Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USAS2		0.00	0.00								
2-WIR	Premise  E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FLINE	PORT (	UEPCO RES)	URETL		8.33	0.83								
	Port/Loop Combination Rates															
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										1
<u> </u>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
likie i	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4  oop Rates	<b> </b>	4			46.99										<del>                                     </del>
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFR	UECF2	13.89						1				+
	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFR	UECF2	18.75										†
t t	2-Wire Voice Grade Loop (SL2) - Zone 3	<b>1</b>		UEPFR	UECF2	27.55							Ì	İ		1
	2-Wire Voice Grade Loop (SL2) - Zone 4			UEPFR	UECF2	45.72										
2-Wire	Voice Grade Line Port Rates (Res)							•								
	2-Wire voice unbundled port - residence	<u> </u>		UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70						ļ
	2-Wire voice unbundled port with Caller ID - res	<u> </u>	<u> </u>	UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70			l			<u> </u>

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
0.100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	INCOME ELEMENTO IMICOICOIPPI										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>,</b>	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.441
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice Grade unbundled Mississippi extended local			LIEDED	LIEDAT	4.07	100.05	70.57	54.04	44.70						
-		dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			LIEDED	UEPAP	1.27	100.05	70.57	5404	44.70						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						-
		without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						İ
-	INTER	OFFICE TRANSPORT			OLITIK	OLI W3	1.27	100.55	10.51	54.24	11.70	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
		Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0088										
	FEATU																
		All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															İ
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	0.14/105	End User Premise		ODT (	UEPFR	URETN		11.19	1.10								
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (I	305)												
	UNE P	ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.16										<del></del>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	28.82					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4		+	46.99										
	UNFI	pop Rates		<u> </u>			10.00										
	0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
	<u> </u>	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
1	1	2-Wire voice Grade unbundled Mississippi extended local	l			1								1	I		1
<u> </u>	<u> </u>	dialing parity port with Caller ID - bus	<u> </u>		UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70	<u> </u>		<b> </b>	-	ļ	<del></del>
<u> </u>	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	1	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70	1		-	1		<del>                                     </del>
1	1	2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID	l		UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70				1		1
	LOCAL	NUMBER PORTABILITY	-	-	UEFFB	UEPVIK	1.27	108.35	70.57	54.24	11.70				<del>                                     </del>		<del></del>
<u> </u>	LUCAL	Local Number Portability (1 per port)	-	-	UEPFB	LNPCX	0.35			<del></del>				-	-	-	<del></del>
<b>-</b>	INTER	OFFICE TRANSPORT	1	1	ULFFB	LINFUX	0.35					1	1		1		<del>                                     </del>
<b>—</b>	MIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	<del>                                     </del>		+				<del>                                     </del>				<del> </del>	<del>                                     </del>		<del>                                     </del>
1	1	Termination	l		UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11			1	I		1
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			122	20.02	40.11	21.01	17.20	,,,,,	1		<b> </b>	<b>I</b>		<b>—</b>
1	1	or Fraction Mile	l		UEPFB	1L5XX	0.0088							1	I		1
	FEATU					1	3.0000			1				1	1		
		All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00			İ					
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED						-				İ					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	<u></u>	Combination - Conversion - Switch-as-is	<u> </u>		UEPFB	USAC2		16.94	3.72	L				<u> </u>	<u> </u>	<u></u>	<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						_	-								1
L	<u> </u>	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								L
1	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l											]			1
L	<u> </u>	End User Premise	<u> </u>		UEPFB	URETN		11.19	1.10						<u> </u>		

HNP	INDI =	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	hit: A
UND	JNDLE	D NET WORK ELEMENTS - MISSISSIPPI			I	1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W/IDE	I VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INE I	OPT /	DDV)			riist	Auu i	FIISt	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		ort/Loop Combination Rates	LINE	UKI (	F B A )												
-	ONL F	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.16					-					
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	20.02					-					
		2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		4			46.99										
-	LINE L	pop Rates				+	40.55										
-	ONL L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89					1					
		2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFP	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFP	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
$\vdash$	2-Wiro	Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>	-	OE111	JLUI Z	40.12			1				<del>                                     </del>	<del>                                     </del>		
<b>—</b>	Z-1116	TOIGG GIAGE LINE I OIL MAIES (DOG - FDA)	<del>                                     </del>			+				1	1	<del>                                     </del>	1	1	1		
1	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29			Ì	Ì		
<b>-</b>	1	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus	<del>                                     </del>		UEPFP	UEPPO	1.27	137.41	80.14		11.29	<del>                                     </del>	1	1	1		
<b>-</b>	1	Line Side Unbundled Outward PBX Trunk Port - Bus  Line Side Unbundled Incoming PBX Trunk Port - Bus	<del>                                     </del>		UEPFP	UEPPO UEPP1	1.27	137.41	80.14		11.29	<del>                                     </del>	1	1	1		
<b>-</b>	1	2-Wire Voice Unbundled PBX LD Terminal Ports	<del>                                     </del>		UEPFP	UEPLD	1.27	137.41	80.14		11.29	<del>                                     </del>	1	1	1		
-	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPFP	UEPXA	1.27	137.41	80.14		11.29	1	1				
-	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14		11.29	-					
-	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14		11.29	-					
-	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14		11.29	1					
-	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFF	UEPAD	1.27	137.41	00.14	67.20	11.29	-					
		Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFIF	ULFAL	1.27	137.41	00.14	07.20	11.29	-					
		Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFFF	UEPAL	1.27	137.41	60.14	67.20	11.29	1					
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFIF	ULFAIVI	1.27	137.41	00.14	07.20	11.29	-					
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy			ULFIF	ULFAU	1.27	137.41	00.14	07.20	11.29	-					
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			UEFFF	UEFAQ	1.27	137.41	00.14	67.20	11.29	-					
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
-	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14		11.29	-					
-	1	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14		11.29	-					
<b>-</b>	LOCAL	NUMBER PORTABILITY	<del>                                     </del>		OLFIF	ULFAD	1.2/	137.41	ou.14	01.20	11.29	<del>                                     </del>	1	1	1		
<b>-</b>	LOCAL	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00			1	1				
<b>—</b>	INTER	DFFICE TRANSPORT	-		OLFIF	LINE OF	3.15	0.00	0.00	1				-	<b> </b>		
-	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-			+	-			1				-	<b> </b>		
		Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
<b>-</b>	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del>                                     </del>		OLFIF	01172	20.32	40.77	16.12	17.20	7.11	<del>                                     </del>	1	1	1		
	1	or Fraction Mile	1		UEPFP	1L5XX	0.0088							Ì	Ì		
-	FEATU		1		OL: FF	ILUAA	0.0000					1	1				
<b>-</b>		All Features Offered	<del>                                     </del>		UEPFP	UEPVF	2.56	0.00	0.00	1	1	<del>                                     </del>	1	1	1		
<b>-</b>		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>		02111	OLI VI	2.50	0.00	0.00	1	1	<del>                                     </del>	1	1	1		
-	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+								<del> </del>	<del> </del>		
	1	Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		16.94	3.72					Ì	Ì		
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	02.11	00/102		10.54	5.72			1	1	1			
	1	Combination - Conversion - Switch with change	1		UEPFP	USACC		16.94	3.72					Ì	Ì		
<b>—</b>	+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<del>                                     </del>		U-111	30,100		10.54	5.12	1				<del>                                     </del>	<del>                                     </del>		
		End User Premise			UEPFP	URETN		11.19	1.10				1				
UNRII	NDI FD F	PORT/LOOP COMBINATIONS - COST BASED RATES	1		02.11	CINETIA		11.15	1.10								
5.450		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			+				1				<del>                                     </del>	<del>                                     </del>		
$\vdash$		ort/Loop Combination Rates	I OKI			+								<del> </del>	<del> </del>		
$\vdash$	0.4E F	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	<del>                                     </del>	1		+	21.32			1				<del>                                     </del>	<del>                                     </del>		
-	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<del>                                     </del>	2		+	26.16			1				<del>                                     </del>	<del>                                     </del>		
-	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	<del>                                     </del>	3		+	34.98			1				<del>                                     </del>	<del>                                     </del>		
<b>-</b>	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	<del>                                     </del>	4		+	53.15			1	1	<del>                                     </del>	1	1	1		
-	LINE	pop Rates	<del>                                     </del>	-		+	55.15			1	1	<del>                                     </del>	1	1	1		
	DIAL L	rop nation	<u> </u>	L	l	1				1	·	1	1	1	1		

UNBUI	IDLE	NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
0.1.20.													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	-	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							ļ	Ļ.,										
								Rec	Nonrec		Nonrecurring					Rates (\$)		
-		0.100 - 4 - 1 - 1/0'- 0 - 1 - 1 (0.10) - 110 - 7 4		<u> </u>	HEDDY		LIEOD4		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89										
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1 UECD1	27.55										
<del>                                     </del>	INE De	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4 ort Rate		4	UEPPX		UECDI	45.72										
<del></del>		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25	1					
<del>                                     </del>		CURRING CHARGES - CURRENTLY COMBINED			OLITA		OLIDI	7.43	225.50	07.13	114.55	14.23						
<del> </del>	TOTAL	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		7.35	1.88								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
1 1		with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88						1		1
į,	ADDITI	ONAL NRCs	1										İ					
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1		UEPPX		USAS1		26.94	26.94								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise	<u></u>		UEPPX		URETN	l	11.19	1.10								
	Telepho	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
<u> </u>		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI														
	JNE PC	ort/Loop Combination Rates					+	+ +										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		4	UEPPB	UEPPR	d.	28.59										
<b>-</b>		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	UEPPB	UEFFR	<u> </u>	20.39										
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
<b>-</b>		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITB	OLITIK	+	33.00										
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITE	OLITIK		40.10										
		UNE Zone 4		4				67.61										
	JNE Lo	op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
		<b>3</b>																
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR	USL2X	34.85										
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										
		ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
'لـــــــا	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
1 T		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1					I T								]		]
$\sqcup \sqcup$		Combination - Conversion	ļ		UEPPB	UEPPR	USACB	0.00	38.73	27.17	ļ					ļ		ļ
<b>└</b>	ADDITI	ONAL NRCs	ļ				ļ	ļ					ļ					
1 1		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDES	LIEBSE	LIDET									1		1
$\longmapsto$		End User Premise	<u> </u>		UEPPB	UEPPR	URETN	<b> </b>	11.19	1.10			<u> </u>			<b> </b>		<b> </b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIEDDD	UEPPR	LIBETI		0.00	0.83								
<b>  </b>	OC A1	Premise	├	<del>                                     </del>	UEPPB	UEPPK	URETL	<del>                                     </del>	8.33	0.83			<del>                                     </del>			-		-
	JUCAL	NUMBER PORTABILITY Local Number Portability (1 per port)	<b> </b>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1		}			1		1
<del>                                     </del>	R-CHAP	NNEL USER PROFILE ACCESS:	1	<del>                                     </del>	OLFFD	JLFFK	LINEUX	0.35	0.00	0.00	<del> </del>					<del> </del>		<del> </del>
<del>                                     </del>	- ONAI	CVS/CSD (DMS/5ESS)	<del>                                     </del>		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	<del> </del>		1			1		1
$\vdash$		CVS (EWSD)	<b>†</b>		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1			<b> </b>		<b> </b>
$\vdash$		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						1		
	3-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS. &	TN)				5.00	3.00	2.00								
	<b></b>	CVS/CSD (DMS/5ESS)	,,	,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD	1		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								

IINRIINDI E	ED NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	hit· Δ
CIADOIADE	- METANOUV EFFINIENTO - MISSISSIPPI											Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	-	cs	usoc			RATES (\$)								
CATEGORI	KATE ELEMENTO	m	20116	-	.00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	urring	Nonrecurring	g Disconnect		1	OSS	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LISER	TERMINAL PROFILE							11131	Auu i	11130	Auu	JOHILO	JOINAIN	JOINAIN	JOHIAN	JOHAN	JONAN
USER	User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VEDT	ICAL FEATURES	+		OLFFB	OLFFR	UTUNA	0.00	0.00	0.00	-			-				
VENT	All Vertical Features - One per Channel B User Profile	+		UEPPB	UEPPR	UEPVF	2.56	0.00	0.00	-			-				
INITED	ROFFICE CHANNEL MILEAGE	+		OLFFB	OLFFR	OLF VI	2.30	0.00	0.00	-			-				
INTER	Interoffice Channel mileage each, including first mile and	+				+				-			-				
	facilities termination			LIEDDD	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile	1				M1GNM	0.0098	0.00	0.00	17.20	7.11	1					
4 14/15		L DODT		UEPPB	UEPPR	MIGNIM	0.0098	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI					( 40/0/00		4/4/04 //				<u>.</u>					
	NE-P DS1 combination rates below for in this rate exhibit appl													nt.	1	<del>                                     </del>	
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Irunk Po	ort afte	r the effec	ctive date o	this amend	ment shall be i	provided pursi	iant to a sepai	ate agreement	or tariff at Bel	South's di	scretion.				
UNE F	Port/Loop Combination Rates	<del>                                     </del>	<u> </u>	<u> </u>		+	ļ			<b>.</b>				1		1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		1	455.40			I						Ì	
	Zone 1	1	1	UEPPP			155.43										
1 1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1 _			1				I						Ì	
$\vdash$	Zone 2	<del>                                     </del>	2	UEPPP		+	205.74			<b>.</b>				1		1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	l													
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 4		4	UEPPP			534.81										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74										
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46										
UNE F	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
ADDIT	TIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	RFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.61									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.61									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.61									
CALL	TYPES											1					
	Inward	1		UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7CO	0.00	0.00	0.00			1					
	Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage	1	İ			1 1	5.30	2.30	2.30	İ	1			İ		İ	
	Fixed Each Including First Mile	1	1	UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	1		1		1	
	Each Airline-Fractional Additional Mile	1	i e	UEPPP		1LN1B	0.20	22.10		. 5.00		İ				1	
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1			<del> </del>	5.20			t		1		1		1	
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	ded hase	in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	tes or a senara	te commerc	ial agreeme	nt.		1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff												ugroome	 I	1	<del> </del>	
	Port/Loop Combination Rates			аптег		De provide	- parsaant to	. Jopaiale agre	OI tall	. at Bonoouth :	a alooi etioil.	1			1	<del>                                     </del>	
10142	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		1	131.78			t	1	1	1	1	1	1	
	TTT DO I DIGITAL LOOP/TTY DOITO HUIN FUIL FUNL ZUILE I	<u> </u>	<u> </u>	טבו טט		1	131.70			1	1	·	1	l	1	1	

ACTECION RAYE LEMENTS IN THE PLAN OF THE P	UNBL	JNDLFI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
ATTECHN PATE LEMENTS   10	0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO IMPOSICOIPPI										Svc Order	Svc Order				
ATT BLEMENTS														1				
ATTECHY  BATE ELEMENTS  BY DESCRIPTION  BATE ELEMENTS  BY DESCRIPTION  BY DESC				Intori														
Proceedings	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No.   No.				m									po. 20.1	po. 20.1				
Proc.   Proc																		I I
STATE   Continue   C																		
WY DIST Digital Locate Vision (Line Paris 2)								Rec										
MY DOE Depart Lospen 2015 Frame Part - LNA Zave 3			AW DC4 Digital Lagraday DDITC Tarrely Dark LINE 7 0		2	LIEDDO		400.07	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A   USPCC   Section   Se		-																$\vdash$
Monte   Mont		+	4W DS1 Digital Loop/4W DDITS Trunk Port - LINE Zone 4															$\vdash$
H-Wise DST Data Love - UNE Zoord   1   UEPDC   US-DC   79.98		UNE Lo	oop Rates			OLI DO		011.10										-
4-Wine DSE Option Long - LINE Zong 3					1	UEPDC	USLDC	79.08										
E-Vive DST Data Log URE Zone 4					2		USLDC	129.38										
UPPG   UPPG			4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
H-Wine DDTS Dubla Trout Port   E-M-1200H   DBPC   DBPT    S5.70   497.12   294.70   190.96   146.11					4	UEPDC	USLDC	458.46										
Advisor St. Digital Copt / Afvisor DDTS Trunk Proc Combination   SPPDC   USA/04   130.24   67.41																		
4-Web DS 10 piled Loop / 4-Web DDTS Trank Port Combination   UEPDC USACA   130.24 (67.4)						UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
- Switch-selse   Evit A2006   Affirm DST Struk Port Combination   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   (Evit A2006)   Committee and DST Charage   Committee an		NONRE					-											-
4-Wine DS1 Digital Logo / 4-Wine DDTS Trunk Prof Combination   UPPDC USAWA   130.24   67.41						LIEDDC	LISACA		130.24	67.41								
- Conversion with DS1 Optatio part Avertino DS1 Strate part Combination - Avertino DS1 Optatio part Avertino DS1 Strate part Cardinal Part Cardinal - Avertino DS1 Strate part Cardinal - Avertino DS1 Logo 4-Wire DD1S Trush Fort NRC - Subsequent Channel Activation Chan 2-Way Trush - Avertino DS1 Logo 4-Wire DD1S Trush Port Cardinal - Avertino DS1 Logo 4-Wire DD1S Trush Port Subsequent Channel - Avertino DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS1 Logo 4-Wire DS2 Logo 4-Wire DS2 Logo	-	<del>                                     </del>		<del>                                     </del>		02, 00	55/104		150.24	07.41						<b> </b>		$\vdash$
### 4-Wine DS1 logs   All-yes   DD1'S Trank Port Combination   ### Combination   DFPDC   USAWB   130.24   67.41   ### Combination   DFPDC   USAWB   14.56   ### Combination   DFPDC   USAWB   14.56   ### Combination   DFPDC   USAWB   USAW						UEPDC	USAWA		130.24	67.41						1		1
Conversion with Change - Trunk (E-41/2004)   UEPOC USAWB   130.24   67.41				<b>1</b>			1		.00.24	011	Ì					Ì		
4-Wite DST Loop / 4-Wite DDTS Trunk Port - NRC - Subsequent Channel Activation. Chan - 2-Wite DDTS Trunk Port - Subsequent Channel Activation. Chan - 1-Wite DDTS Trunk Port - Subsequent Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Trunk Visid Did Channel Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Ch			- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								1
Subsequent Channel ActivationChan - 2Vitry Trunk		ADDITI																
Harmon   H																		
Channel Activation/Chan - 1-1/a/y Journard Trunk Word DID						UEPDC	UDTTA		14.56	14.56								
Advise DST Loop / A-Wire DDTS Trunk Port - Subspat Channel   UEPOC   UDTTC   14.56   14.56																		
Activation/Chan Inward Trunk wido DID						UEPDC	ODLIB		14.56	14.56								
4-Wike DST Loop / 4-Wike DDTS Trunk Port - Subspace Chan   UEPDC   UDTTD   14.56   14.56						LIEDDC	LIDTTC		14.56	14.56								
Activation Per Chan - Inward Trunk with DID			A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsant Chan			OLFDC	ODITO		14.50	14.50								$\vdash$
4-Wire DST Loop /4-Wire DDTS Trunk Port - Subsignt Chan   LePDC   LOTTE   14.56   14.56						UEPDC	UDTTD		14.56	14.56								
Activation / Chan - 2-Way DID W User Trans   UEPDC UDTTE																		
B825 - Superframe Format						UEPDC	UDTTE		14.56	14.56								
B82S - Estended Superframe Format		BIPOLA																
Alternate Mark Inversion																		
AMI - Standed Superframe Format   UEPDC MCOSF   0.00 0.00   0.0						UEPDC	CCOEF		0.00i	600.00s								
Mil - Estended SuperFrame Format		Alterna				LIEDDO	140005		0.00	0.00								
Telephone Number for 2-Way Trunk Group   UEPDC UDTGX																		
Telephone Number for 1-Way Trunk Group   UEPDC   UDTGX   0.00   UDTGX   UDT	-					UEPDC	IVICOPO		0.00	0.00				-				
Telephone Number for 1-Way Outward Trunk Group		relepiii				LIEPDC	UDTGX	0.00										<del></del>
Telephone Number for 1-Way Inward Trunk Group Without DID   UEPDC   UDTGZ   0.00   UDTGZ																		
DID Numbers for each Group of 20 DID Numbers   UEPDC   ND4   0.00																		
Reserve Non-Consecutive DID Nos.						UEPDC	ND4	0.00										
Reserve DID Numbers									•									
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				ļ							ļ					ļ		igsquare
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  UEPDC  ILNO1  57.33  89.79  82.28  16.86  14.90  Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities  Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25  miles  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities  Termination)  UEPDC  ILNOB  0.00  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities  Termination)  UEPDC  ILNOB  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOB  0.00  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOC  0.00  0.0					<u> </u>			0.00	0.00	0.00								
Termination   UEPDC	-	Dedica		ו Digital	гоор	with 4-Wire DDITS	runk Port									-		$\vdash$
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  UEPDC  ILNOA  0.20  0.00  0.00  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  UEPDC  ILNOB  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles  UEPDC  ILNOB  0.20  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  ILNOB  0.20  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  ILNOS  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOC  0.20  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOC  0.20  0.00  0.00  0.00  ILNOC  0.00  0.00  0.00  0.00  ILNOC  0.00  0.00  0.00  0.00  0.00  ILNOC  0.00						LIEDDC	11 NO1	E7 30	90.70	92.00	16.00	14.00						1
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC U	-	1	rominauvii)	1		OLFDO	ILINUT	31.33	09.19	02.28	10.00	14.90	-	-		<del> </del>		$\vdash$
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC U			Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								1
Termination   UEPDC   1LNO2   0.00								5.20	2.00	2.00								
miles						UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC 1LNO3 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																		
Termination   UEPDC   1LNO3   0.00						UEPDC	1LNOB	0.20	0.00	0.00								igsquare
Interoffice Channel Mileage - Additional rate per mile - 25+ miles																1		1
Local Number Portability, per DS0 Activated		1	Termination)	<u> </u>		UEPDC	1LNO3	0.00	0.00	0.00	0.00				ļ	ļ		$\vdash$
Local Number Portability, per DS0 Activated			Intereffice Channel Mileage Additional rate per			LIEDDC	11 NOC	0.00	0.00	0.00								1
Central Office Termininating Point UEPDC CTG 0.00	-	1		<del>                                     </del>							0.00							$\vdash$
4-WIRÉ DS1 LOOP WITH CHANNELIZATION WITH PORT	-	<del>                                     </del>		<del>                                     </del>					0.00	0.00	0.00							$\vdash$
		4-WIRE		<b>1</b>			15.5	0.00					1		1	1		$\vdash$
				ivations			1				Ì					İ		

LINBUNDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
ONBONDE	D NET WORK ELEMENTS - MISSISSIPPI			1	1	1					Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЭ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		Disconnect				Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	System can have up to 24 combinations of rates depending on															
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	sts for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ve dat	e of this amendmen	t shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	n.					
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4			UEPMG	USLDC	458.46	0.00	0.00								
LINE	SO Channelization Capacities (D4 Channel Bank Configuration	ne)	·	OLI IIIO	00250	100.10	0.00	0.00								
OIVE E	24 DSO Channel Capacity - 1 per DS1	,		UEPMG	VUM24	95.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00								-
																<u> </u>
<b> </b>	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	380.24	0.00	0.00	ļ	ļ	<b> </b>			ļ	ļ	ļ
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00			ļ					ļ
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conve			stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
	les of this configuration functioning as one are considered Ac															†
Intuitip	NRC - Conversion (Currently Combined) with or without	I are		l	Inguration is	l l										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Custon	n Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan						0.41								-
					mation Curre	IIIIY EXISIS AND										-
New (I	Not Currently Combined) in all states, except in Density Zone 1	от гор	8 IVI SF	18												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			LIEDMO	\ (I I I I I I I	0.00	745.45	007.00	440.05	47.50						
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	nge Ports				İ	İ	İ	İ	İ	İ	İ			İ	İ	
	Line Side Combination Channelized PBX Trunk Port - Business				1						1			1		1
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	1			İ		
	Line Side Outward Channelized PBX Trunk Port - Business			JEI I A	OLI OX	1.23	0.00	0.00	0.00	0.00	<del> </del>			<del> </del>		<del>                                     </del>
	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00	1			İ		
				UEPPX	UEPUX	1.23	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID			LIEDDY	LIEDAY						1			İ		
	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –				1						l					
	(AL, KY, LA, MS, & TN)(Conversion from Network Access		l		1						]			1	1	
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00	<u> </u>			L	<u> </u>	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access				1						l					
	Service) (E:4/1/2004)		l	UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00	]			1	1	
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–				1	i	1			1	İ			İ	İ	
	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	1			l		
<del>                                     </del>	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -				32. 34	1.20	0.00	0.00	0.00	3.30	1			<del> </del>		<b>†</b>
1	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00	l					
Eastern	re Activations - Unbundled Loop Concentration			JEI I X	02107	1.23	0.00	0.00	0.00	0.00				1		+
reatu	e Activations - Offbundled Loop Concentration			1	1						l					

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		,,										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
		5	Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	JRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect		ı	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	one Number/ Group Establishment Charges for DID Service			HEDDY	NDT	0.00	0.00	0.00								
		DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States			UEPPX UEPPX	NDT ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
-		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
-		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability	1			1	0.00	0.00	0.00						1		
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00					1			
		RES - Vertical and Optional															
	Local S	witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC								L		L					
		ures shall apply to the Unbundled Port/Loop Combination - C											l	L			
		Office and Tandem Switching Usage and Common Transport														A ddisional NE	00
		first and additional Port nonrecurring charges apply to Not Ci	urrentiy	Combi	ned Combos. For	Currently Co	mbinea Combo	s, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	entiy Combine	ea sections. I	Additional NF	ccs may
		Iso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will	ho noge	atiotod	on on Individual Co	ana Bania un	til further netic	_ 1		1		1	ı	ı	1		1
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualea	on an individual Ca	ase basis, uii	ui iurther notic	e.									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<b>'</b>														
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
<u> </u>	INC D	Non-Design		4	UEP91		44.91			-							
	JNE PO	ort/Loop Combination Rates (Design)					-			-							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP91		15.12										
<del>                                     </del>		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.31	+	10.12								<b> </b>		
		Design	l	2	UEP91		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			- **												
		Design	1	3	UEP91		28.78					1	1		1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design	]	4	UEP91		46.95										
$\perp \perp \downarrow$	JNE L	pop Rate				1									ļ		ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP91	UECS1	10.98								ļ		ļ
<b> </b>		2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP91	UECS1	15.91							ļ	ļ		
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP91	UECS1	25.04								<del>                                     </del>		
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	4	UEP91 UEP91	UECS1 UECS2	43.68 13.89			<del>                                     </del>		-	-	1	-		
1		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<del>                                     </del>	2	UEP91	UECS2	18.75							-			
<del>                                     </del>		2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP91	UECS2	27.55								<b> </b>		
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
	JNE Po				- +.		2										
		es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
1 T		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1									1	]		]		
		Local Area	I	1	UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58	l	l	1	I		I

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit: A
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	<u> </u>		<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOA	LIEDVAA	4.00	100.05	70.57	5404	44.70						
-		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF91	UEFTZ	1.23	100.33	70.57	54.24	11.70						
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 01	OLI 10	1.20	40.01	10.04	24.00	0.00						
		Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire														_	_
		Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	ļ	Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		L															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local	Switching			UEP91	URECS	0.7947										
	L cool N	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature				OLF91	LINFOC	0.33										
	Cutur	All Standard Features Offered, per port			UEP91	UEPVF	2.56										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	10 1.00									
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire	<u> </u>		LIEBO.		00.50	40.00		47.00							
<b>-</b>	<del>                                     </del>	Interoffice Channel Facilities Termination - Voice Grade	<del>                                     </del>	<b>.</b>	UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11			-	<del>                                     </del>		
<u> </u>	Fasture	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		UEP91	M1GBM	0.0098							-			
<b>-</b>		e Activations (DS0) Centrex Loops on Channelized DS1 Service		1		+				1				1	1		
<b>—</b>	D-7 O110	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>		UEP91	1PQWS	0.57								<b> </b>		
<b>I</b>	<b>†</b>	- satars / satisficial on b + original bank centrex book slot	1		021 01	11 9440	0.37					1			<b> </b>		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.57								1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<b>t</b>		-					Ì					1		
		Slot			UEP91	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.57										
									· · · · · · · · · · · · · · · · · · ·						1		-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	ļ	Slot	ļ	<b>.</b>	UEP91	1PQWQ	0.57										
-	Nac 5	Feature Activation on D-4 Channel Bank WATS Loop Slot	<b> </b>	ļ	UEP91	1PQWA	0.57										
-	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<b> </b>	ļ		1											
		Conversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		0.10	0.10								
-	-	changes, per port	-	1	UEP91 UEP91	USAC2 USACN		37.97									
<u> </u>	<del>                                     </del>	Conversion of Existing Centrex Common Block New Centrex Standard Common Block	<del>                                     </del>	1	UEP91 UEP91	M1ACS	0.00	666.32	16.68						-		
$\vdash$	1	New Centrex Standard Common Block	<del>                                     </del>		UEP91	M1ACC	0.00	666.32		1				1	1		
$\vdash$	1	Secondary Block, per Block	<del>                                     </del>		UEP91	M2CC1	0.00	77.91		1				1	1		
$\vdash$	<del>                                     </del>	NAR Establishment Charge, Per Occasion	<del>                                     </del>		UEP91	URECA	0.00	72.63							<del> </del>		
	1	I was Establishment Onlarge, i of Occasion	L	1	021 01	UNLUA	0.00	12.00		1		1	1	L	1		L

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1 '
	Premise Put Florent To Building			UEP91	URETL		8.33	0.83								<b></b> '
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10								ĺ
UNF-P	CENTREX - 5ESS (Valid in All States)			UEF91	UKETIN		11.19	1.10	1					1		<del>                                     </del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP95		12.22										<b></b>
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS		17.10			1							İ
$\vdash$	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	UEP95	<del>                                     </del>	17.13			-					<del>                                     </del>		$\vdash$
1 1	Non-Design		3	UEP95		26.26			1							1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	<u> </u>	00	1	20.20										
	Non-Design		4	UEP95		44.91								1		1 '
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														ĺ
	Design Control of the		1	UEP95		15.12										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		19.98										ĺ
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		19.98										<del>                                     </del>
	Design		3	UEP95		28.78										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-							İ					İ		
	Design		4	UEP95		46.95										<u> </u>
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2	UEP95 UEP95	UECS1 UECS1	15.91 25.04										<del>                                     </del>
<b>—</b>	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 4  2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										<b>—</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75			İ					İ		
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	ort Rate															<b></b>
All Sta	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						<del> </del>
<b>—</b>	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OL1 30	OLI ID	1.20	40.01	10.04	24.00	0.00						<u> </u>
	Area	<u> </u>		UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u>i</u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							_								1
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						<b></b>
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDVZ	4.00	400.05	70.57	F4.04	44.70						1
$\vdash$	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70				<del>                                     </del>		<del></del>
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58				1		1 '
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		00	32. 70	1.20	40.01	10.04	24.50	0.50						
	Basic Local Area	<u> </u>		UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58	<u> </u>	<u> </u>		<u> </u>	<u> </u>	1
AL, K	, LA, MS, SC, & TN Only							•								
$\vdash$	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58						<del></del>
$\vdash$	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58						<del>                                     </del>
<b> </b>	2-Wire Voice Grade Port (Centrex with Caller ID)1     2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58				<del>                                     </del>	-	<del> </del>
	Center)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		1			1	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			1 2	20		. 5.51	524							
	Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70	<u> </u>	<u> </u>		<u> </u>		<u> </u>
							_									1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>		UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		]			]	

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0.1.201.222											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	<del> </del>	-					Monroe	urrina	Monroourring	Dissennest			220	Rates (\$)		
<b>—</b>						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FI & (	I GA Only						FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWAN
	Switching															
20001	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NARS		<u> </u>	<u> </u>	LIEBOE	LIABOY	0.00	0.00	0.00	0.00	0.00				<b> </b>		ļ
$\vdash$	Unbundled Network Access Register - Combination	<del>                                     </del>	$\vdash$	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				<del>                                     </del>		
$\vdash$	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	<u> </u>		UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00				-		
Misco	Ilaneous Terminations	1	$\vdash$	OFL 20	JANUA	0.00	0.00	0.00	0.00	0.00	-			1		1
	e Trunk Side	<del>                                     </del>			1	<b> </b>										
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	e Digital (1.544 Megabits)					5	:=5:50		Ţ	2.00						
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations			LIEBOE	400040	0.57										
<b></b>	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 33	II QWO	0.57										
	Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
$\vdash$	Slot	ļ		UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<b> </b>		UEP95	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1			1									<del>                                     </del>		
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10			1			1		
<del>                                     </del>	Conversion of Existing Centrex Common Block, each	<del>                                     </del>		UEP95	USACN	<b> </b>	37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32	10.00								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32									1
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise	ļ		UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOS	LIDETNI		44.40	4			1			1		
LIN'E F	End Use Premise	<b> </b>		UEP95	URETN		11.19	1.10						<del> </del>		1
	P CENTREX - DMS100 (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>			+	<b> </b>					-			-		1
	Port/Loop Combination Rates (Non-Design)	<del>                                     </del>			+									<u> </u>		
0.121	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1												1		
	Non-Design		1	UEP9D		12.22					1			1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					İ										
	Non-Design	<u> </u>	2	UEP9D		17.13								<u> </u>		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design	<u> </u>	4	UEP9D		44.91										

ATECNOP RATE ELEMENTS  MM 200 BGS  WATER 100 BGS  W	UNBL	JNDLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
NATE BLENKINS   March	0												Svc Order	Svc Order				
ATTECHY  RATE LEMENTS  MAY PRIVATE LEMENTS  MAY PRI																		
March   Marc				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
No.   Process	CATE	SORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
March   Marc															Electronic-	Electronic-	Electronic-	Electronic-
No.   Pirel   Audit   Pirel   Audit   Pirel   Audit   Pirel   Audit   Pirel   Audit   South															1st	Add'l	Disc 1st	Disc Add'l
No.   Pirel   Audit   Pirel   Audit   Pirel   Audit   Pirel   Audit   Pirel   Audit   South		1							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		<del></del>
Design							1	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Design		UNE Po	rt/Loop Combination Rates (Design)															
SWE VIS. Loop 2-Ver Vote Grade Pert (Certines)-Introduction   2				-														
Design   Complete					1	UEP9D		15.12										Ļ'
SWING NOT LODGE CARRIES OF CONTROL OF THE CONTROL			, , ,		_	LIEDOD		40.00										1 '
Design   D						UEP9D		19.98										$\vdash$
Solver Vol. Long/Solver Volume Grade Port Contrary   A   UPP90   A6.98					3	UEP9D		28.78										1 '
Description   Description							1				İ					İ		
SWew Visco Grants Long (St. 1): Zone 1			Design		4	UEP9D		46.95										
2-Wive Votes Grante Long (81, 1-Zone 2   2   LEPRIO   LECS1   1.5 pt																		
2-Wire Voor Grade Loog (St. 1) - Zoins 3		<b> </b>		<u> </u>														<b></b>
2-Wine Voice Grande Long (St. 1) - Zone 4   4   UEPPID   UECS1   4.33 8	-			1							<del> </del>					1	-	<del>                                     </del>
2-Wire Votes Grade Long (SL 2) - Zone 1	-			1							<del> </del>		1			+		$\vdash$
2-Wire Votes Gradue Long (St. 2) - Zone 3   3 UEPRO   UECS2   18.75																		
2-Wire Vacor Grade Dot (Sc. 2) - Zome 4											1							
ALL STATES																		
ALL STATES					4	UEP9D	UECS2	45.72										
SAVIEW Volce Grade Port (Centrex / EBS-MS009)) Basic Local Area   UEP90   UEPY0   1.23   40.31   19.84   24.90   6.58																		
Avive Voice Grade Port (Centrex / EBS-MS209)3 Basic Local Avea   UEP9D   UEPVB   1.23   40.31   19.84   24.90   6.58		ALL SI				LIEDOD	LIEDVA	1 22	40.24	10.04	24.00	6.50						$\vdash$
Area						UEF9D	UEPTA	1.23	40.31	19.04	24.90	6.36				1		
2   2   2   2   2   2   2   2   2   2						UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						1 '
2-Wire Voice Grade Port (Centrex / EBS-M6509)3 Basic Local   UEPPD   1.23   40.31   19.84   24.90   6.58																		
Area						UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port Centrex / EBS-MS209)3 Basic Local   UEP9D   UEPYE   1.23   40.31   19.84   24.90   6.58																		1 '
Area   Care						UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local   UEP9D   UEPYF   1.23   40.31   19.84   24.90   6.58						HEDAD	HEDVE	1 23	40.31	10.84	24.90	6 58						1 '
Area   UEP90   UEPY6   1.23   40.31   19.84   24.90   6.58						OLF9D	OLFIL	1.23	40.51	19.04	24.90	0.38						$\vdash$
2-Wire Voice Grade Port (Centrex /F ES-M5312))38asic Local Area   UEP9D   UEPY   1.23   40.31   19.84   24.90   6.58						UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						j '
2-Wire Voice Grade Port (Centrex / EBS-M508))3 Basic Local			2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
Area						UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area   UEP9D   UEPYU   1.23   40.31   19.84   24.90   6.58																		j '
Area						UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						<b></b>
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area   UEP9D   UEPYV   1.23   40.31   19.84   24.90   6.58						LIEP9D	HEPYH	1 23	40 31	19.84	24 90	6 58						j '
Area						OLI OD	OLI 10	1.20	40.01	10.04	24.00	0.00						<del></del>
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local   UEP9D   UEPY3   1.23   40.31   19.84   24.90   6.58			Area	<u>L</u>	L	UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58	<u> </u>	<u> </u>		<u> </u>	<u> </u>	1
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area  UEP9D  UEPYM  1.23  40.31  19.84  24.90  6.58  24.90  6.58  24.90  6.58  24.90  6.58  24.90  6.58  25.80  24.90  6.58  24.90  6.58  24.90  6.58  25.80  26.58  26.58  26.58  26.58  27.57  27.57  28.24  11.70  28.37  28.38  28.30																		
Area   UEP9D   UEPYH   1.23   40.31   19.84   24.90   6.58				<u> </u>	<u> </u>	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						<b></b> '
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area  UEP9D UEPYU 1.23 40.31 19.84 24.90 6.58  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  UEP9D UEPYJ 1.23 40.31 19.84 24.90 6.58  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area  UEP9D UEPYM 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5012)2,3,4 Basic Local Area  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70						LIEDOD	HEDVU	4 00	40.24	10.04	24.00	6.50						1 '
Indication)  A Basic Local Area	-			1	-	OLFAD	UEFIR	1.23	40.31	19.84	24.90	0.58	1			+		$\vdash$
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4   UEP9D   UEPYJ   1.23   40.31   19.84   24.90   6.58						UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						1 '
2-Wire Voice Grade Port (Centrex/form diff Serving Wire Center) 2,3-Basic Local Area  UEP9D UEPYM 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYM 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70  UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70																		
2.3-Basic Local Area						UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4   UEP9D UEPYO 1.23 108.35 70.57 54.24 11.70						LIEDOD	LIEDVAA	4.00	400.0=	70 ==	F4.6.	44 ===						1 '
Basic Local Area	-	-		<b></b>	-	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70				-		<del>                                     </del>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4   UEP9D UEPYP 1.23 108.35 70.57 54.24 11.70						UEP9D	UEPYO	1 23	108.35	70.57	54 24	11 70						1 '
Basic Local Area						05	32. 70	1.20	100.00	70.07	54.24	11.70						
Basic Local Area	L		Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		<u> </u>		<u> </u>	<u> </u>	1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.23 108.35 70.57 54.24 11.70																		
Basic Local Area		ļ		ļ	ļ	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70						<b></b>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4						LIEDOD	HEDVD	1 22	109.25	70.57	54.24	11.70						1 '
	-	<del>                                     </del>				OLFBD	JLFIR	1.23	100.35	70.57	54.24	11.70						<del>                                     </del>
			Basic Local Area	1		UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		1			1	1 '

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge -			Incremental Charge -
-	1						_	Nonred	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			OLI OD	OLI 10	1.20	100.00	70.07	04.24	11.70						<del>                                     </del>
		Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	LIEDV7	4.00	100.05	70.57	54.04	44.70						
	1	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						<del> </del>
		Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
		Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL. KY	LA, MS, SC, & TN Only			OLI 9D	OLI 12	1.25	40.51	13.04	24.50	0.30						<del>                                     </del>
	,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
	-	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						ļ
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D UEP9D	UEPQD UEPQE	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58				-		<del>                                     </del>
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4  2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						†
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						<b>.</b>
	1	2-Wire Voice Grade Port (Centrex / EBS-M5216)4 2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D UEP9D	UEPQV UEPQ3	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						<del> </del>
		2-Wire Voice Grade Fort (Centrex FEBS-Nos16)4  2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						<u> </u>
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2,0			OLI OD	OLI GIVI	1.20	100.00	70.07	04.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
		0.14% - 14.15 - 0.15 - 14.16% - 0.140 (FD0.14F000)								=							
	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70				-		<del> </del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
							-			-							1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11 70						
		2-wire voice Grade Port (Centrex/differ SWC /EBS-wb312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						+
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		<u> </u>	UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
-	1	2 1110 10106 Orace For Contravaller SWO/LDG-W3210)2,3,4		1	OLI 3D	OLI QU	1.23	100.33	10.31	34.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		<u></u>	UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70			<u> </u>			<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l												
	1	Term 2,3		<u> </u>	UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						<del>                                     </del>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port Terminated in 611 Wiggains of equivalent		1	UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	witching															
	1'	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0.7947										<u> </u>
<b>-</b>	Local	lumber Portability Local Number Portability (1 per port)		<b>!</b>	UEP9D	LNPCC	0.35										<del>                                     </del>
<u> </u>	1	Local Hamber Fortability (1 per port)	L		021 30	LIVI OO	0.33			l			l	L	l		

UNBL	JNDLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0.15	J.112 L.L.	THE TYPICK ELEMENTO IMPORTOR PR										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect		ı	oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
	NADO	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										
-	NARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each	ļ		UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88				ļ		
		Digital (1.544 Megabits)	ļ		LIEDOD	MALIDA	50.41	000.10	20.00	71.00	0.51						
-		DS1 Circuit Terminations, each DS0 Channels Activiated per Channel	l		UEP9D UEP9D	M1HD1 M1HDO	58.41 0.00	203.19 14.56	96.25	74.86	2.54				-		
-		ice Channel Mileage - 2-Wire	1		OLFSD	INITIDO	0.00	14.56					-		-		1
-	interon	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098	10.77	2	11120							
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
		5															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.57										
		Slot			UEP9D	1PQW7	0.57										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 3D	II QW7	0.57										
		Different Wire Center			UEP9D	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot	ļ		UEP9D	1PQWQ	0.57										
	Non-Po	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.57										
	NOII-KE	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32									
	A 1 ****	NAR Establishment Charge, Per Occasion	ļ		UEP9D	URECA	0.00	72.63									
<b>—</b>	Additio	nal Non-Recurring Charges (NRC)				1											
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
1	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLI 3D	JINLIL		0.33	0.03				<b> </b>				
1		End Use Premise			UEP9D	URETN		11.19	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)					<u> </u>										
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo			-				•								
	UNE Po	rt/Loop Combination Rates (Non-Design)	ļ			ļ											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	UEP9E		12.22						1		1		
-	1	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del> </del>	1	UEF9E	+	12.22								-		
		Non-Design		2	UEP9E		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	<b></b>	İ	10								İ		
		Non-Design	<u> </u>	3	UEP9E	<u> </u>	26.26					<u> </u>	<u> </u>				<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-		_				-								
	<u> </u>	Non-Design	ļ	4	UEP9E	1	44.91										
<u> </u>	UNE Po	rt/Loop Combination Rates (Design)	ļ			-											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP9E		15.12										
-	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 3L	+	15.12										
		Design		2	UEP9E		19.98										
		•			-	1							•				

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	ibit: A
ONDONDE	LD NETWORK ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP9E		46.95										
UNF	Loop Rate															
0.112	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04					1					<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										†
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										†
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75					1					<b>†</b>
<del>  </del>	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<del>                                     </del>	3	UEP9E	UECS2	27.55						l		<b> </b>		<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Loop (SL 2) - Zone 3	<del>                                     </del>	4	UEP9E	UECS2	45.72			1					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
IINE	Port Rate		+-	OL: 0L	02002	75.72					1			<del> </del>	1	<del>                                     </del>
	L, KY, LA, MS, & TN only				1						1			<del> </del>	1	<del>                                     </del>
AL, F	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58	1			<del> </del>	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Alea  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			ULF9L	OLFIA	1.23	40.31	15.04	24.50	0.56						-
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLF 9L	ULFIB	1.23	40.31	19.04	24.30	0.30						<del>                                     </del>
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
		1		UEP9E	UEPTH	1.23	40.31	19.84	24.90	6.58						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVAA	4.00	400.05	70.57	54.04	44.70						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDVZ	4.00	400.05	70.57	54.04	44.70						
	Service Term - Basic Local Area	-		UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	4.00	40.04	40.04	04.00	0.50						
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	(Y, LA, MS, & TN Only															<u> </u>
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term	<u> </u>		UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70				ļ		<u> </u>
		1			1							1		_	<u> </u>	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						<u> </u>
Loca	l Switching						·									<u> </u>
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										<u> </u>
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu	ires															
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misco	ellaneous Terminations															
	e Trunk Side	1		İ	1 1									İ	İ	
	Trunk Side Terminations, each	1		UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88				İ	İ	
4-Wir	re Digital (1.544 Megabits)	1		İ	1									İ	İ	
1	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54				İ	İ	
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56		30					İ	İ	
	office Channel Mileage - 2-Wire	1			1 1									t	1	
IInterd																

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A											
0.1.201.1222											Svc Order	Svc Order	Incremental		Incremental	Incremental											
											Submitted			Charge -	Charge -	Charge -											
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc											
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.											
		""											Electronic-	Electronic-	Electronic-	Electronic-											
													1st	Add'l	Disc 1st	Disc Add'l											
						Rec	Nonrec			g Disconnect				Rates (\$)													
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN											
<u> </u>	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098																					
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e			_																						
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57																					
	reature Activation on D-4 Charmer Bank Centrex Loop Stot			UEF9E	IFQW3	0.57																					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57																					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 3L	II QWO	0.07																					
	Slot			UEP9E	1PQW7	0.57																					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OL	11 Q 117	0.07																					
	Different Wire Center			UEP9E	1PQWP	0.57																					
				-	1				1				İ		İ	l											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.57			I					1													
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop										İ																
<u> </u>	Slot	<u></u>		UEP9E	1PQWQ	0.57			<u> </u>		<u></u>	<u> </u>  l Bank WATS Loop Slot			UEP9E	1PQWA	0.57										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex																										
	NRC Conversion Currently Combined Switch-As-Is with allowed	l												]													
	changes, per port			UEP9E	USAC2		0.10	0.10																			
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68																			
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32																				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32																				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63																				
Additi	onal Non-Recurring Charges (NRC)				_																						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP9E	URETL		0.00	0.83																			
	Premise			UEP9E	UREIL		8.33	0.83																			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10																			
UNE-E	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLF9L	UKLIN		11.19	1.10			1																
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+				1		1																
	Port/Loop Combination Rates (Non-Design)																										
0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								1																		
	Non-Design		1	UEP93		12.22																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																										
	Non-Design		2	UEP93		17.13																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																										
	Non-Design	<u> </u>	3	UEP93		26.26			<u></u>				<u></u>	<u> </u>	<u></u>	<u> </u>											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -							-						]													
	Non-Design		4	UEP93		44.91																					
UNE F	Port/Loop Combination Rates (Design)																										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		l					I					1													
<b> </b>	Design Color (Color Colo	ļ	1	UEP93		15.12				ļ	ļ																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOS					I					1													
$\vdash$	Design	<b>!</b>	2	UEP93	+	19.98			<b>_</b>		<u> </u>		ļ	<b> </b>	ļ	ļ											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1		LIEDOS		20.70			I					1													
<b> </b>	Design  2 Wire VG Loop/2 Wire Voice Grade Bort (Centrey) Bort Combo	<del>                                     </del>	3	UEP93	+	28.78			<b>-</b>	1	<del>                                     </del>			-													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	4	UEP93		46.95			I					1													
LINE	oop Rate	1	4	OLI 33	+	40.95			1	1	1	-															
OIAE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98			<del>                                     </del>	1	<del>                                     </del>			<del> </del>													
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP93	UECS1	15.91			<b>-</b>	1	1	<u> </u>		<b> </b>													
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	25.04			1					1													
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68			İ					İ													
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89			1					1													
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75																					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55																					
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72																					
	Port Rate																										
AL, K	Y, LA, MS, & TN only																										
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58																	

UNBU	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOO	LIEDVD	4.00	40.04	40.04	04.00	0.50						
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPTH	1.23	40.31	19.04	24.90	0.30						
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 33	OLI TIVI	1.25	100.55	10.51	34.24	11.70						
		Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	20	100.00	7 0.01	0							
		- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -				<u> </u>	0				0.00						
1		Basic Local Area	l		UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58				1		
		2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching			LIEDOO	LIBEOO	0.7047										
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	Local	Number Portability Local Number Portability (1 per port)		<u> </u>	UEP93	LNPCC	0.35					-					
	Feature				UEP93	LINPCC	0.35			-		-					
	reature	All Standard Features Offered, per port			UEP93	UEPVF	2.56			-		-					
		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
-	NARS	7 iii Centrex Control 1 catales Cherea, per pert			OLI 30	OLI VO	2.00										
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	Interof	fice Channel Mileage - 2-Wire				1				ļ							
<u></u>		Interoffice Channel Facilities Termination	ļ		UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
<u> </u>	Factor	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	<u> </u>	UEP93	M1GBM	0.0098							ļ	ļ		
<u> </u>		e Activations (DS0) Centrex Loops on Channelized DS1 Service Innel Bank Feature Activations	e	<u> </u>		1				<b>.</b>				-	<del> </del>		
-	D4 Cha		<del>                                     </del>	-	LIEDOS	100000	0.57			<del>                                     </del>		-		-	<del>                                     </del>		
<b>—</b>	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>!</b>	<del>                                     </del>	UEP93	1PQWS	0.5/			<del>                                     </del>					-		
1		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	l		UEP93	1PQW6	0.57			I					1		
<b> </b>	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot	1		OLF 33	ILMAAA	0.57			<del> </del>				1	1		
1		Slot	l		UEP93	1PQW7	0.57			I					1		
<del></del>	<b>-</b>	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<b>-</b>		021 00	11 94777	0.57			t					<del> </del>		
		Different Wire Center	l		UEP93	1PQWP	0.57			I					1		
<del></del>		Direction Control	1		02. 00		0.01			<b>†</b>							
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP93	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	l	<del>                                     </del>			2.01			t					1		
		Slot	l		UEP93	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
L_	<u></u>	changes, per port	<u> </u>	<u>L</u>	UEP93	USAC2		0.10	0.10	<u> </u>		<u></u>	<u> </u>	<u> </u>	<u>                                       </u>		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 238 of 348

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	1_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Manua		Managarini	g Disconnect			220	Rates (\$)		
							Rec	First	curring Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
								FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SUMAN	SOWAN	SOWAN
	The "7	I one" shown in the sections for stand-alone loops or loops as	part of	a comb	nination refers to Ge	ographically	/ Deaveraged U	NF Zones. To	view Geograp	hically Deave	aged UNF Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
		www.interconnection.bellsouth.com/become a clec/html/inter				- g. up	, zouvolugou o		non coog.up	Journ	ugou 0.110.1.	. 200.ga	, co				
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit ar	e the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect ei	ther the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC may	elect the re	gional service o	ordering charg	je, however, Cl	LEC can not o	btain a mixture	of the two	regardless i	if CLEC has a	interconnecti	on contract e	stablished in
	each of	f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SON	IEC rate	in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic orde	ing capabilities	come on-l	ine for that	element. Oth	erwise, the ma	anual ordering	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **PI	ease se	e applicable rate ele	ment for SC	MAN charge**										
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only		ļ		SOMEC		3.50	0.00	3.50	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	DallCar	Abla FO	C No 4 Touiss Contin		a a b l a										
	NOTE:	The Expedite charge will be maintained commensurate with	BellSot	ith's FC	C No.1 Tariff, Section	n 5 as appii	cable.				-						
					UAL. UEANL. UCL.												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX.												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
L	<u></u>	Day	<u>L</u>	<u></u>	U1TUB, U1TUA	SDASP	<u>                                      </u>	200.00	<u> </u>		1	<u> </u>	<u> </u>		<u> </u>		
UNBUN		XCHANGE ACCESS LOOP						•									
	2-WIRE	ANALOG VOICE GRADE LOOP							ļ		1				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ		UEANL	UEAL2	12.11	57.99	42.37		1		ļ	26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEAL2	21.24	57.99	42.37		+			26.94	12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<b>!</b>		UEANL	UEAL2	33.65	57.99	42.37	1	+		ļ	26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	12.11 21.24	57.99 57.99	42.37 42.37		+	1	<u> </u>	26.94	12.76 12.76	0.00	0.00
<u> </u>	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL UEANL	UEASL UEASL	21.24 33.65	57.99 57.99	42.37	1	+	-	1	26.94 26.94	12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	3	OLANL	OLAGL	33.00	51.99	42.37		+	-		20.94	12.76	0.00	0.00
		Premise	1		UEANL	URETL		8.33	0.83		1			26.94	12.76	0.00	0.00
-		Loop Testing - Basic 1st Half Hour	1	t -	UEANL	URET1	<del> </del>	76.24	76.24	1	+	<b></b>	<b> </b>	26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		39.51	39.51		1			26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1	1				22.01	22.01		1					2.00	2.00
		(UVL-SL1)	1		UEANL	UREWO		15.76	8.93		1			26.94	12.76	0.00	0.00

UNBUND	DLED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						00.74	00.74								
	providing make-up (Engineering Information - E.I.)  Manual Order Coordination for UVL-SL1s (per loop)	_	1	UEANL UEANL	UEANM UEAMC		28.74 61.38	28.74 61.38								-
	Order Coordination for Specified Conversion Time for UVL-SL1		1	OLANL	ULAWIC		01.30	01.30								+
	(per LSR)			UEANL	OCOSL		45.34	45.34								
2-W	VIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	r														
	Premise  Manual Order Coordination 2 Wire Unbundled Copper Loop -	-		UEQ	URETL		8.33	0.83			1		26.94	12.76	0.00	0.00
	Non-Designed (per loop)			UEQ	USBMC		61.38	61.38								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	+	1		3051410		01.50	01.30								<del> </del>
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)		1	UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
	ED EXCHANGE ACCESS LOOP VIRE ANALOG VOICE GRADE LOOP	-	1		+											+
Z-VV	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	1													+
	Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del>† '</del>	02. 0 02. 03	027120	.2	07.00	.2.0.	0.00	0.00			20.01	12.10		<b>†</b>
	Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting	-														
	Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting	-	_													
	Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		+
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULALS	33.03	37.99	42.31	0.00	0.00			20.54	12.70		+
	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
UNBUNDLE	ED EXCHANGE ACCESS LOOP															
2-W	VIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1154	LIEALO	25.02	440.07	100.50					20.04	10.70	0.00	0.00
	Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL	70.01	45.34	100.00					20.04	12.70	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				I											
	Battery Signaling - Zone 2	-	2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	+	3	UEA	OCOSL	40.81	45.34	100.00			}		20.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch	+	<u> </u>	UEA	UREWO		87.64	36.33			1		26.94	12.76	0.00	0.00
	Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.20	1.10					26.94	12.76	0.00	
4-W	VIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45					26.94	12.76	0.00	
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45					26.94	12.76	0.00	
	4-Wire Analog Voice Grade Loop - Zone 3	-	3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	-		UEA UEA	OCOSL UREWO		45.34 87.64	36.33					26.04	12.76	0.00	0.00
2-W	CLEC to CLEC Conversion Charge without outside dispatch WIRE ISDN DIGITAL GRADE LOOP	+	1	OLA	UKEWU		07.04	30.33					26.94	12.70	0.00	0.00
		1	1	UDN	U1L2X	19.42	325.91	251.31			<u> </u>		26.94	12.76	0.00	0.00

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							
OAILC		NATE ELEMENTO	m		200	0000			ππι Εσ (ψ)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-			Manna		Names of Bissesses	1		000	D=4== (#\		
							Rec	Nonrec		Nonrecurring Disconnect				Rates (\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	0.00
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.00
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12				26.94	12.76	0.00	0.00
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	)											
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry	1													
		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry	<del>                                     </del>	-	O/ 12	OTILET	10.00	204.71	1-10.00		1		20.04	12.70	0.00	0.00
		& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.00
<u> </u>	-		<del>                                     </del>	3			28.42		145.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	∠0.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	-	1	UAL	OCOSL		45.34		<del>                                     </del>	1	-	-	1	1	+
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	l .	l	1141 6141				1	1					1
		facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82		ļ		26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &														
		facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &														
		facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36				26.94	12.76	0.00	0.00
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOP	0,12	U.V.E.V.O		00.12	10.00				20.01	12.10	0.00	0.00
	_ *****	2 Wire Unbundled HDSL Loop including manual service inquiry	T T	1						<del> </del>						
		& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry	1	<u> </u>	UTIL	UTILZA	9.01	204.74	103.54	-	ļ		20.54	12.70	0.00	0.00
				_	l											
		& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry		l _												
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
		2 Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.00
	4-WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OTTE	OILLIVO		00.00	40.00	<del> </del>			20.04	12.10	0.00	0.00
	7-VVII\L	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDEL	1	+	+				+ +	1		-			<del> </del>
		and facility reservation - Zone 1	1	1	UHL	UHL4X	10.62	341.65	220.45	1	1		26.94	12.76	0.00	0.00
<del>                                     </del>	-		<del>                                     </del>	+	OI IL	OI IL4A	10.02	341.03	220.45	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	20.94	12.70	0.00	0.00
l		4-Wire Unbundled HDSL Loop including manual service inquiry	1	l _	l	111111111111111111111111111111111111111	47.0-	044.0-	200 :=	1	1		00.01	10.70	0.00	0.00
<b>—</b>		and facility reservation - Zone 2	-	2	UHL	UHL4X	17.67	341.65	220.45	<del>                                     </del>	1	-	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop including manual service inquiry		l _												
		and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
		4-Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry								1						
l		and facility reservation - Zone 3	1	3	UHL	UHL4W	27.24	264.39	188.96	1	1	1	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UHL	OCOSL	221	45.34	.00.00			1	20.04	.20	5.50	5.00
		CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO		86.06	40.36		1	1	26.94	12.76	0.00	0.00
<del>                                     </del>	4-WIPF	E DS1 DIGITAL LOOP	<del>                                     </del>	<del>                                     </del>	J	SILLIVO		55.00	-10.00	+ + + + + + + + + + + + + + + + + + + +	<del>                                     </del>	<del> </del>	20.04	12.70	3.00	5.00
<b>-</b>		4-Wire DS1 Digital Loop - Zone 1	<del>                                     </del>	1	USL	USLXX	47.60	714.84	421.47	+ +	1	+	42.19	12.76	0.00	0.00
<del>                                     </del>	-		<del>                                     </del>	2	USL	USLXX	84.36	714.84			<del>                                     </del>	<del>                                     </del>		12.76		0.00
<del></del>		4-Wire DS1 Digital Loop - Zone 2	<del>                                     </del>						421.47		1	1	42.19		0.00	
<u> </u>		4-Wire DS1 Digital Loop - Zone 3	-	3	USL	USLXX	134.29	714.84	421.47	<del>                                     </del>	1	-	42.19	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	ļ	1	USL	OCOSL		48.31		<del> </del>	ļ					<del></del>
<u></u>		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	USL	UREWO		100.99	43.00			1	26.94	12.76	0.00	0.00
1	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	<u> </u>						<u> </u>					<u> </u>

UNRU	INDI FI	D NETWORK ELEMENTS - North Carolina											Δttach	ment: 2	Fyhi	bit: A
ONE	MULL	NETWORK ELEMENTO NOTAL GALORINA									Svc Or	er Svc Order	Incremental		Incremental	Incremental
											Submit			Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LS		Order vs.	Order vs.	Order vs.	Order vs.
			""										Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
	1							Name		Namaaaanin a Diaaan			220	Detec (f)		
							Rec	Nonrec First	urring Add'l	Nonrecurring Discon		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51	FIRST Add	I SOME	SUMAN	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	43.11	489.04	337.51			-	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51			-	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51		_		26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	67.26	489.04	337.51				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51				26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	67.26	489.04	337.51				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	0.14/105	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70				26.94	12.76	0.00	0.00
-	2-WIRE	Unbundled COPPER LOOP														
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		4	UCL	UCLPB	13.26	262.86	143.75				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual		-	UCL	UCLPB	13.20	202.00	143.73		-		20.94	12.76	0.00	0.00
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop-Designed including manual			OOL	OOL! B	22.00	202.00	140.70				20.04	12.70	0.00	0.00
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38					-		
		2-Wire Unbundled Copper Loop-Designed without manual														
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
	4-W/IDE	COPPER LOOP			UCL	UKEWU		97.14	42.44				20.94	12.76	0.00	0.00
	4-WIKL	4-Wire Copper Loop including manual service inquiry and facility														
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility												-		
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility														
		reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
		4-Wire Copper Loop without manual service inquiry and facility														
		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility		2	UCL	UCL4W	20.04	220 57	101.11				20.04	40.70	0.00	0.00
		reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility			UCL	UCL4VV	29.61	236.57	161.14				26.94	12.76	0.00	0.00
		reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC	40.20	61.38	61.38				20.04	12.70	0.00	0.00
		CLEC to CLEC Conversion Charge without outside dispatch														
		(UCL-Des)			UCL	UREWO		97.14	42.44							
LOOP	MODIFIC	CATION														
					UAL, UHL, UCL,											
					UEQ, ULS, UEA,											
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
		Unbundled Loop Modification Removal of Load Coils - 4 Wire				ULM4L		04.04	24.24				20.04	40.70	0.00	0.00
-	1	less than or equal to 18K ft, per Unbundled Loop		<b> </b>	UHL, UCL, UEA	ULIVI4L		21.24	21.24			+	26.94	12.76	0.00	0.00
				1	UAL, UHL, UCL, UEQ, ULS, UEA,											
		Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,							1				
		per unbundled loop		1	UEPSB	ULMBT		24.84	24.84			1	26.94	12.76	0.00	0.00
SUB-LO	OOPS	( · · · · · · · · · · · · · · · · · · ·													2.00	2.30
		op Distribution												1		
•	•		-	•							•	•		•		

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
ONBONDE	LED NETWORK ELEMENTS - NOTHI Carollila	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dan	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1		UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	١.			LIODOD		04.05						00.04	40.70	0.00	0.00
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>	1	UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Zone 1	١.	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBINZ	7.31	126.03	54.54			-		26.94	12.76	0.00	0.00
	Zone 2	1	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
<del></del>	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<del>- '</del> -		OL/ NAL	CODIAS	11.53	120.03	34.34		<del> </del>			20.94	12.70	0.00	0.00
1 1	Zone 3	Li	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
	25/10 0	<u> </u>	Ť	0271112	005.12	10.20	.20.00	0					20.01	.2.70	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							******								
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
$\vdash$	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
					USBMC		04.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBR4	3.74	61.38	61.38					26.94	12.76	0.00	0.00
$\vdash$	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<u> </u>		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
<del></del>	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		76.24	76.24								
<del></del>	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
<del></del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	hi	2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u>L_</u>		UEF	USBMC		61.38	61.38		<u> </u>	<u> </u>	<u> </u>	<u> </u>			<u> </u>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
$\perp$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38		[			26.94	12.76	0.00	0.00
1 1				l								1		1		I
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEF	USBMC		61.38	61.38		ļ				ļ		ļ
$\vdash$	Loop Testing - Basic 1st Half Hour	ļ		UEF	URET1		76.24	76.24		ļ						
<del></del>	Loop Testing - Basic Additional Half Hour	<b>!</b>	1	UEF	URETA		39.51	39.51	-	ļ			1	<del> </del>		<b>!</b>
Unb	undled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	1	1	UENTW	UENPP	0.4351	64.98			<b> </b>			26.94	12.76	0.00	0.00
Note	work Interface Device (NID)	1	1	OCIVIVV	UEINPP	0.4351	64.98			1		<b> </b>	26.94	12.76	0.00	0.00
Merv	Network Interface Device (NID) - 1-2 lines	<del>                                     </del>	1	UENTW	UND12		86.37	56.69		1	1		26.94	12.76	0.00	0.00
$\vdash$	Network Interface Device (NID) - 1-2 lines	<del>l i</del>	1	UENTW	UND16		127.93	98.21		<del> </del>			26.94	12.76	0.00	0.00
$\vdash$	Network Interface Device Cross Connect - 2 W	<del>L i</del>		UENTW	UNDC2	-	11.68	11.68		1	<u> </u>	<b> </b>	26.94	12.76	0.00	0.00
$\vdash$	Network Interface Device Cross Connect - 4W	<del>l i</del>		UENTW	UNDC4		11.68	11.68		1			26.94	12.76	0.00	0.00
UNE OTHER	R, PROVISIONING ONLY - NO RATE	<del></del>		1				50		1			20.04	.20	5.50	5.50
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00			1				1		1
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
			1	UEANL,UEF,UEQ,U	1					1		i				
	Unbundled Contract Name, Provisioning Only - No Rate R, PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									

LINDI	IINDI E	D NETWORK ELEMENTS - North Carolina												Attack	ment: 2	Exhi	bia. A
UND	UNDLE		1	1			I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -		Charge -
														Manual Svc	Manual Svc	Charge -	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,				Manual Svc
OA!L	00	KATE EEEMERTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										1	1						
					UAL,UCL,UDC,UDL,												ı .
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ı .
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															i
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									i
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									i
		Unbundled DS1 Loop - Expanded Superframe Format option -															ı
		no rate			USL	CCOEF	0.00	0.00									
HIGH	CAPACI	TY UNBUNDLED LOCAL LOOP															
	1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1		LIEO	1L5ND	10.00						1		1		1
		month			UE3	1L5ND	13.33										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	UE3PX	450.00	4 074 00	040.40					50.40	53.48		ı
		Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
		Imonth			UDLSX	1L5ND	13.33										i l
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	13.33										
		Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		ı
LOOP	MAKE-L			1	ODLOX	ODEOT	404.20	1,071.00	040.12					33.40	33.40		
<u> </u>	WARE-C	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility			O.M. C	0		00	00.11					10.00	10.00	10.00	.0.00
		gueried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or			-												
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								ı l
LINE S		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	ll be billed as t	follows:							i
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND	")											i
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>		l											
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							<b>——</b>
		HARING															
-	SPLII	FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	<del>                                     </del>	<del>                                     </del>	ULS	ULSDA	181.18	631.54	0.00	-	1		<b> </b>	26.94	12.76		
-	+	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDA	181.18 38.99	631.54	0.00	1	1	-	<b> </b>	26.94	12.76		
-	+	Line Sharing Splitter, Per System 24 Line Capacity  Line Sharing Splitter, Per System, 8 Line Capacity	l		ULS	ULSD8	12.73	424.61	0.00	<b>†</b>	<del> </del>			26.94	12.76		
$\vdash$	+	Line Sharing Splitter, Fel System, & Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<del>                                     </del>		5_0	32000	12.73	727.01	0.00	<del> </del>	<del> </del>		<b> </b>	20.34	12.70		$\overline{}$
	1	deactivation (per LSOD)	1		ULS	ULSDG		146.32	31.27				1	26.94	12.76		1
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<b>†</b>						J27	İ	İ			20.04	.2.70		
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1							1	İ						
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		, !
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (25% of UCLND) - please see NOTE 1	1	1													,
	1	(E:10/2/2003)	<u> </u>		ULS	ULSDT	3.49	54.71	28.77								
		Line Share Service, TRO per line activation, BST owned splitter -	-														,
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1		l <u>-</u>	l							1		1		1
		(E:10/2/2004)	ļ	<u> </u>	ULS	ULSDT	6.99	54.71	28.77								
	1	Line Share Service, TRO per line activation, BST owned splitter -	1										1		1		1
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1		LUODT	40.00	-1									1
	1	(E:10/2/2005)	<u> </u>		ULS	ULSDT	10.48	54.71	28.77	-	ļ				<b> </b>		<del></del>
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter	1	1	ULS	ULSDS		35.42	16.57					26.94	12.76		í
-	+	Line Sharing - per Subsequent Activity per Line	1	<u> </u>	ULO	ULSDS		35.42	16.57	<b> </b>	<b> </b>			∠6.94	12.76		
	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		35.14	16.29				1	26.94	12.76		1
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	<del>                                     </del>		010	OLUUU		33.14	10.29	<del> </del>	<del> </del>		<b> </b>	20.34	12.70		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31				1	26.94	12.76		1
	1	1	1	1	ı <del>-</del>		0.01	77.77	10.01	·	1	1	·	20.04	12.70		

UNBI	INDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
5.450		State EEE METTO HOTH Galomia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
		PLITTING	ļ			ļ											
	END U	SER ORDERING-CENTRAL OFFICE BASED	ļ	ļ	LIEBOR LIEBOR	LIDEGO											
		Line Splitting - per line activation DLEC owned splitter	ļ		UEPSR UEPSB	UREOS	0.61	=									
		Line Splitting - per line activation BST owned - physical	<u> </u>		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76	<b> </b>	ļ
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
-	WAINT	No Trouble Found - per 1/2 hour increments - Basic	<del>                                     </del>	-		+		80.00	55.00	<del>                                     </del>		1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
-	-	No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime	1	<del>                                     </del>		1		120.00	55.00 82.50	<del>                                     </del>				-	<del></del>	-	
		No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00	1							
LINDIIN	IDI ED I	DEDICATED TRANSPORT						160.00	110.00	1							
ONBOI		OFFICE CHANNEL - DEDICATED TRANSPORT	1										1				
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1		+				1							
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TEOTO	0.0120										
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	01112	10.00		02.00					00.01	00.07		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-														
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination	<u> </u>		U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07	<b> </b>	ļ
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		LIATOV	41.5304	0.0000							1	I	1	
-		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>	-	U1TDX	1L5XX	0.0282			<del>                                     </del>		1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
		Termination		1	U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	1	אטווט	01100	17.40	137.48	32.58	1		1	1	30.07	36.07		
		month	1		U1TD1	1L5XX	0.5753							1	I	1	
-		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1			.20,50	5.07.00			† †		<u> </u>	<u> </u>	<b> </b>	<b>I</b>	<b> </b>	
		Termination		1	U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1			1				1							l
		month		1	U1TD3	1L5XX	12.98								1		
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
L	<u></u>	Termination per month	<u>L</u>	L	U1TD3	U1TF3	720.38	794.94	579.55	<u> </u>		<u> </u>	<u> </u>	91.26	91.26	<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per							-		-					]	
		month	<u></u>		U1TS1	1L5XX	6.14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1											1	_	]	
L	<u> </u>	Termination		<u> </u>	U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
DARK	HBER	Ded Files For Files Oracle Des Des to Miles For Files	ļ			ļ											
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIDEOX	41.505								1	I	1	
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	<u> </u>	<del>                                     </del>	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	27.71	1,807.00	562.96						<del>                                     </del>		
-		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		UDF, UDFCX	UDF 14		1,807.00	56∠.96	1					+		
		Thereof per month - Local Loop	1		UDF. UDFCX	1L5DL	64.04							1	I	1	
$\vdash$	<b>-</b>	NRC Dark Fiber - Local Loop	<del>                                     </del>		UDF, UDFCX	UDFL4	04.04	1,347.00	279.87	<del>                                     </del>				<del> </del>	t	<del> </del>	
		[ = = 1.00.	1		, 55. 57	J J J . L -		.,5-77.00	210.01	1		1	1	l .	l	ı	l

BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations  8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Call Handling and Destination Features  OHD  N  8XX Access Ten Digit Screening, Call Handling and Destination Features  OHD  N  ILINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU  SIGNALING (CCST)  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)  CCS7 Signaling Gonection, Per STP Port  CCS7 Signaling Usage, Per ISUP Message UDB  CCS7 Signaling Usage, Per ISUP Message UDB  CCS7 Signaling Usage, Per TCAP Message UDB  CCS7 Signaling Usage, Per TCAP Message UDB  CCS7 Signaling Diage, Per TCAP Message UDB  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Trans	USOC  N8R1X  N8FTX  N8FCX  N8FMX  N8FAX	Rec - 0.0005	Nonrec First 7.05	RATES (\$) urring Add'I	Nonrecurring Disconnec	Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Exhibit Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
BXX ACCESS TEN DIGIT SCREENING  BXX Access Ten Digit Screening, Per Call  BXX Access Ten Digit Screening, Reservation Charge Per 8XX  Number Reserved  BXX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established With  POTS Translations  BXX Access Ten Digit Screening, Customized Area of Service  Per BXX Number  BXX Access Ten Digit Screening, Customized Area of Service  Per BXX Number  BXX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  BXX Access Ten Digit Screening, Call Handling and Destination  Features  LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Gonnection, Per link (B link) (also known as D link)  CCS7 Signaling Termination, Per STP Port  UDBB  TI  CCS7 Signaling Termination, Per STP Port  UDBB  CCS7 Signaling Termination, Per STP Port  UDBB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Deport Code, per Originating Point Code  Establishment or Change, Per STP affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  InterOffice Transport - Dedicated - 2-wr Voice Grade - Zone 3  InterOffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  InterOffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Ch	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING  BXX Access Ten Digit Screening, Per Call  BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved  BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features  LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Originating Point Code Establishment or Change  SIGNALING (CCS7)  CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port UDBB TI CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7 Signaling Usage. Per STP affected UDB CCS7	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING  BXX Access Ten Digit Screening, Per Call  BXX Access Ten Digit Screening, Reservation Charge Per 8XX  Number Reserved  BXX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established With  POTS Translations  BXX Access Ten Digit Screening, Customized Area of Service  Per BXX Number  BXX Access Ten Digit Screening, Customized Area of Service  Per BXX Number  BXX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  BXX Access Ten Digit Screening, Call Handling and Destination  Features  LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Validation Per Query  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Gonnection, Per link (B link) (also known as D link)  CCS7 Signaling Termination, Per STP Port  UDBB  TI  CCS7 Signaling Termination, Per STP Port  UDBB  CCS7 Signaling Termination, Per STP Port  UDBB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Deport Code, per Originating Point Code  Establishment or Change, Per STP affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  InterOffice Transport - Dedicated - 2-wr Voice Grade - Zone 3  InterOffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  InterOffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 2  Local Ch	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic-	Order vs. Electronic-
8XX ACCESS TEN DIGIT SCREENING  8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX  Number Reserved  8XX Access Ten Digit Screening, Reservation Charge Per 8XX  Number Reserved  9XX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  8XX Access Ten Digit Screening, Per 8XX No. Established With  POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service  Per 8XX Number  Resident Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  9XX Access Ten Digit Screening, Call Handling and Destination  Features  8XX Access Ten Digit Screening, Call Handling and Destination  Features  OHD N  8XX Access Ten Digit Screening, Call Handling and Destination  Features  OHD N  ILIDE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Svalidation Per Query  LIDB Validation Per Query  DOQT  LIDB Validation Per Query  SIGNALING (CS37)  CCS37 Signaling Connection, Per link (A link)  CCS37 Signaling Connection, Per link (B link) (also known as D link)  Ilink)  CCS37 Signaling Gonnection, Per Isink (B link) (also known as D link)  UDB Ti  CCS37 Signaling Usage, Per ISUP Message  CCS37 Signaling Usage, Per TGAP Message  UDB  CCS37 Signaling Usage, Per TGAP Message  UDB  CCS37 Signaling Usage, Per TGAP Message  UDB  CCS37 Signaling Usage, Per TGAP Message  UDB  CCS37 Signaling Usage, Per TGAP Message  UDB  CCS37 Signaling Usage, Per Stp Affected  UDB C  Establishment or Change, Per Stp Affected  UDB C  Establishment or Change, Per Stp Affected  UDB C  Establishment or Change, Per Stp Affected  UDB C  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interof	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		t		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic-	Electronic-
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved   NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	1st OSS	Add'I Rates (\$)		
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved   NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	OSS	Rates (\$)	Disc 1st	
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				Piac Add I
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005	7.05					SOMAN	SOMAN	SOMAN	SOMAN
BXX Access Ten Digit Screening, Reservation Charge Per 8XX   Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005									
Number Reserved   OHD   N	N8FTX N8FCX N8FMX N8FAX				l l						
Number Reserved   OHD   N	N8FTX N8FCX N8FMX N8FAX										
POTS Translations  8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request  OHD N  8XX Access Ten Digit Screening, Call Handling and Destination Peatures  I Bus Validation Per Query  I LIDB Common Transport Per Query  I LIDB Originating Point Code Establishment or Change  OQT  I LIDB Originating Point Code Establishment or Change  SIGNALING (CCST)  CCST Signaling Connection, Per link (A link)  UDB TI  CCST Signaling Connection, Per link (B link) (also known as D link)  CCST Signaling Usage, Per ISUP Message  CCST Signaling Usage, Per TCAP Message  CCST Signaling Usage, Per TCAP Message  CCST Signaling Usage Surrogate, per link per LATA  UDB CCST Signaling Dint Code, per Originating Point Code Establishment or Change, per STP Affected  CCST Signaling Point Code, per Destination Point Code Establishment or Change, per STP Affected  Establishment or Change, per STP Affected  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N8FCX N8FMX N8FAX		Ī	0.96				26.94			
BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request  8XX Access Ten Digit Screening, Change Charge Per Request  8XX Access Ten Digit Screening, Call Handling and Destination Features  8XX Access Ten Digit Screening, Call Handling and Destination Features  8XX Access Ten Digit Screening, Call Handling and Destination Per Dugit Common Transport Per Query  8XX LIDB Common Transport Per Query  8XX Access Ten Digit Screening, Call Handling and Destination OHD No.  8XX Access Ten Digit Screening, Call Handling and Destination Per LIDB Cognon Transport Per Query  8XX Access Ten Digit Screening, Call Handling and Destination OHD No.  8XX Access Ten Digit Screening, Call Handling and Destination Polit Code Features  9XX Access Ten Digit Screening, Call Handling and Destination Polit Code DQT  9XX Access Ten Digit Screening, Call Handling and Destination Polit Code Establishment or Change, Per Isln (A link)  9XX Access Ten Digit Screening, Call Handling and Destination Polit Code Establishment or Change, Per Stp Affected  9XX Access Ten Digit Screening, Multiple InterOffice Transport - Dedicated - 2-wr Voice Grade - Zone 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N8FCX N8FMX N8FAX										
POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request OHD N  8XX Access Ten Digit Screening, Change Charge Per Request OHD N  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N  LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N  SIGNALING (CS7)  CCS7 Signaling Connection, Per link (B link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 5 Interoffice Tra	N8FCX N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  BXX Access Ten Digit Screening, Call Handling and Destination Features  CINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per STP affected CCS7 Signaling Done Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB C CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transp	N8FCX N8FMX N8FAX										
Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  9XX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Coquity BXX Access Ten Digit Screening, Change Per Change BXX Access Ten Digit Screening, Change Per DQU BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per TCAP Message BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CALLING CHANGE CHANGE CHARGE PER SIGNATION BXIDE CHARGE CHARGE CHARGE CHARGE PER SIGNATION BXIDE CHARGE CHA	N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  BXX Access Ten Digit Screening, Change Charge Per Request  BXX Access Ten Digit Screening, Call Handling and Destination Features  CHD  LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change  SIGNALING (CCS7)  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)  LINDB CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP Affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3	N8FMX N8FAX										
Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request  8XX Access Ten Digit Screening, Call Handling and Destination Features  LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query  LIDB Validation Per Query  LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change  SIGNALING (CCST)  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)  Ink)  CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per ISCAP Message  CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Usage, Per STP Affected  Establishment or Change, Per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3	N8FAX		5.63	2.82							
BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N	N8FAX	Т	$\neg$			1 -				T	
BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7)  CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB OTTO UDB TI CCS7 Signaling Termination, Per STP Port UDB P CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected U			6.59	3.77		_					
Features			8.01	0.96				26.94			
LINE INFORMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query  LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change  OQT, OQU  N  SIGNALING (CCS7)  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)  Ink)  CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  UDB  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Usage Surrogate, per link per LATA  CCS7 Signaling Usage Surrogate, per link per LATA  CCS7 Signaling Opint Code, per Originating Point Code  Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code  Establishment or Change, Per Stp Affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility  Termination  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile			l			1					
LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7)  CCS7 Signaling Connection, Per link (A link) UDB TI CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TI CCS7 Signaling Termination, Per STP Port UDB P CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile	N8FDX		5.63								
LIDB Validation Per Query LUBB Originating Point Code Establishment or Change  CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB Originating Point Code Per link (B link) (also known as D link) LOSG7 Signaling Termination, Per STP Port LOSG7 Signaling Usage, Per ISUP Message LOSG7 Signaling Usage, Per ISUP Message LOSG7 Signaling Usage, Per TCAP Message LOSG7 Signaling Usage Per TCAP Message LOSG7 Signaling Usage Surrogate, per link per LATA LODB SIGNATION COST Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected LOSG7 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected LOSG8 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected LOSG8 CAST Signaling Point Code, Per Destination Point Code Establishment or Change, Per StP Affected LOSG8 CAST Signaling Point Code, Per Destination Point Code Establishment or Change, Per StP Affected LOSG8 Channel - Dedicated - 2-wr Voice Grade - Zone 1 LOSG8 Channel - Dedicated - 2-wr Voice Grade - Zone 2 LOSG8 Channel - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination LOSG8 Channel - Dedicated - DS1 - Zone 1 LOSG8 Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Tra											
LIDB Originating Point Code Establishment or Change   OQT, OQU   N		0.00003									
SIGNALING (CCS7)   CCS7 Signaling Connection, Per link (A link)   UDB   TI	IDDD)/	0.0134						20.01	22.21		
CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)  UDB TI  CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage Surrogate, per link per LATA  UDB S  CCS7 Signaling Point Code, per Originating Point Code  Establishment or Change, per STP affected  UDB C  CCS7 Signaling Point Code, per Destination Point Code  Establishment or Change, Per StP Affected  UDB C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility  Termination  Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3	VRBPX		62.26					26.94	26.94		
CCS7 Signaling Connection, Per link (B link) (also known as D link)  Ink)  CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Usage Per TCAP Message  UDB  CCS7 Signaling Usage Surrogate, per link per LATA  UDB S  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected  UDB C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3		10.00						44.0=			
link)  CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage Surrogate, per link per LATA  UDB S  CCS7 Signaling Point Code, per Originating Point Code  Establishment or Change, per STP affected  UDB C  CCS7 Signaling Point Code, per Destination Point Code  Establishment or Change, Per Stp Affected  UDB C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 1  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility  Termination  Local Channel - Dedicated - DS1 - Zone 1 1 1  Local Channel - Dedicated - DS1 - Zone 2 2 2  Local Channel - Dedicated - DS1 - Zone 3 3 3  Interoffice Transport - Dedicated - DS1 -	TPP++	18.22	278.02	278.02				41.35	41.35		
CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per ISUP Message UDB  CCS7 Signaling Usage, Per TCAP Message UDB  CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	ГРР++	40.00	278.02	278.02				44.05	41.35		
CCS7 Signaling Usage, Per ISUP Message  CCS7 Signaling Usage, Per TCAP Message  UDB  CCS7 Signaling Usage Surrogate, per link per LATA  UDB S  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected  UDB C  CSS Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  UDB C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport	PT8SX	18.22 132.83	278.02	278.02				41.35	41.35		
CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per Stp Affected UDB C CSS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	1007	0.00004			+						
CCS7 Signaling Usage Surrogate, per link per LATA  CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per STP affected  UDB  C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 1  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1 1 1  Local Channel - Dedicated - DS1 - Zone 2 2 2  Local Channel - Dedicated - DS1 - Zone 1 3 3 1  Interoffice Transport - Dedicated - DS1 - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.00004	1								
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  UDB  CE911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	STU56	338.98									
Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  UDB  C  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1 1  Local Channel - Dedicated - DS1 - Zone 1 1  Local Channel - Dedicated - DS1 - Zone 2 2  Local Channel - Dedicated - DS1 - Zone 3 3  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Zone 3 3  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Mile  Interoffice Transport - Dedicated - DS1 - Per Facility Termination  CALLING NAME (CNAM) SERVICE	3.000	000.00									
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination  CALLING NAME (CNAM) SERVICE	CCAPO		40.00	40.00				19.99	19.99		
Establishment or Change, Per Stp Affected  E911 SERVICE  Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 - Zone 3  CALLING NAME (CNAM) SERVICE					•						-
E911 SERVICE	CCAPD		8.00	8.00				19.99	19.99		
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE											
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		11.24	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		19.91	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination  Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 Per Mile  Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		31.70	553.80	89.69				42.17	12.76		
Termination		0.0282									
Local Channel - Dedicated - DS1 - Zone 1						1					
Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 Per Mile  Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		18.00	137.48	52.58				38.07	38.07		
Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		27.05	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Mile  Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		47.94	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE		76.32	534.48	462.69				86.15	1.77		
CALLING NAME (CNAM) SERVICE		0.5753									
CALLING NAME (CNAM) SERVICE		74 00	217.17	400.75		1		38.07	38.07		
	1	71.29	217.17	163.75		+		38.07	38.07		
			75.62			+					
CNAM For DB Owners - Service Establishment OQV CNAM For Non DB Owners - Service Establishment OQV	+	+	75.62 75.62								
CNAM For Non DB Owners - Service Establishment OQV  CNAM For DB Owners - Service Provisioning With Point Code	+	+	10.02								
Establishment (Initial) OQV	l		2,354.00	2,354.00		1					
CNAM For DB Owners - Service Provisioning With Point Code	<del> </del>	+	2,004.00	2,004.00		+					
Establishment (Subsequent)	l		1,739.00	1,739.00		1					
CNAM For Non DB Owners - Service Provisioning With Point	+	+	.,. 00.00	.,. 00.00		+					
Code Establishment (Initial)			1,072.00	1,072.00		1					
CNAM For Non DB Owners - Service Provisioning With Point		+	.,5.2.00	.,3,2.00		1					-
Code Establishment (Subsequent)			768.44	768.44		1					
CNAM for DB & Non DB Owners, Per Query OQV		0.0009592	. 33. 17	. 00.14		1					
SELECTIVE ROUTING											
Selective Routing Per Unique Line Class Code Per Request Per											
Switch		1	188.59				l	26.94	12.76		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
VIRTUAL COL	LOCATION						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				55416									40.00		
AIN SELECTI	Splitting VE CARRIER ROUTING			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN OLLLOTT	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
	Initial Setup			AIN	CAIVIOL		254.11									
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		200.83									
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,	07 4111 10	0.0023	112.00									
	AIN SMS Access Service - Session, Per Minute					0.0791										
	AIN SMS Access Service - Company Performed Session, Per															
AIN BELLOC	Minute					2.08										
AIN - BELLSC	DUTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		290.05									
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ (1 1 D		72.70									
	DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		140.00									
	DN, Feature Code				BAPTF		149.95									
	AIN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.005										
<del></del>	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.005					-					
	Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0										
	Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPLS	0.00	47.00									
<del></del>	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAPLS	0.08	47.20		-		<del>                                     </del>					
	Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.003	47.20									
	XTENDED LINK (EELs)		n al 4la - 1	Conitale An In Charma		lu fan LINE	- h i	dalamad as 1.5		almaall Materian	- Flament					
	: The monthly recurring and non-recurring charges below will : The monthly recurring and the Switch-As-Is Charge and not t															
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPOR	αρρι <u>γιοι</u> RT	CIAL COMBINAL	ona provisione	Ju ao Guirelli	., combined i	TOTAL CICILIE						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		

UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
SHOOHDEE	- Horas Elemento - North Carollia										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
İ		to the second									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
İ		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
$\sqsubseteq$						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.											
$\vdash$	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
<del></del>	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNCVX	MQ1 1D1VG	146.69 1.27	197.78 13.09	140.06 9.38								
$\vdash$	Voice Grade COCI - Per Month			UNCVA	IDIVG	1.21	13.09	9.30						-		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Edon / Idahionar 2 Wile ve Edop (de 2) in demonitation 2016 1			ONOVA	OLITE	14.01	142.07	100.00					00.07	00.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	2011 - 20		_		J ,	20.00	172.07	100.00					55.57	55.57	1	1
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56				1	38.07	38.07	1	1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				=.											
	Month			UNC1X	U1TF1	71.29	217.17	163.75 140.06					38.07	38.07		
$\vdash$	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	146.69 1.27	197.78 13.09	9.38								
<del></del>	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	1.27	13.09	9.30								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	ULAL	21.02	200.47	237.43					30.07	30.07		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	0.10171	027.21	00.2.	200	2011.10					00.01	00.01		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
<u></u>	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	<u> </u>	<u></u>	38.07	38.07	<u> </u>	<u></u>
EXTEN	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
$\vdash \vdash \vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
1 1				l <b>.</b>	1											
$\longrightarrow$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
1 1							400 - 1									
$\vdash \vdash \vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	41.577	0.5750								1		
	Per Month			UNC1X	1L5XX	0.5753								1	-	-
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
$\vdash$	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	36.07		
<del>                                     </del>	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28						<del> </del>		
<del></del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OINODA	טטוטו	2.00	13.70	11.20						<del>                                     </del>	<del> </del>	<del> </del>
1 I	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	C.13D/	55200	20.02	-00.04	307.01					55.07	55.07		
1 I	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_			.5.11	.00.04	3301					55.07	55.07		
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51				1	38.07	38.07	1	1
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
l l	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
011201122											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect		J.	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-							7.44		71441						
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											Ī
																ı l
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		i l
-	First 4-Wile 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDA	UDL64	43.11	409.04	337.31					36.07	30.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		i l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										i l
	interoffice Transport - Dedicated - DS1 combination - Facility							· · · · · · · · · · · · · · · · · · ·						1		,
	Termination Per Month	ļ		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		<b></b>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	25.32	489.04	337.51				1	38.07	38.07		<sub>1</sub>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODA	ODLO4	20.02	403.04	337.31					30.07	30.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		ı l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		1
	Additional OCU-DP COCI (data) - in combination - per month															i l
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	LINICCO		04.75	04.75	22.20	40.00			20.07	20.07		ı l
EVTE	IS Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INITED		UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
LATE	4-Wire DS1 Digital Loop in Combination - Zone 1	LD D31		UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility					=, 00										i l
	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	71.29	217.17	163.75	-				38.07	38.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ı l
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				21.75	21.75	32.20	10.30			30.07	30.07		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
1 1 -	Interoffice Transport - Dedicated - DS3 combination - Per Mile					1 7										,
$\vdash$	Per Month	<b> </b>		UNC3X	1L5XX	12.98							-	<del> </del>		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		ı l
<del>                                     </del>	3/1Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40					30.07	30.07		
	DS1 COCI in combination per month	<b>†</b>		UNC1X	UC1D1	16.07	13.09	9.38			1		1	1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -				1	12.07		2.00								
	Zone 1	<u> </u>	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		<u>.                                    </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -							· · · · · · · · · · · · · · · · · · ·						1		,
	Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		3	UNC1X	USLXX	404.00	74404	421.47					20.07	20.07		ı l
<del></del>	Zone 3 Additoinal DS1 COCI in combination per month	<del>                                     </del>	3	UNC1X UNC1X	USLXX UC1D1	134.29 16.07	714.84 13.09	9.38	<del>                                     </del>			-	38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		011017	30101	10.07	13.09	5.30			-			<del> </del>		$\overline{}$
	Is Charge	1		UNC3X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD		ROFFICE TRANSPO	ORT											i
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2	ļ		UNCVX	UEAL2	25.93	142.97	106.56						ļ		<b></b>
	2-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	40.81	142.97	106.56	1			L	l	1		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		T 61	B'				D-1 (A)		
						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	2014411	001441
	Intereffice Transport 2 wire VC Dedicated Der Mile Der		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility	1		UNCVX	ILSAX	0.0202					1	1				-
	Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
<b>-</b>	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		ONOVA	011172	10.00	107.40	02.00					00.07	00.07		<del>                                     </del>
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	21.32	288.47	237.45								
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Facility	1														
oxdot	Termination per month	<u> </u>		UNCVX	U1TV4	22.16	106.11	65.95			<u> </u>		38.07	38.07		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		41 END	40.00										<b></b>
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
	DC2 Land Land in combination   Facility Towningtion   combined to			UNC3X	UE3PX	450.00	1,071.00	040.40								
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	1L5XX	450.69 12.98	1,071.00	646.12				-				
	Interoffice Transport - Dedicated - DS3 - Fer Mile per month  Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSA	ILSAA	12.90										1
	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
<del> </del>	Nonrecurring Currently Combined Network Elements Switch -As-			ONOON	01110	720.00	704.04	070.00					00.07	00.07		<del>                                     </del>
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVE	Is Charge	TDAN	DODT	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXII	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IRAN			LIALOV	40.40	325.91	054.04					38.07	20.07		
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX UNCNX	U1L2X U1L2X	19.42 32.88	325.91	251.31			1		38.07	38.07 38.07		<b></b>
$\vdash$	First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3	1		UNCNX	U1L2X	51.14	325.91	251.31 251.31	<del>                                     </del>		}		38.07	38.07		1
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - per mile	<b>!</b>	-	011011/	O ILZA	31.14	323.91	201.01	<del>                                     </del>		<b> </b>		30.07	30.07		<del>                                     </del>
1	per month	1		UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1			. 20, 51	3.07.00										
	Termination per month	1		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination - per month	1		UNC1X	MQ1	146.69	197.78	140.06	† †							
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28	1		İ					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					1										
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
$\vdash$	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.88	325.91	251.31	ļ <u> </u>				38.07	38.07		<u> </u>
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
$\vdash$	Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		<del>                                     </del>
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1		LINICNIV	110404	0.50	45.70	44.60								
$\vdash$	Monrocurring Currently Combined Network Elements Switch As	l	<del>                                     </del>	UNCNX	UC1CA	3.59	15.76	11.28	<del>                                     </del>							-
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	LINICCC		24 75	24 75	20.00	10.00			20.07	20.07		
EVT	Is Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	_1 INTE		UNCCC		21.75	21.75	32.28	10.96	<del>                                     </del>		38.07	38.07		<del> </del>
EXII	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47	<del>                                     </del>		}		38.07	38.07		1
$\vdash$	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	84.36	714.84	421.47	<del>                                     </del>		}		38.07	38.07		1
<del>                                     </del>	First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	134.29	714.84	421.47	<del>                                     </del>		1		38.07	38.07		<del>                                     </del>
	p. not 201 Loop Combination Zone 0	1	J	5.101/	JOLAN	107.23	7 17.04	741.7	1		·	1	50.07	30.07		

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CHECHEL	TOTAL CALCULATION OF COMMUNICATION OF CO	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	l -						1				1	1		İ
	Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per month	1		UNC1X	UC1D1	16.07	13.09	9.38	1				1			İ
	Nonrecurring Currently Combined Network Elements Switch -As-	-											İ	İ		
	Is Charge	1	1	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF		2230		20	20	52.20	.0.50			33.57	55.57		l
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
	Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT!	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF		1											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT!	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	FRANSP	ORT w							- 12						
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1													
	Mile			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month	1	1	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each DS1 Channelization System Per Month	1	1	UNC1X	MQ1	146.69	197.78	140.06								
	Per each Voice Grade COCI - Per Month per month	1	1	UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1													
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Additional Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	1.27	13.09	9.38								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1							İ				
1	Channel System per month	1	1	UNC1X	1L5XX	0.5753							Ì	Ì		
	Charine System per month															
	Each Additional DS1 Interoffice Channel Facility Termination in															
				UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	ibit: A
ONBONDE	North Celmento North Galomia										1		Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						1	Nonre	rurring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOM AN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-										0020					
EVTE	Is Charge  NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FEDOE	ICE TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EROFF	ICE IN	ANSPORT W/ 3/1 W	UX											
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	CHOVA	OL/IL-I	21.02	200.47	207.40					00.07	00.07		
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per				41 =>04											
	Mile Per Month First Interoffice Transport - Dedicated - DS1 - Facility			UNC1X	1L5XX	0.5753								-		
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75	1				38.07	38.07		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2													
	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Additional DS1 Interoffice Channel per mile in same 3/1		- 3	ONOVA	OLALT	30.37	200.47	257.45					30.07	30.07		
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-	-		11041/	1111000		04.75	04.75	00.00	40.00			00.07	00.07		
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EATE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	FFICE	TRANSFORT W/ 3/	I WIOX											
	Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0.5753			1							
<b> </b>	First Interoffice Transport - Dedicated - DS1 - combination	1	-	ONCIA	ILOAA	0.5753			+	1	-	-		-		<del> </del>
	Facility Termination Per Month		1	UNC1X	U1TF1	71.29	217.17	163.75	1				38.07	38.07		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06	1	İ			55.07	55.07		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	1101.50	05.00	400.04	007.54					00.07	00.07		
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51	1				38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b> </b>		5.10DA	35230	40.11	403.04	337.31	<b>-</b>		<del>                                     </del>	1	30.07	30.07		<del>                                     </del>
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	67.26	489.04	337.51	1			1	38.07	38.07		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
ļļ	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1													1		
<del>                                     </del>	Channel System per month	<b>!</b>	<u> </u>	UNC1X	1L5XX	0.5753			<b>.</b>	1			-	1		<del>                                     </del>
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
<del>                                     </del>	Each Additional DS1 COCI in the same 3/1 channel system	<del>                                     </del>	<del>                                     </del>	011017	31111	11.29	211.11	103.75	<del>                                     </del>	1	-		30.07	30.07		<del>                                     </del>
	combination per month		1	UNC1X	UC1D1	16.07	13.09	9.38	1							
				-				2.30						1		

CATEGORY   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC   RATE ELEMENTS   Internal Tome   BCS   USOC	JNBUNDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
Part   Part	DIVERNIT	HETWORK ELEMENTO NORTH Garonna										Svc Order	Svc Order				Incremental
CATEGORY   RATE ELEMENTS   Mark   Zond   BCS   USOC   RATES (5)   Else   Mark   Mark   Mark   Mark   Month   Soc   Color vs.   Elements																Charge -	Charge -
CATEGORY   RATE ELEMENTS																	Manual Svc
Nonneurring Contentry Co	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)							Order vs.	Order vs.
1st   Add   Nonceuring   Nonc			m									<b>,</b>	p-0.			Electronic-	Electronic-
No.   No.																Disc 1st	Disc Add'l
Non-recurring Currently Combined Newton Elements Switch - Apr   Non-Circ																2.00 .01	2.007.444
Normanizing Current Company   Comp							Rec										
In Charge   Cartholic Part   Cartholic								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EVERNOED A-Wilke E-Marker E-			1														
First 4-Wine 464/pix Digital Grade Loop in a DST Interrelica   Transport Confesions - Zown 8.1 apr in a DST Interrelica   Transport Confesions - Zown 8.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   Transport Confesions - Zown 9.1 apr in a DST Interrelica   DST Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica   Prize Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica   DST Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica   DST Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica   DST Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica   DST Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica Transport - Dedicated - DST Confesions - Pot Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 1 apr Interrelica Transport Confesions - Zown 2 apr Interrelica Transport Confesions - Zown 2 apr Interrelica Transport Confesions - Zown 2 apr Interrelica Transport - Dedicated - DST Loop Confesions - Zown 2 apr Interrelica Transport - Dedicated - DST Loop Confesions - Zown 2			INITED	FFIOR				21.75	21.75	32.28	10.96			38.07	38.07		
Transport Combination - Zone 1   1 UNCXX   UDL64   23.24   489.04   337.51   38.07   38.07   38.07   1			INTERC	FFICE	TRANSPORT W/ 3/1	I WUX				-		ļ					
First 4-Wise eRickypa Digital Grade Loop in a DST Interoffice   2 UNCDX				4	LINICDY	LIDL64	25.22	490.04	227.51					20.07	20.07		
Transport Combination 2 2mg 2   WKCDX   UDL64   43.11   489.04   337.51   38.07   38.07   38.07   58				-	UNCDA	UDL04	25.32	409.04	337.31			1		36.07	36.07		
First 4-Vive 64Kgbs Digital Gradat Logh in a DST Intendifica   3 UNCDX   UDL64   67.26   489.04   337.51   38.07   3				2	LINCDX	LIDI 64	<b>∆</b> 3 11	489 04	337 51					38.07	38.07		
Transport Combination - Zone 3				_	ONODA	ODLOT	40.11	400.04	007.01					00.07	00.07		
First Interdinal Transport - Descrizated - DST combination - Per   NNCTX				3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
Maile Per Month				_			01.20										
Facility Termination Per Month					UNC1X	1L5XX	0.5753										
Per each COLUP COLI (data) a combination - per month (2+ 64-6bz)		First Interoffice Transport - Dedicated - DS1 combination -															
Per each CCL-PP COL (data) a combination - per month (2.4-64-65)						U1TF1				1				38.07	38.07		
Sekba   UNCDX   10-100   2.00   15-76   11-28						MQ1	146.69		140.06								
31 Chainne System is combination per month   INRCIX   MOS1   233.10   403.37   234.40																	
Per each DST COCI in combination per month																	
Additional 4-Wire 64Klops Digital Grade Loop is same DS1   I NNCDX   UDL64   25.32   488.04   337.51   38.07   88.07																	
Interoffice Transport Combination - Zone 1					UNC1X	UC1D1	16.07	13.09	9.38								
Additional 4-Wire ERROPS Digital Grade Loop in same DS1   Interdiffice Transport Combination - per month   UNC1X   UDL64   43.11   489.04   337.51   38.07																	
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
Additional 4-Wire 64Rops Digital Grade Loop in same DS1				_													
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL64   67.26   489.04   337.51   38.07   38.07   38.07     Additional OCUL-PD COCI (data) = DS11 to DS0 Channel System   UNCDX   1D1DD   2.00   15.76   11.28       Each Additional DSI Interoffice Channel per mile in same 3/1   UNCTX   1L5XX   0.5783       Each Additional DSI Interoffice Channel Facility Termination in   same 3/1 Channel System per month   UNCTX   UNCTX   UTF1   71.29   217.17   163.75       Each Additional DSI COIC in the same 3/1 channel system   UNCTX   UCID1   16.07   13.09   9.38       Nonrecurring Currently Combination Per month   UNCTX   UNCCC   21.75   21.75   32.28   10.96   38.07   38.07     ExtremeD 2-WIRE ISON Loop with DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First 2-Wire ISDN Loop a DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First 2-Wire ISDN Loop a DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First 2-Wire ISDN Loop in a DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First 2-Wire ISDN Loop in a DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First 2-Wire ISDN Loop in a DSI Interoffice Combination   1 UNCNX   UTL2X   19.42   325.91   251.31   38.07   38.07   38.07     First Interoffice Transport - Dedicated - DSI combination - Per MILE Per and DSI Combination - Per MILE Per and DSI Combination - Per month   UNCTX   UTTP1   71.29   217.17   163.75   38.07   38.07   38.07     Per each Channel System in combination per month   UNCTX   UTTP1   71.29   217.17   163.75   38.07			<u> </u>	2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				2	LINICDY	LIDLCA	67.00	400.04	227.54					20.07	20.07		
Combination - per month   C2-64kbs)   UNCDX   101DD   2.00   15.76   11.28				3	UNCDA	UDL04	07.20	409.04	337.31					36.07	36.07		
Each Additional DS1 Interoffice Channel per mile in same 3/1   UNC1X	1 1				LINCDY	10100	2.00	15.76	11 20								
Channel System per month					ONODA	10100	2.00	13.70	11.20								
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System promoth   UNC1X   U1TE1   71.29   217.17   163.75   38.07   38.07   38.07					UNC1X	11.5XX	0.5753										
Same 3/1 Channel System per month					0.1017	120701	0.0100										
Each Additional DSI COCI in the same 3/1 channel system					UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge   UNCIX   UNCCC   21.75   21.75   32.28   10.96   38.07   38.07																	
Is Charge	1 1	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
EXTENDED 2-WIRE ISDN Loop in a DS1 Interoffice Combination   1 UNCNX		Nonrecurring Currently Combined Network Elements Switch -As-															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 19.42 325.91 251.31   38.07 38.07   38.07					UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
Transport - Zone 1			RT w/ 3/	1 MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   Transport - Zone 2   UNCNX   U1L2X   32.88   325.91   251.31   38.07   38.07   38.07   38.07     First 2-Wire ISDN Loop in a DS1 Interoffice Combination   Transport - Zone 3   3 UNCNX   U1L2X   51.14   325.91   251.31   38.07   38.07   38.07     First Interoffice Transport - Dedicated - DS1 combination - Per   Mile per month   UNC1X   1L5XX   0.5753						1				1							
Transport - Zone 2			ļ	1	UNCNX	U1L2X	19.42	325.91	251.31	ļ	ļ			38.07	38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   Transport - Zone 3   3 UNCNX					LINONIV	1141.07	20.00	205.04	054.04	I				20.07	20.07		
Transport - Zone 3   3 UNCNX   U1L2X   51.14   325.91   251.31   38.07   38.07   38.07			1	2	UNUNX	U1L2X	32.88	325.91	251.31	<del>                                     </del>	<del> </del>	1		38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per   Mile per month   UNC1X				2	LINCNY	1111.2	E4 44	225.04	054.04	1				20.07	20.07		
Mile per month			<b> </b>	3	OINCINA	UILZX	51.14	323.91	201.31	<b>+</b>	1	}		38.07	38.07		1
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month					UNC1X	1I 5XX	0 5753			1							
Facility Termination per month			<del>                                     </del>		5OIA	120707	0.5755			<del>                                     </del>	<u> </u>	<del>                                     </del>		<del> </del>	<del> </del>		
Per each Channel System 1/0 in combination - per month					UNC1X	U1TF1	71.29	217.17	163.75	I				38.07	38.07		
Per each 2-wire ISDN COCI (BRITE) in combination - per month										1				33.07	55.07		
3/1 Channel System in combination per month					-					1	İ						İ
Per each DS1 COCI in combination per month										1							
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 1		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
Combination - Zone 1					UNC1X	UC1D1	16.07	13.09	9.38								
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2  UNCNX U1L2X 32.88 325.91 251.31 38.07 38.07																	
Combination - Zone 2   2 UNCNX				1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport										1							
			ļ	2	UNCNX	U1L2X	32.88	325.91	251.31			ļ		38.07	38.07		<b></b>
					LINONIY	1141.00		005.01	054.01	I				00.00	00.00		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			-	3	UNCNX	U1L2X	51.14	325.91	251.31	<del>                                     </del>				38.07	38.07		<b></b>
Additional 2-wire ISDIN COCI (BRLLE) in same 1/0 channel  System combination- per month  UNCNX  UC1CA  3.59  15.76  11.28					LINCNIV	LIC1CA	3 50	15 70	11.00	1							

UNBI	JNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1					1	ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1							7.00.		7.44	0020			00		
		Channel System per month			UNC1X	1L5XX	0.5753										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Each Additional DS1 COCI in the same 3/1 channel system												00.01	00.01		
		combination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	16.07	13.09	9.38								
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		,
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
		Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										1
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		combination per month			UNC1X	UC1D1	16.07	13.09	9.38								İ
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2   Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		<u> </u>
		3 Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		l
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								i
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								I
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		1
		Nonrecurring Currently Combined Network Elements Switch -As-					17.40										
		Is Charge		1	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<b>!</b>
<u> </u>	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			Lugia				ļl							
<u> </u>	ļ	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	<b> </b>	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
-	<b>!</b>	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51						1		
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
ADDIT	IONAL N	IETWORK ELEMENTS		1	0.4007	314000		21.75	21.75	32.20	10.90			30.07	30.07		
ADDIT		used as a part of a currently combined facility, the non-recurr	ng cha	raes do	notapply hut a S	Switch As Is of	harge does ann	ılv.									<u> </u>
<b>-</b>		used as a part of a currently combined facility, the non-recurr											<b> </b>				
		curring Currently Combined Network Elements "Switch As Is"					Jilai ge t			1							
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	9		UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	1	po onargo 2 milora milo vo	1	1	5.10 VA	311000		21.73	21.73	52.20	10.30	1		20.34	12.70	1	

UNRII	INDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hit: A
5,450		NETTORIC ELEMENTO MOIGH GALORINA										Svc Order	Svc Order	Incremental			Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''									-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Monro	curring	Monroourrin	g Disconnect			000	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						First	Addi	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-								-							
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Option	al Features & Functions:			LIATE												
		Clear Channel Capability Extended Frame Option - per DS1	١.,		U1TD1, ULDD1,UNC1X	CCOEF		OI.	OI.	OI	OI						
-		oreal Chairner Capability Extended Frame Option - per DST	<del>- '-</del>	<b>†</b>	U1TD1,	CCOLI		OI .	OI .	01	OI .				<b> </b>		
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent	<u> </u>	1	ULDD1, U1TD1,	1		-	-		-				İ		
		Activity - per DS1	1	1	UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S		1	26.94	12.76		
		,			U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
	MULTII	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
-		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38	-							
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10100	2.00	10.00	0.00								
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the			LIATUO	404)/0	4.07	42.00	0.00								
-		same SWC as collocation			U1TUC UNC3X	1D1VG MQ3	1.27 233.10	13.09 403.97	9.38 234.40					26.94	12.76		
-		DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month		<del>                                     </del>	UNCSX	MQ3	233.10	403.97	234.40	<del> </del>				26.94	12.76		
-		DS1 COCI used with Loop per month		1	USL	UC1D1	16.07	13.09	9.38	<b>+</b>				20.94	12.70		
		DS1 COCI (used for connection to a channelized DS1 Local		<b>†</b>		30.51	10.07	10.00	5.50	<b>†</b>	1			1	1		
		Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	16.07	13.09	9.38	1			1		1		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per													1		
		month		<u> </u>	ULDD1	UC1D1	16.07	13.09	9.38								
						1				ļ	ļ			26.94	12.76		
LINIBLE	IDI ES:	OCAL EVOLUNIC CIMITOLING (DODTO)		<u> </u>		+				-				26.94	12.76		
		OCAL EXCHANGE SWITCHING(PORTS)		<b>!</b>		<del>                                     </del>				<b>_</b>							
		nge Ports Although the Port Rate includes all available features in GA, l	KYIA	R TN +	he desired features	will need to b	e ordered usi	ng retail USOC	<u> </u>	<del>                                     </del>				-	1		
-		VOICE GRADE LINE PORT RATES (RES)	.,	1 114, 1	io aconea realures	I I I I I I I I I I I I I I I I I I I	o ordered usin	ly retail 0300	Ĭ								
		Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	2.19	21.60	21.60	1	1			26.94	12.76		
		<u> </u>		<u> </u>	-				1								
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	<u></u>	UEPSR	UEPRC	2.19	21.60	21.60	<u> </u>				26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
1		Exchange Ports - 2-Wire VG unbundled res, low usage line port				I				_			]		1		
		with Caller ID (LUM)	ļ	<b>!</b>	UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Low Usage Line Port without Caller ID		1	LIEDED	LIEDET	0.40	04.00	04.00	1			1	00.01	40.70		
	1	Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,		<b>!</b>	UEPSR	UEPRT	2.19	21.60	21.60	<b>_</b>				26.94	12.76		
		North Carolina	l		UEPSR	UEPRZ	2.19	21.60	21.60	1							
		promission outsing		1	021 011	J-1114	۷. اگ	21.00	21.00	1	1	1	l	L	1		

UNBLINDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
CHECHEL	NOTAL CALCULATION NOTAL CALCULATION										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually			Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>+</b>	2-Wire Voice Grade Unbundled Port with Caller ID capability,						11100	Auu	11100	Addi	COME	COMPAN	COMPAN	COMPAR	COMPAN	COMPAR
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		<del>                                     </del>
FEAT				OLFSK	USAGC	0.00	0.00	0.00					20.54	12.70		<b></b>
LAN	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2.WID	E VOICE GRADE LINE PORT RATES (BUS)			OLFSK	OLFVI	3.40	0.00	0.00					20.54	12.70		
Z-WIK	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
		-		OLFOD	OLFBL	2.19	21.00	21.00					20.54	12.70		
]	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60	I				26.94	12.76		1
<del>                                     </del>	unbunuled port with Caller+E464 ID - Bus.	1	<del>                                     </del>	ULFOD	UEFBU	2.19	∠1.00	∠1.00	<del>                                     </del>				∠6.94	12.76	-	<del></del>
	Evolungo Porto - 2 Wiro Anglos Line Port outgoing on the Port			UEPSB	UEPBO	2.19	21.60	21.60	I				26.94	12.76		1
<del>                                     </del>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	<del>                                     </del>	ULFOD	UEFBU	∠.19	∠1.00	∠1.00	<del>                                     </del>				∠6.94	12.76		<del></del>
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.40	21.60	21.60	I		l	l	26.94	12.76		1
		ļ		UEPSB	UEPBI	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	0.40	04.00	04.00	I				00.01	40 =0		1
<del>                                     </del>	Capability	1	1	UEPSB	UEPBE	2.19	21.60	21.60	<del>                                     </del>	-			26.94	12.76	-	<del></del>
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT				LIEDOD	LIED) /E	0.40	0.00	0.00					00.04	40.70		
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port	<u> </u>		UEPSP	UEPXM	2.18	21.60	21.60		<u></u>			26.94	12.76		<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60	I		l	l	26.94	12.76		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
NOTE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	nannels associ	ated with 2-	wire ISDN :	ports.			
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)											1		1		
	ANGE PORT RATES													1		
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embedo	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
1	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	81.84	81.84					26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		İ		T -				İ	İ				1	İ	
	capability (E:4/1/2004)			UEPDD	UEPDD	123.65	116.59	69.92	I				26.94	12.76		1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		i e	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29	1		1	1	55.30			
	All Features Offered	1	1	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00	t	1			55.50	33.50	1	<b></b>
<del>                                     </del>	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	1	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	t	1			t	l .	1	<b></b>
NOTE	: Transmission/usage charges associated with POTS circuit s	witched							nission by B-Ch	nannels associ	ated with 2	wire ISDN -	ports.	l .	1	<b></b>
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	<b></b>
	ANGE PORT RATES (continued)			Di 10110W				- action oupdo		I TIME					1	<b> </b>
LAGIN	(00	1	1	l	1				1	·	l	l	1	1	l	

UNBUN	IDLEI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
														Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			"											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				1	Nonrec	rrina	Monroourrin	g Disconnect	1		000	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1					LIISI	Auu i	FIISL	Auu i	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPDX	UEPDX	179.75	241.63	241.63		1	1		53.89	53.89		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
		Virtual collocation - Special Access & UNE, cross-connect per	1		OLI EX OLI BX		2.01	7 1.02	01.00			1		20.0 .	12.10		
		DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															1
		Locator Capability - Subsequent Profile Changes, Additions,									1						1
		Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
N	lew or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or			HEDDY	LIEDAE	0.00	4.47	4.47					00.04	40.70		
-		Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
<del> </del>	OCAL	NUMBER PORTABILITY	1		UEPEX	PRIZI	0.00	30.33	30.33			1		20.94	12.76		-
-	LOCAL	Local Number Portability (1 per port)	1		UEPEX UEPDX	LNPCN	1.75				1	1					
<b>—</b>	NTERE	FACE (Provsioning Only)	1		OLI LX OLI DX	LIVI OIV	1.75				1	1					
		Voice/Data	1		UEPEX	PR71V	0.00	0.00	0.00			1		26.94	12.76		
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
N	lew or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00							26.94	12.76		
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	36.92						26.94	12.76		
	CALLT	YPES	1														1
$\vdash$		Inward	ļ	ļ	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			ļ		26.94	12.76		<del></del>
$\vdash$		Outward	<u> </u>	1	UEPEX	PR7CO	0.00	0.00	0.00		-			26.94	12.76		<del></del>
<del></del>	INIPOLIS	Two-way	<u> </u>	1	UEPEX	PR7CC	0.00	0.00	0.00		<b>_</b>	<u> </u>		26.94	12.76		<del></del>
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		1		1				<b> </b>	<b>!</b>	ļ		<del> </del>	<del> </del>		<del>                                     </del>
$\vdash$		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<b>!</b>	LIEDVB	LIEDAO	0.40	04.00	04.00	ļ	<del>                                     </del>	<b> </b>		20.01	40.70		<del></del>
$\vdash$		Unbundled Remote Call Forwarding Service, Area Calling, Res	1	1	UEPVR	UERAC	2.19	21.60	21.60		<del>                                     </del>	<u> </u>		26.94	12.76		<del></del>
		Unbundled Remote Call Forwarding Service, Local Calling - Res	.]		UEPVR	UERLC	2.19	21.60	21.60		I			26.94	12.76		1
$\vdash$		Unbundled Remote Call Forwarding Service, Local Calling - Res	<del>'</del> ——	1	UEPVR	UERTE	2.19	21.60	21.60	1	<b>+</b>	<b> </b>		26.94	12.76		<del>                                     </del>
+		Unbundled Remote Call Forwarding Service, InterLATA - Res	1	1	UEPVR	UERTR	2.19	21.60	21.60		<del>                                     </del>	<del>                                     </del>		26.94	12.76		<del>                                     </del>
	lon-Re	ecurring	+	1	OLI VIX	CENTIN	2.19	21.00	21.00		<del>                                     </del>			20.94	12.70		<del>                                     </del>
H	1011-116	Unbundled Remote Call Forwarding Service - Conversion -	1	<b>!</b>							<b>-</b>						<b> </b>
		Switch-as-is			UEPVR	USAC2		2.77	0.40		1			26.94	12.76		1
		Unbundled Remote Call Forwarding Service - Conversion with	1	1		3002		2.11	5.40		<b>-</b>			20.04	12.70		<b>—</b>
		allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40		I			1	1		1
l	JNBUN	IDLED REMOTE CALL FORWARDING - Bus	1			1			2.70	1	1			1	1		
				1		1				İ	1						
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60		1			26.94	12.76		1
		<u> </u>															
		Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u></u>	UEPVB	UERLC	2.19	21.60	21.60		<u></u>	<u> </u>		26.94	12.76		<u></u>

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	pit: A
														Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring D	Disconnect		•		Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ļ	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		1
-	Non-Re	ecurring			OLI VB	OLIVO	2.10	21.00	21.00					20.54	12.70		
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		1
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
UNBU		OCAL SWITCHING, PORT USAGE fice Switching (Port Usage)	1				-										
	Ella Ol	End Office Switching Function, Per MOU					0.0015										
		End Office Trunk Port - Shared, Per MOU					0.00023										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0006										1
		Tandem Trunk Port - Shared, Per MOU					0.0003										
		Tandem Switching Function Per MOU (Melded)					0.00024618										
	1	Tandem Trunk Port - Shared, Per MOU (Melded)  Melded Factor: 41.03% of the Tandem Rate					0.00012309										
	Comm	on Transport	1														
	COMMIN	Common Transport - Per Mile, Per MOU					0.00001										
		Common Transport - Facilities Termination Per MOU					0.00034										
UNBU		ORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC a															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Usest and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l entry C	I	d Collibos. For Cur	lently Comb	lilea Collibos II	ie nomecumin	y charges sha	ii be tilose idelitii	neu in the N	onrecurring	- Currently	Combined Se	ctions.		
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	<u> </u>	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
	UNE Lo	pop Rates		1	UEPRX	LIEDLY	10.75										
	1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPRX	UEPLX	19.05										
-	1	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	30.33										
	2-Wire	Voice Grade Line Port Rates (Res)		_													
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.28	79.59	63.97					40.18	9.45		
	<u> </u>	2-Wire voice unbundled port outgoing only - res	ļ	<b></b>	UEPRX	UEPRO	2.28	79.59	63.97					40.18	9.45		
	1	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97					40.18	9.45		, l
<b>—</b>	<del>                                     </del>	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFIX	JLFAF	2.28	79.59	63.97					40.18	9.40		
		Capability			UEPRX	UEPRT	2.28	79.59	63.97					40.18	9.45		
	1	2-Wire Voice Grade Unbundled Port without Caller ID capability,												- 14			
	<u> </u>	North Carolina			UEPRX	UEPRZ	2.28	79.59	63.97								
	1	2-Wire Voice Grade Unbundled Port without Caller ID capability,	1			l											
	FF 4 T	North Carolina	ļ	<b></b>	UEPRX	UEPRY	2.28	79.59	63.97								
<del></del>	FEATU	All Features Offered	-	-	UEPRX	UEPVF	3.40	0.00	0.00	<del>                                     </del>				40.18	9.45		,—————————————————————————————————————
$\vdash$	LOCAL	NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	OLFIX	OLF VF	3.40	0.00	0.00					40.18	9.45		
	LOUAL	Local Number Portability (1 per port)	1		UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	1.10										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -					į i	İ									
	<u> </u>	Switch-as-is	ļ		UEPRX	USAC2	ļ	2.77	0.40					40.18	9.45		,
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	110400			2.12					40.10	0 :-		.
-	<del>                                     </del>	Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	UEPRX	USACC	<del>                                     </del>	2.77	0.40					40.18	9.45		
		Subsequent Database Update	1					1.42						10.27			
			1		l	1		1.74					l .	10.21	l		

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
ONDOND		HETWORK ELEMENTO NORTH Garonna										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADI		DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS				I											
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
<b></b>		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX UEPRX	UEAED	14.97 25.93	142.97	106.56					26.94 26.94	12.76 12.76	0.00	0.00
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	<del>                                     </del>	3	UEPRX	UEAED	25.93 40.81	142.97 142.97	106.56 106.56	1				26.94	12.76	0.00	0.00
INIT		FFICE TRANSPORT	<del>                                     </del>	3	ULFRA	UEAED	40.81	142.97	100.56	1				20.94	12.76	0.00	0.00
I INT		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1						1	1		1		
		Termination	1		UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07	1	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI TOC	011172	10.00	107.40	02.00					00.07	00.07		
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			02.100	0	0.0120	0.00	0.00								
		rt/Loop Combination Rates													1		
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	:	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNI	E Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-W		/oice Grade Line Port (Bus)															
	_	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18 40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX UEPBX	UEPBO UEPB1	2.28 2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		
		2-Wire voice unburidled incoming Only Port with Caller ID - Bus  2-Wire voice unbundled Incoming Only Port without Caller ID			ULFBX	OLFBI	2.20	19.55	03.91					40.10	9.40		
		Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LO		NUMBER PORTABILITY			02. 27.	02. 52	2.20	. 0.00	00.01					10.10	00		
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE/	ATUR																
		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO	NRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														]	
		Switch-as-is	<u> </u>		UEPBX	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_								
$\vdash$		Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					4 40						10.27	I	1	]
ADI		Subsequent Database Opdate  DNAL NRCs	<del>                                     </del>			+		1.42		<del>                                     </del>				10.27	<b>-</b>		
ADI		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1				1				1	<del> </del>		
		2-wire voice Grade Loop/Line Fort Combination - Subsequent Activity	1		UEPBX	USAS2		0.00	0.00					40.18	9.45	1	]
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>†</b>			30.102		0.00	0.00	<del>                                     </del>				70.10	5.45	<b> </b>	<b> </b>
		Premise	1		UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFI		PREMISES EXTENSION CHANNELS	<b>1</b>			1		2.30	2.30	1						2.30	5.50
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	;	2 Wire Analog Voice Grade Extension Loop – Design	ļ	2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	<u> </u>	2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	3	UEPBX	UEAED	40.81	142.97	106.56	ļ				26.94	12.76	0.00	0.00
INT		FFICE TRANSPORT	<u> </u>			1				ļ				<b> </b>	-	<b> </b>	<b></b> '
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1		UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07	1	]
$\Box$		TEITHITAUUT	L	<u> </u>	ULFBA	UTIVZ	10.00	137.48	5∠.58			l .	l .	30.07	30.07		

UNBUNI	DLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
O. T.D.O.T.		THE THORIT ELEMENTO HOLLI GUIONIA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
2-	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UI	NE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UI	NE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05		-		-						
		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPRG	UEPLX	30.33	·									
2-		/oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1				$\exists$			]			1		_	]	1
		Res	<u> </u>		UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45		<b>└</b>
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)	<u> </u>		UEPRG	LNPCP	3.15	0.00	0.00						ļ		<b>↓</b>
FE	ATU																
		All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Subsequent Database Update						1.42						10.27			
Al		ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110400	0.00	0.00	0.00					40.40	0.45		
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBBO	UDET		0.00	0.00					00.04	40.70	0.00	0.00
		Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OI.		PREMISES EXTENSION CHANNELS		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination  Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
-		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
				1	UEPRG	SDD2X	14.62	252.06	109.08			-		26.94	12.76	0.00	0.00
<del>                                     </del>		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	<del>                                     </del>	2	UEPRG	SDD2X SDD2X	23.86	126.03	54.54	<del>                                     </del>				26.94	12.76	0.00	0.00
<del></del>		Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X SDD2X	36.40	126.03	54.54	<del>                                     </del>				26.94	12.76	0.00	
IN		OFFICE TRANSPORT	1	3	OLI NO	JUUZA	30.40	120.03	54.54	<del>                                     </del>				20.94	12.70	0.00	0.00
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del> </del>			+ -									<b>-</b>		<b> </b>
		Termination	1		UEPRG	U1TV2	18.00	137.48	52.58	]			1	38.07	38.07	Ì	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		021110	01172	10.00	107.70	JZ.J0			<u> </u>	<b> </b>	30.07	30.07	<b> </b>	<b>—</b>
		or Fraction Mile	1		UEPRG	U1TVM	0.0125	0.00	0.00	]			1		I	Ì	1
2-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1			1	3.3.20	3.00	2.00						<u> </u>		<b>—</b>
		rt/Loop Combination Rates	1												1	1	
		2-Wire VG Loop/Port Combo - Zone 1	<b>†</b>	1			13.03								1	1	
		2-Wire VG Loop/Port Combo - Zone 2	1	2		1	21.33								İ	İ	
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UI		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEPPX	UEPLX	30.33			<u> </u>							
2-		/oice Grade Line Port Rates (BUS - PBX)					1										
						j	Ì			j							
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPC	2.28	164.57	128.16	<u>]                                    </u>		<u></u>	<u></u>	40.18	9.45	<u> </u>	1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
L															Diac iat	Disc Add I
$\vdash$						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAN
$\vdash$	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	First 164.57	Add'I 128.16	First	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 40.18	<b>SOMAN</b> 9.45	SOMAN	SOMAN
$\vdash$	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
$\vdash$	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	2.20	104.57	120.10					40.10	3.43		
	Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
<del>                                     </del>	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	<del>                                     </del>	UEPPX	UEPXS	2.28	164.57	128.16		1			40.18	9.45		
LOCA	L NUMBER PORTABILITY	1	<b>†</b>	52. TX	JE1 7.0	2.20	104.01	120.10					70.10	5.45		
1 - 3 - 3 - 3	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00	1	Ì			40.18	9.45		
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<u> </u>													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LICACO		0.77	0.40					40.40	0.45		
$\vdash$	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		OLITA	OOACC		2.11	0.40					40.10	3.43		
	Subsequent Database Update						1.42						10.27			
ADDI?	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													40.00		
OFF/	Premise DN PREMISES EXTENSION CHANNELS	1		UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/C	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPA	UTIVZ	16.00	137.40	52.56					30.07	30.07		
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.03										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.33										
<del></del>	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.61										
UNE L	Loop Rates	1	1	UEPCO	UEPLX	10.75			<b>-</b>							
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	19.05										
+-+-	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	30.33						<b> </b>				<b> </b>
2-Wire	e Voice Grade Line Ports (COIN)	1							1	Ì						
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)	1		UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		LIEDOO	LIEDDD	0.00	70	00.00					40 10			
<b>├</b> ──	900/976, 1+DDD (NC, TN)	1	<b>}</b>	UEPCO	UEPRP	2.28	79.59	63.97		<del> </del>			40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1							i		l				
	(NC)			UFPCO	UFPNR	2 28	79 50	63 07					4∩ 1♀	9.45		
	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	-		UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		

UNBI	JNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking				+		11131	Auu i	11130	Auu i	JOINEC	JONAN	JONAN	JONIAN	JOHAN	JONAN
		(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	1				UEPCO	UEFINE	2.20	79.59	03.97					40.16	9.45		
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDOI	0.00	70.50	00.07					40.40	0.45		
		900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35						l				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED		1									i				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1 1						t	1		1	<b> </b>	
	1	Switch-as-is	l		UEPCO	USAC2		2.77	0.40			1	1	40.18	9.45	Ì	
-	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	JL1 00	UUAUZ		2.11	0.40	-		+	1	40.10	5.43	<del> </del>	
	1		l		UEPCO	USACC		2.77	0.40			1	1	40.18	9.45	Ì	
<u> </u>	1	Switch with change	<del>                                     </del>	1	UEPCO	USACC		2.17	0.40	ļ		1	<b> </b>	40.18	9.45	<del>                                     </del>	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.42									
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
		ort/Loop Combination Rates		,	,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	43.00										
-	LIMEL	pop Rates		3			43.00										
	UNE LO			1	UEPFR	LIEGEO	44.07										
		2-Wire Voice Grade Loop (SL2) - Zone 1				UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundles res, low usage line port with Caller ID															
1	1	(LUM)	l		UEPFR	UEPAP	2.19	225.00	225.00			1	1	40.18	9.45	Ì	
	INTER	OFFICE TRANSPORT											l				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1 1							i				
		Termination	l		UEPFR	U1TV2	18.00	140.00	71.00				l				
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					.0.00	0.00	00			1	1		1	1	
		or Fraction Mile	l		UEPFR	1L5XX	0.0125						l				
-	FEATU		1	1	OLI I IX	ILUAA	0.0123			-		+	1	1	1	<del> </del>	
<b>—</b>			<del>                                     </del>	1	LIEDED	LIED\/C	0.40	0.00	0.00			<del>                                     </del>	-	40.40	0.45		
<u> </u>		All Features Offered	<del>                                     </del>	1	UEPFR	UEPVF	3.40	0.00	0.00	ļ		1	<b> </b>	40.18	9.45	<del>                                     </del>	
<u> </u>	LUCAL	NUMBER PORTABILITY	<b></b>	<u> </u>	LIEDED	LNDCY						-	ļ	1	1	1	
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	İ										l				
	1	Combination - Conversion - Switch-as-is	]		UEPFR	USAC2		9.03	1.87			1		40.18	9.45		
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l										1	I			-
	1	Combination - Conversion - Switch-With-Change	l		UEPFR	USACC		9.03	1.87			1	1	40.18	9.45	Ì	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
1	1	End User Premise	l		UEPFR	URETN		11.20	1.10			1	1	26.94	12.76	0.00	0.00
	2-WIRF	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		†				İ		1	İ		<u> </u>	1	
		ort/Loop Combination Rates	<u></u>		,	1 1						1	1		Ì	1	
	J. J	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1 1	17.16					<b>I</b>	1		1	<b> </b>	
<b>-</b>	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	2		+ +	28.12			-		+	1	1	1	<del> </del>	
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<b>-</b>	3		+	43.00					<del>                                     </del>	<b> </b>	-	1	-	
		2-write vo Loop/IO Tranpon/Pon Combo - Zone 3	l	J			43.00					L	l	l .	l		

UNBL	JNDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•	•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
							.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										1
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		-
		NUMBER PORTABILITY		ļ		LNBC											
		Local Number Portability (1 per port)	1	<u> </u>	UEPFB	LNPCX	0.35										
	INTER	OFFICE TRANSPORT	1	ļ													
l		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1			40.55			]							i
		Termination		ļ	UEPFB	U1TV2	18.00	140.00	71.00								
l		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	l	1				]							i
		or Fraction Mile		ļ	UEPFB	1L5XX	0.0125										
	FEATU																
		All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i
		Combination - Conversion - Switch-as-is	ļ		UEPFB	USAC2		9.03	1.87					40.18	9.45		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
		End User Premise	1		UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	PBX)												
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
	UNE LO	op Rates		<u> </u>			44.00										
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
l		Line Cide Habandled Combinedia CAWA BRYTA L. S. C. S.		1	HEDED	LIEDDO	0.46	005.00	005.00	]				40.40	0.4-		i
<u> </u>	<u> </u>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	-	<u> </u>	UEPFP	UEPPC	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		
<u> </u>	<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus	-	<u> </u>	UEPFP UEPFP	UEPPO UEPP1	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus	1	1			2.18	225.00	225.00					40.18	9.45		
-	1	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPFP UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	-		UEPXA	2.18	225.00	225.00					40.18	9.45		
-	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPFP UEPFP	UEPXB UEPXC	2.18 2.18	225.00 225.00	225.00	<del>                                     </del>				40.18 40.18	9.45 9.45		
<b> </b>	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPFP UEPFP	UEPXC		225.00	225.00	<del>                                     </del>				40.18	9.45 9.45		
<b> </b>	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPFP	UEPAD	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	UEPFP	HEDVE	0.40	205.00	205.00	]				40.40	0.45		i
<del></del>	1	Capable Port	1	<del>                                     </del>	UEPFP	UEPXE	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		1
l		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPFP	UEPXL	2.40	225.00	225.00	]				40.40	9.45		i
<del></del>	1	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	<del>                                     </del>	ULFFF	UEFAL	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		1
l				1	LIEDED	LIEDYA	0.40	205.00	205.00	]				40.40	0.45		i
<del></del>	1	Room Calling Port	1	<del>                                     </del>	UEPFP	UEPXM	2.18	225.00	225.00	<del>                                     </del>				40.18	9.45		1
l		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	UEPFP	UEPXO	0.40	205.00	205.00	]				40.40	0.45		i
-	1	Discount Room Calling Port	1	1	UEPFP UEPFP		2.18	225.00	225.00	<del>                                     </del>				40.18	9.45 9.45		
	LOCAL	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY	1	-	UEFFF	UEPXS	2.18	225.00	225.00					40.18	9.45		
			1	-	UEPFP	LNPCP	0.45	0.00	0.00					40.18	0.45		
<del></del>		Local Number Portability (1 per port)  OFFICE TRANSPORT	1	<del>                                     </del>	UEPFP	LINPUP	3.15	0.00	0.00	<del>                                     </del>				40.18	9.45		1
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<u> </u>	-		+				<del>                                     </del>					-		
		Termination			UEPFP	U1TV2	18.00	140.00	71.00	1							ı
Щ	1	ronninauott	1	<u> </u>	OLFIF	UTIVZ	10.00	140.00	11.00	<u> </u>					l		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc O Submi Ele per L	Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
												Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
					+	1	Nonrec	urring	Nonrecurring Discor	nect	I	oss	Rates (\$)		-
						Rec	First	Add'l	First Ad		EC SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								i i						
	or Fraction Mile			UEPFP	1L5XX	0.0125									<u> </u>
FEAT	TURES			LIEDED	LIEDVE	0.40	0.00	0.00				40.40	0.45		<b></b>
NON	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	3.40	0.00	0.00				40.18	9.45		<del> </del>
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					†									<del></del>
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				40.18	9.45		i l
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87				40.18	9.45		l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			l											1
	End User Premise			UEPFP	URETN		11.20	1.10				26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES	COORT													$\longleftarrow$
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PURI	<b>!</b>		+	<del>                                     </del>			<del>                                     </del>	-+	_	1	<b>}</b>		$\vdash$
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1		+	20.97			<del>                                     </del>	-+	_	+	1	-	$\vdash$
<del>                                     </del>	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	2		+	20.97				+	-	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08				<u> </u>		1	1		
UNE	Loop Rates					07.00									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85						1			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96									
UNE	Port Rate														
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40				40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-													1
-	Switch-as-is			UEPPX	USAC1		13.26	8.39				53.89	11.34		<del>                                     </del>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39				53.89	11.34		i
ADDI	TIONAL NRCs			ULFFX	USAIC		13.20	0.39	1			33.09	11.54		<del>                                     </del>
755	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02.17	007.01	İ	00.10					10.10	0.10		
	End User Premise			UEPPX	URETN		11.20	1.10				26.94	12.76	0.00	0.00
Telep	hone Number/Trunk Group Establisment Charges														
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Numbers, Establish Trunk Group and Provide First Group														1
$\vdash$	of 20 DID Numbers		<u> </u>	UEPPX	NDZ	0.00	0.00	0.00	<b> </b>			ļ	ļ		
$\vdash$	Additional DID Numbers for each Group of 20 DID Numbers	1	<u> </u>	UEPPX	ND4	0.00	0.00	0.00	<b> </b>			ļ	ļ		<b>├</b>
<del>                                      </del>	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	1	<b>}</b>	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00				<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
$\vdash$	Reserve DID Numbers	1	1	UEPPX	NDV	0.00	0.00	0.00	<del>                                     </del>	-		+	<b> </b>		$\vdash$
LOCA	AL NUMBER PORTABILITY	1	<b>†</b>	OLIFA	INDV	0.00	0.00	0.00	<del>                                     </del>	+	_	+	<del> </del>	<del> </del>	
1200	Local Number Portability (1 per port)	1	<b>†</b>	UEPPX	LNPCP	3.15	0.00	0.00				1	1	<b> </b>	
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT		1	50	0.00	3.30	1	1		1	1	1	
	Port/Loop Combination Rates					1						İ	İ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEDDD											
	UNE Zone 1  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	1	38.84									<b> </b>
	UNE Zone 2		2	UEPPB UEPPR		50.01									i l
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														
	UNE Zone 3		3	UEPPB UEPPR		65.18									
UNE	Loop Rates	1										ļ			igcup
$\vdash$	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47						ļ	ļ	ļ	
	O Wire ICON Digital Conde Lang. UNIT 7 C		2	HEDDD HERES	LICLOY	05.01				1					1
$\vdash$	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPPR UEPPB UEPPR		25.64 40.81			<del>                                     </del>		_	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>
LINE	Port Rate	1	3	ULTED UEPPR	USLZX	40.81			<del>                                     </del>	- 1		<del>                                     </del>	1	1	<del>                                     </del>
ONE	Exchange Port - 2-Wire ISDN Line Side Port	1	<b>†</b>	UEPPB UEPPR	UEPPB	24.37	388.20	302.77	<del>                                     </del>		_	19.99	19.99	<del> </del>	<del>                                     </del>
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	1	CLITE CLITE	52110	24.01	555.20	002.11	<del>                                     </del>	-	-	10.99	10.99		
1				l	1					1		1			

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental			
													Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	1_	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1			1				l	Nonrec	urring	Nonrecurring Dis	sconnect		l	OSS	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								<u> </u>
	ADDIT	IONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																ĺ
		End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	UEPPB	UEPPR	URETN		11.20	1.10								<b> </b>
		Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	LOCAL	NUMBER PORTABILITY			OLITE	OLITIK	OKETE		0.55	0.03					20.34	12.70	0.00	0.00
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<u> </u>
<u></u>	D 01::	CSD	1		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								<b></b>
<u> </u>		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S TERMINAL PROFILE	C,MS, 8	k IN)			-									-		<del>                                     </del>
<u> </u>	USER	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	Π1ΠΜΔ	0.00	0.00	0.00				-				<del>                                     </del>
-	VERTIC	CAL FEATURES			OLFFB	ULFFR	OTOWA	0.00	0.00	0.00								<b> </b>
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		l
		Interoffice Channel mileage each, additional mile	L		UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								<b>.</b>
		EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNINEPP DS1 combination rates below for in this rate exhibit apple.				!u ulaaa a	f 40/2/02 ·		4/4/04 th		t to touist notes a			-1				<del>                                     </del>
-		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													nt.			<b></b>
	UNF P	ort/Loop Combination Rates	I	ort arte	l the enec	live date o	l tills amend	Intent shan be	novided pursu	ant to a sepai	ate agreement or ta	ailli at bell	Journ's un	Scietion.				<b> </b>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			226.55										ĺ
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																ĺ
		Zone 2		2	UEPPP			263.28										<b></b>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP			040.45										1
	LINE	Zone 3 oop Rates		3	UEPPP			313.15										<del> </del>
	ONL L	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										<del>                                     </del>
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27										
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	134.14										
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		1
	NONR	ECURRING CHARGES - CURRENTLY COMBINED	ļ		ļ		1											<b>!</b>
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1		LIEDDE		LICACD	0.00	404.54	404.54				1		1		1
<u> </u>	ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)	-	1	UEPPP		USACP	0.00	481.51	481.51	<del>                                     </del>							<del>                                     </del>
-	ADDIT	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	1		1							-	1	1		<del>                                     </del>
1		Subsequent Inward/2-Way Tel Nos - (NC Only)	1		UEPPP		PR7TG		1.17	1.17				1		1		1
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent																
L		Activity Outward tel nos. (NC only)	<u> </u>		UEPPP		PR7TP		28.17	28.17					<u>                                     </u>			L
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																1
<u> </u>	1.66	Subsequent Inward Tel Numbers	ļ		UEPPP		PR7ZT		56.33	56.33								<b></b>
<u> </u>	LOCAL	NUMBER PORTABILITY	<u> </u>	1	HERRE		LNDCN											<del>                                     </del>
	INTER	Local Number Portability (1 per port)  FACE (Provsioning Only)	<b>!</b>		UEPPP		LNPCN	1.75			<del>                                     </del>				-			<del>                                     </del>
-	INTER	Voice/Data	1		UEPPP		PR71V	0.00	0.00	0.00								<del>                                     </del>
	+	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00								
		Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00						İ		
	New or	r Additional "B" Channel																
		New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92	•					19.99	19.99		
		New or Additional - Digital Data B Channel	ļ		UEPPP		PR7BF	0.00	36.92						19.99	19.99		<b></b>
<u> </u>	CALL	New or Additional Inward Data B Channel	<u> </u>	1	UEPPP		PR7BD	0.00	36.92		<b> </b>				19.99	19.99		<del></del>
	CALL	IIFEO	1	<u> </u>	l		<u> </u>							l	L	L		<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec		_	Manual Svc	•	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								<b></b>
	Interof	fice Channel Mileage															<b></b>
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		<b></b>
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										<b></b>
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L						L	L							<b></b>
		IE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			<b></b>
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	ate of t	nis amendment sna	ili be provide	a pursuant to	a separate agr	ement or tarif	r at BellSouth's	aiscretion.						<b></b>
-	UNE P	ort/Loop Combination Rates	<b> </b>		UEPDC	<del> </del>	474.00	-		<del>                                     </del>		1	ļ	-	<del>                                     </del>		<del>                                     </del>
$\vdash$		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<del>                                     </del>	1		1	171.06			<del>                                     </del>							<del>                                     </del>
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC UEPDC	1	207.79 257.66			<del>                                     </del>							
<u> </u>	IINE I	pop Rates	├	3	ULFDC	1	∠57.0b			<del>                                     </del>			<b> </b>		-		
-	ONE LO	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	1	UEPDC	USLDC	47.54	-		<del>                                     </del>				-	-		
		4-Wire DS1 Digital Loop - ONE Zone 1			UEPDC	USLDC	84.27					1					
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
	IINE D	ort Rate		3	OLFDC	USLDC	134.14					1					
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
		ECURRING CHARGES - CURRENTLY COMBINED			02. 00	055	120.02	001110	101.00			1		10.00	10.00		f
	HOHIL	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								í
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								í
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								í
	ADDITI	ONAL NRCs															i
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															ĺ
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															í
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								<b></b>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															í
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								<b></b>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		00.04	00.04					40.00	40.00		í
		Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		28.81	28.81	-				19.99	19.99		
		Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD	1	28.81	28.81	I			1	19.99	19.99		í
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		0L1 DC	טווט		20.01	20.01	1		1		15.55	19.99		
		Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE	1	28.81	28.81	I			1		1		í
	BIPOL	AR 8 ZERO SUBSTITUTION	<b>†</b>					20.01	20.01	<b>I</b>		<u> </u>	<b> </b>		<b> </b>		ſ
		B8ZS -Superframe Format	<u> </u>		UEPDC	CCOSF		0.00i	615.00s	t					1		í
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s	1	l			İ	İ		í
	Alterna	ate Mark Inversion				İ			-	1	l			İ	İ		í
		AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00								i
		AMI - Extended SuperFrame Format	<u></u>		UEPDC	MCOPO		0.00	0.00								i
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0.00			ļ				19.99	19.99		<b> </b>
		DID Numbers, Establish Trunk Group and Provide First Group	1			l				I			1		1		í
-		of 20 DID Numbers	<u> </u>		UEPDC	NDZ	0.00	0.00	0.00	-							<del></del>
<u> </u>		DID Numbers for each Group of 20 DID Numbers	<b> </b>		UEPDC	ND4	0.00	-		<b>!</b>	-			1	<del> </del>		<del>                                     </del>
<b>-</b>		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	<b> </b>		UEPDC UEPDC	ND5	0.00	0.00	0.00	<del>                                     </del>		-			ļ		<del>                                     </del>
$\vdash$		Reserve Non-Consecutive DID Nos. Reserve DID Numbers	├	<del>   </del>	UEPDC	ND6 NDV	0.00	0.00	0.00	<del>                                     </del>			<b> </b>		-		
$\vdash$	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loor			0.00	0.00	0.00	<del> </del>		-	-	1	1		
	Deuica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	i Digita	Loop	WICH 4-WILE DOILS I	Tunk Fort				<del>                                     </del>					<b> </b>		
		Termination)	1		UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00		1	19.99	19.99		í
		1					0				. 0.50						

INDUNDU	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hit. A
JNBUNDE	ED NETWORK ELEMENTS - NOTHI Carollia		1								Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	,	Manual Svc	Manual Svc		Manual Svo
JATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		Disconnect				Rates (\$)		1
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
-+	Tommiduon)	1	1	02. 50	12.100	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	.		UEPDC	1LNOC	0.5753	0.00	0.00								
-+-	Local Number Portability, per DS0 Activated	+	<del>                                     </del>	UEPDC	LNPCP	3.15	0.00	0.00	0.00		1	l		1		
+-	Central Office Termininating Point	1	<del>                                     </del>	UEPDC	CTG	0.00	0.00	0.00	0.00		1					
4 18715	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	+	├	OLFDO	010	0.00	-		-		1	-				
		livet' - ·	<del>]                                    </del>		1	<del>                                     </del>					<del> </del>	-				
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending or															
	JNE-P DS1 combination rates below for 4-Wire DS1 Loop with (											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after th	ne effect	ive date	e of this amendmen	t shall be pro	vided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE I	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
-	96 DSO Channel Capacity -1per 4 DS1s	1	1	UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
-+	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
-+-	192 DS0 Channel Capacity - 1 per 8 DS1s	1	1	UEPMG	VUM19	984.48	0.00	0.00			1		19.99	19.99		
$\longrightarrow$		1		UEPMG	VUM2O	1,230.60	0.00	0.00			ļ		19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s	<u> </u>														
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68		0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						ystem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multir	ples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes	1		UEPMG	USAC4	0.00	330.61	16.64			1	l	19.99	19.99		
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	ith Char	nelizat							İ	İ	İ				
	(Not Currently Combined) in all states, except in Density Zone							İ		İ	İ	İ		İ		
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Jp	1		1						1	1				
	and Assoc Fea Activation (E:4/1/2004)	1		UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	1	l	19.99	19.99		
Rinal	ar 8 Zero Substitution	+	<del>                                     </del>	51. NO	· SIVID-	3.00	7-10.74	020.22	140.02	17.00	<del> </del>	<del> </del>	10.00	10.00		
Біроі	Clear Channel Capability Format, superframe - Subsequent	+	1		+	<del> </del>	-	-	1	1	1	1		-		
	Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s								
+-		1	1	UEFIVIG	CCOSF	0.00	0.001	010.008			ļ					
	Clear Channel Capability Format - Extended Superframe -	1	1	LIEDMO	00055	0.00	0.00	045.00		1	1	l		1		
	Subsequent Activity Only	<b> </b>	<b> </b>	UEPMG	CCOEF	0.00	0.00i	615.00s								
Altern	nate Mark Inversion (AMI)	ļ	<b> </b>	1150110							ļ					
	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format	1		UEPMG	MCOPO	0.00	0.00	0.00			]			]		
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
	ange Ports	$\perp$	Щ									<u> </u>				
Excha	Line Side Combination Channelized PBX Trunk Port - Business															
Excha									0.00	0.00	1	i	40.40			l
Excha	(E:4/1/2004)			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
Excha				UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
Excha	(E:4/1/2004)			UEPPX UEPPX	UEPCX	2.28	0.00	0.00		0.00			40.18	9.45		
Exchi	(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business			-					0.00							

UNBUNDL	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
															DISC 1St	DISC Add I
-						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port						FIISL	Auu i	FIISL	Add I	SOIVIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	(E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Feat	ture Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Tele	ephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States  Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability															
<u> </u>	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ATURES - Vertical and Optional al Switching Features Offered with Line Side Ports Only					-										
Loca	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S		02.17.	02. 1.	0.10	0.00	0.00					10.10	0.10		
1. C	ost Based Rates are applied where BellSouth is required by FCC	and/or														
	eatures shall apply to the Unbundled Port/Loop Combination - C											L				
3. Ei	nd Office and Tandem Switching Usage and Common Transport he first and additional Port nonrecurring charges apply to Not C	Usage	rates in	the Port section o	of this rate exh	ibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE (	coin Port/Lo	op Combinat	ions.	Additional NE	Ce may
	ly also and are categorized accordingly.	unentry	COIIID	inea combos. To	Currently Co	ilibilied Collibe	os, the nomect	innig charges	shall be those	identified in t	ne Nomecu	illing - Cull	entry Combin	eu sections. 7	- duitional Ni	ios may
	Market Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	ase Basis, un	til further notic	e.									
	E-P CENTREX - 5ESS (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	E Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP95		13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.04										
LINE	Non-Design E Port/Loop Combination Rates (Design)		3	UEP95		32.61										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP95		17.25										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
$\vdash$	Design		2	UEP95		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		43.09										
UNE	E Loop Rate	1		OL: 90		45.09										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		_	UEP95	UECS1	19.05										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33										
<del>                                     </del>	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP95 UEP95	UECS2 UECS2	14.97 25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	40.81										
UNE	Port Rate															
All S	States															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	ļ	UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
<del>                                      </del>	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	<del>                                     </del>	UEP95	UEPYB	2.28	79.59	63.97					40.18	9.45		
	Area		1	UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		J	2.20	70.09	00.01					40.70	5.70		
	Center)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOS	LIED: /Z											
	Service Term - Basic Local Area			UEP95	UEPYZ	2.28			l		<u> </u>		40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	ibit: A
ONDONDE	NOTE OF THE PROPERTY OF THE PR										Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					1		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
NC Or	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC OF	2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	LIED/17	0.00	404 ==	100.10					40.40			
	Term 2,3	<b></b>		UEP95	UEPUZ	2.28	164.57	128.16			-		40.18	9.45		-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated in 611 Meganinic of equivalent			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability			LIEDAE	LUBOO											
Factor	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
<del> </del>	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Misco	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
lestana	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00			-							
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Factors Astination on D. A. Channel Deals EV line Cide Land Clat			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	TPQW6	0.05			+							
	Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.65										<u> </u>
	Fortuna Autoritor de Bid Olore de Bid de Servicio de Servicio			LIEDOS	450117	2.00										
<del>                                     </del>	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	<b></b>		UEP95	1PQWV	0.65					-					<del>                                     </del>
	Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65			<del> </del>		t e					
Non-R	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
<b>  </b>	changes, per port	ļ		UEP95	USAC2	0.00	2.77	0.40	ļ				40.18	9.45		<b>_</b>
<del>                                     </del>	New Centrex Standard Common Block New Centrex Customized Common Block	1		UEP95 UEP95	M1ACS M1ACC	0.00	695.11 695.11		<b> </b>				40.18 40.18	9.45 9.45		-
<del>                                     </del>	NAR Establishment Charge, Per Occasion			UEP95 UEP95	URECA	0.00	72.73		+		<b>+</b>		40.18	9.45		<del>                                     </del>
Additi	onal Non-Recurring Charges (NRC)				5.1.20,1	0.00	12.13		<del> </del>				70.10	5.40		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use						İ									
	Premise			UEP95	URETL		8.33	0.83								

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
LINIE I	End Use Premise			UEP95	URETN		11.20	1.10								
	P CENTREX - DMS100 (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
	Port/Loop Combination Rates (Non-Design)															
O.U.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		13.03										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													1
LINE	Non-Design	1	3	UEP9D		32.61										
UNE	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>														
	Design		1	UEP9D		17.25										, J
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		† ·	02.00		20										
	Design		2	UEP9D		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		43.09										1
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1 UECS1	19.05 30.33										
<b>-</b>	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
UNE	Port Rate															
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		I
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYW	2.28		63.97					40.18	9.45		
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4						79.59									
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		<u> </u>
	Basic Local Area	<u> </u>		UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		i l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area  2-Wire Voice Crede Port (Centrex/differ SWC /EBS-M5248)3, 3, 4			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area  2 Wire Voice Grade Port (Centrey/differ SWC /EBS M5216)2,3,4			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4     Basic Local Area     2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Dill Serving Wire Center - 300 Service Term 2,3  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	Basic Local Area  2-Wire Voice Grade Port Terminated in 611 Wegamin of equivalent Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
NC O	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC O	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		<b> </b>
<b>-</b>	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D UEP9D	UEPUE	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		<b></b>
-	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		<del></del>
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	-		UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		<u>.                                    </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	10112 =======	m		200	5555			= (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<del>                                     </del>			1	Nonrec	urrina	Monroourring	Disconnect		l	000	Rates (\$)		
			<del>                                     </del>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	0 Miles Velice October 1876 October 1876 October 1886 Oct						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	L						=====									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40						l				1
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45	1	†
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		+
	Unbundled Network Access Register - Outdial		<b>1</b>	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		<b>†</b>
Miscal	Ianeous Terminations		<del>                                     </del>	OLI OD	O/ II CO/C	0.00	0.00	0.00	0.00	0.00		0.00	40.10	0.40		+
	Trunk Side	<u> </u>	1		+	1										+
Z-VVIIIE				UEP9D	CEND6	10.06					-			-	-	
4 10/:	Trunk Side Terminations, each Digital (1.544 Megabits)	-	<u> </u>	UEP9D	CENDO	12.36										
4-wire				LIEDOD	MALIDA	400.05							10.10	0.45		
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
1		1	1		1	5.55					1	1		1	1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65						l				1
<del>-  </del>	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	<del>                                     </del>	<del>                                     </del>		1 ~,,,,	0.00			<b> </b>		1			t	t	+
	Slot			UEP9D	1PQWQ	0.65						l				1
<del>- 1</del>	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	<del>                                     </del>	UEP9D	1PQWA	0.65			1		1	l		t	t	+
Non B	ecurring Charges (NRC) Associated with UNE-P Centrex	1	<del>                                     </del>	טבו שט	IFQVA	0.00			1		1			<del> </del>	<del> </del>	+
Non-R		<del>                                     </del>	-		+	<del>                                     </del>			-	-	<del>                                     </del>	<b> </b>		-	-	+
1	NRC Conversion Currently Combined Switch-As-Is with allowed		1	UEP9D	USAC2		2.77	0.40	Ì		1	1	40.40	0.45	I	1
	changes, per port  New Centrex Standard Common Block	1	1		M1ACS	0.00		0.40			1		40.18	9.45 9.45	1	+
		<u> </u>	<u> </u>	UEP9D		0.00	695.11		1	1	-	ļ	40.18		1	+
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	695.11				<b>.</b>		40.18	9.45		
	NAR Establishment Charge, Per Occasion	1	<u> </u>	UEP9D	URECA	0.00	72.73					ļ	40.18	9.45	<b></b>	<b>↓</b>
Additio	onal Non-Recurring Charges (NRC)				1	ļ										<del></del>
1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1	l	l				Ì		1	1		I	I	1
	Premise			UEP9D	URETL		8.33	0.83				<u> </u>				<b>↓</b>
	Unbundled Miscellaneous Rate Element, Tag Design Loop at											l				1
	End Use Premise		<u> </u>	UEP9D	URETN		11.20	1.10				<u> </u>		<u> </u>	<u> </u>	<u> </u>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	? - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment					İ										
	Rates displaying an "R" in Interim column are interim and sub			a un ao aot famh in	Conoral Torr	no and Canditia	ne									1

Submitted Sul CATEGORY RATE FLEMENTS Interi	Svc Order Increment Submitted Charge	achment: 2		bit: A
Submitted Sul CATEGORY RATE FLEMENTS Interi		ntal Incremental	11	
CATEGORY RATE FLEMENTS Interi	Submitted Charge			Incremental
CATEGORY RATE FLEMENTS MICHIEL Zone RCS USOC RATES (\$)			Charge -	Charge -
CATEGORY   RATE ELEMENTS     ZONE   BCS   USOC   RATES (3)   Lacated Lac	Manually Manual S			Manual Svc
m   Single Control   m   Single Control   per LSR   per	per LSR Order v		Order vs.	Order vs.
	Electron			Electronic-
	1st	Add'l	Disc 1st	Disc Add'l
Page   Nonrecurring   Nonrecurring Disconnect	0	SS Rates (\$)	1	
Rec First Add'l First Add'l SOMEC So	SOMAN SOMA	N SOMAN	SOMAN	SOMAN
			147-177	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations http://www.interconnection.bellsouth.com/become a clec/html/interconnection.htm	is by Central Office,	refer to internet	website:	
Interpress of the property systems (oss) - "REGIONAL RATES"			1	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the	the BellSouth "regio	nal" service ord	ering charges.	CLEC may
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two rega	gardless if CLEC ha	s a interconnect	ion contract e	stablished in
each of the 9 states.				
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a p				
that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for the charge that would be billed to a CLEC once electronic ordering capabilities come or the charge that would be billed to a CLEC once electronic ordering capabilities capabilities capabilities come or the charge that would be billed to a CLEC once electronic ordering capabilities capabilit	e for that element. (	Otherwise, the m	anual ordering	g charge,
SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.			1	
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only SOMEC 3.50 0.00 3.50 0.00				
Neguest (15th) - ONE Office Order Charge, Per Local Service Request   Solution   Solut		+	1	
UNE SERVICE DATE ADVANCEMENT CHARGE				
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.				
UAL, UEANL, UCL, UEF. UDF. UEQ.				
UDL, UENTW, UDN,				
UEA, UHL, ULC,				
USL, U1T12, U1T48,				
U1TD1, U1TD3,				
UITDX, UITO3,				
U1TS1, U1TVX, UC1BL, UC1BL,				
UC1EC, UC1EL,				
UC1FC, UC1FL,				
UC1GC, UC1GL,				
UC1HC, UC1HL, UDL12, UDL48, UDL48, UDL50, UDl50, UD				
UE3, ULD12,				
ULD48, ULDD1,				
ULDD3, ULDDX,				
ULDOS, ULDOS,				
ULDVX, UNC1X, UNC3X, UNCDX,				
UNICNX, UNCSX,				
UNCVX, UNLD1,				
UNLD3, UXTD1,				
UXTD3, UXTS1,				
UNE Expedite Charge per Circuit or Line Assignable USOC, per U1TUC, U1TUD,				
Day		_	<del>                                     </del>	
UNBUNDLED EXCHANGE ACCESS LOUP    2-WIRE ANALOG VOICE GRADE LOOP		+	†	
			1	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.39 37.92 17.62 23.56 5.32			<u> </u>	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.72 37.92 17.62 23.56 5.32			1	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 14.94 37.92 17.62 23.56 5.32		_	<del> </del>	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		_	1	
Unbundled Miscellaneous Rate Element, Tag Loop at End User   Unbundled Miscellaneous Rate El		+	<del> </del>	
Premise UEANL URETL 8.33 0.83				
Loop Testing - Basic 1st Half Hour UEANL URET1 34.23 34.23			<u> </u>	
Loop Testing - Basic Additional Half Hour UEANL URETA 19.90 19.90 19.90				

UNRII	NDI F	D NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: A
ONDO	INDLL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILC	OIL	KATE EEEMENTO	m	Zone	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch						FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	SOWAN	JOWAN	SOWAN	SOWAN
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
					UEAINL	UKEWU		10.01	0.90								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UEANM		13.47	13.47								
		providing make-up (Engineering Information - E.I. )			UEANL	UEAMC		8.17	8.17			1			+		
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAIVIC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
	2 W/IDE	Unbundled COPPER LOOP	-		UEANL	UCUSL		18.13	18.13								
-	2-WIRE			1	LIFO	LIEONY	12.94	20, 40	40.40	20.00	4.40						
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+ +		UEQ	UEQ2X		36.40	16.10	22.66	4.42						
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42	1		-	1		<del></del>
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET		0.00	0.00					l		Ì	1
-		Premise Manual Order Coordination 3 Wire Unbundled Copper Lean	1	<u> </u>	UEQ	URETL		8.33	0.83	1		1	1	1	<del>                                     </del>	1	<del></del>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO	1100140	1	0 :-	0 :-						1		1
		Non-Designed (per loop)			UEQ	USBMC		8.17	8.17			1	1		1		+
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ		1	40.1-	40.1-						1		1
		BST providing make-up (Engineering Information - E.I.)				UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
		EXCHANGE ACCESS LOOP	1	<u> </u>	ļ	ļ						<u> </u>			ļ		1
	2-WIRE	ANALOG VOICE GRADE LOOP													ļ		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					Π							<u> </u>		<u> </u>	1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61	<u> </u>			ļ		<b>↓</b>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													1		1
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>			ļ		<b>↓</b>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					Π							<u> </u>		]	1
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61				1		
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												l		Ì	1
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1								1		1
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
T		, —————————————————————————————————										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	,
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry			l	[ l							1				1
ļ		and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_ ا		1											1
		and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry		_													1
		and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38			1		1	<b>├</b>
		4-Wire Unbundled HDSL Loop without manual service inquiry		_		1	40.61	400 **	05.10	55.10	40.00		1				
<u> </u>		and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13	40.40	ļ					ļ		<b>_</b>
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48	1	-			1	1	1	<del>                                     </del>
<u> </u>	4-WIRE	DS1 DIGITAL LOOP		-	1101	1101.707	70.51	050.00	457.00	44.00	44 ===			1		1	<b>├</b>
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.51	253.03	157.89	44.80	11.73			1	1	1	<b></b>
<u> </u>		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73			1	1	1	<b></b>
<b></b>		4-Wire DS1 Digital Loop - Zone 3	-	3	USL	USLXX	229.15	253.03 18.13	157.89	44.80	11.73		ļ	-	1	-	ļ
L		Order Coordination for Specified Conversion Time (per LSR)	L	<u> </u>	USL	UCUSL		18.13		I	L	<u> </u>	l	l	L	L	1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina									-			Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			Incremental
I			1								Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13	1							
4-WI	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		1					İ	İ	İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual	1														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual	1	<del>                                     </del>													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17		7.00						
	2-Wire Unbundled Copper Loop-Designed without manual	1		002	0020		0.17	0.11			1					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1	<u> </u>	002	002	10.7 1	0 1.07	00.00	00.07	7.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch	1		002	0020		0.17	0.11			1					
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WI	RE COPPER LOOP	1	1	002	U.V.E.V.O		0 1.07	12.01								
<del> </del>	4-Wire Copper Loop-Designed including manual service inquiry	1			+						1					
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
<del> </del>	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	002	002.0	10.01		00.00	00.12	10.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				1		
	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>		552.70	20.00	144.17	55.56	00.12	10.00			1	t	1	<del> </del>
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17	55.12	.0.00				<u> </u>	1	
	4-Wire Copper Loop-Designed without manual service inquiry	1					J	5.17	t	1			1	t	1	<del> </del>
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	<del>                                     </del>	<u> </u>					010	55.12	.0.00				1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	1	<del>-</del>			20.00		310	55.72	.5.50			1	t	1	<del> </del>
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	10.04	8.17	8.17		10.00			1	t	1	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>					5.17	5.17	1					1	1	1
	(UCL-Des)		1	UCL	UREWO		94.87	42.57						I	Ì	l
LOOP MODIF		1					007	.2.57	t	1			1	t	1	<del> </del>
1		<del>                                     </del>		UAL, UHL, UCL,					1					1	1	1
				UEQ, ULS, UEA,										1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	Ì	l
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46						I	Ì	l
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1				50	50	1			1		1	1	1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46						1		
	The state of the s	<b>†</b>		UAL, UHL, UCL,	1		520	32.10	1					t	1	1
			1	UEQ, ULS, UEA,								1		1		
	T. Control of the con	1	Ì	UEANL, UEPSR.	1					ĺ	ĺ		l	1	l	
	Unbundled Loop Modification Removal of Bridged Tap Removal,															

UNBU	NDLE	NETWORK ELEMENTS - South Carolina			_		-	_	-					Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									poi Loix	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO																	
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		<u>Up</u>	l I		UEANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		<u> </u>	UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder				LIODOO		477.04	477.04								
-		Facility Set-Up			UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			LIFANII	USBSD		55.58	55.58								
-	$\vdash$	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+-		UEANL	USBSD	+	35.58	55.58	1		<b> </b>		1	1		1
		Sub-Loop Distribution Per 2-wire Analog Voice Grade Loop - Zone 1	1 .	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71	1			1		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<del>- '-</del>	<del>  '</del> -	OL/ WIL	CODINZ	0.07	00.54	51.03	40.00	0.71				<del> </del>		
		Zone 2	Li	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
<b>-</b>		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<del>                                     </del>			- 55.12	12.00	00.04	01.00	40.00	0.71	<b> </b>			<b> </b>		1
		Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
		2010 0	<u> </u>	Ť	0271112	002.12		00.01	01.00	10.00	0.7.1						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
		0.10				USBMC		8.17	0.47								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<del></del>		UEANL UEANL	USBR4	5.00	59.38	8.17 24.47	49.82	0.00						
		Sub-Loop 4-wire intrabuliding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour		1	UEANL	URET1	1	34.23	34.23								
		Loop Testing - Basic 1st Hall Hour		1	UEANL	URETA	1	19.90	19.90								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	10.48	65.94	31.03	45.35	6.71				1		
			1			1	1			,,,,,					İ		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.17	8.17			1			1		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	_	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
			1									1			]		<u> </u>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour	ļ	<b> </b>	UEF	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour	ļ	ļ	UEF	URETA		19.90	19.90								
		Iled Network Terminating Wire (UNTW)	<u> </u>		LIENTA	LIENDS	0.0000	00.00	20.00					ļ	<b> </b>		
-		Unbundled Network Terminating Wire (UNTW) per Pair  k Interface Device (NID)	1	-	UENTW	UENPP	0.3303	30.20	30.20					-	<del>                                     </del>		-
<u> </u>		Network Interface Device (NID) - 1-2 lines	<del> </del>	-	UENTW	UND12	+	43.68	28.79					-	-		-
_		Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	<del>                                     </del>		UENTW	UND12 UND16	ł	64.42	49.53	<del> </del>				1	1		1
<b>-</b>		Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<del>                                     </del>		UENTW	UNDC2	+	5.92	5.92			<b> </b>			<del> </del>		
<b>-</b>		Network Interface Device Cross Connect - 4W	<del>                                     </del>		UENTW	UNDC4	+	5.92	5.92			<b> </b>			<del> </del>		
UNE O		ROVISIONING ONLY - NO RATE	1					0.02	0.02						1		
		NID - Dispatch and Service Order for NID installation	<b>†</b>		UENTW	UNDBX	0.00	0.00							1		
	1 1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U	l											
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

UNBUND	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
0475000		DATE EL EMENTO	Interi	<b>-</b>	200				DATEO (A)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	(Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Habitadiad Contest Name Braiding a Only an arts			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINIEGNI	0.00	0.00									
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDIN,UEA,UHL,ULC	UNECIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			,		3.55										
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			LICI	CCOEF	0.00	0.00									
HIGH CAP	ACIT	no rate Y UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
IIIOII CAI	AUII	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	12.26										
		High Capacity Unbundled Local Loop - DS3 - Facility															
$\vdash$		Termination per month		<u> </u>	UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	12.20										
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAI	KE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		05.40	25.40								
		Loop MakeupWith or Without Reservation, per working or			UIVIK	UIVIKLP		25.49	25.49								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SHAI	RING	AND LINE SPLITTING															
		: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	l be billed as f	ollows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	<u>")</u>											
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND : 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING			,,,				,								
SP	LITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
$\vdash$		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS ULS	ULSDB ULSD8	54.05 18.02	189.21 189.21	0.00	178.38 178.38	0.00	-					
$\vdash$		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1	ULO	ULODO	18.02	189.21	0.00	178.38	0.00	-					
		deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
EN	ID US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -			_												
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		l	010	JLUD1	3.24	10.33	10.02	10.04	4.33	<del>                                     </del>					
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		1													
		Central Office Located (75% of UCLND) - please see NOTE 1				LUCDT	0.74	40.55	40.00	40.04	4.00						
$\vdash$		(E:10/2/2005) Line Sharing - per Subsequent Activity per Line		<del>                                     </del>	ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)		ļ	ULS	ULSCS		16.42	8.21								
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
$\Box$		ODSOLL IL SEC NOTE 2	1	<u> </u>	ULO	ULSCC	0.01	41.44	19.31	20.67	12.74	1			l		

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.120.												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ı	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	I.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						<u> </u>
		Line Share Service, TRO per line activation, CLEC owned															1 '
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						j '
		Line Share Service, TRO per line activation, CLEC owned			020	OLOG1	0.47	47.44	10.01	20.07	12.74						
		splitter - Central Office Located (75% of UCLND) - please see															1 '
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
<b>└</b>	INE SI	PLITTING															<b></b>
	:ND US	SER ORDERING-CENTRAL OFFICE BASED			UEPSR UEPSB	UREOS	0.61	ł				-					$\vdash$
$\vdash$		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85	-					<del>                                     </del>
<del>                                     </del>		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
I		ENANCE					5.51	21.30			2.00						
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								<u> </u>
		EDICATED TRANSPORT  OFFICE CHANNEL - DEDICATED TRANSPORT															$\longleftarrow$
	NIEKC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1				1							
		Per Mile per month			U1TVX	1L5XX	0.0167										1 '
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			-												
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															1 '
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167	1									$\longleftarrow$
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						1 '
-		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTIVE	24.50	40.03	21.41	10.77	0.31						$\vdash$
		Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	1L5XX	0.0167										j '
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0167	-									<del></del>
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						j '
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01127	01120	10.10	10.00	27.11		0.01						ļ ,
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															1
$\vdash$		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						$\vdash$
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3415	l									1 '
<del>                                     </del>		Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	ILUAA	0.5415	+									$\vdash$
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						1 '
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						İ									
		month			U1TD3	1L5XX	8.02										Ļ'
		Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	880.65	279.37	400.40	60.33	50.50						1 '
-		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	U11F3	880.65	2/9.3/	163.12	60.33	58.59						$\vdash$
		month			U1TS1	1L5XX	8.02	l									1 '
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				. 20, 01	0.02	t									
		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59	<u></u>					<u> </u>
DARK F	BER				_												
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41.505	00 **	l									1
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel		-	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	36.41	640.51	138.17	317.76	198.11	-					<del></del>
<del>                                     </del>		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODF, ODFGA	UDF 14	1	040.51	138.17	317.76	198.11	<b>+</b>					<del>                                     </del>
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	97.65	l									1
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11						

UNBI	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	hit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.59	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OUD			5.05	0.04	4.50	0.54						
	-	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With		1	OHD			5.95	0.81	4.58	0.54	-					
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	1	8XX Access Ten Digit Screening, Customized Area of Service			OTID	1401 170		0.00	0.01	4.00	0.04						
		Per 8XX Number			OHD	N8FCX		2.59	1.30								
	Ì	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1			1									1		
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features (a) (a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d			OHD	N8FDX		2.59	2.59								
	-	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD OHD		0.0006673 0.0006673										
LINE	NEODM	8XX Access Ten Digit Screening, w/ POTS No. Delivery TION DATA BASE ACCESS (LIDB)		1	OHD		0.0006673					-					
LINE	THE CITATION	LIDB Common Transport Per Query			OQT		0.0000246										
		LIDB Validation Per Query			OQU		0.0138158										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18							
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
-	1	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	+	CCS7 Signaling Usage, Per ISUP Message			UDB	IPP++	0.0000173	33.61	33.01	10.40	10.46						
	1	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
		CCS7 Signaling Point Code, per Originating Point Code				1											
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 S	SERVICE						45.00	100 50		00 =0							
	-	Local Channel - Dedicated - 2-wr Voice Grade					15.33 0.0167	193.53	33.24	36.72	3.21						
-	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				+	0.0107	-				-			-		
		Termination					24.30	40.63	27.47	16.77	6.91				1		
	1	Local Channel - Dedicated - DS1 - Zone 1	1			1	42.62	177.87	154.06	22.24	15.30				1		
		Local Channel - Dedicated - DS1 - Zone 2				<u> </u>	70.32	177.87	154.06	22.24	15.30						
		Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
1															1		
0.00	NO MATE	Interoffice Transport - Dedicated - DS1 Per Facility Termination				+	77.14	89.47	81.99	16.39	14.48				<b> </b>		
CALL	NG NAM	E (CNAM) SERVICE CNAM For DB Owners - Service Establishment			OQV	+		23.00	23.00	21.15	21.15				-		
-	1	CNAM For Non DB Owners - Service Establishment	1		OQV	+		23.00	23.00	21.15	21.15	1			1		
	1	CNAM For DB Owners - Service Provisioning With Point Code	1			1		20.00	20.00	21.10	21.10	1			1		
		Establishment			OQV			993.09	734.47	269.53	198.18						
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV			343.09	245.69	275.87	198.18						
		CNAM for DB Owners, Per Query			OQV		0.0010433										
05: 5	<u> </u>	CNAM for Non DB Owners, Per Query		<b>.</b>	OQV	1	0.0010433										
SELEC	CTIVE RO		1			+						1			<del>                                     </del>		
		Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14				1		
VIRT	AL COL	LOCATION	1			+		04.09	04.69	14.14	14.14	1			1		
	JUL					1	1					1	1		1		

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
OND	HULL	NETWORK ELEMENTO Godin Galonna				1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.L		NATE ELEMENTO	m	20110	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					-		Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		l.
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line				-		11130	Auu i	11130	Auu i	JONILO	JONAN	JONAN	JONAN	JOHAN	JOINAIN
		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSI	CAL CO	LLOCATION			OLI OK OLI OB	VETEO	0.0017	12.02	11.00	0.04	0.40						
	I CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SE	I FCTIV	E CARRIER ROUTING			OLI OK OLI OD	1 2 120	0.0041	12.02	11.00	0.04	0.40						
7		Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
		End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
		Query NRC, per query			SRC		0.0035036										
AIN - E	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
	1	Initial Setup	1	1	A1N	CAMSE		39.53	39.53	40.78	40.78	1	1		Ì		
		-		<b>†</b>		1	1		22.30						1		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						
	1	AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P	1	7.85	7.85	9.11	9.11				İ		
	1	AIN SMS Access Service - User Identification Codes - Per User		1		1	1		30		2.11				İ		
		ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
		AIN SMS Access Service - Session, Per Minute					0.7121										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					0.8364										
AIN - E	ELLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1											
		DN, CDP				BAPTC		34.54	34.54	14.39	14.39						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1											
		DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39				ļ		
	<u> </u>	AIN Toolkit Service - Query Charge, Per Query		<u> </u>		1	0.0558238										
1		AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit				1											
ļ	<b></b>	Subscription, Per Node, Per Query				<del>                                     </del>	0.0069214										
1	1	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1		1						1	1		Ì		
<b></b>	ļ	Account, Per 100 Kilobytes		<b> </b>		<del>                                     </del>	0.07								ļ		
	1	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1								1	1		Ì		
<u> </u>	<u> </u>	Subscription		<u> </u>	CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
	1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	1	CAM	DADI O	0.51	0.00	0.00			1	1		Ì		
ļ	<b> </b>	Subscription		1	CAM	BAPLS	3.51	8.68	8.68			ļ	ļ		1		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BABBS	0.40	7.05	7.05								
<u> </u>	<u> </u>	Subscription  AIN Topicit Service Cell Front Special Study Der AIN Topicit		<del>                                     </del>	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription	1	1	CAM	BAPES	0.12	8.68	8.68			1	1		Ì		
ENILIA	ICED EV	Service Subscription (TENDED LINK (EELs)		<del>                                     </del>	CAIVI	DAFES	0.12	80.8	80.8								
ENHAI		TI ENDED LINK (EELS) The monthly recurring and non-recurring charges below will a	annly a	nd the	Switch-As-Is Chara	will not and	aly for LIME com	hinations no	visioned as ' C	Ordinarily Comb	nined' Notwer	Flamonto	<b> </b>		-		
-		The monthly recurring and non-recurring charges below will a control of the monthly recurring and the Switch-As-Is Charge and not the control of the control											-		1		
-	EYTEN	The monthly recurring and the Switch-As-IS Charge and not to TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	LED DE	1 INTER	OFFICE TO MISSON	ин арріу тог от	OME COMBINATION	uns provisione	u as current	iy Combined N	ACTMOLK EIGHG	1115.	-		1		
<del></del>	CATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	בט טס	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61				1		
-	1	First 2-Wire VG Loop (SL2) in Combination - Zone 1		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	-	-		1		
<b>—</b>	<del>                                     </del>	First 2-Wire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX	UEAL2	28.46	105.98	68.43		10.61				<del>                                     </del>		
	1	1o. 2o . o Loop (OLZ) in Combination Zone o		U	UUVA	U = / 11 = E	20.40	100.00	00.40	00.00	10.01	l	l		1		l

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
ullet						Rec	Nonrec			Disconnect				Rates (\$)		
<b></b>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
İ	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
igsquare	per month			UNC1X	1L5XX	0.27										
1	Interoffice Transport - Dedicated - DS1 combination - Facility															
$\vdash$	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<b></b>	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
igwedge	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
İ	Each Additional 2 Wire VC Loop (SL 2) in Combination Zana 1		4	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
<del>                                     </del>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		-	UNCVA	UEALZ	10.00	105.96	00.43	55.05	10.01						
İ	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
<del>                                     </del>	Lacii Additional 2-Wile VG Loop (SE 2) iii Combination - Zone 2			UNCVX	ULALZ	23.13	105.90	00.43	33.03	10.01						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				1		
	Voice Grade COCI - Per Month		Ŭ	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1				2.00	2.50		2,00	2.00						
İ	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
İ																
ullet	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
İ	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
ullet	Per Month		<u> </u>	UNC1X	1L5XX	0.27										
İ	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINIOAY		04.74	00.47	04.00	40.00	44.40						
igwedge	Month  1/0 Channel System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81						
<del>                                     </del>	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
<del>                                     </del>	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		UNCVX	IDIVG	0.50	0.59	4.73	0.00	0.00	1					
İ	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OL71L-I	02.00	102.00	54.00	00.00	14.01						
İ	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
İ	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
1		1												]		
$\vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
1	From A William Political Country   C	1		LINODY	LIDLES		,		== ==					1		
$\longleftarrow$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				<b> </b>		
1 1	First 4 Wire F6Khas Digital Grade Lean in Combination 7 2		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
+-+-	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	OIACDV	UDLOB	34.74	1∠0.06	89.12	59.35	14.01				-		
1	Per Month			UNC1X	1L5XX	0.27										
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - combination Facility	<del>                                     </del>		014017	ILUAA	0.27								<del> </del>		
1	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				1		
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				1		
	OCU-DP COCI (data) per month (2.4-64kbs)	1		UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					-										
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							·								
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
1	Additional OCU-DP COCI (data) - in combination per month (2.4-	1			1,5,55									1		
	64kbs)	1	1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	1	1				

LINBUN	JDI FI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	ibit: A
ONBOI	ADELI	NETWORK ELEMENTS - South Carollia		l	l	1	1					Svc Order	Svc Order	Incremental	Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ļ.,										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		Nonrequiring Currently Combined Naturals Flamenta Switch Ac				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
-	XTFN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				5.01	3.01	7.00	7.00						
			<u> </u>	<u> </u>													
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		F		_													
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
		interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TEOAX	0.21										<del>                                     </del>
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINCDY	UDL64	33.99	400.00	00.40	50.05	44.04						
		Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Additional OCU-DP COCI (data) - in combination - per month		Ů	ONODA	OBLOT	04.74	120.00	00.12	00.00	14.01						
		(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
E		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1				20.07	0.00		11.00	11 =0						
		4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X UNC1X	USLXX	90.87 155.43	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
-		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONOTA	OOLAA	201.03	255.05	137.03	44.00	11.75						
		Per Month			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
E	XIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3			USLXX	90.87	253.03	157.89	44.80	44.70						
-		First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2			UNC1X UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73 11.73						
<b>-</b>		First DS1Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť			2000		.000	50	0						
		Per Month	<u></u>	<u> </u>	UNC3X	1L5XX	6.42					<u> </u>					
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
<del>                                     </del>		Additional DS1Loop in DS3 Interoffice Transport Combination -	-	<del>-</del>	OI TO IA	JOLAN	30.07	200.00	157.05	44.00	11.73						
		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional DS1Loop in DS3 Interoffice Transport Combination -						_									
		Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
igsquare		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-		l	LINGOV	LINGSS	1			7.00	7.00						
<del>-  -</del>	VTEN	ls Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	L	UNC3X	UNCCC		5.61	5.61	7.00	7.00						1
P	LAIEN	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
<del>                                     </del>		2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						$\vdash$
		2-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
			•		•							•					

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
	2 2200 200 2										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonrec		Monroourring	Dissennest			000	Rates (\$)		
			<u> </u>			Rec	First		Nonrecurring First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per						FIISL	Add'l	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Month			UNCVX	1L5XX	0.0134										
-	Interoffice Transport - 2-wire VG - Dedicated - Facility			ONOVA	120701	0.0104										1
	Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EX	TENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 4-wire VG - Dedicated - Facility			1110101		47.00	40.00	07.47	40.77	0.04						
	Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EV	TENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTED	EEICE		UNCCC		5.01	5.61	7.00	7.00	-			-		+
L^	DS3 Local Loop in combination - per mile per month	INTERC	FFICE	UNC3X	1L5ND	12.26					1					<u> </u>
	Bee Loodi Loop in combination per mile per month			01100/1	TEGINE	12.20										1
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42	102.02	201.00	110.10	00						
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EX	TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination - Facility Termination per			LINGOV	1101.04	040.40	450.50	004.50	440.75	00.77						
	month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSA	ILSAA	0.42										1
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As-			оноох	01110	704.44	210.01	100.12	00.00	00.00						<del> </del>
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EX	TENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Interoffice Transport - Dedicated - DS1 combination - per mile	1											]	_		
	per month	ļ		UNC1X	1L5XX	0.27										<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		LINICAY	LIATE 4	04.71	00.4-	04.65	10.00	44.40			1	1		
<b></b>	Termination per month 1/0 Channel System in combination - per month	<b>!</b>	<del>                                     </del>	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99	16.39 10.56	14.48 9.81			<del> </del>	<b>!</b>		<del>                                     </del>
$\vdash$	2-wire ISDN COCI (BRITE) - in combination - per month	1	<u> </u>	UNCNX	UC1CA	2.56	6.59	62.71 4.73	0.00	0.00				<b>-</b>		<del> </del>
<del>                                     </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<b>-</b>	ONCINA	UCTCA	∠.56	90.09	4.73	0.00	0.00	1	1	1	<del> </del>		+
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61			1	I		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>	5.15107	CILLA	20.21	117.50	55.05	55.05	10.01				<b>-</b>		<del>                                     </del>
	Combination - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61			1			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61			<u> </u>	<u></u>		<u> </u>
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1										]			
	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00				1		<b>↓</b>
EX	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				22.25	0=0.0-			44 800			ļ			<b>4</b>
$\vdash$	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73			<b> </b>	-		4
$\vdash$	First DS1 Loop Combination - Zone 2	<del>                                     </del>		UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73	-		<del>                                     </del>	<del>                                     </del>		<del> </del>
	First DS1 Loop Combination - Zone 3	1	3	ONCIA	USLAX	201.89	∠53.03	157.89	44.80	11.73	1	ı	ı	1		

UNBUNDI	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge -
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	ı	I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINCOV	LIATEC	704.44	270.27	400.40	00.00	50.50						
$\vdash$	Termination per month  3/1 Channel System in combination per month			UNCSX	U1TFS MQ3	704.44 144.02	279.37 178.54	163.12 94.18	60.33 33.33	58.59 31.90				-		
<del></del>	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport					9.9.1	0.00		3.55							
	Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
$\vdash$	DS1 COCI in combination per month	<b> </b>		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				<b>†</b>		1
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
$oxed{oxed}$	Is Charge	L		UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT			1101 50		100.00									
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX UNCDX	UDL56 UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						
<del> </del>	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				-		1
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ü	ONOBX	ODLOO	04.74	120.00	00.12	00.00	14.01						
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
FXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RPS INT	FROFE		UNCCC		3.01	3.01	7.00	7.00						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
<del></del>	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.0134										
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			UEAL2	16.68	105.98	CO 40	52.05	10.01						
<b></b>	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX UNCVX	UEAL2	23.13	105.98	68.43 68.43	53.05 53.05	10.61 10.61						<u> </u>
<del>                                     </del>	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIO4V		04.74	00.47	04.00	40.00	44.40						
$\vdash$	Facility Termination per month  Per each DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81						
<del></del>	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
$\vdash \vdash$	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						-
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
$\vdash$	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.10 V /	JLALL	23.13	105.50	00.43	33.03	10.01				<b>†</b>		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	41.5727	0.07										
$\vdash \vdash$	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.27			-							
1 1		1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			1	I		
1 1	same 3/1 Channel System per month															

UNRUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	nit· Δ
ON BOND	TENTONIA ELEMENTO COULI GUIONIA										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>P</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X	1111000		5.04	5.04	7.00	7.00						
EVT	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE		UNCCC		5.61	5.61	7.00	7.00						
EAI	First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	FFICE	IKANSPORT W/ 3/1	IVIUX											
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OLALT	32.33	132.30	34.03	39.33	14.01						
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each 1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71		9.81						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month	1	<u> </u>	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				<b> </b>		
<b>.</b>	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
<b></b>	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	UNCVA	UEAL4	32.39	132.30	94.03	59.55	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	43.03	132.30	34.03	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1017	02,12.	10.00	102.00	0 1.00	00.00							
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	LINODY	LIDI FO	00.00	400.00	00.40	50.05	44.04						
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
			2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
-	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1		UNCDA	UDLS6	33.99	120.00	09.12	59.55	14.01						
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	<u> </u>	5.13DA	55200	04.74	120.00	00.12	00.00	14.01						
	Mile Per Month		1	UNC1X	1L5XX	0.27						1		1		
	First Interoffice Transport - Dedicated - DS1 - combination	1	i –		1					İ						
	Facility Termination Per Month		L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		<u> </u>		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
$\vdash$	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				ļ		
$\vdash$	Per each DS1 COCI in combination per month	1	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDIES	20.00	400.00	00.40	50.65	44.61						
$\vdash$	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				<del>                                     </del>		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		1		1		
<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNUDA	ODESO	33.99	120.00	09.12	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	OCU-DP COCI (data) COCI in combination per month (2.4-	1	۲		132200	04.74	120.00	00.12	00.00	14.01				1		
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	i –		1									İ		
l	Channel System per month	1	L	UNC1X	1L5XX	0.27			<u> </u>	<u>                                     </u>	<u> </u>	<u> </u>		<u></u>		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system			l	I											·
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				Ì		

CATEGORY   RATE ELEMENTS   Report   Formation   Report	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY   RATE REMEMTS   Interest   Top												Svc Order	Svc Order				Incremental
CATEGORY   RATE REMEMPS																	Charge -
Record   R	CATECORY	DATE ELEMENTO	Interi	Zana	BC6	usoc			DATES (\$)								Manual Svc
Note	CATEGORY	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR				
Recommend   Combined National Commend Commen																	
No.   No.   Pirst   April   Confession Newsith Elevents Switch   No.														1st	Add'l	Disc 1st	Disc Add'l
Contracting Currently Contributed Name of States   Stat							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
In Change   In C							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description		Nonrecurring Currently Combined Network Elements Switch -As-	-														
First A-Vine DROSO Datas Capital and DST Intentifice   1								5.61	5.61	7.00	7.00						
Transport Contribution - Zouse 1   1   SPECIX   DEB04   29.05   19.06   59.12   59.05   14.61	EXTEN		INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
First AlVine 645(pp. 1096) Control complete or 2051 Intendifice   2   MACOX   UDL64   33.99   106.06   80.12   50.35   14.61								400.00									
Transport Conformation - Zone 2   2 UNCDX				1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
First = Wite 6 Rillage Digital Carde Loop in a SST Interoffice   3 MACOX   UDL64   34.74   128.06   98.12   59.35   14.61				2	LINCDY	LIDL64	33.00	126 66	90.12	50.25	1461						
Transport Certification - Zero 9					ONODA	ODLO4	55.55	120.00	03.12	33.33	14.01						
First Intendified Transport - Desiconation - 1981 We be March Manual Per Manual Manual Per Manual Ma				3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
Pirst Intendine Transport - Deciciose - Del Contention		First Interoffice Transport - Dedicated - DS1 combination - Per															
Facility Termination Few Month   UNCIX   UTITE   61,77   99,47   81,99   16,39   14,48		Mile Per Month			UNC1X	1L5XX	0.27										
Per solo: Charmel System for in combination Per Month   Per seach OCLUPE COCK (doin) in combination per month   Per seach OCLUPE COCK (doin) in combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In combination per month   Per seach DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the Search DSI COCI In the search DSI COCI In the search DSI COCI In the Search DSI COCI In the search DSI COCI In the Search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the search DSI COCI In the Search DSI																	
Per sech OCLIPP COCI (data) in combination - per month (2.4-6)   684566   684566   684566   684566   684566   684566   684566   684566   684566   684566   684566   684566			1	<u> </u>													
MACDIX   IDNOD   1.19   6.59   4.73   0.00   0.00   0.00	$\vdash$		1	<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				-		
ST Channel System is combination per month					LINCDY	10100	1 10	6 50	4 72	0.00	0.00						
Per each DST COCI in combination per month																	
Additional 4-Wire 64/Stps Oplatid Grade Loop in same DS1																	
Additional 4-Wire 6-Kitopa Digital Grade Loop is same DS1   Microtife Transport Combination - Zone 2   Z UNCDX UDL64   33.89   126.66   89.12   59.35   14.61   Microtife Transport Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Transport Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Transport Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Transport Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Combination - Zone 3   JNCDX UDL64   34.74   126.66   89.12   59.35   14.61   Microtife Combination - Zone 3   JNCDX UDL64   34.74   36.65   34.73   JNCDX UDL64   34.74																	
Intereffice Transport Combination - Zone 2		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
Additional A-Wire E4Rickps Optional Grade Loop in same DS1   Interoffice Transport Combination - per month   C4-64869.																	
Interdifier Transport Combination - Zone 3				2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
Additional COU-DP COCI (data) - DS1 to DSIC Channel System					LINORY	LIDI 04	0474	400.00	00.40	50.05	44.04						
Combination - per month (2-4-646bs)   UNCDX   101DD   1.19   6.59   4.73   0.00   0.00				3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
Each Additional DSI Interoffice Channel per mile in same 3/1   UNCIX   1L5XX   0.27     UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48     UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UTF1   61.71   89.47   81.99   16.39   14.48   UNCIX   UCID1   8.64   6.59   4.73   0.00   0.00   UNCIX					LINCDY	10100	1 10	6 50	173	0.00	0.00						
Channel System per month					ONODA	10100	1.19	0.55	4.75	0.00	0.00						
Each Additional DSI Interoffice Channel Facility Termination in same 3/I Channel System per month   UNC1X					UNC1X	1L5XX	0.27										
Each Additional DS1 COCI in the same 3/1 channel system combination per month																	
Combination per month					UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
Nonrecurring Currently Combined Network Elements Switch -As-   Scharge   UNC1X																	
Is Charge   STATE					UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX   First 2-Wire ISDN Loop in a DS1 Interoffice Combination   Transport - Zone 1   UNCNX   U1L2X   25.21   117.58   80.03   53.05   10.61					LINICAV	LINICCC		E 61	E 61	7.00	7.00						
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 25.21 117.58 80.03 53.05 10.61	EYTEN		PT w/ 3/	1 MIIY	UNCIX	UNCCC		5.61	5.01	7.00	7.00						
Transport - Zone 1	LXILI		W/ 3/	INIOX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   Transport - Zone 2   UNCNX   U1L2X   32.76   117.58   80.03   53.05   10.61				1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   3 UNCNX U1L2X 37.70   117.58   80.03   53.05   10.61		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1														
Transport - Zone 3   3 UNCNX   U1L2X   37.70   117.58   80.03   53.05   10.61				2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
First Interoffice Transport - Dedicated - DS1 combination - Per   Mile per month   UNC1X   1L5XX   0.27     UNC1X   1L5XX   0.27     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1TF1   61.71   89.47   81.99   16.39   14.48     UNC1X   U1.56   9.81   UNC1X   U1.56   UNC1X   U1.56   UNC1X   U1.56   UNC1X   U1.56   UNC1X   U1.56   UNC1X   U1.56   U1																	
Mile per month	$\vdash$		<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month					LINC1V	11.577	0.07			1							
Facility Termination per month	<del></del>		1	-	ONCIA	ILOAA	0.27	-		<del>                                     </del>					1		
Per each Channel System 1/0 in combination - per month					UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
Per each 2-wire ISDN COCI (BRITE) in combination - per month																	
3/1 Channel System in combination per month			1			1											
Per each DS1 COCI in combination per month																	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   1 UNCNX U1L2X 25.21 117.58 80.03 53.05 10.61																	
Combination - Zone 1	$\vdash$		1	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				-		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   2 UNCNX U1L2X 32.76 117.58 80.03 53.05 10.61				4	LINCNY	1141.2	25.24	117 50	90.00	E2 05	10.64						
Combination - Zone 2	<del>                                     </del>		1		OINCINA	UILZA	25.21	117.58	00.03	55.05	10.61						
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 3   3 UNCNX U1L2X   37.70   117.58   80.03   53.05   10.61     Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel				2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
Combination - Zone 3   3 UNCNX U1L2X   37.70   117.58   80.03   53.05   10.61			1								-11						
		Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
I I levetom combination per month																	
		system combination- per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						

UNBL	JNDLE	O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ						· · · · · · · · ·							
				ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
		5 1 4 1 1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAV	41.5307	0.07										
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	61.71	89.47	81.99	16.39	14.48						
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCIX	OCIDI	0.04	0.59	4.73	0.00	0.00						
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	FXTFN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		011000		0.01	0.01	7.00	7.00						<del>                                     </del>
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	1	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73				İ		
		First Interoffice Transport - Dedicated - DS1 combination - Per				1									İ		
1	1	Mile Per Month	l		UNC1X	1L5XX	0.27						1				
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINIOAV	1101.207	455.40	050.00	457.00	44.00	44.70						
		2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	LINICAV	USLXX	204 00	252.02	457.00	44.80	44.70						
		Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EYTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE .		UNCCC		3.01	5.01	7.00	7.00	1					-
	LATEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						-
	1	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						<del>                                     </del>
		First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						1
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť	0.1057	02200	0	120.00	00.12	00.00							
1	1	per month	l		UNCDX	1L5XX	0.0134						1				
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1		1									İ		
1	1	Termination per month	l		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		1				
		Nonrecurring Currently Combined Network Elements Switch -As-															
L		Is Charge	L	<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
<u> </u>		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
<u> </u>	1	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						<u> </u>
1	1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	l		LINORY	41.5307							1				1
<u> </u>	<u> </u>	per month	<u> </u>	<del>                                     </del>	UNCDX	1L5XX	0.0134										
1		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l		LINCDY	LIATEC	40.44	40.00	07.47	40.77	0.04						
<b>—</b>	+	Termination per month	<del>                                     </del>	1	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	-					1
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	l		LINCDY	UNCCC		5.61	E 64	7.00	7.00		1				
ADDIT	IONAL N	Is Charge ETWORK ELEMENTS	<b>!</b>	+	UNCDX	UNCCC		10.0	5.61	7.00	7.00		<b> </b>				<del> </del>
ווטטא		ISEN AS A part of a currently combined facility, the non-recurr	ng cha	raes do	notanniv huta 🤉	Switch As Is c	harge does and	ilv.		1					1		<del>                                     </del>
<b>-</b>		ised as a part of a currently combined facility, the non-recurr															<del>                                     </del>
		urring Currently Combined Network Elements "Switch As Is"															
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1		1											
1		Is Charge - 2 wire/4-Wire VG	l		UNCVX	UNCCC		5.61	5.61	7.00	7.00						1
								. • .									

### BCS USOC ### B	UNBII	NDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY   RATE ELEMENTS   Interest   Care   BCS   USOC   PATES (I)   Care   DCS   Care   DCS	3.100		THE THE CALL CALCULATION OF THE										Svc Order	Svc Order				Incremental
## PATE IS, DEMONS ## PATE IS, D													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March   Marc				Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Bestronic   Bestronic   Bestronic   Carbon   C	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Recommendation   Reco				""														Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
Note											T M	. D'			000	D-1 (A)		
Number of Committy Combiner Network Elements Sentin - Net   Number of Committy Combiner Network Elements Sentin - Network Planters Sentin - Networ								Rec					COMEC	COMAN			COMAN	COMAN
In Change, Signal staying Countries Countrie			Nonrequiring Currently Combined Network Flomenta Switch Ac				-		FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
Nonexpering Contrary Contrary Revision Exercise Section As   Value						LINCDX	LINCCC		5.61	5.61	7.00	7.00						
Is Chaige - Del	-					ONODA	014000		3.01	3.01	7.00	7.00						
National Control Con						UNC1X	UNCCC		5.61	5.61	7.00	7.00						
S. Charger, Display   Decided Newton's Enterests Solids Note   Note X																		
Scharge - 5781						UNC3X	UNCCC		5.61	5.61	7.00	7.00						
Clear Canner Capability Fatended Frame Option - per D81			Nonrecurring Currently Combined Network Elements Switch -As-															
Otear Chainner Capability Extended Frama Option - per DS1						UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Clear Channel Capability Extended Financia Cyllation - per DBS   1   LUCD LINCHX   COCOFF   0   0   0   0   0   0   0   0   0		Option	al Features & Functions:															
Clear Chamiel Capability Super FramicCpton - per DS1    U.D.D.I.MCTX   C.COGF    O																		
Clear Channel Capability Super FrammoCypton - per DS1   ULDD1.NCTX   COOSF   0   0   0   0   0   0   0   0   0			Clear Channel Capability Extended Frame Option - per DS1	l			CCOEF		Ol	Ol	Ol	Ol						
Ciner Charmont Capability (SF-ESF) Option - Subsequent   ULIDOT, UTITOT, Anthory per DS1   ULIDOT, ULIDOT, ULIDOT, VIL			Class Channel Canability Consus Franco Cation 1975	Ι.	1		CCCC		o.	OI.	01	l <sub>ot</sub>		1		I		
Activity - per DS1	-				<del>                                     </del>		CCOSF		UI	UI	UI	UI				<del>                                     </del>		
Co-sP party Option - Subsequent Activity - per DS3					1		NRCCC		185 269	23 865	1 005	0.785		1				
Cold Partin Cyplicino - Subsequent Activity - per DS3   1   UE3, UNCXX   NRCC3   219.588   7,898   7,7978   05			Activity - per DOT	<del>- '-</del>	1		INRUCU		103.203	23.003	1.333	0.100				<del> </del>		
WULTHFLEXERS			C-bit Parity Option - Subsequent Activity - per DS3	l i			NRCC3		219.58S	7.69S	.7370S	08				1		
DS1 to DS0 Channel System per month		MULTI		<u> </u>		020, 01100/	MICOO		210.000	7.000	.70700	00						
COLUPP COCI (data) - DS1 to DS0 Channel System - per   UDL						UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-44-bbs) useful for connection to a channelized DS1 to Local Channel in the same SWC as collocation   UTU																		
Description   Comment						UDL	1D1DD	1.19	6.59	4.73								
Local Channel in the same SWC as collocation			OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
2-wire ISBN COCI (BRITE) - DSI to DSI Channel System - per month for a Local Loop   UDN   UCICA   2.56   6.59   4.73																		
month for a Local Loop   Local Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUB   U1						U1TUD	1D1DD	1.19	6.59	4.73								
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel   U1TUB   UCICA   2.56   6.59   4.73						UDN	UC1CA	2.56	6.59	4.73								
In the same SIVC as collocation																		
Voice Grade COC1 - DS1 to DS0 Channel System - per month   UEA						LIATUD	LIC1CA	2.56	6.50	1 72								
Used for a Local Loop	-					01100	OCTOA	2.30	0.59	4.73								
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DSI Local Channel in the same SWC as collocation   UNC3X   M03   144.02   178.54   94.18   33.33   31.90						HΕΔ	1D1VG	0.56	6 59	4 73								
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUC   1D1VG   0.56   6.59   4.73						0271	.5.10	0.00	0.00	0	1							
Same SWC as collocation   UTIUC   101VG   0.56   6.59   4.73																		
STS-1 to DS1 Channel System per month						U1TUC	1D1VG	0.56	6.59	4.73								
DS1 COCI used with Loop per month   USL   UC1D1   8.64   6.59   4.73																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month											33.33	31.90						
Channel in the same SWC as collocation) per month						USL	UC1D1	8.64	6.59	4.73								
DS1 COCI used with Interoffice Channel per month   U1TD1   UC1D1   8.64   6.59   4.73				l							1					1		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month under the control of the control	<u> </u>			<u> </u>	<u> </u>						<b>_</b>					-		
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS	$\vdash$			l	<del>                                     </del>	1טווט	UC1D1	8.64	6.59	4.73	<del>                                     </del>					<del>                                     </del>		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPSR  UEPRC  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPSR  UEPRO  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VG unbundled SC extended local dialing partity Port with Caller ID - Res.  UEPSR  UEPSR  UEPRO  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPRO  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPRO  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPSR  UEPRO  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPSR  UEPSR  UEPSR  UEPAU  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPS					1	LII DD1	LIC1D1	0 6 4	6 50	4 70	1			1				
Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPRL  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPSR  UEPRC  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VI unbundled Sc extended local dialing parity Port with Caller ID - Res.  UEPSR  UEPSR  UEPRL  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area  Calling port with Caller ID - Res.  UEPSR  UEPSR  UEPAJ  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area  Calling port with Caller ID - Res, IUPSR  UEPSR  UEPAJ  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area  Calling port with Caller ID - Res, IUPSR  UEPSR  UEPAJ  1.65  2.38  2.28  1.42  1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR  UEPSR  UEPAP  1.65  2.38  2.28  1.42  1.33	UNRUM	DIFDI		<del>                                     </del>	1	OLDD I	OCIDI	0.04	0.59	4.73	<del>                                     </del>					<del> </del>		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.  UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG outbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33					1		+				<b>†</b>					<del>                                     </del>		
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY. LA	& TN, t	he desired features	will need to b	e ordered usin	ng retail USOC	s	1	1				1		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				,,	1,													
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire VG South Carolina Residence Dialing						UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire VG South Carolina Residence Dialing			-															
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG South Carolina Residence Dialing			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  With Caller ID (LUM)  UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire VG South Carolina Residence Dialing				1	1						_	]		1		_		
dialing parity Port with Caller ID - Res.	$\vdash$				<u> </u>	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire VG South Carolina Residence Dialing  UEPSR  UEPAJ  1.65  2.38  2.28  1.42  1.33  UEPSR  UEPAP  1.65  2.38  2.28  1.42  1.33				l		LIEDOD	LIED.									1		
Calling port with Caller ID - Res (LW8)				<u> </u>	<u> </u>	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33				-		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33  Exchange Ports - 2-Wire VG South Carolina Residence Dialing				l	1	LIEDOD	LIEDAI	1.05	2.20	2.00	1 40	1 22		1		I		
with Caller ID (LUM)         UEPSR         UEPAP         1.65         2.38         2.28         1.42         1.33           Exchange Ports - 2-Wire VG South Carolina Residence Dialing         Exchange Ports - 2-Wire VG South Carolina Residence Dialing         Image: Control of the control of the	$\vdash$			<b>!</b>	<del>                                     </del>	UEPSK	UEPAJ	1.65	2.38	2.28	1.42	1.33		<b> </b>		<del></del>		
Exchange Ports - 2-Wire VG South Carolina Residence Dialing				l		LIEPSR	LIEPAP	1 65	2 20	2 20	1 //2	1 22				1		
					1	021 010	JE1 /1	1.00	2.30	2.20	1.42	1.33				<del>                                     </del>		
				l	1	UEPSR	UEPWL	1,65	2.38	2.28	1.42	1.33		1		I		

IUNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
		1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	KATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														- (4)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG South Carolina Residence Area															
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID				1											
	Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES			OLI OIX	00/100	0.00	0.00	0.00								
FLAT	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								-
2 14/15				UEFOR	UEFVF	3.04	0.00	0.00								
Z-VVIR	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
1 1	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		I	]	1	1	
1 1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		I	]	1	1	
$\vdash$	Exchange Ports - 2-Wire VG unbundled SC extended local	1	1				2.00		· · · · ·	50	1	<b> </b>	1		1	1
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
$\vdash$	Exhange Ports - 2-Wire VG unbundled incoming only port with	+	1	טבו טט	ULFAL	1.00	2.30	2.20	1.42	1.33	1	<del> </del>		1		1
				LIEDOD	LIEDD4	4.05	0.00	0.00	4.40	4.00						
	Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus															
	Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing															
	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Area															
	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID			02. 05	02.00	1.00	2.00	2.20		1.00						
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
									1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								
	All Available Vertical Features				UEPVF	3.04	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
$\vdash$	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	+	<b>!</b>	UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90	1	<del> </del>	1	1	1	1
		1	<del>                                     </del>								1	<b>-</b>	-	-	-	-
$\vdash$	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90	<b>.</b>					<b>.</b>
$\longrightarrow$	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90	1					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
1 1	Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		I	]	1	1	
$\vdash$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	-	1 - 1			50	1	2.30	1	i	1	1	1	1
	Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						
$\vdash$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	<b>!</b>	OL1 01	OLI AL	1.00	31.34	14.00	13.97	0.90	1	<del> </del>	1	1	1	1
1 1				LIEDOD	LIEDVA	4.05	04.04	44.00	40.07	0.00		I	]	1	1	
$\vdash \vdash \vdash$	Room Calling Port	1	1	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90	<b>!</b>	<b>.</b>	ļ		ļ	<b>.</b>
1 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								l			I	]	1	1	
$\longrightarrow$	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						
$\sqsubseteq$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90	1					
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1								<u> </u>		l	I		1	
	Calling Port	1		UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90	1	İ		I		1
1	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES	1	1		1											
	All Available Vertical Features	1	1	UEPSP UEPSE	UEPVF	3.04	0.00	0.00	1	1	1	i	1	1	1	1
EVOL	IANGE PORT RATES (COIN)	<del>                                     </del>	<b>!</b>	SELOI SELOE	JEI VI	5.04	0.00	0.00	t		1	<del>                                     </del>		t		t
		+	1		+	1.65	2.38	2.28	1.42	1.33	1	-	-	-	-	1
EXCF																
	Exchange Ports - Coin Port  Switching Features offered with Port	1				1.00	2.30	2.20	1.42	1.33						

		O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc		Manual Svc	
CAILO	OKI	NATE ELEMENTO	m	Zone	500	0000			KATES (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	le only	through REP/New I	L Rucinace Pa	auget Process										JOWAN
IINBIIN		OCAL EXCHANGE SWITCHING(PORTS)	avanai	l com	tillough bi lyllew i	Dusiness ite	quest i rocess.	itates for the	packet capabi	lities will be de	terriffica via i	lie Bolla i k	le request	New Dusines	3 Request 110		+
		NGE PORT RATES															+
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit annly to	the embed	ded hase in nla	re as of 10/2/0	3 until 4/1/04	After 4/1/04 the	se rates shall	revert to ta	riff rates or	a senarate an	reement		+
		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											liii iates er	a separate ag	Tecinicit.		+
	Neques	Exchange Ports - 2-Wire DID Port	arter tire	l	UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77	iscretion.					+
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLITZ	0.00	113.57	10.70	00.03	5.11						+
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00	47.30	10.70						+
		Exchange Ports - 2-Wire ISDN Port Channel Profiles				U1UMA	0.00	0.00	0.00								+
	NOTE:	Transmission/usage charges associated with POTS circuit so	witched							ission by P-Ch	annele accon	isted with 2	wire ISDN -	orte	1	1	+
		Access to B Channel or D Channel Packet capabilities will be													e Reguest Bro	L	+
		NGE PORT RATES (continued)	avandi	, e only	ough brivitew		44631 1 100655.	nates for the	packet capabi	III.es will be de	eu vid l	ווים שטוומ רונ	io iveduesi.	TOW DUSINES	i nequest P10		+
	LAUTIA	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		<b>-</b>		1	1					<del>                                     </del>	-		1	1	+
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10						1
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		-	UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10	-					+
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	204.27	15.96	6.42	5.80						+
		Virtual collocation - DST Cross-Connects  Virtual collocation - Special Access & UNE, cross-connect per			UEPEX UEPDX	PEIPI	1.12	22.00	15.96	0.42	5.60						+
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	45.00	6.42	5.80						
	Dataila				UEPEX UEPDX	CNCTX	1.12	22.08	15.96	6.42	5.80						+
	Detaile	d E911 with Locator Capability (required with UEPEX port)		-													
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			HEDEV		0.00	4 000 00		450.40							
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,						.== =0									
		Deletions			UEPEX	UEP1B	0.00	175.53									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in				l											
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or				l											
		Additional]			UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1									1				1
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07								<del>                                     </del>
		NUMBER PORTABILITY				L											<del>                                     </del>
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										<del>                                     </del>
		ACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data		<u> </u>	UEPEX	PR71D	0.00	0.00	0.00								1
		Inward Data		<u> </u>	UEPDX	PR71E	0.00	0.00	0.00								1
		Additional Channel															<del>   </del>
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56									1
		New or Additional - Digital Data "B" Channel		<u> </u>	UEPEX	PR7BF	0.00	14.56									1
		New or Additional Inward Data "B" Channel		<u> </u>	UEPDX	PR7BD	0.00	14.56									1
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										4
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										<del>                                     </del>
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.56									1
	CALL T																1
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								1
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								1
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								1
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
0.1.201.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
H 1					1		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33					1 '	1
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33					<b></b>	
Non-	Recurring Unbundled Remote Call Forwarding Service - Conversion -				+	-			1						<b></b>	<del>                                     </del>
	Switch-as-is			UEPVR	USAC2		0.10	0.10							1 '	1
	Unbundled Remote Call Forwarding Service - Conversion with			OLI VIX	OOAOZ		0.10	0.10							<del>                                     </del>	<del>                                     </del>
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10							1 '	1
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
															( )	
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	ļ		UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33					<u> </u>	ullet
	Habitadlad Descrite Cell Ferrinadian Conden Level Celling Box			LIEDVD	LIEDIC	4.05	0.00	0.00	1 40	4.00					1 '	1
<del> </del>	Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus	1		UEPVB UEPVB	UERLC UERTE	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33	1			<del>                                     </del>	<del> </del>	<del>                                     </del>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33					<del>                                     </del>	$\vdash$
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and			OLF VB	OLKIK	1.03	2.30	2.20	1.42	1.33					H	
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33					1 '	1
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -														(	
	Switch-as-is			UEPVB	USAC2		0.10	0.10							L	
	Unbundled Remote Call Forwarding Service - Conversion with														1 '	1
UNDUNDUE	allowed change (PIC and LPIC) D LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		0.10	0.10							<b></b>	$\longleftarrow$
	Office Switching (Port Usage)				+				-		-				<del>                                     </del>	<del>                                     </del>
Eliu	End Office Switching Function, Per MOU				-	0.0010519									H	
	End Office Trunk Port - Shared, Per MOU				1	0.0002136			İ							
Tano	dem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863									L	<u> </u>
	Tandem Switching Function Per MOU (Melded)					0.00004951									<b></b> '	<b> </b>
	Tandem Trunk Port - Shared, Per MOU (Melded)  Melded Factor: 30.30% of the Tandem Rate					0.000086749									<b></b>	<del>                                     </del>
Com	mon Transport	1													<del>                                     </del>	1
	Common Transport - Per Mile, Per MOU	1			1	0.0000045										
	Common Transport - Facilities Termination Per MOU				1	0.0004095			İ							
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC at															
	ures shall apply to the Unbundled Port/Loop Combination - Cos												L	l	<b></b> '	
	Office and Tandem Switching Usage and Common Transport Us														<b>├</b> ──	<del>                                     </del>
	first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	Phianic	u compos. For Cur	lently Combi	med Compos ti	ne nonrecurrin	y charges sha	ii be those idei	illied in the N	onrecurring	- currently	Compined S	ecuons.	<del>                                     </del>	$\vdash$
	Port/Loop Combination Rates	1							<b>+</b>						<del>                                     </del>	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 1	1	1			14.89			1					İ		
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates	ļ		LIEBBY	LIEBLY	10			ļ					ļ	<b></b> '	<b></b>
<b>  </b>	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>!</b>	1	UEPRX	UEPLX	13.76			-						<b></b> '	$\vdash$
<b> </b>	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	2	UEPRX UEPRX	UEPLX	20.38 26.04			<del>                                     </del>		-		1	-	<del>                                     </del>	$\vdash$
2-Wi	re Voice Grade Line Port Rates (Res)	1	J	OLI IVA	OLI LA	20.04			<b>+</b>						<del>                                     </del>	1
<del>-  - 11</del>	2-Wire voice unbundled port - residence	1		UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65				İ		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65					ſ	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice Grade unbundled South Carolina extended local			l											1	1 7
	dialing parity port with Caller ID - res	<b>!</b>		UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65					<b></b> '	$\vdash$
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)	1		UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65				1	1 '	1 1
-	Odno: 10 - 100 (EVVO)	1	L	OLI IVA	OLI AU	1.13	40.30	13.30	24.30	0.05	1		L	<u> </u>		

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1	_	Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	DCC	usos			DATEC (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.13	37.93	16.72								
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling Port			OLFKX	OLFWL	1.13	40.30	19.90	24.90	0.03						
		without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
	FEATU					<u> </u>											
	1.0041	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00								
	LUCAL	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITAX	LIVI OX	0.55										
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1											
		Switch-as-is		<u></u>	UEPRX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPKA	USASZ	0.00	0.00	0.00								
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Design		1 2	UEPRX	UEAED UEAED	16.68 23.13	105.98	68.43 68.43	53.05	10.61 10.61						
		Wire Analog Voice Grade Extension Loop – Design     Wire Analog Voice Grade Extension Loop – Design		3	UEPRX UEPRX	UEAED	28.46	105.98 105.98	68.43	53.05 53.05	10.61						
	INTER	DFFICE TRANSPORT		3	OLITO	OLALD	20.40	103.30	00.43	33.03	10.01						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
-	JINE P	ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+ -	14.89								1		
		2-Wire VG Loop/Port Combo - Zone 2		2		† †	21.52										
	1	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
	UNE L	pop Rates							· · · · ·								
	-	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
-	1	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX UEPLX	20.38 26.04					1			ļ		
-	2-Wire	Voice Grade Line Port (Bus)	-	3	ULFDA	UEPLA	20.04										
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice Grade unbundled South Carolina extended local				I		40									
<u> </u>	1	dialing parity port with Caller ID - bus		-	UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65	1					
-	1	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	-	<del>                                     </del>	UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65						
		with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Unbundled South Carolina Business Dialing Plan				1	0				2.00				İ		
		without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Business Area Calling				1											
<u> </u>	ļ	Port without Caller ID Capability		<u> </u>	UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
-	LOCAL	Capability  NUMBER PORTABILITY			OLFDA	OLFBE	1.13	40.30	19.90	24.98	0.05						
	LOGAL		L	1						1		1	1	l	ı		

UNRUM	DI F	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
2142014	<u> </u>	ALL THORIT LELINEITIO GOULT CALOTTIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0,11200			m		200	5555			== (+)			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F	EATU																
		All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	•														
		Switch with change			UEPBX	USACC		0.10	0.10								
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity		1	UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1						1					1		
		Premise		1	UEPBX	URETL		8.33	0.83								
0	FF/ON	I PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32				ļ		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
II.	ITERC	OFFICE TRANSPORT		<u> </u>													
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.60	04.00	40.00	07.47	40.77	0.04						
		Termination		<u> </u>	UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM	0.0407	0.00	0.00								
-	WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1		UEPBX	UTIVIVI	0.0167	0.00	0.00								
		ort/Loop Combination Rates				+						-			-		
-	NE PC	2-Wire VG Loop/Port Combo - Zone 1		1		_	14.89										
-		2-Wire VG Loop/Port Combo - Zone 1		2			21.52					1					
-		2-Wire VG Loop/Port Combo - Zone 3		3		+	27.17			<b>†</b>							
- 10	NELC	op Rates		3			27.17										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-	Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
L	OCAL	NUMBER PORTABILITY													1	l	İ
		Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU																
		All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							-								
		Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													1		
		Conversion - Switch with Change		<u> </u>	UEPRG	USACC		7.93	1.91	1					1		
Α	DDITI	ONAL NRCs	<u> </u>												1		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1							I				1	I		
$\vdash$		Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1							I				1	I		
$\vdash$		Group	<b> </b>	<u> </u>		1		7.34	7.34	<b>!</b>				<b> </b>	<b>!</b>	1	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIEDDO	LIDET!		0.00	0.00	1					1		
<u> </u>	EE/C'	Premise	<u> </u>	<u> </u>	UEPRG	URETL		8.33	0.83	<b>.</b>					-	1	1
0	rr/ON	PREMISES EXTENSION CHANNELS	<b> </b>	4	LIEDDO	DO ILIV	40.00	105.00	00.40	50.05	40.04	-		-	1		
$\vdash$		Local Channel Voice grade, per termination	<del>                                     </del>	1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	-		<del>                                     </del>	<del>                                     </del>		-
$\vdash$		Local Channel Voice grade, per termination	├	2	UEPRG UEPRG	P2JHX P2JHX	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61			-	<del>                                     </del>		
<b>-</b>		Local Channel Voice grade, per termination  Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	28.46 17.74	105.98	62.06	90.70	10.61				<del>                                     </del>		
$\vdash$		Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade	-	2	UEPRG	SDD2X SDD2X	25.16	65.94	31.03	45.35	6.71			-	<del></del>	-	-
		INOTE TABLE DIRECT DELAC CHAINER VOICE GLAVE	<u> </u>		OLI NO	SDDZA	20.10	05.94	31.03	40.33	0.71	I	i	1	I	l	l

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
CINDOINDE	LO NETWORK ELEMENTO GOULT GALORITA										Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\vdash$		1			-	1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		UEPRG	UTTVIVI	0.0167	0.00	0.00								
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates															
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	13.76										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	2	UEPPX UEPPX	UEPLX UEPLX	20.38 26.04										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	1	3	UEPPA	UEPLA	20.04										
	To voice drade Enter on rates (Boo 1 BA)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ		UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
<b></b>	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>		UEPPX UEPPX	UEPXB UEPXC	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22						
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I X	OLI AD	1.10	00.20	02.00	07.00	0.22						
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVA	4.40	00.00	00.50	07.50	0.00						
$\vdash$	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPPX	LNPCP	3.15	0.00	0.00								
FEA	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFX	OLF VI	3.04	0.00	0.00								
1.3014	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1				İ										
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91								
ADD	ITIONAL NRCs	1														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
$\vdash$	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<del>                                     </del>		OLI I A	00/102	0.00	0.00	0.00			<del>                                     </del>					<del>                                     </del>
	Group	1					7.34	7.34								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS	ļ	<u> </u>	LIEDDY	DO II II	10.00	/05.00		=							
$\vdash$	Local Channel Voice grade, per termination	<del>                                     </del>	2	UEPPX UEPPX	P2JHX P2JHX	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	1					<del>                                     </del>
$\vdash$	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	1	3	UEPPX	P2JHX P2JHX	23.13	105.98	68.43	53.05	10.61	1	1	1	1		1
	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42	1		1	1		
	Non-Wire Direct Serve Channel Voice Grade	1	2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						

UNBL	JNDLEI	O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	1		Charge -	Charge -	Charge -
CATE	20DV	DATE ELEMENTO	Interi	<b>7</b>	Dec	usos			DATES (A)			Elec		Manual Svc	Manual Svc		
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	•
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTERC	OFFICE TRANSPORT															<b></b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						j '
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITA	OTTVZ	24.50	40.03	21.41	10.77	0.31						<del></del>
		or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00								İ
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE Po	ort/Loop Combination Rates															1
		2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2			14.89 21.52										<b>!</b>
		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	27.17										<del>                                     </del>
	UNE Lo	pop Rates	1			1	21.17										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	0.167	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPCO	UEPLX	26.04						<u> </u>				<u> </u>
	2-Wire	Voice Grade Line Ports (COIN)  2-Wire Coin 2-Way without Operator Screening and without															<del></del>
		Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						İ
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1											
		900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															İ
-		(SC)	ļ		UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						<b>!</b>
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						İ
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:			021 00	021 00	1.10	40.00	10.00	24.00	0.00						<del></del>
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						İ
	1	2-Wire Coin Outward without Blocking and without Operator			OLI CO	OLI OI	1.15	40.50	13.30	24.30	0.03						<b>—</b>
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						Ĭ
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						ĺ
-		2-Wire Coin Outward with Operator Screening and Blocking:			OLFCO	ULF 33	1.13	40.30	19.90	24.90	0.03						<del></del>
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						ĺ
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
		2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						<del></del>
		LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						1
		ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY	ļ		LIEBOO	LNDCY	0.05						<u> </u>				<del></del>
-	NONDE	Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED	1	-	UEPCO	LNPCX	0.35										<del>                                     </del>
<b>—</b>	HONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<b>-</b>													<b> </b>
<u></u>		Switch-as-is	<u></u>	<u>L</u>	UEPCO	USAC2		0.10	0.10				<u></u>				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
-	ADDIT	Switch with change ONAL NRCs	<b> </b>	-	UEPCO	USACC		0.10	0.10				1				1
-	AUUITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	-		+											<del>                                     </del>
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<b></b>	- 17::-	Premise			UEPCO	URETL		8.33	0.83								<u> </u>
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE F	ORT (	KES)												<del>                                     </del>
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.00				1						<del>                                     </del>
	1		1	<u>'                                    </u>		1	10.00			l	·		1	l	1		

UNBUNI	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.20.1.												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		0.W/VO.L//0.T//D/-0.w/		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
<b>—</b>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3			29.78										
UI		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.68										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23.13					1					
		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	28.46										
2-1		/oice Grade Line Port Rates (Res)		U	OLITIK	OLOI Z	20.40										
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
L l		dialing parity port with Caller ID - res	<u></u>		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33	<u> </u>	<u></u>		<u> </u>		<u> </u>
		2-Wire voice unbundled South Carolina Area Calling port with												_		_	
		Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundles res, low usage line port with Caller ID															
<b></b>		(LUM)	ļ		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan								1			1		1		1
L		without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
IN		FFICE TRANSPORT	<u> </u>														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
-		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	01172	19.44	40.63	21.41	16.77	6.91						
		or Fraction Mile			UEPFR	1L5XX	0.0134										
FF	ATU				OLFIK	ILJAA	0.0134										
		All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
1.0		NUMBER PORTABILITY			OLITIK	OLI VI	0.04	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.24	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (	BUS)												
UI		rt/Loop Combination Rates	<b> </b>	<u> </u>		1	10.00										
<b></b>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b> </b>	1		1	18.00										
$\vdash$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>	3		+	24.45 29.78			1		-			<del>                                     </del>		<del>                                     </del>
		op Rates	<del>                                     </del>	3		+ -	29.78										
I		2-Wire Voice Grade Loop (SL2) - Zone 1	<del>                                     </del>	1	UEPFB	UECF2	16.68			1					1		1
<del>                                      </del>		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	<del>                                     </del>	2	UEPFB	UECF2	23.13			1			<b> </b>		<del> </del>		<del> </del>
		2-Wire Voice Grade Loop (SL2) - Zone 3	<b>†</b>	3	UEPFB	UECF2	28.46			1		<u> </u>	<b> </b>		<b> </b>		<b> </b>
2-		/oice Grade Line Port (Bus)		Ť			200								1		1
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						İ
		2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled South Carolina Bus Area Calling Port			l								1		1		1
$\vdash$		with Caller ID (LMB)	ļ		UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				ļ		ļ
		2-Wire Voice Unbundled South Carolina Business Dialing Plan			LIEDED	LIEDA.							1		1		1
<u> </u>	2047	without Caller ID	<u> </u>		UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
ILC		NUMBER PORTABILITY	<del>                                     </del>		UEPFB	LNPCX	0.05			1		-			<del>                                     </del>		<del> </del>
		Local Number Portability (1 per port)  FFICE TRANSPORT	├		UEPFB	LINPUX	0.35			1			<b> </b>		-		-
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>			+ -											
		Termination			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
		rommanori	<u> </u>	L	02110	UTIVZ	13.44	40.03	21.41	10.77	0.91	1	·		1		1

Svc Order   Svc Or	UNBUNDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fvhi	hit· Δ
ATE BLEMENTS   Interest   Company   BCS   USOC   FATES (8)   Section   Secti	SHOUNDEL	D ILL HOIR ELEMENTO - Godin Galonna										Svc Order	Svc Order				Incremental
ATE CLIMINS  RATE LIMINS  RATE CLIMINS  RATE																	Charge -
CATEGORY   RATE GLEMENTS			Inter.														Manual Svc
	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
March   Marc			m									per Lore	per Lore				Electronic-
Recommend   Reco																	
Married   Marr																D130 131	DISC Add I
							Pec										
PRINTED							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PEATURES																	
All Fastines Cheed					UEPFB	1L5XX	0.0134										
NoneCourse Continue	FEAT																
Event corp. Independent Contention - Security - Convention - Convent					UEPFB	UEPVF	3.04	0.00	0.00								
Combination   Commission   Subtraines   USAC2   8.60   127	NONR																
2-Wine Loop: Policiard No. Transport 2 Wine Line Post Control Contro																	
Combination - Commission - Solidar band hange   UDEPT   USACC   8.50   1.67					UEPFB	USAC2		8.50	1.87								
Unbedded Miscialination State Estimatin. Trig Designed Lose of Experiments   1124   1.10   1.124   1.10																	
End but Premise   UEPFB					UEPFB	USACC		8.50	1.87								
2.Wink Voice (LODP) ZWINE VOICE GRADE (OF TRANSPORT) ZWINE (LINE PORT (PRX))   1.10	1 1		1	1	UEDED	LIDETNI		44.54	4.0				1		I		
Description of Composition Affords	0.1275		<u> </u>	OPT "		UKEIN		11.24	1.10	1		-			1		
2-Wine VS Coppi() TransportPot Cornes - Zone 2   2   2   24.65			E LINE I	-UKI (I	-DX)	1				1					<b>!</b>	1	
2-Wire VG LoopilOT TransportPerf Combo - Zone 2   2   2   2   45   5   5   5   5   5   5   5   5	UNE		1	1		-	10.00			1		1	ļ		<del>                                     </del>	-	
Description   Description	<b>—</b>																
UNEL Loop Rates	$\vdash$		<del>                                     </del>			+				<del>                                     </del>					<del>                                     </del>		
2   2   2   2   2   2   2   2   2   2	LIKIT !		<del> </del>	3		+	29.78			<del></del>					-	-	
2-Wire Votes Grade Loop (EU.) - Zono 3	UNE L		<del>                                     </del>	1	LIEDED	LIECE2	16.60			<del>                                     </del>			<b> </b>		<del></del>		
2-Wire Votes Grade Line Park Tark Rei (BUS - 12 Anna 3	$\vdash$		<del> </del>							<del></del>					-	-	
Line Side Unburndled Combination 2-Way PBX Trunk Port - Bus   UEPPP   UEPPC   1.32   137.32   83.31   67.02   11.51	<b>—</b>		<del>                                     </del>							<del>                                     </del>					<del></del>	-	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPP UEPPC 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Outward PBX Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPP UEPPD 1.32 137.32 83.31 67.02 11.51   Line Side Unbundled Dex Trunk Port - Bus UEPPD 1.32 137.32 83.31 67	2 /8/:=-		<del>                                     </del>	3	ULFFF	UEUrZ	∠8.46			<del>                                     </del>					<del></del>	-	
Line Side Unburdled Outward PEX Trunk Port - Bus   UEPFP   UEPP0   1.32   137.32   83.31   67.02   11.51	Z-WIFE	Voice Grade Liffe Port Rates (DUS - PDA)	1	1		1						1			1		
Line Side Unburdled Outward PEX Trunk Port - Bus   UEPFP   UEPP0   1.32   137.32   83.31   67.02   11.51	1 1	Line Side Unbundled Combination 2-Way PRY Trunk Port Pug	1	1	LIEDED	LIEDDC	1 22	137 22	83 24	67.02	11 51		1		I		
Line Side Unbundled Incoming PRX Trunk Part - Bus	<del>                                     </del>		1	1								1			1		
2-Wire Voice Unbundled PEX LD Tominal Ports   UEPFP   UEPAD   1.32   137.32   83.31   67.02   11.51	_																
2-Wire Voice Unbundled ZWAy Combination PRX Usage Port   UEPPR   UEPXA   1.32   137.32   83.31   67.02   11.51	_																
2-Wire Voice Unbundled PRX Toll Terminal Hotel Ports   UEPPP   UEPXB   1,32   137,32   83,31   67,02   11,51	<del> </del>																
2-Wire Voice Unbundled PEX.LD DDD Terminals Port   UEPFP   UEPXC   1.32   137.32   83.31   67.02   11.51												1					
2-Wire Voice Unbundled PSK LD Terminal Switchboard IDD   UEPFP   UEPKD   1.32   137.32   83.31   67.02   11.51	_																
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD   UEPFP UEPX	<del> </del>																
Capable Port					OLITI	OLI AD	1.02	107.02	00.01	07.02	11.51						
2-Wire Voice Unbundled 2-Way PRX Hotel/Hospital Economy   UEPFP   UEPXL   1.32   137.32   83.31   67.02   11.51					LIEDED	LIEDYE	1 32	137 32	83 31	67.02	11 51						
Administrative Calling Port	<del> </del>				OLITI	OLI AL	1.02	137.32	00.01	07.02	11.51						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port   UEPFP   UEPXM   1.32   137.32   83.31   67.02   11.51					LIEDED	LIEDYI	1 32	137 32	83 31	67.02	11 51						
Room Calling Port   UEPFP   UEPM   1.32   137.32   83.31   67.02   11.51	<del>                                     </del>		1	<del>                                     </del>	02.11	OLI AL	1.32	107.32	00.01	01.02	11.51				<del>                                     </del>		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital   UEPFP   UEPXO   1.32   137.32   83.31   67.02   11.51			1	1	LIEPEP	HEPYM	1 32	137 39	83 31	67.02	11 51		1		I		
Discount Room Calling Port			<del> </del>	l	OLI I I	OLI AIVI	1.32	107.32	00.01	07.02	11.31				<b>-</b>		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPFP   UEPXS   1.32   137.32   83.31   67.02   11.51			1	1	LIEPEP	UEPXO	1 32	137 32	83 31	67.02	11 51		1		I		
Calling Port   LOCAL NUMBER PORTABILITY   LOCA			<del>                                     </del>	1									l		<b> </b>		
Calling Port			<del>                                     </del>	1		32.70	1.02	107.02	00.01	07.02	11.01		l		<b> </b>		
LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  Local Number Portability (1 per	1 1		1	1	UEPFP	UEPXT	1.32	137.32	83.31	67.02	11 51		1		I		
Local Number Portability (1 per port)	LOCA		<b>†</b>	<del>                                     </del>			02	.002	33.01	51.02					t		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile  FEATURES  AND AIR Features Offered INDIRECTOR OF Fraction Mile  WEPFP ULTV2  19.44  40.63  27.47  16.77  6.91  UEPFP ULTV2  19.44  40.63  27.47  16.77  6.91  UEPFP ULEPFP ULEPFP ULEPFP ULEPFP ULEPFP ULEPFP USACE  8.50  1.87  UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES			1	1	UEPFP	LNPCP	3.15	0.00	0.00						<b>†</b>	1	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFP U1TV2 19.44 40.63 27.47 16.77 6.91  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFP 1L5XX 0.0134  FEATURES UEPFP UEPVF 3.04 0.00 0.00  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.50 1.87  UEPFP USAC2 8.50 1.87  UEPFP USAC2 8.50 1.87  UNBUNDLED PORTILOOP COMBINATIONS - COST BASED RATES	INTER		1	t			20		2.30						t		
Termination			1	t		1									t		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile  FEATURES  All Features Offered  UEPFP UEPVF UEPVF UEPVF UEPVF UEPVF USAC2  LOOP Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is Combination - Conversion - Switch with change UEPFP USACC UIDING INTERIOR OF DEDICATION OF SWITCH SACC UIDING INTERIOR OF DEDICATION OF SWITCH SACC UIDING INTERIOR OF DEDICATION OF SWITCH SACC UIDING INTERIOR OF DEDICATION OF SWITCH SACC UIDING INTERIOR OF DEDICATION OF SWITCH SACC UIDING INTERIOR OF SWITCH SAC			1		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91				1		
Or Fraction Mile   UEPFP   1L5XX   0.0134																	
FEATURES   All Features Offered   UEPFP   UEPVF   3.04   0.00			1		UEPFP	1L5XX	0.0134								1		
All Features Offered	FEAT			1													
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFP   USAC2   8.50   1.87				1	UEPFP	UEPVF	3.04	0.00	0.00								
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFP   USAC2   8.50   1.87	NONR		Ì														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.50 1.87 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.24 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
Combination - Conversion - Switch with change   UEPFP   USACC   8.50   1.87     Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPFP   URETN   11.24   1.10   UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES   UEPFP   URETN   U			1	1	UEPFP	USAC2		8.50	1.87				1		I		
Combination - Conversion - Switch with change   UEPFP   USACC   8.50   1.87     Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPFP   URETN   11.24   1.10   UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES   UEPFP   URETN   U				1				-									
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.24 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES			1		UEPFP	USACC		8.50	1.87				1		I		
End User Premise			Ì														
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES			1	1	UEPFP	URETN		11.24	1.10				1		I		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
			PORT	1													

UNR	UNDI F	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fvhi	bit: A
0.10	-112LL	1121 113 KIK ELEMENTO - GOULII GAIGIIIIA											Svc Order	Svc Order	Incremental		Incremental	
					1								Submitted	Submitted		Charge -	Charge -	Charge -
			1										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	I в	cs	USOC			RATES (\$)								
0,			m		_					101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								_ 1	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE P	ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52										
	UNE Lo	pop Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
	UNE Po	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															1
		Switch-as-is			UEPPX		USAC1		7.32	1.87								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion						İ										
		with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
	ADDITI	ONAL NRCs																
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.24	1.10								
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		30.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		38.60										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	l													
		UNE Zone 3		3	UEPPB	UEPPR		44.23										
	UNE Lo	pop Rates		L .	LIEDSS	HERRE	110101	21.2-										<b>├</b>
	<del> </del>	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	USL2X	21.90								-		<b>├</b>
	1	O ME LIONA BURNES OF A LANGE TO SERVICE OF A		_	LIEDSS	LIESSE	110101						1	1		I		1
	<del></del>	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<u> </u>	2	UEPPB	UEPPR	USL2X	29.64								-	1	<b>├</b>
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	USL2X	35.27								-	1	<b>├</b>
-		ort Rate	1		HEDDO	HEDDD	LIEDDD	8.96	190.51	133.14	100.95	21.37				1		<del>                                     </del>
<b> </b>		Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37	ļ	ļ		<del>                                     </del>	-	<del></del>
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1				1				-					<del>                                     </del>		<del></del>
	1	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08			1	1		I		1
<b>—</b>	ADDIT	ONAL NRCs	1		UEFPB	UEPPR	USACB	0.00	38.59	21.08	-					<del>                                     </del>		<del></del>
-	ADDITI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<u> </u>				1	-			<del> </del>					<del></del>	-	<del></del>
	1	End User Premise			UEPPB	UEPPR	URETN		11.24	1.10						1		1
-	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		OLFED	JLFFK	ONLIN		11.24	1.10						<del>                                     </del>		<del>                                     </del>
	1	Premise			UEPPB	UEPPR	URETL		8.33	0.83			1	1		I		1
-	LOCAL	NUMBER PORTABILITY	1		OLFED	JLFFK	ONLIL		0.33	0.03						1		<del>                                     </del>
<b>H</b>	LOCAL	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1		-	-		<del> </del>	1	<del>                                     </del>
<del></del>	B-CHA	NNEL USER PROFILE ACCESS:	1		J_11 D	OLITIN		0.55	0.00	0.00	1					<del>                                     </del>		<del>                                     </del>
<b>-</b>	D-CHA	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1		<b> </b>	<b> </b>		t		<del>                                     </del>
	+	CVS (EWSD)	<b>†</b>		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						<b>-</b>		<b> </b>
$\vdash$	+	CSD	1			UEPPR	U1UCC	0.00	0.00	0.00	1					<del>                                     </del>		<del>                                     </del>
<b>—</b>	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	52110	JEI I IX	0.000	0.00	3.00	0.00								<del>                                     </del>
L	ט טווא		J,1110, G	,	L		<u> </u>	ll			L	L	L	L		1	l	

UNBUNDI F	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	hit· Δ
CHECHEL	NETWORK ELEMENTO COUNTY CATOMIC	1										Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""												Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						ļ											
							Rec	Nonred		Nonrecurring		201150	001111		Rates (\$)	001441	0011411
-	CVS/CSD (DMS/5ESS)	-		UEPPB	UEPPR	U1UCD	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
-	CSD CSD	1		UEPPB	UEPPR		0.00	0.00	0.00								
USER	TERMINAL PROFILE			OLITE	OLITIK	01001	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
4,	Interoffice Channel mileage each, additional mile	L DOET	<u> </u>	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00						<b> </b>	ļ	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI NE-P DS1 combination rates below for in this rate exhibit appl			ldad ba	in place -	 	 	tor 4/1/04 th	rotoo oboli	tort to toriff		lo commerc	ol ograce	n4			
	NE-P DS1 combination rates below for in this rate exhibit appl ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital													ıı.	-	-	
	Port/Loop Combination Rates	Tulik F	I aite	l the enec	Juve uate t	T tills allielle	Illient Shan be	provided pursu	iant to a sepai	ate agreement	Or tariii at Bei	isouth's un	Scretion.				
OI42 F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	<b>†</b>	1		1	<b>†</b>					1			1	1	
	Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			347.84										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										
UNE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-		UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83	-					
NONE	ECURRING CHARGES - CURRENTLY COMBINED			UEFFF		UEPPP	65.95	457.30	259.67	124.15	31.03	-					
NOM	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	-				+											
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
1.004	Subsequent Inward Tel Numbers  L NUMBER PORTABILITY			UEPPP		PR7ZT		23.07	23.07								
LOCA	Local Number Portability (1 per port)	<del>                                     </del>	<u> </u>	UEPPP		LNPCN	1.75									-	
<del>                                     </del>	Voice/Data	+	<b>!</b>	UEPPP		PR71V	0.00	0.00	0.00						1	1	
<del>                                     </del>	Digital Data	+	1	UEPPP		PR71D	0.00	0.00	0.00								
<del>                                     </del>	Inward Data	1	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00						1		
New o	r Additional "B" Channel	1				† -	1	2.30	2.30						Ì		
	New or Additional - Voice/Data B Channel	1	i	UEPPP		PR7BV	0.00	14.56									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.56									
	New or Additional Inward Data B Channel			UEPPP	-	PR7BD	0.00	14.56	•					_			_
CALL	TYPES					L											
	Inward	1	<u> </u>	UEPPP		PR7C1	0.00	0.00	0.00								
$\vdash$	Outward	<del>                                     </del>	<u> </u>	UEPPP		PR7CO	0.00	0.00	0.00						<b> </b>	ļ	
Inter-	Two-way ffice Channel Mileage	1	<b>!</b>	UEPPP		PR7CC	0.00	0.00	0.00			-			-		
intero	Fixed Each Including First Mile	<del> </del>	<del> </del>	UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48	-			1	1	
<del>                                     </del>	Each Airline-Fractional Additional Mile	1	1	UEPPP		1LN1B	0.3415	05.47	01.99	10.39	14.40					-	
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1	OLI I I			0.0-110										
	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embec	ded base	in place a	s of 10/2/03 i	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1		
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective o	late of	this amen	dment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	at BellSouth's	s discretion.					1	
	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	-		214.33										

ACTECORY  RATE ELEMENTS  Part ISS  P	UNBUNDL F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATTERLEMENTS IN ATTERLEMENTS IN A SCALE ALBERTS IN	CHESHOLL											Svc Order	Svc Order				Incremental
RATE ELEMENTS   Body	1																Charge -
## 2016 BCG USDC   PATE (ALPENTS   Dark vs. Docke vs. Do			l														Manual Svc
No.   No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Text			m									per LSK	per LSK				Electronic-
Note																	
Wile Loop Rep   South   Sout														1st	Add'I	Disc 1st	Disc Add'l
Wile Loop Rep   South   Sout								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Bit CEST Depart Legacity DETE Trans Part - LVIII Zero 3   3 UEPPC   350.07   1 UEPPC							Rec					SOMEC	SOMAN			SOMAN	SOMAN
UPS LOOP Rates		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
2-Wise St Digital Loop - LANE Zenn 2	UNE Lo																
4-Wins Dis Digital Losp - LiM- Zeros 3				1	UEPDC	USLDC	90.87										
E-Yest DS Digital Logs - FAMP (E-YEST)   1.50   1.20   1		4-Wire DS1 Digital Loop - UNE Zone 2		2													
UPP POR TABLE   UPP PORT TYPE AND TYP																	
Liver DDIS Digital Trans Port (6-410004)   USPTC   USDTT   08.00   40.500   20.371   117.50   14.20	UNE P			Ť	02. 50	00220	201.00										
NONECURRING CHARGES - CURRENT COMBINED					UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
A-Wise DS Digital Last / A-Wise DOTTS Train For Combination   UEPDC	NONRE																
Select-As-bit (E-4/1/2004)	-																
A-Wise DST Opial Loop / A-Wise DDTS Trush Port Combination   UPPDC USAWA 129.76   67.17					UEPDC	USAC4		129.78	67.17								
- Conversion with DS1 Changas (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trank (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trank (Ex470004) - GWR DST Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Pure Change - Stippal Log F4-Wise DSTS Truns Pure Pure Change - Stippal Log F4-Wise DSTS Truns Pure Pure Change - Stippal Log F4-Wise DSTS Trun	<del>                                     </del>								2				İ	İ	1		
4-Wite DST Optal Long / 4-Wite DDTST Trunk Port Combination   UEPDC USAWB 129.76   67.17				1	UEPDC	USAWA		129.78	67.17					Ì	I		
Conversion with Change - Trusk E44-12004    UEPDC   USAWB   120.78   67.71				1									1	1	1		
Approximation   Application	] ]			1	UEPDC	USAWB		129.78	67.17					Ì	I		
A-Wise DS Logs / 4-Wise DDTS Trusk Port - NRC-   UEPDC   UDTTA	ADDIT		1		· · ·			.20.70	<u> </u>		1			1	t	1	1
Subsequent Channel Activation Chan - 2-Very Turk	ADDITI																
Service   Set Loop / 4-Wine   DOTTS Trunk Fort - Subsequent   UEPDC   UDTTB   14.51					LIEPDC	UDTTA		14 51	14 51								
Channel Activation (Chan - 1-Way) Culvared Trunk   UEPDC   UDTTC   14.51   14.51	<b>—</b>				02. 50	051111		1	1 1.01			1					
Advisor DST Loop / 4-Wire DDTS Trunk Port - Subsqn Channel   LEPDC   LOTTC   14.51   14.51   Loop / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Trunk Port - Subsqn Chan   LePDC   Lotto   Lotto / 4-Wire DDT Lot					LIEPDC	UDTTB		14 51	14 51								
Activation/Chain Inward Trunk widou DID					OLI DO	ODITO		14.01	14.01								
4-Wire DST Loop / 4-Wire DDTS Trunk Port - Subspart Chan					LIEDDC	LIDTTC		1/1 51	1/1 51								
Activation Per Chan - Inward Trunk with DID	<b>—</b>				OLI DO	00110		14.01	14.01			1					
4-Wire OST LOOP / 4-Wire DOTIS Trunk Port - Subspirt Chain   LIEPDC   LIDTE   14.51   14.51					LIEPDC	LIDTTD		14 51	14 51								
Activation / Chan - 2-Way DID wilser Trans					OLI DO	ODITO		14.01	14.01								
BPOLAR 8 ZERO SUBSTITUTION					LIEDDC	LIDTTE		1/1 51	1/1 51								
B825 - Superfame Format	RIPOL				OLI DO	ODITE		14.51	14.51								
Allersade Mark Inversion	Bii 02.				LIEPDC	CCOSE		0 00i	605 00s			1					
Alternate Mark Inversion																	
MAI - Stuender Format	Alterna				OLI DO	COOLI		0.001	000.000								
Mill-Extended SuperFrame Format	7.1.01110				LIEPDC	MCOSE		0.00	0.00			1					
Telephone Number for 2-Way Trunk Group   UEPDC   UDTGX   0.00	<b>—</b>											1					
Telephone Number for 2-Way Trunk Group   UEPDC   UDTGX   0.00	Teleph				OLI DO	MOOI O		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group   UEPDC   UDTGY   0.00   UDTGY   0.00   UDTGY   0.00   UDTGY   0.00   UDTGY	10.00				LIEPDC	UDTGX	0.00					1					
Telephone Number for 1-Way Inward Trunk Group Without DID   UEPDC   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   UEPDC   UDTGZ   0.00   UDTGZ   0.00   UDTGZ   UEPDC   UDTGZ   UDTG																	
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers   UEPDC NDZ 0.00 0.00 0.00	<b>—</b>											1					
Of 20 DID Numbers   UEPDC   NDZ   0.00   0	<b>—</b>	DID Numbers Establish Trunk Group and Provide First Group			OLI DO	ODTOL	0.00					1					
DID Numbers for each Group of 20 DID Numbers   UEPDC   ND4   0.00	1 1			1	LIEPDC	NDZ	0.00	0.00	0.00					Ì	I		
DID Numbers, Non- consecutive DID Numbers , Per Number   UEPDC   ND5   0.00	<del>                                     </del>		<b>-</b>	1				0.00	3.00						<b>-</b>		
Reserve Non-Consecutive DID Nos.	<del>                                     </del>		<b>t</b>	<b>-</b>				0.00	0.00						<b> </b>		
Reserve DID Numbers			<b>t</b>	<b>-</b>											<b> </b>		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDTS Trunk Port  Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC  ILNOA  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles  UEPDC  ILNOA  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles  UEPDC  ILNOB  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC  ILNOB  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC  ILNOB  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC  ILNOB  Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC  ILNOB  Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC  ILNOC	<del>                                     </del>													1	<u> </u>		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Dedica		1 Digital	Lloon			0.00	0.00	0.00						<b> </b>		
Termination   UEPDC	Douloa		. Digital	_00p	11110 000110 1	- Lank I OIL									<b>-</b>		
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities  Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25  miles  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities  UEPDC  ILNO2  0.00  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities  Termination)  UEPDC  ILNOB  0.3415  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles (Facilities  UEPDC  ILNOS  0.3415  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOC  0.3415  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  ILNOC  0.3415  0.00  0.00  INTEROFFICE Termininating Point  UEPDC  UEPDC  UEPDC  UEPDC  UEPDC  UEPDC  UEPDC  UEPDC  CTG  0.00  UEPDC  UEPDC  OTG  OTG  OTG  OTG  OTG  OTG  OTG  OT				1	LIEPDC	1I NO1	77 14	89 47	81 99	16 39	14 48				1		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	<del>                                     </del>	Tommanon,	<b>-</b>	1	02. 00	.21101	77.14	00.47	01.99	10.00	17.40				<b>-</b>		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	LIEPDC	11 NOA	0.3415	0.00	0.00					Ì	I		
Termination   UEPDC	<del>                                     </del>		<b>-</b>	1	02.100	ILIVOA	0.5415	0.00	0.00						<b>-</b>		
Interoffice Channel Mileage - Additional rate per mile - 9-25				1	LIEPDC	11 NO2	0.00	0.00	0.00					Ì	I		
miles	<del>                                     </del>		1	<del>                                     </del>	02.100		0.00	0.00	0.00	1				<del>                                     </del>	<del>                                     </del>		
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities   UEPDC   1LNO3   0.00   0.00   0.00   0.00   0.00				1	LIEPDC	11 NOR	0.3415	0.00	0.00					Ì	I		
Termination   UEPDC   1LNO3   0.00   0.00   0.00   0.00   0.00   0.00			<b>t</b>	<b>-</b>	02.100	,00	0.5415	0.00	0.00						<b> </b>		
Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  LNOC  Local Number Portability, per DS0 Activated  UEPDC  UPPDC  UNPCP  3.15  0.00  0.00  Central Office Termininating Point  UEPDC  CTG  0.00  4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT  System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations				1	LIEPDC	11 NO3	0.00	0.00	0.00					Ì	I		
Local Number Portability, per DS0 Activated	<del>                                     </del>	Tommanon)	1	<del>                                     </del>	02.100		0.00	0.00	0.00	1				<del>                                     </del>	<del>                                     </del>		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile - 25± miles		1	LIEPDC	1LNOC	0 3415	0.00	0.00					Ì	I		
Central Office Termininating Point   UEPDC   CTG   0.00	<del>                                     </del>		1	<del>                                     </del>						1				<del>                                     </del>	<del>                                     </del>		
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	<del>                                     </del>		1	<del>                                     </del>				0.00	0.00	1				<del>                                     </del>	<del>                                     </del>		
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	4-WIDE		<b>t</b>	<b>-</b>	02.100	5.5	0.00								<b> </b>		
			ivations	<del>                                     </del>		1				1				<del>                                     </del>	<del>                                     </del>		
Each System can have up to 24 combinations of rates depending on type and number of ports used					her of norts used	1				1		1	1	1	t	1	1

UNBLINDI	LED	NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: A
311201101	<u> </u>	METHORIC ELLINEITIC COULII Calolilla										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		-	m						- (+)			per Lak	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>			<u> </u>	<u></u>									טוטט ואנ	DISC AUUT
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
		s for 4-Wire DS1 Loop with Channelization with Port after th	ne effect	ive date	e of this amendmen	t shall be pro	vided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE		Loop															
		-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
		-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
		-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	261.89	0.00	0.00								
UNE		O Channelization Capacities (D4 Channel Bank Configuration	ns)		1150110												
		4 DSO Channel Capacity - 1 per DS1	<u> </u>	<u> </u>	UEPMG	VUM24	82.78	0.00	0.00								
		8 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	165.56	0.00	0.00								
		6 DSO Channel Capacity -1per 4 DS1s	1		UEPMG	VUM96	331.12		0.00	-							
<del>                                     </del>		44 DS0 Channel Capacity - 1 per 6 DS1s 92 DS0 Channel Capacity -1 per 8 DS1s	1	-	UEPMG UEPMG	VUM14 VUM19	496.68 662.24	0.00	0.00	<del></del>				-	-	<del></del>	-
$\vdash$		92 DS0 Channel Capacity -1 per 8 DS1s 40 DS0 Channel Capacity - 1 per 10 DS1s	+	<del>                                     </del>	UEPMG	VUM19 VUM2O	827.80	0.00	0.00	<del>                                     </del>				-	<del></del>	<del>                                     </del>	-
<del>                                     </del>		188 DS0 Channel Capacity - 1 per 10 DS1s	1	-	UEPMG	VUM28	993.36	0.00	0.00	<del>                                     </del>				-	-	<del></del>	-
<del>                                     </del>		184 DS0 Channel Capacity - 1 per 12 DS1s	<del> </del>		UEPMG	VUM38	1,324.48	0.00	0.00	<del> </del>		-		1	<del> </del>	<del> </del>	1
<del>                                     </del>		80 DS0 Channel Capacity - 1 per 16 DS1s	1	1	UEPMG	VUM4O	1,655.60	0.00	0.00	<del> </del>		<del>                                     </del>	1	1	<del> </del>	<del> </del>	1
<del>                                     </del>		i76 DS0 Channel Capacity - 1 per 20 DS1s	+	<del>                                     </del>	UEPMG	VUM57	1,986.72	0.00	0.00	<del>                                     </del>				<del> </del>	<del>                                     </del>	<del>                                     </del>	-
		770 DS0 Channel Capacity - 1 per 28 DS1s	1		UEPMG	VUM67	2,317.84		0.00								
Non		urring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztio					0.00	<b>†</b>							
		um System configuration is One (1) DS1, One (1) D4 Channe						Jocom									
		s of this configuration functioning as one are considered A															
l lilui		RC - Conversion (Currently Combined) with or without	T are	1 110 111	miniani system cor	Inguration is	l l										
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
Svst		Additions at End User Locations Where 4-Wire DS1 Loop wi	ith Chan	nelizat					0.00								
		t Currently Combined) in all states, except in Density Zone															
		DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	а	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Bipo		3 Zero Substitution															
	C	Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alte		Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00		0.00								
		extended Superframe Format	1		UEPMG	MCOPO	0.00	0.00	0.00								
		e Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port		1		<b>_</b>		-				<b> </b>	-	-	ļ
Excl		e Ports	<u> </u>			1		<b>_</b>		<b>.</b>				<b> </b>	-	-	ļ
		ine Side Combination Channelized PBX Trunk Port - Business E:4/1/2004)			LIEDDY	LIEDCY	4.40	0.00	0.00	0.00	0.00			1	I	I	
$\vdash$	- '-	E:4/1/2004) ine Side Outward Channelized PBX Trunk Port - Business	+	<del>                                     </del>	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			-	<del></del>	<del>                                     </del>	-
		ine Side Outward Channelized PBX Trunk Port - Business E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			1	I	I	
<del>                                     </del>		ine Side Inward Only Channelized PBX Trunk Port without DID.	+	<del>                                     </del>	OLIFA	OLFOX	1.13	0.00	0.00	0.00	0.00			<del> </del>	<del>                                     </del>	<del>                                     </del>	
		E:4/1/2004)			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00				1	1	
<del>                                     </del>		!-Wire Trunk Side Unbundled Channelized DID Trunk Port	+		5=11 <i>X</i>	JL: 17	1.13	0.00	0.00	0.00	0.00			<del> </del>	t	t	
		E:4/1/2004)			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			1	I	I	
Feat		Activations - Unbundled Loop Concentration	<del>                                     </del>	<del>                                     </del>				3.00	3.00	5.00	3.00			1	1	t	
		Teature (Service) Activation for each Line Port Terminated in D4				1		İ	İ	İ				İ	İ	İ	
		Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			1	I	I	
	F	Feature (Service) Activation for each Trunk Port Terminated in	1			1											1
L		04 Bank	<u> </u>	Ш.	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Tele		ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00		0.00								
		stab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00		0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		lon-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00		0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca		ımber Portability															
	L	ocal Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															Diac rat	Disc Add I
						Rec	Nonrec	curring	Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	RES - Vertical and Optional															
	witching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								ĺ
UNBUNDLED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S														ĺ
	Based Rates are applied where BellSouth is required by FCC															
2. Featu	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
3. End	Office and Tandem Switching Usage and Common Transport	Usage r	rates in	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	irst and additional Port nonrecurring charges apply to Not Cเ	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NF	≀Cs may
	lso and are categorized accordingly.															
	ket Rates for Unbundled Centrex Port/Loop Combination will	be nego	tiated	on an Individual Ca	se Basis, un	til further notic	е.									
	CENTREX - 5ESS (Valid in All States)				1									1	1	1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1									1	1	1
UNE Po	ort/Loop Combination Rates (Non-Design)	ļ	<u> </u>		1									ļ	ļ	1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1		1							1		I	I	
	Non-Design		1	UEP95	1	14.89										ļ
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1		1							1		I	I	
	Non-Design		2	UEP95		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		27.17										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		29.59										
	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										ļ
UNE Po																
All Stat																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	l	I							1		I	I	
	Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65				1	1	<b></b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		1							1		I	I	
	Center)2,3 Basic Local Area	ļ	<u> </u>	UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94				ļ	ļ	<b></b>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area	ļ		UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94				ļ	ļ	<b></b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	l	I							1		I	I	
	- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65				1	1	<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1		1							1		I	I	
	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65				1	1	<b></b>
AL, KY	LA, MS, SC, & TN Only	ļ	<u> </u>		1									ļ	ļ	<b></b>
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						ļ
1 -	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			1							1		_	_	
	Center)2,3	ļ		UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94						ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			1										1	
	Term 2,3			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94			<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65						
	witching															

UNBUND	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.201.12												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996	1 11 51	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
Loc		umber Portability				1											
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Fea	ature	S															
		All Standard Features Offered, per port			UEP95	UEPVF	3.04										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04										
NA					115505												
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
<b> </b>		Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-		UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						
Mic		Undundled Network Access Register - Outdial  Ineous Terminations	1	$\vdash$	OLF90	UARUX	0.00	0.00	0.00	0.00	0.00	1					
		runk Side															
		Trunk Side Terminations, each	1		UEP95	CEND6	8.86	119.57	18.78	60.03	3.77	1					
4-W		Digital (1.544 Megabits)					0.00										
		DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
Inte		ce Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4		nnel Bank Feature Activations			LIEBOE	400040	0.50										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Side Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF95	IFQW6	0.56										
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02.00		0.00										
		Different Wire Center			UEP95	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Nor	n-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		07.00	40.70								
<b> </b>		changes, per port New Centrex Standard Common Block	-		UEP95	M1ACS	0.00	37.93 668.70	16.72								
$\vdash$		New Centrex Standard Common Block New Centrex Customized Common Block	1	$\vdash$	UEP95	M1ACC	0.00	668.70		1							
<del>                                      </del>		NAR Establishment Charge, Per Occasion	<b>-</b>		UEP95	URECA	0.00	72.89									
Add		nal Non-Recurring Charges (NRC)			J 50	JALON.	0.00	72.00									
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1														
		Premise			UEP95	URETL	l l	8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.24	1.10								
		CENTREX - DMS100 (Valid in All States)	<u> </u>														
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
UN		rt/Loop Combination Rates (Non-Design)	<b>!</b>			1	ļ										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo · Non-Design	1	4	UEP9D		14.89										
<del>     </del>		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OLFAD	+	14.89					1					
		Non-Design		2	UEP9D		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	H			21.02					1					
		Non-Design		3	UEP9D		27.17										
UN		rt/Loop Combination Rates (Design)	1														
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Design		1	UEP9D		17.81								<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		24.26										

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
9.1.201.22											Svc Order Submitted	Submitted	Incremental Charge -		Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)	I	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		20.50										1
LINE	Design  Loop Rate		3	UEP9D		29.59										<del> </del>
ONLI	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										<b></b>
	Port Rate															<b> </b>
ALLS	STATES  13 Wire Voice Crade Bort (Contray ) Boois Local Area	1	<b>!</b>	LIEDOD	LIEDVA	1 10	40.20	10.00	24.00	6.05	1			<del>                                     </del>		<del>                                     </del>
$\vdash$	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	<del>                                     </del>	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65					-	<del>                                     </del>
	Area		1	UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65				1		1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	<b>!</b>	021 00	JE: 15	1.13	40.50	13.30	24.30	0.03						<del>                                     </del>
	Area		1	UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65				1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1			1				56	2.30					1	ſ
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															1
	Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.13	40.20	40.00	24.00	6.65						1
-	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPTG	1.13	40.30	19.90	24.98	6.03	-					$\vdash$
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	1.10	40.00	10.00	24.00	0.00						
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															i
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local						40.00	40.00	0.4.00							ĺ
	Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						+
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						ĺ
<del>                                     </del>	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1	<del>                                     </del>	OFL 9D	OLF 1 VV	1.13	40.30	19.90	24.98	0.05	-			<del> </del>		<del>                                     </del>
	Basic Local Area		1	UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65				1		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			-	1					2.30				Ì		
	2,3-Basic Local Area	1	<u> </u>	UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94	<u> </u>	<u> </u>				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															1
	Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4					I	400							1		1
$\vdash$	Basic Local Area	1	<b>!</b>	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94				ļ	ļ	$\vdash$
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		1	LIEDOD	LIEDVO	140	100.00	70.74	E4 47	11.04				1		1
$\vdash$	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	<del>                                     </del>	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94	-			-	1	<del>                                     </del>
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		52. 55	CEI III	1.13	100.00	70.71	54.47	11.54						
	Basic Local Area		1	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94				1		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1												1		
	Basic Local Area		<u>L</u>	UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94				<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			l	l											1
	Basic Local Area	1	<u> </u>	UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94						<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			LIEDOD	LIEDVO	440	400.00	70.74	E4 47	44.04						1
$\vdash$	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1	<del>                                     </del>	UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94	-			-	1	$\vdash$
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						1
	2000 2000 / 1100	1	1	02100	JUL: 17	1.13	100.00	10.11	J <del>T</del> .Ŧ/	11.34	1	ı		1	·	

CATEGORY   RATE ELEMENTS   Note:   10   10   10   10   10   10   10   1	UNDLED N	ETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
## ATT ELEMENTS   March   Marc	1											Svc Order	Svc Order				Incremental
## ATT ELEMENTS   March   Bock   USOC   Fall Element   Beauty   Bock   B												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
MILE CLEMENTS   March   Marc			Interi									Elec	Manually		Manual Svc		Manual Svc
Best comp.   Bes	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					Order vs.
14   April   Decision   Decisio			""														Electronic-
No.   Pirt   Add   Pirt   Add   SOMAN   SOMA																	Disc Add'l
Note   Print   Add   South																	
2-WW Vise Gas Part Set Serving W Control (1985)   11   14   11   14   15   16   18   18   18   18   18   18   18							Rec										
Tem 2.3								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description						l											
Seas Local Asso.   UEPNO UEPNS   1.13   40.30   18.00   24.98   6.65					UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
2-Wile Vision Carlos Pril Terminated in 900 Service Term Base:   UEP9D   UEP72   1,13   40,30   19,00   24,66   6,65					LIEDOD	LIEDVO	4.40	40.00	40.00	04.00	0.05						
Ducid Area					UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
A., FY, LA, MS, SC, & TR Colly					LIEDOD	LIEDVO	1 12	40.20	10.00	24.00	6.65						
Description   Description					UEP9D	UEPTZ	1.13	40.30	19.90	24.90	0.03						
SWive Yook Grindle POT (Centries: PSB SET 14)   U.PPD   U.					I IEP9D	LIEPOA	1 13	40.30	19.90	24 98	6.65						
2-Wire Votes Grade Prof Centres (PBS-REST4)																	
2-Wire Voca Grash Port (Centres (PBS-M0009)4   UEPPIO   UEPGID   1-13   4-030   19-09   24-98   6-65																	
Service Vacos Grante Port (Contrace / EBS-M6500)4   UEPRO														1	1		1
2-Wire Votes Grade Port (Centres X-BSS-45172)4   UEPBO UEPCG 1.13   40.30   19.90   24.98   6.65															1		
2-Wire Voice Grade Port (Centres VEBS-MSS009)														1	1		1
A				<del>     </del>											1		
2-Vive Votos Grade Port (Centre VEBS-MSS09)4   UPPBD UPPCV 1.13   40.30   19.00   24.88   6.65															1		
2-Wire Votes Grade Port (Centrex (FBS-MSS1614)   UEPBD   UEPO2   1.13   40.30   19.00   24.88   6.65														İ	İ		İ
2-Wire Voice Grade Port (Centrex VEBS-MS316)4   UEP90 UEP03 1.13 40.30 19.50 24.98 6.65     2-Wire Voice Grade Port (Centrex Velor Clarker Wire (Centrex Caller ID) (UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP04 UEP05 UEP04 UEP05 UEP04 UEP04 UEP05 UEP04 UEP04 UEP05 UEP04 UEP04 UEP04 UEP05 UEP04 UEP05 UEP05 UEP04 UEP06 UEP04 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP06 UEP07 UEP08 UEP06 UEP07 UEP08 U																	
2-Wire Votoe Grade Port (Centrex Wift Caller ID)					UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
Indication     UEPOD					UEP9D		1.13	40.30	19.90								
2-Wire Voice Grade Port (Centres/Mig Wig Lamp Indication)4	2-W	Vire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center)   UEP9D   UEPOM   1.13   108.36   70.71   54.47   11.94	Indic	ication)4			UEP9D		1.13	40.30	19.90	24.98	6.65						
2,3	2-W	Vire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-N5ET)2.3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 UEPQD UEPQD UEPQD 1.33 108.36 70.71 54.47 11.94 .65 UEPQD UEPQD 1.34 10.30 19.90 24.98 6.65 UEPQD UEPQD UEPQD 1.34 10.30 19.90 24.98 6.65 UEPQD UEPQD UEPQD UEPQD UEPQD UEPQD UEPQD Port (Centrex from diff Serving Wire Center)																	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M503)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated in on Megalink or equivalent UEP9D UEPQD 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 3.04   3-Wire Vo	2,3				UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M503)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 108.36 70.71 54.47 11.94   2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQD 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated in on Megalink or equivalent UEP9D UEPQD 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 1.13 40.30 19.90 24.98 6.65   2-Wire Voice Grade Port Terminated on 80 Service Term UEP9D UEPQC 3.04   3-Wire Vo																	
2-Wire Voice Grade Port (Centrewdiffer SWC /EBS-5209)2,3,4	2-W	Vire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrewdiffer SWC /EBS-5209)2,3,4		W						400.00									
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.13 108.36 70.71 54.47 11.94	2-W	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.13 108.36 70.71 54.47 11.94	0.147	Vine Vales Cond - Dest (Control/differ CNAC (EDC 5000)0 2.4			LIEDOD	LIEDOO	4.40	400.00	70.74	54.47	44.04						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4   UEP9D   UEPQ4   1.13   108.36   70.71   54.47   11.94	Z-VV	vire voice Grade Port (Centrex/diller SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4   UEP9D   UEPQ4   1.13   108.36   70.71   54.47   11.94	2-\//	Vire Voice Grade Port (Centrey/differ SWC /EBS-M5112)2 3.4			LIEDOD	LIEDOR	1 13	108 36	70.71	54.47	11 0/						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ5 1.13 108.36 70.71 54.47 11.94	2-44	viie voice Grade i ort (Gentrex dirier GWG /EBG-NIST12)2,3,4			OLI 3D	OLI QIX	1.10	100.30	70.71	34.47	11.54						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ5 1.13 108.36 70.71 54.47 11.94	2-W	Vire Voice Grade Port (Centrex/differ SWC /FBS-M5312)2.3.4			LIEP9D	UEPOS	1 13	108.36	70.71	54 47	11 94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.13 108.36 70.71 54.47 11.94	· ·	VIIIE VOICE CITAGE I CIT (CENTREX CITIES CITED TO TEDE			OLI OD	OLI QU	1.10	100.00	70.71	04.47	11.04						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.13 108.36 70.71 54.47 11.94	2-W	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94				1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4  UEP9D  UEPQ7  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3  UEP9D  UEPQZ  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D  UEPQZ  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D  UEPQD  UEPQD  1.13  40.30  19.90  24.98  6.65  2-Wire Voice Grade Port terminated on 800 Service Term UEP9D  UEPQD  UEPQD  UEPQD  1.13  40.30  19.90  24.98  6.65  Centrex Intercom Funtionality, per port UEP9D  UEP9D  UEPQD	<del>                                      </del>	2.22.2.2.4.2.4.2.4.2.4.2.2.4.2.2.2.4.2.2.2.4.2.2.2.4.2.2.2.4.2				1	0			<i>5n</i>	54				1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4  UEP9D  UEPQ7  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3  UEP9D  UEPQZ  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D  UEPQZ  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D  UEPQD  UEPQ9  1.13  40.30  19.90  24.98  6.65  2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D  UEPQD  UEPQ2  1.13  40.30  19.90  24.98  6.65  Centrex Intercom Funtionality, per port UEP9D  UEP9D  UEPQB  UEPQC  1.13  40.30  19.90  24.98  6.65  40.65  Centrex Intercom Funtionality, per port UEP9D  UEP9D  UEPOC  0.7996  Local Number Portability UEP9D  UEP9D  UEPVF  3.04  All Select Features Offered, per port UEP9D  UEP9D  UEPVF  3.04  All Select Features Offered, per port UEP9D  UEP9D  UEPVF  3.04  All Centrex Control Features Offered, per port UEP9D  UEP9D  UEPVC  3.04  NARS  Unbundled Network Access Register - Combination  UEP9D  UARCX  0.00  0.00  0.00  0.00  0.00	2-W	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		1 1	UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94				1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4							_										
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP9D   UEPQZ   1.13   108.36   70.71   54.47   11.94	2-W	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		<u> </u>	UEP9D	UEPQ6	1 <u>.</u> 13	108.36	70.71	54.47	11.94	<u> </u>					<u> </u>
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP9D   UEPQZ   1.13   108.36   70.71   54.47   11.94															]		
Term 2,3					UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP9D   UEPQ9   1.13   40.30   19.90   24.98   6.65						1											
2-Wire Voice Grade Port Terminated on 800 Service Term	Tern	m 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94				ļ		
2-Wire Voice Grade Port Terminated on 800 Service Term															1		
Local Switching				1										ļ	<b> </b>		ļ
Centrex Intercom Funtionality, per port   UEP9D   URECS   0.7996				1	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65			ļ	<b> </b>		ļ
Local Number Portability   Local Number Portability   Local Number Portability (1 per port)   UEP9D   LNPCC   0.35     LNPCC   UEP9D   UEPVF   UEP9D   UEPVF   UEP9D   UEPVF   UEP9D   UEPVS				1	LIEDOD	LIDECC	0.7000							1			-
Local Number Portability (1 per port)				$\vdash \vdash \vdash$	UEP9D	UKEUS	0.7996					1		-	1		-
Features				<b></b>	LIEDOD	LNDCC	0.25										
All Standard Features Offered, per port   UEP9D   UEPVF   3.04		ai number Portability (1 per port)		+	UEP9D	LINPCC	0.35								-		
All Select Features Offered, per port		Standard Foatures Offered, per port		$\vdash$	HEDOD	HEDVE	2 04										
All Centrex Control Features Offered, per port   UEP9D   UEPVC   3.04				$\vdash$				406.42						-	<b> </b>		-
NARS				$\vdash$				+00.42		<del> </del>				1	1		1
Unbundled Network Access Register - Combination UEP9D UARCX 0.00 0.00 0.00 0.00 0.00		Ochilex Control Features Officied, per port		$\vdash$	טבו שט	OLF VO	3.04			<del> </del>					<del> </del>		
		bundled Network Access Register - Combination		$\vdash$	UEP9D	UARCX	0.00	0 00	0.00	0.00	0.00	<u> </u>			<b> </b>		
I I TOTIDUTUTE I NETWORK ACCESS RECUSTED I TIMEBULE I I TOEFSO TOAKTA I U.UU U.UU U.UU U.UU U.UU U.UU I I I I		bundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Outdial   UEP9D   UAROX   0.00   0.00   0.00   0.00   0.00				1											1		

CATEGORY RATE ELEMENTS  RATE ELEMENTS  RATE GLEMENTS  RATE GLEMENTS  SVC Order Submitted Charge - Charge	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATECORY RATE ELEMENTS			Intori									Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
Miscellaneous Terminations	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)					Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic- Disc Add'l
Miscellaneous Terminations	1						l .	Nonroc	urring	Nonrocurring	Disconnect			066	Pates (\$)		
Miscellaneous Terminations							Rec					SOMEC	SOMAN			SOMAN	SOMAN
A   A   A   A   A   A   A   A   A   A	Miscel	aneous Terminations					+	First	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	JOWAN	JOWAN	SOWAN
Trunk Side Terminations, each																	-
4-Wire Digital (1-54 Megabits)   UEP90   MHD1   73.62   202.47   95.90   72.75   2.47					UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						<del>                                     </del>
DS1 Circuit Terminations, each   UEPBD MHHDD   73 62   20247   95 90   72.75   2.47	4-Wire				02. 02	02.120	0.00		100	00.00	0						<u> </u>
DSG Channels Activated per Channel   UEPBD MHDO 0.00 14.51					UFP9D	M1HD1	73.62	202 47	95 90	72 75	2 47						<u> </u>
Interoffice Channel Mileage - 2-Wire									00.00	720							
Interoffice Channel Facilities Termination					02.02		0.00										
Interoffice Channel mileage, per mile of fraction of mile   UEPBD MIGBM 0.0167	1				UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
Feature Activation on D-4 Channel Bank Fourte Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank Px Trunk Stote Loop Stot Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank WATS Loop Stot Feature Activation on D-4 Channel Bank WATS Loop Stot Feature Activation on D-4 Channel Bank WATS Loop Stot VEPPD 1PQWQ 0.56  Non-Recurring Changes (NRC) Associated with UNE-P Centrex NNC Conversion Currently Combined Switch-As-Is-with allowed changes, per port Changes, per port NNC Conversion Currently Combined Switch-As-Is-with allowed Changes, per port NNR Establishment Charge, per Occasion UPPD WAGC 0.00 868.70  Additional Non-Recurring Changes (NRC) UPPD WAGC 0.00 868.70  WEECA 0.00 72.89  WEETA 0.00 72.89  WEETA 0.00 72.89  WEETA 0.00 72.89  WEETA 0.00 72.89  WEETA 0.00 98.87  WEETA 0.00 98.8																	
Ox Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEP9D   1POWS   0.56	Feature		e														
Feature Activation on D-4 Channel Bank Centrex Loop Slot																	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP9D		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
Slot					UEP9D	1PQW6	0.56										
Different Wire Center		Slot			UEP9D	1PQW7	0.56										
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot UEP9D 1PQWQ 0.56 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.56 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block UEP9D MIACS New Centrex Customized Common Block UEP9D MIACS 0.00 668.70 NAR Establishment Charge, Per Occasion NAR Establishment Charge, Per Occasion UEP9D URECA O.00 72.89 UEP9D URECA O.00 72.89 UEP9D URETL Onbundled Miscellaneous Rate Element, Tag Loop at End Use Permise UEP9D URETN UEP9D URETN 11.24 1.10 URETN Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requres Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premise Equipment					UEP9D	1PQWP	0.56										
Slot					UEP9D	1PQWV	0.56										
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP9D   1PQWA   0.56					UEP9D	1PQWQ	0.56										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex    NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port   UEP9D																	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port  New Centrex Standard Common Block  New Centrex Customized Common Block  New Centrex Customized Common Block  New Centrex Customized Common Block  NaR Establishment Charge, Per Occasion  NAR Establishment Charge, Per Occasion  UEP9D  URECA  O.00  668.70  NAR Establishment Charge, Per Occasion  UEP9D  URECA  O.00  72.89  Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise  UEP9D  URETL  8.33  0.83  UEP9D  URETN  11.24  1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD  Note 2 - Requires Interoffice Channel Mileage  Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment	Non-Re																
Changes, per port																	
New Centrex Standard Common Block UEP9D M1ACS 0.00 668.70 New Centrex Customized Common Block UEP9D M1ACC 0.00 668.70 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 72.89  Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP9D URETL 1.10 Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment					UEP9D	USAC2		37.93	16.72								
NAR Establishment Charge, Per Occasion  Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise  UEP9D  URETL  8.33  0.83  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use End Use Premise  UEP9D  URETL  8.33  0.83  UEP9D  URETN  11.24  1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment					UEP9D	M1ACS	0.00	668.70					İ				
Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use UEP9D URETL 8.33 0.83  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP9D URETN 11.24 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Reques Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL 8.33 0.83  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP9D URETN 11.24 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment					UEP9D	URECA	0.00	72.89									
Premise UEP9D URETL 8.33 0.83  Uhbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP9D URETN 11.24 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment	Additio	onal Non-Recurring Charges (NRC)															
End Use Premise UEP9D URETN 11.24 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Solve 3 - Installation is combination of Installation charge for SL2 Loop and Port Solve 4 - Requires Specific Customer Premises Equipment Solve 4 - Requires Specific Customer Premises Equipment Solve 5 - Requires Specific Customer Premises Equipment Solve 6 - Requires Specific Customer Premises Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific Customer Specific		Premise			UEP9D	URETL		8.33	0.83								
Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment		End Use Premise			UEP9D	URETN	_	11.24	1.10								
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment																	
Note 4 - Requires Specific Customer Premises Equipment																	
			op and F	ort												_	
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.								_			•						
· · · · · · · · · · · · · · · · · · ·	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth ir	n General Terr	ns and Conditio	ns.									

UNRI	INDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			Disconnect		T		Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
OPER		ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.h	m I		1			1			1	l	1	l	
OI LIV		(1) CLEC should contact its contract negotiator if it prefers th	e "state	e speci	fic" OSS charges as o	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contain	ned in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi	ce orde	ering cl	narges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished ir
		f the 9 states. (2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lis	ted in this	category Pleas	e refer to Relis	South's Local	Ordering Hand	hook (LOH) to	determine	if a product	can he order	ed electronics	lly For thos	elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B							1	ı	1		1	1		1	
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or OSS - Electronic Service Order Charge, Per Local Service	nly **Pl	ease s	ee applicable rate ele	ment for SC	MAN charge**										
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	DallCar	ith's E	CC No. 1 Toriff Contin	n E oo onnli	aabla										
	NOTE:	The Expedite charge will be maintained commensurate with	Delisou	ILII S F	No.1 Tariii, Sectio	п э аѕ аррп	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL. UENTW. UDN.												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL.												
					UC1CC, UC1CL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1, UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBUI	NDLED E	EXCHANGE ACCESS LOOP			OTTOB, OTTOA	ODAOI		200.00									
	2-WIRE	ANALOG VOICE GRADE LOOP															
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2		UEAL2 UEAL2	13.19 17.23	31.99 31.99	20.02	10.65 10.65	1.41	-		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3		UEASL UEASL	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť													
<u> </u>		Premise Loop Testing - Basic 1st Half Hour		1	UEANL UEANL	URETL URET1	-	8.33 78.92	0.83 78.92					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	1	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour		<del>                                     </del>	UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32

UNRI	NDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	ibit: A
UND	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	I TETTORIX ELEMENTO TOMOCOGO										Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	_
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				+		1 1130	Auu	11100	Audi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
-		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52	1		1	1	-			
		Order Coordination for Specified Conversion Time for UVL-SL1			ULANL	ULAWIC		30.32	30.32	1		-	-	-			<del>                                     </del>
		(per LSR)			LIFANII	OCOSL		24.00	24.00								
	O WIDE				UEANL	UCUSL		34.29	34.29								
	Z-WIRE	Unbundled COPPER LOOP	<u> </u>	-	LIFO	UEQ2X	40.40	31.99	20.02	40.05	4 44			20.35	10.54	13.32	40.00
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ		13.19			10.65	1.41						13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-			UEQ2X	17.23	31.99	20.02		1.41			20.35	10.54	13.32	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	1	Manual Order Coordination 2 Wire Unbundled Copper Loop -	l		l	1									Ì		
<u> </u>	ļ	Non-Designed (per loop)			UEQ	USBMC		36.52	36.52					ļ			<u> </u>
	1	Unbundled Copper Loop, Non-Design Copper Loop, billing for	l												Ì		
		BST providing make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBU	IDLED E	EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 0. 02. 02	O E / LEO	22.00	01.00	20.02	10.00				20.00	10.01	10.02	10.02
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBU	IDI ED E	EXCHANGE ACCESS LOOP			02. 0 02. 02	027.00	22.00	01.00	20.02	10.00		1	1	20.00	10.01	10.02	10.02
0.120.		ANALOG VOICE GRADE LOOP				+				1		1	1				<b>†</b>
	_ ******	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+				1		1	1				<del> </del>
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	OLA	OLITE	10.00	70.00	40.20	20.70	17.04			20.00	10.04	10.02	10.02
	l	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
<b>—</b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b>-</b>	<del></del>		JE	21.00	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.02
	l	Ground Start Signaling - Zone 3	l	3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
$\vdash$	1	Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UEA	OCOSL	20.20	34.29	40.20	20.10	17.04			20.33	10.34	13.32	13.32
-	<b>-</b>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	<del>                                     </del>	OLA	JUUSL		34.29		1				<del>                                     </del>	<b> </b>	-	<del> </del>
	l	Battery Signaling - Zone 1	l	1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
-				- 1	UEA	UEARZ	10.30	75.06	40.20	20.70	17.04			20.33	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	2	UEA	UEAR2	21.63	75.06	48.20	00.70	17.64			20.35	10.54	13.32	13.32
-	-	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	_	LIEA	LIEARO	20.00	75.00	40.00	00.70	47.04			20.25	40.54	40.00	40.00
<u> </u>	<u> </u>	Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
<u> </u>	ļ	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	
		Loop Tagging - Service Level 2 (SL2)	<b></b>	1	UEA	URETL		11.23	1.10	1				20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP		<u> </u>		1		ļ									
ļ		4-Wire Analog Voice Grade Loop - Zone 1	ļ	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
<u> </u>	<u> </u>	4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>		UEA	UEAL4	32.25	122.76	85.57		39.16			20.35	10.54	13.32	
L	ļ	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	ļ	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29						ļ			1
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	2-WIRE	ISDN DIGITAL GRADE LOOP	<u> </u>														1
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32

CATEGORY   RATE ELEMENTS   Name   BCS   USCC   SALE   Section	UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
ATE CLEMENTS   Find   Nove   BCS   SSOC   NATES 0)   Section   Submitted   Charges   C												Svc Order	Svc Order				
RATE GLENDYS  RATE LENDRYS  RATE CLENDYS  RA			1	l		1						1					
CATEGORY   MATE ELEMENTS   Mark   More   M			Intor														
Recommendation   Reco	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No.   Section   No.			m									per Lore	per Lore				
Proceedings   Processor   Pr																	
Miles   Print   April   South   Column   Colum																Disc 1st	Disc Add I
2000   2000							Per										
Pives BSP District Grade Loses - Zene 2   3 URY   URLX   37.05   142.79   86.00   77.05   39.10   20.28   10.08   10.32   13												SOMEC	SOMAN				
Other Construction For Specified Coverago, The Leg 1, 150, 150, 150, 150, 150, 150, 150, 1																	
Section   Column   Compare without counties designated   LON   URCHYO   S. 17.7   44.27   S. 19.54   19.55   19.54   19.52   19.55   19.54   19.52   19.55   19.54   19.55				3			37.95		88.88	76.35	39.16			20.35	10.54	13.32	13.32
Paymer Asymmetrics. In John London AREA Local College Annual Service Porting   1															10.51	40.00	10.00
2 Year International ADB-Large producting manual services requiry   1 UAL	0.14/15		A TID! F			UREWO		91.77	44.22					20.35	10.54	13.32	13.32
Stably recentation - Zone 1	2-771		AIIBLE	LOOF	1												
2 Vivi (Incurded ASS), Log victoring manual service requiry   2 IUAL   UALZX   18.05   2770.01   23.463   74.54   39.14   20.35   10.64   13.32   13.35   13				4	LIAI	LIMION	12 92	270.01	224.62	74.54	20.14			20.25	10.54	12 22	12 22
A facility reconstroor. Zone 2   2   UM, UM, 2X   160.6   270.01   234.63   74.64   39.14   20.35   10.54   13.32   13.35	-			-	UAL	UALZA	13.02	270.01	234.03	74.54	35.14	1		20.33	10.54	13.32	13.32
2 Wes Unbounded ASSL Loss including measured receivery   3 UAL   UAL 2X   2.00   270.01   294.03   74.54   59.14   20.05   10.54   13.22   13.32   1				2	ΙΙΔΙ	LIAL 2X	18.05	270.01	234 63	74 54	39 1⊿			20.35	10 54	13 32	13 32
Statisty reportation - Zone 3				-	O/ IL	ONLEA	10.00	270.01	204.00	74.04	00.14			20.00	10.04	10.02	10.02
Order Controllation for Specified Convenient Free (per LSR)				3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
2 Wire Unbunded ASSL Loop without manual service inquiry & 1   UAL UNLZY   13.32   31.99   20.02   10.66   1.4h   20.05   10.64   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.33   13				_													10.0
2 Wire Unbundled ADSL Loop without manual service inquiry 8   1 2 UAL   UAL2W   18.05   31.99   20.02   10.65   1.41   20.35   10.54   13.32																	
facility reservation - Zone 2	LI		L_I	_1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
2 Wee Unburded ADSL Loop without remout service inquity A facility reservation - Zoure 3		2 Wire Unbundled ADSL Loop without manual service inquiry &															
Seality reservation - Zone 3			1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Circlet Countriation for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside departed   UAL UREWO   31,98   20,02   20,35   10,54   13,32   13,33   13,34   20,35   10,54   13,32   13,34   20,35			- 1	3			23.60		20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wile Urbunded PTSL Loop including manual service inquiry   1   UHL   UHLZX   10.83   270.01   234.63   74.54   30.14   20.35   10.54   13.32   13.33   270.01   234.63   74.54   30.14   20.35   10.54   13.32   13.33   270.01   234.63   74.54   20.35   10.54   13.32   23.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   20.35   270.01   234.63   74.54   270.01   234.63   2																	
2 Wire Unbundind HDSL Log including manual service inquiry   1 UHL					UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
Stacility reservation - Zone 1   UHL	2-WIF		TIBLE	OOP													
2 Virie Unbundled HDSL Loop including manual service inquiry   2 UHL							40.00	070.04	004.00	74.54	00.44			00.05	40.54	40.00	40.00
Stability reservation - Zone 2   2 UHL   UHL2X   14.15   270.01   234.63   74.54   39.14   20.35   10.54   13.32   13.37   1				1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
2 Wire Unbundled HOSL Loop including manual service inquiry   3 UHL   UHL2X   18.00   270.01   234.63   74.54   39.14   20.35   10.54   13.32   13.35   20.00   2 Wire Unbundled HOSL Loop without manual service inquiry   and facility reservation. Zone 1   1 UHL   UHL2W   14.15   31.99   20.02   10.65   1.41   20.35   10.54   13.32   13.35   13.35   10.54   13.32   13.35   13.35   10.54   13.32   13.35   10.54   13.32   13.35   10.54   13.32   13.35   13.35   10.54   13.32   13.35   13.35   13.35   10.54   13.32   13.35				_		1111107	4445	070.04	224.62	74.54	20.44			20.25	40.54	40.00	40.00
S facility reservation - Zone 3	<b></b>				UHL	UHLZX	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)				3	шы	LIHL2Y	18 50	270.01	234 63	74.54	30 1/			20.35	10.54	13 32	13 32
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1							10.50		204.00	74.54	33.14			20.55	10.54	13.32	10.02
and facility reservation - Zone 1					0.1.2	00002		01.20									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHLAW 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 13.34 20.05 20.05 1.41 20.35 10.54 13.32 13.34 20.05 20			l i	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   1   3   UHL   UHLW   18.50   31.99   20.02   10.65   1.41   20.35   10.54   13.32   13.32   13.33   13.34   20.05   10.54   13.32   13.34   20.05   10.54   13.32   13.34   20.05   10.54   13.32   13.34   20.05   20																	
and facility reservation - Zone 3			ı	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)		2 Wire Unbundled HDSL Loop without manual service inquiry															
CLEC to CLEC Conversion Charge without outside dispatch   UHL UREWO   31.99   20.02   20.03   10.54   13.32   13.33   13.33   14.34   13.34			- 1	3			18.50		20.02	10.65	1.41			20.35	10.54	13.32	13.32
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
and facility reservation - Zone 1	4-WIF		TIBLE	_OOP													
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2   UHL						111111111111111111111111111111111111111	40.00	070.00	044.00	74.54	00.44			00.05	40.54	40.00	40.00
and facility reservation - Zone 2	-			1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3				2		IIIII AV	19.20	270.60	244.22	74.54	20.14			20.25	10.54	12 22	12 22
and facility reservation - Zone 3	<b>-</b>				OTIL	UI IL4X	10.20	279.00	244.22	74.54	35.14			20.33	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)				3	ПНІ	LIHL4X	23.80	279.60	244 22	74 54	39 1⊿			20.35	10 54	13 32	13 32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1   1   UHL   UHL4W   13.93   31.99   20.02   10.65   1.41   20.35   10.54   13.32				Ŭ			20.00		2-1-1.22	74.04	00.14			20.00	10.04	10.02	10.02
and facility reservation - Zone 1					0.1.2	00002		0 1120									
and facility reservation - Zone 2			1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3																	
and facility reservation - Zone 3		and facility reservation - Zone 2	- 1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)		4-Wire Unbundled HDSL Loop without manual service inquiry															
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   31.99   20.02   20.35   10.54   13.32   13.3			l I	3			23.80		20.02	10.65	1.41			20.35	10.54	13.32	13.32
4-Wire DS1 Digital Loop - Zone 1																	
4-Wire DS1 Digital Loop - Zone 1			ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-Wire DS1 Digital Loop - Zone 2   2 USL	4-WIF				L	1										ļ	<u> </u>
4-Wire DS1 Digital Loop - Zone 3       3 USL       USLXX       98.59       313.08       219.72       96.86       40.45       18.98       8.43       11.95       11.95         Order Coordination for Specified Conversion Time (per LSR)       USL       OCOSL       34.59<			ļ														
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59 CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130.47 40.11 20.35 10.54 13.32 13.32	<b> </b>		ļ														
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130.47 40.11 20.35 10.54 13.32 13.32	$\vdash$		<b> </b>	3			98.59		219.72	96.86	40.45			18.98	8.43	11.95	11.95
	$\vdash$		<b>!</b>	-					40.44	<del>                                     </del>				20.25	10.54	40.00	12.00
	4-18/15		<del>                                     </del>		USL	UKEWU		130.47	40.11	<del>                                     </del>				∠0.35	10.54	13.32	13.32

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		DATE EL EMENTO	Interi	<b>-</b>	BCS				D 4 T F O (A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		1 2	UDL UDL	UDL19 UDL19	31.10 40.61	207.01 207.01	141.38 141.38		44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	53.11	207.01 34.29	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE	Unbundled COPPER LOOP			ODE	OREWO		102.20	40.02					20.00	10.04	10.02	10.02
	1 <b></b>	2-Wire Unbundled Copper Loop-Designed including manual			İ												
		service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	22.53	36.52	36.52	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	OCLIVIC		30.32	30.32								
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															1
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		36.52	36.52								<del> </del>
		(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	COPPER LOOP	·	1	002	0.12.110		01.00	20.02					20.00	10.01	10.02	10.02
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry		_													1
		and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	42.17	36.52	36.52	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry		1	OCL	OCLIVIC		30.32	30.32								
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry		_												40.00	
-	1	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	- 1	3	UCL UCL	UCL4W UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		30.32	30.32								
		(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP	MODIFIC	CATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												1 !
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,			05.40	05.40					00.05	40.54	40.00	40.00
		pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UEPSB	ULM2L		65.40	65.40	1				20.35	10.54	13.32	13.32
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	1	and the second s	1		UAL, UHL, UCL,	32/2		55.40	00.40	†		1		20.00	10.04	10.02	10.02
					UEQ, ULS, UEA,												1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												1
		per unbundled loop	ı	<u> </u>	UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-L		on Distribution		<u> </u>	1												
	Sub-Lo	op Distribution			L					l .		1	l				

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.1.20.1.2											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-						Rec	Nonrecurring		Nonrecurring		001150	SOMAN		Rates (\$)	001441	SOMAN
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	l l			ULANL	USBSA		317.23	317.23					20.33	10.34	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
				LIFANII	LIODAGO		04.00	04.00								
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	-	UEANL	USBMC		34.29	34.29	<del>                                     </del>					ļ		<b> </b>
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	<del>                                     </del>		OL/ NAL	CODINT	7.30	147.93	75.11	33.90	10.90	<b> </b>		20.33	10.34	10.02	10.02
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
				LIFANII	USBMC		04.00	04.00								
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL UEANL	USBR4	2.26	34.29 116.14	34.29 37.10	1		1		20.35	10.54	13.32	13.32
-	Sub-Loop 4-Wire intrabuliding Network Cable (INC)			UEAINL	USBR4	2.20	110.14	37.10	-				20.33	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92	İ							
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
				UEF	LIODAGO		04.00	04.00								
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	USBMC UCS4X	6.52	34.29 117.12	34.29 44.30	99.96	16.98	1		20.35	10.54	13.32	13.32
-	4 Wire Copper Unburidled Sub-Loop Distribution - Zone 2	H	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
<b>+</b>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>l i</del>		UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Coppor Cristandica Cab Loop Distribution 2016 0	<del>  '</del>	Ť		500 m	11.14	117.12	77.00	55.50	10.30			20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		34.29	34.29	1					1		
	Loop Testing - Basic 1st Half Hour			UEF	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.33	23.33								
Unk	oundled Network Terminating Wire (UNTW)			L					ļ					ļ		
	Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Net	work Interface Device (NID)	1	1	UENTW	UND12	ļ	89.69	54.56	0.6391	0.6391	}		20.35	10.54	13.32	13.32
<del></del>	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	1	<u> </u>	UENTW	UND12 UND16	-	129.65	94.51	0.6391	0.6391	1		20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	1	1	UENTW	UNDC2	<del> </del>	129.65	11.11	0.0522	0.0322	1		20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		11.11	11.11	<b>†</b>		1		20.35	10.54	13.32	13.32
UNE OTHER	R, PROVISIONING ONLY - NO RATE					Ì			1							
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00	•								
				UEANL,UEF,UEQ,U	l	_	_									
LINIE SEC	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00									
ONE OTHER	R, PROVISIONING ONLY - NO RATE	1	_		1				1							
				UAL,UCL,UDC,UDL,					1					1		
	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL.ULC	UNECN	0.00	0.00		1					1		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	1		5511,5E71,011E,0E0	SITEOIT	0.00	0.00		<b>†</b>		1		1	1		
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	<u> </u>			, ,- , ,									ı		1	

UNBU	NDLF	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
3.1.50		TOTAL PROPERTY OF THE PROPERTY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l		Disc Add'l
														151	Add I	Disc 1st	DISC Add I
							Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
		: Rates provided in TN for both electronic and manual Loop	Makeu	p are in	nterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on	these rate elen	nents from t	he Tenness	ee Regulator	y Authority.		
LOOP N	MAKE-U																
1 7		Loop Makeup - Preordering Without Reservation, per working or											1	<u> </u>	<u> </u>		
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
		AND LINE SPLITTING															
		: The Line Sharing monthly recurring rates for all installation					idnight Octobe	er 01, 2004 shal	I be billed as t	follows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	<u>)")                                   </u>											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
$\vdash$		deactivation (per LSOD)		ļ	ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
$\vdash$	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<u> </u>						-							
		Line Sharing - per Line Activation (BST Owned splitter) -			l								1			40	40
$\vdash$		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -								1							
		Central Office Located (25% of UCLND) - please see NOTE 1				057							1	Ì	Ì		
$\vdash$		(E:10/2/2003)		<u> </u>	ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -								1							
		Central Office Located (50% of UCLND) - please see NOTE 1				III CDT		40.00	04.00		0.00		1	Ì	Ì		
$\vdash$		(E:10/2/2004)		<u> </u>	ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -								1							
		Central Office Located (75% of UCLND) - please see NOTE 1				III CDT		40.00	04.00		0.00		1	Ì	Ì		
$\vdash$		(E:10/2/2005)		<u> </u>	ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		Line Sharing - per Subsequent Activity per Line				111 000		20.00	45.00	I			1	20.65	10.51	10.00	10.00
$\vdash$		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS	ļ	30.00	15.00	<b>.</b>				20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line						20.00	45.00	1				20.65	10.51	10.00	10.00
$\vdash$	<b> </b>	Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS	-	30.00	15.00	<del>                                     </del>		1	ļ	20.35	10.54	13.32	13.32
		Line Sharing - per Line Activation (DLEC owned Splitter) -							10.01	0.00	0.00			20.65	10.51	10.00	10.00
$\vdash$		OBSOLETE see **NOTE 2		ļ	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned								1							
		splitter - Central Office Located (25% of UCLND) - please see				00=							1	Ì	Ì		
$\vdash$		NOTE 1 (E:10/2/2003)		<u> </u>	ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			<b> </b>	<del> </del>		
1		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see		1						I			1	1	1		
		isplitter - Central Office Located (50% of UCLIND) - blease see	1	1	1	1	l	1		1		1	l	1			
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.87	47.44	19.31	0.00	0.00						

UNRU	NDI FI	NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Fyhi	ibit: A
ONDO	TOLL	THE TWORK ELLINERTO TERMESSEE										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Dan	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50		]						
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00						1		
		EDICATED TRANSPORT															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
		Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	47.00	55.00	47.07	07.00	0.54			20.05	04.00		
-		Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	LIATDA	41.577	0.0500	]						I		I	
		month	-	-	U1TD1	1L5XX	0.3562			1	<del> </del>	1	1	<del>                                     </del>	1	<del>                                     </del>	1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	LIATOA	шатеа	77.00	140 40	70.07	40.55	4400			20.05	04.00	I	
-		Termination	-	-	U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99	1	1	20.35	21.09	<del>                                     </del>	1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	U1TD3	1L5XX	2.34	]						I		I	
-		month Interoffice Channel - Dedicated Transport - DS3 - Facility			טווט	ILOAA	∠.34			-				-	+	-	<b> </b>
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	1	
$\vdash$		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			סווט	01113	040.99	393.29	170.36	109.04	105.91	1		30.64	30.84	<del></del>	1
		month		1	U1TS1	1L5XX	2.34	]						I		I	
<del>     </del>		Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	01101	ILUAA	2.34					1	1	1	1	1	1
		Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	1	
DARK F	IBFR	TOTTIMIQUOT		1	01101	51110	043.30	333.29	170.30	103.04	103.91			30.04	30.04	<b>-</b>	<u> </u>
DANKI		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		<del>                                     </del>		+	<del> </del>	<del>                                     </del>		1	<del>                                     </del>	1		t	<del> </del>	<del>                                     </del>	1
		Thereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	28.74	]						I		I	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.74	1,121.00	153.19	580.26	357.17	1		20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	55., 65i 6A	551 17		1,121.00	100.19	000.20	337.17			20.00	10.04	10.02	10.02
		Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	58.83	]						I		I	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4	55.50	1,121.00	153.19	580.26	357.17	1		20.35	10.54	13.32	13.32
8XX AC		EN DIGIT SCREENING			,	1	1	,							1	12.32	,2
		8XX Access Ten Digit Screening, Per Call			OHD	1	0.0005192	i			İ			İ	İ	İ	1
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved		1	OHD	N8R1X	Ì	5.21	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
1		POTS Translations		1	OHD		Ì	11.47	1.46	7.34	0.7602	1		20.35	20.35	13.28	13.28

UNBU	NDLF	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
2231		101110000		1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
$\vdash$			1	<b>}</b>		1	Rec	Nonrecurring	A al -111	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
$\vdash$		8XX Access Ten Digit Screening, Per 8XX No. Established With						First	Add'l	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
-		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOLIX		11.47	1.40	7.34	0.7002			20.33	20.33	13.20	13.20
		Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15	1101 071								20.00	20.00	10.20	10.20
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE IN	FORMA	TION DATA BASE ACCESS (LIDB)															
$\vdash$		LIDB Common Transport Per Query		ļ	OQT		0.0000354										
$\vdash$		LIDB Validation Per Query		1	OQU	NDDDY	0.0117403	40.00		-				20.00	20.65	10.00	10.00
SIGNAL	ING (C	LIDB Originating Point Code Establishment or Change	1	<b>}</b>	OQT, OQU	NRBPX		49.03		<del>                                     </del>		1		20.35	20.35	13.28	13.28
SIGNAL	ING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
$\vdash$		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message		1	UDB	F 100A	0.0000916	<del>                                     </del>		<del> </del>				1	<del> </del>		1
<del>                                     </del>		CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	17.84	130.84	130.84	<b>+</b>				20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D	1	<b>†</b>		1	17.54	100.04	100.04	<b>†</b>				20.00	20.00	10.02	10.02
		link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373		-								
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
		or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLIN	G NAM	E (CNAM) SERVICE				1				ļ				ļ	ļ	ļ	ļ
$\vdash$		CNAM For DB Owners - Service Establishment		<u> </u>	OQV	1		43.27						ļ		ļ	ļ
$\vdash$		CNAM For Non DB Owners - Service Establishment	1	<b>}</b>	OQV	1		43.27		<del>                                     </del>		1		<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>
		CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			1,868.00	1,382.00						1		
$\vdash$		CNAM For Non DB Owners - Service Provisioning With Point	1	<del>                                     </del>	OWV	+		1,000.00	1,302.00	<del> </del>		1	1	1	<del> </del>	1	1
		Code Establishment			oqv			645.50	432.23	I				1	I	1	1
		CNAM for DB Owners, Per Query	1	<b>†</b>	OQV	1	0.0010541	040.00	402.20	<b>†</b>		1		1	<b>†</b>	1	1
		CNAM for Non DB Owners, Per Query		1	OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the															
		Character Based User Interface (CHUI)		<u>L</u>	OQV	CDDCH	<u></u>	<u> </u>		<u></u>				20.35	20.35	13.28	13.28
SELECT	IVE RC				-				•								
1 T		Selective Routing Per Unique Line Class Code Per Request Per						1		_				1	_	1	1
		Switch		<u> </u>		1		179.60	179.60	ļ				20.35	20.35	ļ	ļ
VIRTUA	L COLL	OCATION		<u> </u>		1				<b>.</b>				<b> </b>	1	<b> </b>	<b> </b>
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSIC	۵۱ ۲۵۱	Spitting LOCATION	1	<del>                                     </del>	ULFOR UEPOB	VEILS	0.57	11.02	9.90	10.38	8.00	1	1	19.99	19.99	19.99	19.99
111316	-L 00L	Physical Collocation-2 Wire Cross Connects (Loop) for Line	<b>-</b>	<b>!</b>		+		<del>                                     </del>		t				<del> </del>	t	<del> </del>	<del> </del>
		Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SEI	ECTIV	E CARRIER ROUTING				1			2.30	13.30	2.30			12.30	12.30	13.30	12.30
		Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
		End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
		Query NRC, per query			SRC		0.0206047										
AIN - BE	LLSOL	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,			l											40	40
$\vdash$		Initial Setup		<u> </u>	A1N	CAMSE		135.56	135.56	<b>.</b>				20.35	20.35	13.28	13.28
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75	I				20.35	20.35	13.28	13.28
+		AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access		1	A1N A1N	CAM1P		41.75	41.75	<b>-</b>				20.35	20.35	13.28	13.28
$\vdash$		AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		1	AIIN	CAIVITE		41.75	41.75	+				20.35	20.35	13.28	13.28
		ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
+		AIN SMS Access Service - Security Card, Per User ID Code,		1	73113	JAIVIAU		30.03	30.03	<b>+</b>				20.35	20.35	13.20	13.20
		Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		i –			0.0024	112.01		1						: ::20	
		AIN SMS Access Service - Session, Per Minute					0.0820123										

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						B	Nonrecurring		Nonrecurring	Disconnect		l .	oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.27										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer		ļ		BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTT		04.04	04.04					00.05	00.05	40.00	40.00
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		24.24	24.24					20.25	20.25	40.00	42.00
		1	1		DAPID		31.21	31.21					20.35	20.35	13.28	13.28
1 1	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21	I			1	20.35	20.35	13.28	13.28
<del>                                     </del>	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		J. 11 11V1		01.21	01.21	<b>-</b>				20.00	20.00	10.20	10.20
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1												. = -	
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			0414	D 4 D1 40	47.40	00.50	00.50					00.05	00.05	40.00	40.00
-	Subscription  AIN Tableit Service Special Study, Der AIN Tableit Service	-	-	CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
-	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1	1	CAIVI	BAFLS	0.1321110	30.23	30.23					20.33	20.33	13.20	13.20
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			O/ 4V1	Dru Do	17.00	00.02	00.02					20.00	20.00	10.20	10.20
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED I	XTENDED LINK (EELs)															
NOTE	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE cor	nbinations pro	visioned as ' C	Ordinarily Com	oined' Network	Elements.					
	: The monthly recurring and the Switch-As-Is Charge and not					UNE combinat	ions provisione	ed as ' Current	ly Combined' N	Network Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$	First 2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	11 5 7 7	0.0500										
$\vdash$	per month Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	UNC1X	1L5XX	0.3562			+							$\vdash$
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.55	21.03		-
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	0.04	2.74						_
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86		1	20.35	21.09		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		$oxed{oxed}$
$\vdash$	Voice Grade COCI - Per Month	1	1	UNCVX	1D1VG	0.91	5.70	4.42								ļ
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	LINIOGG							1				
-V	Is Charge	TED DO	4 18:75	UNC1X	UNCCC	1	52.73	24.62	9.12	9.12			20.35	21.09		$\vdash$
EVIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	פט ט	INIE	NOTFICE I KANSPUL	\ I	1			<del>                                     </del>			<b> </b>				┼──┤
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		1	20.35	21.09		
	- 1.00 - 1.1.07 stating voice drade Loop in Combination - Zone 1	1	<del> </del>	00 1/1	O E / ILT	2-1.70	100.70	55.47	72.54	10.00			20.00	21.09		$\vdash$
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86		1	20.35	21.09		
		•			•							•			•	

UNBUN	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CITECITI		THE THORK ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1						400 =0		=0.04							
<b></b>		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1	2	LINICVA	UEAL4	32.26	108.76	05.47	70.04	40.00			20.35	04.00	1	
$\vdash \vdash$	-	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1	<del>                                     </del>		UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	-		20.35	21.09	<del>                                     </del>	1
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	1	
$\vdash \vdash$		Additional Voice Grade COCI in combination - per month	<del>                                     </del>	3	UNCVX	1D1VG	0.91	5.70	4.42		10.00	-		20.35	21.09	1	1
<b></b>		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.91	5.70	4.42			1					
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
F		DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				02.70	24.02	0.12	0.12			20.00	21.00		<del> </del>
	7.1			<u> </u>													
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		. •															
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility															
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						400 =0		=0.04							
<u> </u>		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
<b></b>		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDLS6	40.61	100.76	33.47	72.94	10.00			20.33	21.09		-
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$		Additional OCU-DP COCI (data) - in combination per month (2.4-	1	3	ONODA	ODLOG	55.11	100.76	33.47	12.94	10.00			20.33	21.09	<del> </del>	<del>                                     </del>
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	!			.5.55	0.01	5.70	7.72	1		<u> </u>		<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
		Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	1	
E.	XTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN													
L l		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	<u> </u>	_1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	<u> </u>	
		·							-							]	
$\sqcup \bot$		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
$\sqcup \bot$		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
$\vdash$		Per Month			UNC1X	1L5XX	0.3562										<b></b>
		interoffice Transport - Dedicated - DS1 combination - Facility			11041		77.00	474.01	440.10	70.00	00.00			00.00	04.00		
<b></b>		Termination Per Month	<b> </b>	-	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	-		20.35	21.09	-	<del>                                     </del>
$\vdash \vdash$		1/0 Channel System in combination Per Month OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-		UNC1X UNCDX	MQ1 1D1DD	80.77 0.91	105.76	14.48 4.42	3.04	2.74			<b> </b>	<b> </b>	ļ	-
$\vdash \vdash$		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<del>                                     </del>		UNCDX	טטוטו	0.91	5.70	4.42	-							<del> </del>
		Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	1	
$\vdash$		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<del>                                     </del>	-	0.1007	ODLU4	31.10	100.76	35.47	12.94	10.00			20.35	21.09	<del> </del>	<del>                                     </del>
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	Ė			.5.51	.556	33.11	. 2.54	.0.50			20.00	255	1	
1		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86		1	20.35	21.09		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee									-			Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Auu	Diac 1at	Disc Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		L	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1				57.70	000.40	101.71	70.07	04.00						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		1 2	UNC1X UNC1X	USLXX	57.73 75.40	228.40 228.40	161.74 161.74	79.87 79.87	24.88 24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	75.40 98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIA	USLAA	90.59	220.40	101.74	19.01	24.00						
	Per Month			UNC1X	1L5XX	0.3562										
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Facility	1		011017	TLOAK	0.0002										
	Termination Per Month		l	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	<b>!</b>			1	50				55.50			20.00	255		
	Is Charge	1	l	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				50									
	First DS1Loop in Combination - Zone 1	1	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		İ
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -		١.													
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
-	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	USLAA	75.40	220.40	101.74	19.01	24.00			20.33	21.09		
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month		3	UNC1X	UC1D1	17.58	5.70	4.42	73.07	24.00			20.55	21.03		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	COIDI	17.00	0.70	7.72								
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	INTE	ROFFICE TRANSPO	RT											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per														_	_
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility		l		l											
$\vdash$	Termination per month	ļ	<u> </u>	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	ļ		20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	1110101			F0 =0	04.00	0.10	0.0			00.5-	04.00		
FVT.	Is Charge	CDAC	- 18:77	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXII	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	INIE 1			04.70	400.70	05.47	70.04	40.00	1	-	-	<del>                                     </del>		-
$\vdash$	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2	<del> </del>	_	UNCVX UNCVX	UEAL4 UEAL4	24.70 32.26	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			-	-		-
<del>                                     </del>	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1		1	1		1
1	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	<del>                                     </del>	J	011017	JLAL	42.10	100.76	33.47	12.34	10.00	1		1	1		1
	Month		l	UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility	1			1	3.34								1		
	Termination per month	1	l	UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		-	1					230						İ
	Is Charge		l	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT	<u> </u>											
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34										

UNRUNE	)LFI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
2112011		ALL IT OTHER LEGISLES OF THE STATE OF THE ST										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															i
		Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		ł
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		ł
EX	TEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												i
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										í
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						ł
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.34							Ì	Ì		1
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		i
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		í
EX	TEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													1
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		i
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month			UNC1X	1L5XX	0.3562										ł
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ł
		1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í T
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		í
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í T
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		ł
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í T
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		ł
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															í
		month			UNCNX	UC1CA	3.24	5.70	4.42								í
		Nonrecurring Currently Combined Network Elements Switch -As-															í
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ł
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO												i
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															ı
		Per Month			UNCSX	1L5XX	2.34										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		<u> </u>
		3/1 Channel System in combination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional DS1Loop in the same STS-1 Interoffice Transport										<u> </u>	<u> </u>	]	]		1
		Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		<u> </u>
		Additional DS1Loop in the same STS-1 Interoffice Transport												Ì	Ì		1
		Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		<b></b>
		Additional DS1Loop in the same STS-1 Interoffice Transport															í
$\vdash$		Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		<del>                                     </del>
$\vdash$		DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42					ļ	ļ		<del>                                     </del>
		Nonrecurring Currently Combined Network Elements Switch -As-															i
<u> </u>		Is Charge		<u></u>	UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		<del>                                     </del>
EX	TEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	SPS INT														<del>                                     </del>
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						<del>                                     </del>
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						<b></b>
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						<del>                                     </del>
1 1		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.5307	0.04=:										1
		Per Mile per month		l	UNCDX	1L5XX	0.0174								<u> </u>		

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	ibit: A
5.1D011DE	- I TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<b>1</b>				Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			<b>1</b>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del> </del>	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1		11130	Addi	11130	Audi	COME	COMPAR	COMAIN	COMPAR	COMPAN	COMPAR
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	01100	21.13	7 3.03	44.00	03.32	31.00			20.55	21.03		
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EDOEE		011000		32.73	24.02	3.12	5.12			20.55	21.03		-
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I S IIVI	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
<b>—</b>	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3		UDL64	53.11	108.76	35.47	72.94	10.86				-		<del> </del>
<b></b>	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	33.11	100.70	33.47	12.54	10.00				-		<del>                                     </del>
	Per Mile per month			UNCDX	1L5XX	0.0174										
$\vdash$	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	OINODA	ILUAA	0.0174	1		1		1			<del> </del>	1	<del>                                     </del>
	Facility Termination per month		1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	l	1	20.35	21.09	Ì	
$\longrightarrow$	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	OINCDA	UTIDO	21.19	19.83	44.08	09.32	31.00		-	20.35	∠1.09		<del>                                     </del>
	Is Charge	1	1	UNCDX	UNCCC		52.73	24.62	9.12	9.12	l	1	20.35	21.09	Ì	
EVE		D 4 1 1 0 D	ODT		UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP	ORIW/		LIEALO	40.50	400.70	25.47	70.04	40.00	<del>                                     </del>	-	20.25	04.00	<del>                                     </del>	<del> </del>
$\vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2 UEAL2	16.56 21.63	108.76	35.47	72.94	10.86	<del>                                     </del>	-	20.35 20.35	21.09	<del>                                     </del>	<del> </del>
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX			108.76	35.47	72.94	10.86				21.09		ļ
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				41 =>04											
	Mile			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ļ
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42								ļ
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		ļ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								ļ
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12		<u> </u>	20.35	21.09		<u> </u>
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1								l	1				
	Zone 1		_1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	<u> </u>	
	First 4-Wire Analog Voice Grade Local Loop in Combination -							-								
	Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	<u> </u>	
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	l	1	20.35	21.09	Ì	
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.3562					1					
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month		1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09	Ì	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.91	5.70	4.42								
	3/1 Channel System in combination per month		1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1								i i							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		1	20.35	21.09	Ì	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1		1		1							1	İ	
	Interoffice Transport Combination - Zone 2	ı	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86		l	20.35	21.09		

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrecurring		Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	1	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	30.90			20.33	21.09		
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	15110	0.01	0.70	7.72								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					· · · · · ·										
	<b> </b>	Zone 1	<u> </u>	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		<b> </b>
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	2	UNCDX	UDL56	40.04	100.70	25 47	70.04	10.00		1	20.35	21.09		i '
<b> </b>	<del> </del>	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>		UNCDA	UDLOO	40.61	108.76	35.47	72.94	10.86			∠0.35	∠1.09		<b></b>
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	0.1027	02200	00.11	100.10	00.11	72.01	10.00			20.00	21100		
		Mile Per Month			UNC1X	1L5XX	0.3562										1
		First Interoffice Transport - Dedicated - DS1 - combination															
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	ļ	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
-	1	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)  3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	0.91 222.98	5.70 156.02	4.42 49.41	17.12	6.77			36.84	36.84		<del> </del>
	1	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	49.41	17.12	6.77			30.04	30.04		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	COIDI	17.00	0.70	7.72								l
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															ł
-	1	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2.4-		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		<del> </del>
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								1
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	0.31	3.70	7.72								
		Channel System per month			UNC1X	1L5XX	0.3562										ł
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system															1
	1	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	17.58	5.70	4.42								<del> </del>
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
<b> </b>	EXTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				52.13	24.02	9.12	5.12	<del>                                     </del>	<b> </b>	20.33	21.09		
	†	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				T											
	<u> </u>	Transport Combination - Zone 1	L_	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	<u></u>		20.35	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															i
	<b></b>	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<b> </b>
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		l
-	<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination - Per		3	אסטאוט	UDL04	55.11	100.76	33.47	12.94	10.86	<b>+</b>		20.35	21.09		
	1	Mile Per Month	1		UNC1X	1L5XX	0.3562						1		1		i '
	1	First Interoffice Transport - Dedicated - DS1 combination -				-											
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	<u> </u>	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	1	Per each OCU-DP COCI (data) in combination - per month (2.4-	1		LINCDY	I DADD	0.04	5.70	4.40				1		1		i
	<del> </del>	64kbs) 3/1 Channel System in combination per month	<del>                                     </del>	<del>                                     </del>	UNCDX UNC3X	1D1DD MQ3	0.91 222.98	5.70 156.02	4.42 49.41	17.12	6.77	<del>                                     </del>		36.84	36.84		
	<del> </del>	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.77			30.04	30.04		
	<b>†</b>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				00.51	17.50	3.70	7.72	1							
1	1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86		1	20.35	21.09		i '

CATEGORY   RATE ELEMENTS   Interi	SOMAN ---	---
Section   Company   Comp	Disc 1st Disc Add	
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL64   40.61   108.76   35.47   72.94   10.86   20.35   2	99	
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	99	
Interoffice Transport Combination - Zone 2	)9 )9 )9 )9 )9 )9	
Interoffice Transport Combination - Zone 3	)9 )9 )9 )9 )9	
Combination - per month (2.4-64kbs)	99 99 99 99 99 99 99 99 99 99 99 99 99	
Channel System per month	99 99 99 99 99 99 99 99 99 99 99 99 99	
Same 3/1 Channel System per month	99 99 99 99 99 99 99 99 99 99 99 99 99	
Combination per month	09 09 09 09 09 09 09 09 09 09 09 09 09 0	
Is Charge   UNC1X   UNCCC   52.73   24.62   9.12   9.12   20.35   2	09 09 09 09 09 09 09 09 09 09 09 09 09 0	
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X   22.22   108.76   35.47   72.94   10.86   20.35   2   2   2   2   2   2   2   2   2	99	
Transport - Zone 1	99	
Transport - Zone 2   2 UNCNX   U1L2X   29.02   108.76   35.47   72.94   10.86   20.35   2	09	
First Interoffice Transport - Dedicated - DS1 combination - Per   Mile per month   UNC1X		
Mile per month	09	
Facility Termination per month	09	
Per each Channel System 1/0 in combination - per month         UNC1X         MQ1         80.77         105.76         14.48         3.04         2.74           Per each 2-wire ISDN COCI (BRITE) in combination - per month         UNCNX         UC1CA         3.24         5.70         4.42		
3/1 Channel System in combination per month UNC3X MQ3 222.98 156.02 49.41 17.12 6.77 36.84 3	34	
Per each DS1 COCI in combination per month         UNC1X         UC1D1         17.58         5.70         4.42		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 1	09	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport	09	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport  Combination - Zone 3 3 UNCNX U1L2X 37.95 108.76 35.47 72.94 10.86 20.35 2		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month UNCNX UC1CA 3.24 5.70 4.42		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.3562		
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 2	09	
Each Additional DS1 COCI in the same 3/1 channel system combination per month UNC1X UC1D1 17.58 5.70 4.42		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 2	09	
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		
First 4-wire DS1 Digital Local Loop in Combination - Zone 1 1 UNC1X USLXX 57.73 228.40 161.74 79.87 24.88		
First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	+ +	
First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.3562		
First Interoffice Transport - Dedicated - DS1 combination -	na	
	34	
Per each DS1 COCI combination per month         UNC1X         UC1D1         17.58         5.70         4.42		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.3562		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
CHECHEL	I TO										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		_	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>F</b> • · · · · · · · · · · · · · · · · · ·	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								1								
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
	Fort All World DOA have (Co. Observed For W. Transfer Co.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAV	114754	77.00	474.04	440.40	70.07	00.00			00.05	04.00		
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	OCIDI	17.56	5.70	4.42								
	1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	OOLAC	07.70	220.40	101.74	70.07	24.00						
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-	i .								1						
L	Is Charge		L	UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u></u>	20.35	21.09		
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO													_	
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
<b>-</b>	Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOC		50.70	04.00	0.40	0.40			20.25	24.00		
EVT	Is Charge ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE :	UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXI	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO	T 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
<b></b>	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		5	ONODA	ODLOT	33.11	100.70	33.47	72.34	10.00						
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurr															
	n used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Non	ecurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)					ļ				ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1								_		1				
$\vdash$	Is Charge - 2 wire/4-Wire VG	<u> </u>	ļ	UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOC		50.70	04.00	0.40	0.10		1	20.05	40.54		
$\vdash$	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<u> </u>	UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	Is Charge - DS1	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>		014017	314000		52.73	24.02	5.12	9.12			33.13	24.02		
	Is Charge - DS3	1		UNC3X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-	!			3000		02.70	27.02	Ü.1Z	U. 12	1	<b> </b>	55.75	24.02		
	Is Charge - STS1	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
Opti	onal Features & Functions:			-				.,								
1,1				U1TD1,				l		İ			İ	İ		
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OI	OI	OI	OI		1		1		
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		Ol	OI	OI	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,										]		
	Activity - per DS1	1		UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S			45.68	1.76		
		1		U1TD3, ULDD3,								1		]		
$oxed{oxed}$	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		
MUL	TIPLEXERS	ļ		1,000	1.101				ļ							
$\vdash$	DS1 to DS0 Channel System per month	ļ		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		LIDI	40400	4.00	0.00	4.00				1		0.00		
	month (2.4-64kbs) used for a Local Loop	<u> </u>	<u> </u>	UDL	1D1DD	1.82	6.07	4.66				l	l	9.80		

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			lustau:									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Auu i	DISC ISL	DISC Add I
							_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															1
1		used for connection to a channelized DS1 Local Channel in the											1		1		1
	<u> </u>	same SWC as collocation		<u></u>	U1TUC	1D1VG	0.91	6.07	4.66					<u></u>			<u> </u>
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	17.58	6.07	4.66								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	g retail USOCs	3								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Forthern Body O.W. Andre I. Body W. Oeller ID. Boy			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
-	-	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Firehouse Barto 2 Wise Apples Line Bart sutrains sale. Bar			UEPSR	UEPRO	1.89	9.93	9.19	2.00	2.92			20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSK	UEPRU	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			UEFSK	UEPAQ	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	1	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			ULFOR	OLFAII	1.09	9.93	3.13	3.00	2.32	1		20.33	10.54	13.32	1.40
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			OLI OK	OLI AIX	1.03	9.95	3.13	3.00	2.32			20.55	10.54	10.02	1.40
		port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			02. 0.0	02.712		0.00	0.10	0.00	2.02			20.00	.0.01	.0.02	
		port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling							****	0.00							
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
1		Exchange Port - 2-Wire VG Tennessee Residence Area Plus												1			1
		without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Low Usage Line Port without Caller ID															1
	1	Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	<u> </u>	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU				LUEBOB												<b>├</b> ──
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
<u> </u>	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)				1								1	<del> </del>		<b>├</b>
1		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1	LIEDOD	LIEDDI	4.00	9.93	0.10	2.22	0.00		1	20.05	40.54	40.00	1.40
	1	Bus		1	UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92	1	l	20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect		L		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
FEAT	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	<del>                                     </del>				20.35	10.54	13.32	1.40
FEAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00	<del> </del>				20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (DID & PBX)				72. 11	3.00	5.00	3.00	1				20.00	.0.04	.0.02	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<del>                                     </del>	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPPO UEPP1	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	-		20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
<b>H</b>	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP UEPSP	UEPP1 UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54 10.54	13.32	1.40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92	<del>                                     </del>	<b> </b>	20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<b> </b>	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92	t		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

	IIII E	D NETWORK ELEMENTO. T															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee		1	ı	1	ı								ment: 2	Exhil	
														Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect	1	1	088	Rates (\$)		
-				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						11130	Auu i	11130	Addi	JOHILO	JONAN	JOHAN	JOHAN	JOINAIN	JOINAIN
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	0.00	2.02			20.35	10.54	13.32	1.40
	FEATU				02. 0.	00,100	0.00	0.00	0.00					20.00		10.02	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		ANGE PORT RATES (COIN)					0.00	0.00									
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit s	vitched	usage	will also apply to ci	rcuit switche						iated with 2	wire ISDN i				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	i
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)			, <b>.</b>							1					ī
		ANGE PORT RATES															í
	The DS	61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate aq	reement.	· ·	í
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this amer	ndment shall	be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.				i	i
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01		8.47			20.35	10.54	13.32	1.40
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)	l	1	UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit so	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transn	ission by B-Ch	nannels assoc	iated with 2	wire ISDN	oorts.		i	í
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process	. Rates for the	packet capabi	lities will be de	etermined via	he Bona Fi	de Request/	New Busines:	s Request Pro	cess.	í
	EXCHA	ANGE PORT RATES (continued)														,	í
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911														i	í
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		i
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								í .
		Virtual collocation - Special Access & UNE, cross-connect per														, '	í
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75					<u> </u>	i .
	Detaile	d E911 with Locator Capability (required with UEPEX port)															<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														, '	í
		Locator Capability - Initial Profile Establishment per CLEC per														, '	1
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54	<u> </u>	1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														, '	1
		Locator Capability - Subsequent Profile Changes, Additions,														, '	í
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		<u> </u>
	New or	Additional PRI Telephone Numbers															<b></b>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														, '	í
		Locator Capability 2-way Telephone Numbers, per number in														, '	1
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54	<u>'</u>	<del>                                     </del>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														, '	1
		Locator Capability - Outdial Telephone Numbers, per number in			LIEDEY	LIEDAD	0.0755	00.00	00.00					00.05	40.54	, '	í
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		<del>                                     </del>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward														, '	í
		Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIED4E	0.00	0.04						00.05	40.54	, '	1
	-	Additional]		-	UEPDX	UEP1E	0.00	0.94						20.35	10.54		<del></del>
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]	l	1	UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54	, ,	1
	LOCAL	Inward Tel Numbers [Customer Testing Purposes]  NUMBER PORTABILITY	-	<del>                                     </del>	UEFEX	FK/ZI	0.00	44./1	44.70					∠0.35	10.54		
<u> </u>	LUCAL	Local Number Portability (1 per port)	<u> </u>	<del>                                     </del>	UEPEX UEPDX	LNPCN	1.75					-		20.35	10.54		<del></del>
	INTER	FACE (Provsioning Only)	-	-	OLFEX DEPUX	LINFOIN	1.75							20.35	10.54		
-	INTER	Voice/Data	1	1	UEPEX	PR71V	0.00	0.00	0.00			1	1	20.35	10.54		
-	+	Digital Data	1	1	UEPEX	PR71D	0.00	0.00	0.00			1	1	20.35	10.54		1
<u> </u>	-	Inward Data	<b>-</b>	<del>                                     </del>	UEPDX	PR71E	0.00	0.00	0.00			-		20.35	10.54		<del></del>
<u> </u>	Now or	r Additional Channel	<b>-</b>	<del>                                     </del>	OLFDA	INIE	0.00	0.00	0.00			-		20.35	10.54		<del></del>
-	INGW OF	New or Additional - Voice/Data "B" Channel	1	1	UEPEX	PR7BV	0.00	28.39				1	1	20.35	10.54		1
-	+	New or Additional - Voice/Data B Channel	1	1	UEPEX	PR7BF	0.00	28.39				1	1	20.35	10.54		
-	+	New or Additional Inward Data "B" Channel	1	1	UEPDX	PR7BD	0.00	29.11				1	1	20.35	10.54		
1	+	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	29.39				1	1	20.35	10.54		
<b>—</b>	-	New or Additional Useage Sensitive Voice Data B Channel	1	<del>                                     </del>	UEPEX	PR7BU	0.00	29.39		<del>                                     </del>		1		20.35	10.54		
	1	S Saltional Codage Constitée Digital Data D'Ollaline	ı	1	A	. 11, 50	0.00	20.00		1	ı	1	1	20.33	10.54		

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
ONDONDE	TENTONIC ELEMENTO TOMOGGGG										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del>                                     </del>					1		Monroourring		Monroourring	Dissennest			000	Rates (\$)		
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>-</b>	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	29.39	Auu i	THOU	Auu i	JOHILO	JONAN	20.35	10.54	JOHAN	JONAN
CALL	TYPES					0.00										
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBU	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			115016		1.00			0.00					10.51	10.00	
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Linkundled Remote Cell Forwarding Carries Legal Celling Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<del>                                     </del>	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-F	Recurring			***			5.50	5.10	3.00	2.02			20.00	.5.04	.0.02	10
	Unbundled Remote Call Forwarding Service - Conversion -				1											
	Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29								
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<del>                                     </del>	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<b>-</b>	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service Expanded and						0.00		0.00							
	Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service - Conversion with															
UNDUNDUED	allowed change (PIC and LPIC)  LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		1.03	0.29						-		
	Office Switching (Port Usage)				-									-		
Elia	End Office Switching Function, Per MOU					0.0008041										
Tande	em Switching (Port Usage) (Local or Access Tandem)					0.0000011										
	Tandem Switching Function Per MOU					0.0009778										
	Tandem Switching Function Per MOU (Melded)					0.000380364										
	Melded Factor: 38.90% of the Tandem Rate									_						
Comn	non Transport															
$\vdash$	Common Transport - Per Mile, Per MOU				1	0.0000064			ļ					ļ		
UNIDUNDA 55	Common Transport - Facilities Termination Per MOU				1	0.0003871								1		
	PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ato Co.	mmission rulo to se	ovide Unbrin	dled Local Sud	tching or Swite	h Porte	<del>                                     </del>		1			<del>                                     </del>		<b> </b>
	res shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit	1		<del> </del>	1	
	Office and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
	rst and additional Port nonrecurring charges apply to Not Curr															
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2		2			18.01								1		
10	2-Wire VG Loop/Port Combo - Zone 3		3		1	23.02								-		
UNE I	Loop Rates		4	LIEDDY	LIEDLY	40.40			1		1			1	-	
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	1 2	UEPRX UEPRX	UEPLX	12.48 16.31			<del>                                     </del>		1			<del>                                     </del>		<b> </b>
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	21.32			+		1	1		<del> </del>	1	
2-Wir	e Voice Grade Line Port Rates (Res)		J	OLI IVA	JLI LA	21.32			+		1			t		<del>                                     </del>
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69		1		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69				

CATEGORY  2-W diali 2-W Fes 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID - 1D - 2-W ID - 1D - 1D - 1D - 1D - 1D - 1D - 1D - 1	RATE ELEMENTS  Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - is (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X)	Interi m	Zone	BCS  UEPRX  UEPRX  UEPRX	USOC  UEPAQ  UEPAH  UEPAK	Rec 1.70 1.70	Nonrecurring First 22.14	Add'I 15.25	Nonrecurring First	Add'l	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st  SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l		per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)	m		UEPRX UEPRX	UEPAH	1.70	First		First	Add'l			Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	OSS	Rates (\$)		
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	-	22.14	15.25								,
2-W res 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	-	22.14	15 25								
res   2-W	s (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TMCSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70		10.20	8.45	3.91		15.69				<b></b>
2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70	00.44	45.05	0.45	0.04		45.00				f
D -   2-W   D -	<ul> <li>res (F2R)</li> <li>Wire voice unbundled Tennessee Area Calling port with Caller</li> <li>res (TACER)</li> <li>Wire voice unbundled Tennessee Area Calling port with Caller</li> <li>res (TACSR)</li> <li>Wire voice unbundled Tennessee Area Calling port with Caller</li> <li>res (1MF2X)</li> </ul>				UEPAK		22.14	15.25	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				f
ID -   2-W   ID -   2-W   ID -   2-W   ID -	- res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				1	1.70	22.14	15.25	0.40	3.91		15.69				
2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID - 2-W ID -	- res (TACSR)  Vire voice unbundled Tennessee Area Calling port with Caller  - res (1MF2X)			OLITAX	OLI AL	1.70	22.14	13.23	0.40	5.51		15.05				
2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID -	- res (1MF2X)			021101	02.7			10.20	0.10	0.01		10.00				
2-W ID -				UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				ł
ID -						-		-								i
2-W	- res (2MR)	<u></u>	<u></u>	UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				<u> </u>
	Vire voice unbundles res, low usage line port with Caller ID															1
(LUI				UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				<b></b>
	Vire Voice Unbundled Tennessee Residence Dialing Plan															<u></u>
	hout Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				Ļ
	Vire voice unbundled Tennessee Area Plus Port without															ł
	ller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				<b></b>
	Vire voice unbundled Low Usage Line Port without Caller ID					. =-										f
	pability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				⊢
FEATURES				HEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	Features Offered JMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	cal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIX	LINFOX	0.33										
	Wire Voice Grade Loop / Line Port Combination - Conversion -															
	itch-as-is			UEPRX	USAC2		1.03	0.29				15.69				ł
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															<del></del>
	ritch with change			UEPRX	USACC		1.03	0.29				15.69				ł
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
Sub	bsequent Database Üpdate						0.76					15.69				ł
ADDITIONA																
	Vire Voice Grade Loop/Line Port Combination - Subsequent															í
	tivity			UEPRX	USAS2	0.00	0.00	0.00				15.69				<b></b>
	bundled Miscellaneous Rate Element, Tag Loop at End User			l	[											1
	emise		<u> </u>	UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	REMISES EXTENSION CHANNELS		<u> </u>	HEDDY	LIEAES:			20.5-	10.0-				22.2-		10.0-	
	Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN UEAEN	13.19	31.99 31.99	20.02	10.65	1.41		-	20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Vire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Non-Design	<b>-</b>	3	UEPRX UEPRX	UEAEN	17.23 22.53	31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32	13.32
	Wire Analog Voice Grade Extension Loop – Non-Design  Vire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAEN	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design  Vire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06 75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design  Vire Analog Voice Grade Extension Loop – Design	<b>-</b>	3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ICE TRANSPORT		Ť		322	20.20	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.02
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											í
	rmination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						ł
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															i
	Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00	<u> </u>							<u> </u>
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					·										
	Loop Combination Rates															
	Vire VG Loop/Port Combo - Zone 1		1			14.18										
	Vire VG Loop/Port Combo - Zone 2		2		1	18.01										<b> </b>
	Vire VG Loop/Port Combo - Zone 3		3		1	23.02										<del>                                     </del>
UNE Loop I				HEDDY	LIEBLY	10.10	ļ									<del></del>
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPBX UEPBX	UEPLX	12.48	ļ									<del></del>
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX UEPLX	16.31 21.32										<del></del>

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted	1	Incremental		Incremental Charge -	Incremental Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
	1							Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Bus)															i
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBC UEPBO	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
		2-Wire voice Grade unbundled Tennessee extended local			OLI BX	OLI BO	1.70	22.14	13.23	0.40	3.91		13.03				
		dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				i
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL	. NUMBER PORTABILITY			UEPBA	UEPBE	1.70	22.14	15.25	0.45	3.91		13.09				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	-															
		All Features Offered  CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX UEPBX	UEAEN UEAEN	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41		<del>                                     </del>	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		2 Wire Analog Voice Grade Extension Loop – Nort-Design  2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	INTER	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
-	UNE Po	ort/Loop Combination Rates					1110										
<b>-</b>	1	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		+	14.18 18.01			<del>                                     </del>			-				
	1	2-Wire VG Loop/Port Combo - Zone 3		3		1	23.02			<b>—</b>			<b>†</b>				
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2 Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32			-			<u> </u>				
	∠-vvire	Voice Grade Line Port Rates (RES - PBX)	1			1				I		1	1				1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted		_	Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi		D00				D 4 T F O (A)			Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				ـــــــ
FEAT												1= 00				
NONE	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69		-		<b>├</b>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		_											<del></del>
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				İ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		1.00	0.20				10.00				
] [	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69			1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			-									1			
<u> </u>	Subsequent Database Update	<u></u>		<u></u>		<u></u>	0.76		<u> </u>	<u></u>	<u> </u>	15.69	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														1	1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
] [	PBX Subsequent Activity - Change/Rearrange Multiline Hunt							44.51				45.00		I	1	1
	Group						14.64	14.64				15.69				-
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		0.00	0.83					20.35	10.54	13.32	13.32
OFF/C	DN PREMISES EXTENSION CHANNELS			UEPRG	UKEIL		8.33	0.63					20.33	10.54	13.32	13.32
OF F/C	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															İ
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															İ
0 14/10	or Fraction Mile  E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	U1TVM	0.0174	0.00	0.00						-		<del></del>
	Port/Loop Combination Rates															<del>                                     </del>
ONLI	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										<del> </del>
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE L	.oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	16.31										
0.15"	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32								-		<del></del>
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	1							1		1	ļ		1	<del>                                     </del>	<del>                                     </del>
] [	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69			1	1
<del>                                     </del>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus  Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69	-	<del> </del>		<del>                                     </del>
<del>                                     </del>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69		<b>—</b>		<b>—</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70		15.25	8.45	3.91		15.69		1	İ	
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee	1													1	
	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69	<u></u>		<u> </u>	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee														]	1
<b> </b>	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69		ļ		<b>↓</b>
<del>                                     </del>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69	-	1	<b> </b>	
<b></b>	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX UEPPX	UEPXB UEPXC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69		<del>                                     </del>		<del>                                     </del>
<del>                                     </del>	2-Wire Voice Unbundled PBX LD DDD Terminals Port  2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70		15.25	8.45	3.91	-	15.69		+		<del>                                     </del>
<del>                                     </del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			0=11 A	OLI AD	1.70	22.14	10.20	0.40	5.91	<b></b>	10.09		t		
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69			1	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy									2.31			1			
I	Administrative Calling Port	<u> </u>		UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69	<u></u>	<u> </u>	<u> </u>	<u>1</u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69		I .	]	1

CATEOORY   RATE ELEMENTS   Interfer m	Exhibit: A		Attachi											_	NBUNDLED NETWORK ELEMENTS - Tennessee
CATEGORY   RATE ELEMENTS   Intent   Manual Process   Ma	al Incremental Increme			Svc Order	Svc Order										
CATEGORY   RATE ELEMENTS   March   BCS	- Charge - Charge	Charge -	Charge -	Submitted	Submitted										
College   Coll	vc Manual Svc Manual	Manual Svc	Manual Svc	Manually	Elec									Interi	
Rec		Order vs.			per LSR			RATES (\$)			USOC	BCS	Zone		TEGORY RATE ELEMENTS
Second   S		Electronic-		p	<b>,</b>									m	
Rec	Disc 1st Disc Ad														
Part	DISC 1St DISC AG														
Pirit   Add   SOME										Pac					
Administrative Calling Port TX Calling Port   UEPNX	SOMAN SOMA	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100					
2-Wire Votes Urbundled 1-Wige Outgoing PRX Hotel/Hospital   Discourt Room Calling Pert   UEPX   UEPX   UEPX   UEPX   UEPX   1,70   22,14   15,25   8,45   3,91   15,69															
Discourt Room Calling Port				15.69		3.91	8.45	15.25	22.14	1.70	UEPXN	UEPPX			
2-Wire Votor Unburdded 1-Way Cutgeng PRX Measured Port   UEPPX   UEPX   1.70   22.14   15.25   8.45   3.91   15.69															
2.Wire Votos Unbundled PRX Collien/lie and Memphis Calling Port   UEPPX UEPX UEPX UEPX UEPX   1.70   22.14   15.25   8.45   3.91   15.69															
Port   UEPNZ				15.69		3.91	8.45	15.25	22.14	1.70	UEPXS	UEPPX			
2.Wire Viole Unbunded 2-Way PBX Tennessee RegionServ   UEPPX															
Calling Port				15.69		3.91	8.45	15.25	22.14	1.70	UEPXU	UEPPX			
Temessee PBX.2-Way Combo Each Additional Trunk   UEPPX   UEPA6   1.70   22.14   15.25   8.45   3.91   15.69															
Collevertile and Memphis Local Calling Plan   UEPPX   UEPA6   1.70   22.14   15.25   8.45   3.91   15.69				15.69		3.91	8.45	15.25	22.14	1.70	UEPXV	UEPPX			
Tennessee PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan   UEPPX   UEPA7   1.70   22.14   15.25   8.45   3.91   15.69					1			.= -			LIEBAA	LIEDDY		1	
Memphis Local Calling Plan	+			15.69		3.91	8.45	15.25	22.14	1.70	UEPA6	UEPPX	-	1	
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTAB				45.00	1	2.01	0.45	45.05	00.44	4.70	LIEDAZ	LIEDDY		1	
DEPX   LINPOP   3.15   0.00   0.00   15.69	+			15.69		3.91	8.45	15.25	22.14	1.70	UEPA/	UEPPX	-	1	
FEATURES				45.00				0.00	0.00	2.45	LNDCD	LIEDDY			
MIF cetures Offered   UEPPX   UEPVF   0.00   0.00   0.00   0.00   15.69				15.69				0.00	0.00	3.15	LNPCP	UEPPX			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+ + -			15.60				0.00	0.00	0.00	LIEDVE	LIEDDY		1	
E-Wire Voice Grade Loop (Line Port Combination (PBX) - Conversion - Switch-As-Is   UEPPX   USAC2   1.03   0.29   15.68	<del>-  </del>			13.03			1	0.00	0.00	0.00	OLI VI	OLITA			
Conversion - Switch-As-Is   UEPPX USAC2   1.03   0.29   15.69	<del></del>														
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change   UEPPX   USACC   1.03   0.29   15.69				15.69				0.29	1.03		LISAC2	LIEPPX			
Conversion - Switch with Change   Carde Loop / Line Port Combination - Conversion - Subsequent Database Update   0.76   15.69	<del></del>			10.00				0.20	1.00		OUNOL	OLITA			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   0.76				15.69				0.29	1.03		USACC	UEPPX			
Subsequent Database Úpdate				10.00				0.20	1.00		007.00	02.17			
ADDITIONAL NRCS   2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity   UEPPX   USAS2   0.00   0.00   0.00   0.00   15.69				15.69					0.76						
Subsequent Activity - Change/Rearrange Multiline Hunt Group															
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group															2-Wire Voice Grade Loop/ Line Port Combination (PBX) -
Group				15.69				0.00	0.00	0.00	USAS2	UEPPX			
Unbundled Miscellaneous Rate Element, Tag Loop at End User   Permise															PBX Subsequent Activity - Change/Rearrange Multiline Hunt
Premise   UEPPX   URETL   8.33   0.83   20.35   10				15.69				14.64	14.64						
DFF/ON PREMISES EXTENSION CHANNELS   Local Channel Voice grade, per termination   1 UEPPX   P2JHX   16.56   75.06   48.20   28.70   17.64   20.35   10															
Local Channel Voice grade, per termination	54 13.32 13	10.54	20.35					0.83	8.33		URETL	UEPPX			
Local Channel Voice grade, per termination   2   UEPPX   P2JHX   21.63   75.06   48.20   28.70   17.64   20.35   10			00.05				00.70	10.00		10.50	D0 II IV	LIEBBY			
Local Channel Voice grade, per termination   3   UEPPX   P2JHX   28.28   75.06   48.20   28.70   17.64   20.35   10     Non-Wire Direct Serve Channel Voice Grade   SW   UEPPX   SDD2X   10.02   148.84   112.34   73.14   36.65   20.35   10     INTEROFFICE TRANSPORT   Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPPX   U1TV2   18.58   55.39   17.37   27.96   3.51     Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile   UEPPX   U1TVM   0.0174   0.00   0.00     UNE Port/Loop Combination Rates   UEPPX   U1TVM   0.0174   0.00   0.00     2-Wire VG Coin Port/Loop Combo - Zone 1   1   1.18   14.18   1.18   1.19     2-Wire VG Coin Port/Loop Combo - Zone 2   2   18.01   1.19     UNE Loop Rates   UEPPX   U1EVX   12.48   UEPPX   U1EVX   12.48   UEPPX   U1EVX   12.48   UIEVX   UNEVX   U1E		10.54											1		
Non-Wire Direct Serve Channel Voice Grade		10.54													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPPX   U1TV2   18.58   55.39   17.37   27.96   3.51		10.54 10.54													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	4 13.32 13	10.54	20.33			30.03	73.14	112.34	140.04	10.02	SDDZA	UEPFA	SVV	1	
Termination	<del></del>														
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile						3.51	27 96	17.37	55 39	18 58	U1TV2	LIEPPX			
Or Fraction Mile						0.01	21.00		00.00	10.00	02	02.17			
UNE Port/Loop Combination Rates					1			0.00	0.00	0.0174	U1TVM	UEPPX		1	
2-Wire VG Coin Port/Loop Combo - Zone 1															
2-Wire VG Coin Port/Loop Combo - Zone 2   2   18.01										14.18			1		
UNE Loop Rates										18.01			2		2-Wire VG Coin Port/Loop Combo – Zone 2
2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPCO UEPLX 12.48										23.02			3		2-Wire VG Coin Port/Loop Combo – Zone 3
															UNE Loop Rates
1   12-Wire Voice Grade Loop (SL1) - Zone 2       2   IUEPCO     IUEPLX   16.31														1	
										16.31	UEPLX	UEPCO	2		2-Wire Voice Grade Loop (SL1) - Zone 2
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPCO UEPLX 21.32	$\longrightarrow$								ļ <u> </u>	21.32	UEPLX	UEPCO	3	ļ	
2-Wire Voice Grade Line Ports (COIN)							ļ		ļ				$\vdash$	ļ	
2-Wire Coin 2-Way without Operator Screening and without				4-0-	1						LIEBTE	LIEBOO		1	
Blocking (TN)	+			15.69		3.91	8.45	15.25	22.14	1.70	UEPTB	UEPCO		<b> </b>	
2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) UEPCO UEPRP 1.70 22.14 15.25 8.45 3.91 15.69				45.00	1	2.01	0.45	45.05	00.44	4.70	LIEDDD	LIEBCO		1	
	+			15.69		3.91	8.45	15.25	22.14	1.70	UEPKP	UEPCO	$\vdash$	<del>                                     </del>	
				15.60		2.04	0 15	15.25	22.14	1 70	LIEDTA	LIERCO			
(IN)   OEFCO   OEFTA   1.70   22.14   13.23   0.43   3.91   13.69	+			13.09		3.91	0.45	10.20	22.14	1.70	OLFIA	OLI CO		<b>-</b>	
900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 1.70 22.14 15.25 8.45 3.91 15.69				15.69		3.91	8 45	15 25	22 14	1 70	UEPCA	UEPCO		1	

UNBUNDL	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.88						15.69				<del> </del>
	LA)			UEPCO	UEPCR	1.88						15.69				
ADD	DITIONAL UNE COIN PORT/LOOP (RC)			LIEDOO	LIDEOLI	0.45	0.00	0.00	0.00	0.00		45.00				
	UNE Coin Port/Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	Local Number Portability (1 per port)	-	1	UEPCO	LNPCX	0.35	-		-		1			-		+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					0.00	0.00					13.09				
2 14/	Premise  IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINE	DORT (	UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	E Port/Loop Combination Rates	LINE	POKI (	KE3)							1			-		+
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45					1					+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		-	23.52										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-Wi	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller ID - res	-	1	UEPFR UEPFR	UEPRC UEPRO	1.89 1.89	84.99 84.99	57.39 57.39	32.36 32.36	20.56 20.56	1	15.69 15.69		-		+
	2-Wire voice unbundled port outgoing only - res     2-Wire voice Grade unbundled Tennessee extended local	-		UEPFR	UEPRU	1.89	84.99	57.39	32.36	20.56	1	15.69		-		+
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAK	1.89	04.00	57.39	22.20	20.50		45.00				
	ID - res (F2R)  2-Wire voice unbundled Tennessee Area Calling port with Caller	·		UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				1
	ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller				UEPAO											
	ID - res (2MR)  2-Wire voice unbundles res, low usage line port with Caller ID	$\vdash$		UEPFR		1.89	84.99	57.39	32.36	20.56		15.69				
	(LUM)  2-Wire Voice Unbundled Tennessee Residence Dialing Plan	1	1	UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69		-		<del>                                     </del>
ILITE	without Caller ID EROFFICE TRANSPORT	1		UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
INIE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	<del> </del>												<del>                                     </del>
	Termination  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						<u> </u>
	or Fraction Mile			UEPFR	1L5XX	0.0174										
FEA	TURES	1		LIEBER							ļ			ļ		<b>↓</b>
1.00	All Features Offered	ļ		UEPFR	UEPVF	0.00	0.00	0.00				15.69		1		+
LOC	CAL NUMBER PORTABILITY  Local Number Portability (1 per port)	<del>                                     </del>	1	UEPFR	LNPCX	0.35	<del>                                     </del>		-				-	<b>-</b>		+
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLITIN	LIVI OA	0.33					1			ļ		

CATEGORY   RATE FLERENTS   Micro   RCS   USOC   RATE (I)   RATE (I)   Company   Comp	UNB	UNDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
## RATE PLEIDLYS**  **RATE PLEIDLYS** **RATE PLEIDLYS** **PARTE PLEIDL	0.12	ONDELL	THE THORK ELEMENTO TO MIGGOOD										Svc Order	Svc Order				
## ATTE SLEENEYS   Short   Sho														1				
CATEGORY   RATE ELEMENTS				Intori														
Recording	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Note   Comparison   Note   N				m									por zork	po. 2011				
Prince Load   Delication   De																		
March   Print   AddT   SOME   SOMAN																	2.00 .01	2.007.44
SWE UND / Telestrate   17 major / 2 West Une Print   UPPR   USACE   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   16.94   372   172   372								Rec										
Combination - Commercian - Sentimenses   Commercian - C									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description																		
Combination Convention - Standard Microslaves Standard Experted Loop of Uniformited Microslaves Standard Experted Loop of Uniformited Microslaves Standard Experted Loop of Uniformited Microslaves Standard Conference Co						UEPFR	USAC2		16.94	3.72				15.69				
Unborded Miscellaneous Rade Element. Tig Designed Loop of Loop   Loop Tigothy Compan						LIEDED	110400		40.04	0.70				45.00				
First later Premise   200   10.04   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.32   13.33	-					UEPFK	USACC		10.94	3.12				15.09				-
2-WINE VOICE LOOP VARIETY OF TRANSPORT 2-WINE LINE PORT (BUS)						LIEDED	LIDETN		11 22	1 10					20.25	10.54	12 22	12 22
Description Combination Research		2-WIRE		LINE	PORT (		OKLIN		11.23	1.10					20.55	10.54	10.02	13.32
2-Vivi Vol Logio Tangotiff Cortino - Zenot   1   1   18,455					J (	l .												<del></del>
Description   Description					1			18.45										
Description   Description					2													
Delta Loop Rates																		
2-Wire Vales Grade Long (SL2) - Zone 3   LEPPB   LEC?   21.85																		
2-Wire Vacid Cardas Line Prof.   20.00   2			2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										
2     2			2-Wire Voice Grade Loop (SL2) - Zone 2		_		UECF2	21.63										
2-Wire voice unfunded part without Caller ID - bus   UEPPB   UEPBL   1.89   8.499   57.39   32.36   20.56   15.69					3	UEPFB	UECF2	28.28										
2/Wer voice unbundled port with Caller # E44 E0 - bus   UEPFB   UEPBC   1.89   64.99   57.39   32.36   20.56   15.69																		
2-Wire voice unbundled port outgoing only - bus   UEPPB   UEPB																		
2-Vitrie votice Grade unburdled Transesse extended local dating party port with Calart P - Sus unburdled Transesse extended local dating party port with Calart P - Sus unburdled transesse searched local party party with Calart P - Sus unburdled transesse searched local party party with Calart P - Sus unburdled transesse sus 2-Vitry Area Calling   UEPRB UEPAB   1.89   84.99   57.39   32.36   20.56   15.69			2-Wire voice unbundled port with Caller + E484 ID - bus															
daiing party port with Caller ID - bus						UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire Vote unbundled incoming only port with Caller ID - Bus   VEPFB   UEPB1   1.89   84.99   57.39   32.36   20.56   15.69																		
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling   UEPFB   UEPAC   1.89   84.99   57.39   32.36   20.56   15.69	-																	
Port Economy Option (TACCI)						UEPFB	UEPBI	1.89	84.99	57.39	32.30	20.56		15.69				
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (TACC2)   Port Standard Option (						LIEDED	LIEDAC	1 90	94.00	57 20	22.26	20.56		15.60				
Port Standard Option (TACC2)	-					OLITB	OLI AC	1.03	04.55	37.33	32.30	20.50	1	15.05				<del></del>
2-Wire voice unbundled Tennessee Bus 2-Way Collerville and   UEPFB   UEPFB   UEPFB   UEPFB   UEPFB   UEPFB   UEPFB   UEPFB   UEPFB   UEPWO   1.89   84.99   57.39   32.36   20.56   15.69						LIEPER	LIEPAD	1 89	84 99	57 39	32 36	20.56		15 69				
Memphis Local Calling Port (BZF)						02.10	02.712	1.00	01.00	07.00	02.00	20.00		10.00				
2-Wire Votoe Unbundled Tennessee Business Dialing Plan   UEPFB   UEPWO   1.89   84.99   57.39   32.36   20.56   15.69						UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
Tennessee Inward Collieruille and Memphis Local Calling Plan (BUS)																		
BUS)			without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
Tennessee 2-Way Collievrille and Memphis Local Calling Plan (BUS)																		
COLON LOCAL NUMBER PORTABILITY						UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   DEPTOR 10   LOCAL NUMBER PORTABILITY   DEPTOR 10   LOCAL NUMBER PORTABILITY   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER PORT   DEPTOR 10   LOCAL NUMBER																		
Local Number Portability (1 per port)						UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
INTEROFFICE TRANSPORT		LOCAL					LUBOY											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPFB   U1TV2   18.58   55.39   17.37   27.96   3.51		INITED				UEPFB	LNPCX	0.35										
Termination		INTERC					_						1					<b>├</b>
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPFB   1L5XX   0.0174						LIEDED	111T\/2	10.50	55.20	17 27	27.06	2.51						
OF Fraction Mile   UEPFB   1L5XX   0.0174						OLITB	OTTVZ	10.30	33.33	17.07	27.30	5.51						<del>                                     </del>
FEATURES						LIEPER	1I 5XX	0.0174										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFB   USAC2   16.94   3.72   15.69		FEATU				02.10	120701	0.0111										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFB   USAC2   16.94   3.72   15.69			All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
Combination - Conversion - Switch -as-is																		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch with change   UEPFB   USACC   16.94   3.72   15.69			2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Conversion - Switch with change						UEPFB	USAC2		16.94	3.72				15.69				
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPFB URETN   11.23   1.10   20.35   10.54   13.32   1																		
End User Premise						UEPFB	USACC		16.94	3.72				15.69				
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)   UNE Port/Loop Combination Rates							1											
UNE Port/Loop Combination Rates	-	0 14775-		<u> </u>	100T /		URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-			LINE	-UKI (	PBX)	+						1	-		<del>                                     </del>	-	<b>├</b>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2   2   23.52     2   2   2   2   2   2   2   2   2	-	UNE PO			1			10 AF			<b></b>		-		-		-	├──┤
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3   3   30.17   30.17		+					+										-	$\vdash$
UNE Loop Rates		+					+						<b> </b>			<b> </b>		<del>                                     </del>
2-Wire Voice Grade Loop (SL2) - Zone 1					3		_	30.17					1	<u> </u>		<b> </b>	1	
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63					1	UEPFP	UECF2	16.56								1		
1			2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28										

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
<u>_ </u> <u>_</u>	Ŧ											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -			Charge -
															Charge -	Charge -	
CATEGOR	v	RATE ELEMENTS	Interi	7	BCS	usoc			DATES (6)			Elec	-	Manual Svc	Manual Svc		Manual Svo
CATEGOR	T	RATE ELEMENTS	m	Zone	BCS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Wire V	oice Grade Line Port Rates (BUS - PBX)							71441		7.444.						00
2-1	VIIIC V	oice Grade Line i ort reales (BOO - 1 BX)															
	١.	' O' I - II - I - II - I O I ' O W DDV T I D I D I			LIEDED	LIEDDO	4.70	400.40	00.00	40.07	40.54		45.00				
		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
	L	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
					OLITI	OLI IZ	1.73	100.40	05.00	42.07	10.54		10.00				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDED	LIEDTO	4 = 4	400 10	00.00	40.00	40 = 1	1	45.60				
		Calling Port		<u> </u>	UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69		ļ		ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54	1	15.69		1		
	2	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.7.0		100.10	00.00	12.01	10.01		10.00				
					UEPFP	UEPXE	1.79	400.40	00.00	40.07	40.54	1	45.00				
		Capable Port		1	UEPFP	UEPAE	1.79	106.40	63.08	42.67	18.54	1	15.69		<b> </b>		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	l F	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy								12.01							
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
					UEPFP	UEFAIN	1.79	100.40	03.00	42.07	10.34		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	F	Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
					OLFIF	ULFAV	1.75	100.40	03.00	42.07	10.54		13.09				ļ
LO		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INT		FFICE TRANSPORT															
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	1	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.0174										
CC.	ATUR				OLITI	TLOXX	0.0174										
re/			-	1	LIEDED	LIEDVE	0.00	0.00	0.00				45.00		-		1
		All Features Offered		ļ	UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1									]		]
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										I	]		1		
l		Combination - Conversion - Switch-as-is	<u></u>	<u>L_</u>	UEPFP	USAC2		16.94	3.72			<u> </u>	15.69		<u> </u>		<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72			I	15.69		1		
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	i					+		1	12.50		l		l
		End User Premise			UEPFP	URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
LINIDI INID: 1			-	1	ULFFF	OKETN		11.23	1.10					20.35	10.54	13.32	13.32
		ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		+						-					
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1											
UN		t/Loop Combination Rates															
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38								l		
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	24.78										1
LIN		pp Rates	1	Ť		1 1	270	+		1		1			l		l
JIV		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX	UECD1	9.60					-	<b>H</b>		-		1
												1			<b> </b>		1
1		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										ļ
		P-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	16.00								1		]
UN	E Por	t Rate															
UN	E Por				UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

CATEGORY RATE ELEMENTS    Interimal Discrimination of the content	JNBUNDLE	D NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: A
ATE REMENTS  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE REMANNES  ATE RE													Svc Order	Svc Order				
PATE LEMENTS			1															Charge -
ANTE CAMPOON PARTE ELBROMS WIND BOOK BOOK BOOK BOOK BOOK BOOK BOOK BOO			Intor				1											Manual Svc
None   None	ATEGORY	RATE ELEMENTS		Zone	В	CS	USOC			RATES (\$)								Order vs.
1			m							,			per Lor	per Lor				
Part   March																		
March   March   March   March   First   Addril   First   Addril   SOMAN   SO																	Diac 1st	Diac Auu I
District Note   Store   Company								Poo	Nonrecurring		Nonrecurring	g Disconnect						
Section   Sect								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description																		
with BellSouth Association Stage   UPPY   USANC   8.75   5.75   5.75   5.75   5.76   1.70					UEPPX		USAC1		8.76	5.75					30.89	7.03		
Unborded Miselelmance Rade Echrent, Tap Designed Lose at Virginia Processing Conference Conferenc																		
End Later Premise.com   USPPX   USPX   USPPX   USPPX   USPPX   USPPX   USPPX   USPPX   USPPX   USPPX					UEPPX		USA1C		8.76	5.75					30.89	7.03		
Temphone Number Frunt Group Establishment Charges   UPPS																		
SOT DUAN Terrenation (Febr EP PC1)					UEPPX		URETN		11.23	1.10								
Additional DN Interfers for each Group of 20 DN Interfers   DUPPR Variable   DUPPR Variab	Teleph				LIEBBY/													
DID Numbers, Note: consecutive DID Numbers   Per Number   UEPPY   NDS   0.00																		
Reserve Non-Contended BC combers   UEPPY   NSC   0.00																		
Reserve DD Numbers																		
CoCA NUMBER PROFESSION CORPORATION   UEPPR UEPPR   UEPPR UEUR OO  OO  OO  OO  OO  OO  OO  OO  OO  O			1	1							1	<del>                                     </del>	1	1	<del>                                     </del>	1	1	<del>                                     </del>
	1.004		<b> </b>	<u> </u>	UEPPX		אטא	0.00	0.00	0.00	1	<b>!</b>	}		<b>!</b>	1	<del> </del>	<del>                                     </del>
2   2   2   2   2   2   2   2   2   2			1	1	HEDDY		LNDCD	0.45	0.00	0.00		1	1	-	1		-	<del>                                     </del>
UPP   UPP			UE OIDE	DODT			LNPCP	3.15	0.00	0.00								
Wind   Wind			NE SIDE	PORT			<del>                                     </del>	<b> </b>				<del>                                     </del>			<del>                                     </del>			<del></del>
UNE Zone   1	UNE PO		<del>                                     </del>	<del>                                     </del>			1	1	<del>                                     </del>		1	<b>-</b>	<del>                                     </del>		<del></del>	1	-	<del></del>
Wilson Digital Grade Loop-ZWI SISN Digital Line Side Port -   2   UEPPB   UEPPR   34.78				1	LIEDDD	HEDDD		22.27										
UNE Zone 2				-	UEPPB	UEFFR	·	32.21										-
27 ISON Dipital Grade Loop-ZW ISON Dipital Line Side Port   3   UEPPB   UEPPR   44.32				2	LIEDDD	LIEDDD		24 70										
UNE Lone 3   3   UEPPB   UEPPR   UEP			-		UEPPB	UEFFR	+	34.76				-		-	-			<del></del>
UNE Loop Rates				2	LIEDDD	LIEDDD		44.22										
2-Wire ISDN Digital Grade Loop - UNE Zone 2   2 UEPPB UEPPR USL2X 18.71	LINE			3	UEPPB	UEFFR		44.32										-
2-Wire ISDN Digital Grade Loop - UNE Zone 2   2   UEPPB   UEDPR   USL2X   18.71				1	LIEDDR	LIEDDD	LISL 2Y	16.20					1	1				
2.Wire ISDN Digital Grade Loop - UNE Zone 3   3 UEPPB UEPPR USLZX   28.25		2-Wile IODIN Digital Grade Loop - ONE Zone 1		_ '	OLITD	OLITIK	OOLZX	10.20										
2.Wire ISDN Digital Grade Loop - UNE Zone 3   3 UEPPB UEPPR USLZX   28.25		2 Wire ISDN Digital Grade Lean LINE Zone 2		2	LIEDDD	LIEDDD	1161 50	10 71										
UNE For Rate   UEPPB UEPPR   UEPPB   16.07   11.175   118.37   49.20   43.26   19.99	-											1	1					
Exchange Port - 2-Wire ISDN Line Side Port   UEPPB UEPPR UEPPB   16.07   141.75   118.37   49.20   43.26   19.99   1	UNE P			3	OLITO	OLITIK	OOLZX	20.23				1	1					
NONRECURRING CHARGES - CURRENTLY COMBINED   2-Wire ISDN Did Grade Loop / 2-Wire ISDN Did Grade Loop / 2-Wire ISDN Loop / 2-Wi	ONE I				LIEPPR	LIEPPR	LIEPPR	16.07	141 75	118 37	49.20	43.26	1		19 99	19 99		
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Countries on Combination - Countries on Combination - Sub Active   UEPPB UEPPR USASB   UEP	NONRE				OLITE	OLITIK	OLI I B	10.07	141.70	110.07	40.20	40.20			10.00	10.00		
Combination - Conversion	NOMINE																	
ADDITIONAL NRCS					LIFPPR	LIFPPR	USACB	0.00	117 23	117 23					19 99	19 99		
2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actry   Non-FeatureAdd Trunk   UEPPB   UEPPR   USASB   212.88   N 19.99   19.9	ADDITI				02	OL: III	00/102	0.00	111.20	20					.0.00	10.00		
Non Feature/Add Trunk																		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPPB UEPPR URETN   11.23   1.10					UEPPB	UEPPR	USASB		212.88						19.99	19.99		
End User Premise							1	1				1			12.30			
Unbundled Miscellaneous Rate Element, Tag Loop at End User   UEPPB   UEPPR   URETL   8.33   0.83	1		1		UEPPB	UEPPR	URETN		11.23	1.10		I			I		1	1
Premise	1						1	<b>†</b>				İ			İ		İ	
LOCAL NUMBER PORTABILITY	1		1		UEPPB	UEPPR	URETL		8.33	0.83		I			I		1	1
B-CHANNEL USER PROFILE ACCESS:	LOCAL	NUMBER PORTABILITY																
CVS/CSD (DMS/5ESS)			<u></u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CVS (EWSD)	B-CHA	NNEL USER PROFILE ACCESS:																
CSD   UEPPB UEPPR UTUCC   0.00   0.				<u></u>				0.00		0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																		
CVS/CSD (DMS/5ESS)					UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
CVS (EWSD)	B-CHA		C,MS, &	TN)						· · · · · · · · · · · · · · · · · · ·								
CSD																		
USER TERMINAL PROFILE																		
User Terminal Profile (EWSD only)					UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES    All Vertical Features - One per Channel B User Profile   UEPPB UEPPR   UEPVF   0.00				<u> </u>			1					1			1			<b>└</b>
All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			ļ	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		ļ	<u> </u>		ļ			<b>↓</b>
INTEROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, additional mile UEPPB UEPPR MIGNC 17.91 53.99 17.37 19.99 19.99 Interoffice Channel mileage each, additional mile UEPPB UEPPR MIGNC 17.91 53.99 17.37 19.99 19.99  4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT							L					ļ	<u> </u>					1
Interoffice Channel mileage each, including first mile and facilities termination  UEPPB UEPPR MIGNC 17.91 53.99 17.37  Interoffice Channel mileage each, additional mile  UEPPB UEPPR MIGNC 17.91 53.99 17.37  UEPPB UEPPR MIGNM 0.173 0.00 0.00				<u> </u>	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		1			1			<b></b>
facilities termination UEPPB UEPPR M1GNC 17.91 53.99 17.37 19.99 19.99 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.173 0.00 0.00 9.00 9.00 9.00 9.00 9.00 9.0	INTER		ļ	<u> </u>			1					ļ	<u> </u>		ļ			1
Interoffice Channel mileage each, additional mile  UEPPB UEPPR M1GNM 0.173 0.00 0.00  4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	1		1						]			I			I		1	1
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT												<b>.</b>			19.99	19.99		<b></b>
			<u> </u>	<u> </u>	UEPPB	UEPPR	M1GNM	0.173	0.00	0.00		ļ	<u> </u>		ļ			<b>└</b>
							1	l	I			1		1	1		ļ	<b>↓</b>

LINBUNDU	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
ONBONDLI	I NETWORK ELEMENTS - Tellilessee	1				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0		m		200				(4)			per LSR	perLSK	Order vs. Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	the effective date of	of this amend	ment shall be										
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
UNE	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDI	TONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			LIEDDO	55707											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
Name	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			1					
New o	r Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39				1		19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00					1		19.99	19.99		
	New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	29.11 29.39						19.99	19.99		
CALL	TYPES			OLFFF	FRIBD	0.00	29.39				1	-	15.55	19.99		
CALL	Inward	<del>                                     </del>		UEPPP	PR7C1	0.00	0.00	0.00	1	1	<del>                                     </del>		t	1	1	
<del>                                     </del>	Outward	1		UEPPP	PR7CO	0.00	0.00	0.00	<del> </del>	<del> </del>			<del>                                     </del>	1		
<del>                                     </del>	Two-way	1		UEPPP	PR7CC	0.00	0.00	0.00	<del> </del>	<del> </del>			<del>                                     </del>	1		
Interd	ffice Channel Mileage	<del> </del>		02.71		0.00	5.00	0.00	<b>†</b>				<b>-</b>			
	Fixed Each Including First Mile	1		UEPPP	1LN1A	76.1825	145.98	109.85	19.55		1		19.99	19.99		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.3525	145.36	103.03	19.55			<u> </u>	13.35	13.35		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		02.71		0.0020			<b>†</b>		1		<u> </u>			
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	ded base in place a	s of 10/2/03 i	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.		1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff												-			
	Port/Loop Combination Rates	T			1								1			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	93.28			<b>†</b>				19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
UNE I	oop Rates	Ì														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1													I	
	- Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1								]			_			
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>		UEPDC	USAWA	l	312.91	312.91	I	]			19.99	19.99		

UNBL	JNDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
0.10	JIVDELL	THE THORK ELEMENTO TO MIGGOOD										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									,								
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		AME DOLD STATE OF AME DOLD TO THE DOLD OF THE STATE OF TH						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANA		040.04	040.04					40.00	40.00		
-	ADDITI	- Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs			UEPDC	USAWB		312.91	312.91					19.99	19.99		
	ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/104		34.00	34.00								
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 50	05		100.01	100.01					10.00	.0.00		
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67		<u></u>			19.99	19.99		<u></u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans	ļ	<u> </u>	UEPDC	UDTTE		108.67	108.67	ļ				19.99	19.99		
		AR 8 ZERO SUBSTITUTION	<b>!</b>	ļ	LIEBBO				=======								
		B8ZS -Superframe Format	<b>!</b>	ļ	UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
-		te Mark Inversion AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
-		AMI - Extended SuperFrame Format			UEPDC	MCOSF		0.00	0.00								
		one Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00								
		Telephone Number for 2-Way Trunk Group	-		UEPDC	UDTGX	0.00						1	19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00							19.99	19.99		
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
		Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
		Lateration Observation Additional and a contract of the contra			LIEDDO	41.110.4	0.0505	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
1		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNO2	0.00	0.00	0.00					1	1		
<b>—</b>	1	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	<b>!</b>	1	UEPUC	ILNU2	0.00	0.00	0.00					-	-		
1		miles	l		UEPDC	1LNOB	0.3525	0.00	0.00					1	1		
<b>—</b>		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	01.00	121400	0.3323	0.00	0.00					<del> </del>	<b> </b>		
1		Termination)	l		UEPDC	1LNO3	0.00	0.00	0.00					1	1		
				i –			3.00	2.00	5.00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	ĺ		UEPDC	1LNOC	0.3525	0.00	0.00								
		Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00								İ
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	Each Sy	ystem can have up to 24 combinations of rates depending on	type a	nd num	ber of ports used	1			l				<u> </u>		]		
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
<u> </u>		ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	or this amendmer	nt shall be pro	vided pursuan	τ το a separate	agreement or	tariff at BellSo	utn's discretion	on.		<b> </b>	<b> </b>		ļ
<b>-</b>	UNE DS	61 Loop	l	1	UEPMG	USLDC	F7 70	0.00	0.00					<b> </b>	-		
<u> </u>	1	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	<b>!</b>		UEPMG UEPMG	USLDC	57.73 75.40	0.00	0.00					-	-		
<b>-</b>	1	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	<b>!</b>		UEPMG	USLDC	75.40 98.59	0.00	0.00					-	-		<b> </b>
<b> </b>	LINE DS	4-Wire DST Loop - ONE Zone 3 O Channelization Capacities (D4 Channel Bank Configuration	ns)	- 3	OLF IVIG	JUSEDO	90.09	0.00	0.00	1		-		1	1		1
<b>—</b>	JIVE DO	24 DSO Channel Capacities (54 Channel Bank Configuration	, I	1	UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s	1	1	UEPMG	VUM48	263.74	0.00	0.00			<u> </u>	<u> </u>	19.99	19.99		<b> </b>
		96 DSO Channel Capacity -1 per 4 DS1s	1	1	UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
		144 DS0 Channel Capacity - 1 per 6 DS1s	1	1	UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
											•	•					•

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.1.201122											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•	l <sup>-</sup>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ .							Nananaain	ı	l Name a commission of	. Dianamant			220	Datas (f)		
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
<b>-</b>	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00	FIRST	Addi	SOMEC	SUMAN	19.99	19.99	SOWAN	SUMAN
<del>                                     </del>	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00			1		19.99	19.99		
<del>                                     </del>	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00			1		19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164,88	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conver	sion Charge											
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature A	Activations.										
Multi	ples of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and										
New (	(Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port						=0.4.00						40.00			
L	and Assoc Fea Activation (E:4/1/2004)	<u> </u>		UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipol	ar 8 Zero Substitution								-							
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
<b></b>	Clear Channel Capability Format - Extended Superframe -			UEFIVIG	CCOSF	0.00	0.001	590.008								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
Alter	nate Mark Inversion (AMI)			OLFIVIG	CCOLI	0.00	0.001	390.005			1					
Aiten	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port without DID															
ļ	(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			HEDDY	LIEDDIA	0.07	0.00	0.00	0.00	0.00			00.00	7.00		
-	(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Combination	<del>                                     </del>		OLI I A	JL1 01	1.70	0.00	0.00	0.00	0.00	<del>                                     </del>		30.09	7.03		
	(AL, KY, LA, MS, & TN) (Conversion from Network Access												1	1		
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –							,,,,,								İ
	Tennessee Only – Calling Plan - Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
	Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank (includes Q.1.4, P50.1, P.50.498)	ļ		UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80	ļ		30.89	7.03		
	Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	400/4"	0.00	70.00	47.00	-100	10.5-			00.00	7.00		
Tolon	D4 Bank (includes Q.1.4, P50.1, P.50.498)	<b> </b>		UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57	}		30.89	7.03		1
reiep	hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)	├		UEPPX	NDT	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>		-	-		-
	DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States	1	1	UEPPX	ND4	0.00	0.00	0.00			1	1				
<del>                                     </del>	Non-Consecutive DID Numbers - per number	<del>                                     </del>		UEPPX	ND5	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>		<del> </del>	<del> </del>		
<del>                                     </del>	Reserve Non-Consecutive DID Numbers	<del>                                     </del>		UEPPX	ND6	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>		<del> </del>	<del> </del>		
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability					2.30	2.30	2.30	1				1	1		İ
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								l
FEAT	URES - Vertical and Optional	1									İ					
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								

LINIE	LINDLE	D NETWORK ELEMENTS - Tennessee												A // 1:		F.4.7	
UND	UNDLE	D NETWORK ELEMENTS - Tellilessee	1	1		1	I					Svc Order	Svc Order	Incremental	ment: 2	Exhib Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l		
														1st	Addi	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	1. Cos	t Based Rates are applied where BellSouth is required by FCC	and/or	State 0	Commission rule to p	orovide Unbu	undled Local S	witching or Sw	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For (	Currently Co	mbined Combo	os, the nonrecu	irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.				B				T.	1	1		ı		1	
		ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an individual Cas	se Basis, uni	ili turtner notic	e.		-							
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7							-							
		ort/Loop Combination Rates (Non-Design)															
<b> </b>	S.V.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								t			<b> </b>				
1		Non-Design	1	1	UEP91		14.18			I			1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>†</b>	<u> </u>			0			1							
		Non-Design		2	UEP91		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1							1					İ		
		Non-Design		3	UEP91		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP91		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP91		29.98										
	UNE L	oop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
	UNE P	,															
	All Sta	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
		Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDO4	LIEDVA 4		20.44	45.55		0.01		00.00	7.00			
-		Note 2, 3 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	-	UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-		
		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		OLFBI	ULF 1Z	1.70	22.14	15.25	0.40	3.91		30.09	1.03	1		
1		- Basic Local Area	1		UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$		2-Wire Voice Grade Port Terminated on 800 Service Term -	1				1.70	22.17	10.20	0.40	5.31		50.00	7.00			
		Basic Local Area	1	1	UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only	1				1				. , .				İ		
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3	ļ		UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
-	-	Service Term	<u> </u>		UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
		2 Wire Voice Crade Port terminated in an Manalistan and internal			LIEDO4	LIEDOS	4.70	00.44	45.05	0.45	0.01		20.00	7.00			
-	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	I cool	2-Wire Voice Grade Port Terminated on 800 Service Term Switching	1	<u> </u>	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-	<b></b>	
$\vdash$	Local	Centrex Intercom Funtionality, per port	<del>                                     </del>		UEP91	URECS	0.6381			t					1		
-	Local	Number Portability	<del> </del>	l	OL: 01	CINEGO	0.0361			<b>-</b>							
1			1	1	1		•						1		1		1

UNBUND	OLEC	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
330,112	Ī					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
			Inter.									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	ature					<u> </u>											
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
N.A	ARS	University I Notice of Access Description Complete Con-			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Indiai  Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
B4:		neous Terminations			UEF91	UARUA	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		runk Side						+									
H-12-1		Trunk Side Terminations, each	<del> </del>	1	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03	<b>-</b>	<b>-</b>	
Inf		ce Channel Mileage - 2-Wire	<b>†</b>		S=1 01	JE11/10	0.70	22.14	10.20	0.40	5.31		30.09	7.03	t	t	
<del>                                     </del>		nteroffice Channel Facilities Termination - Voice Grade	1		UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<b>I</b>	<b>I</b>	
		nteroffice Channel mileage, per mile or fraction of mile	<b>1</b>		UEP91	M1GBM	0.0174		.0.20	5.10	5.51		55.55	50	1	1	
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	e				3.54			1				1	1	1	
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.00										
<b></b>		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.66 0.66										
No		curring Charges (NRC) Associated with UNE-P Centrex			UEF91	IFQWA	0.66										
INC		Conversion - Currently Combined Switch-As-Is with allowed						+									
		changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	0.20				30.89	7.03			
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
		Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
		NAR Establishment Charge, Per Occasion	1		UEP91	URECA	2.30	68.57		1			30.89	7.03	1	1	
Ad		nal Non-Recurring Charges (NRC)	1		-	1				1				1	1	1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use						1		1							
		Premise	L	<u> </u>	UEP91	URETL		8.33	0.83	<u> </u>					<u> </u>	<u> </u>	
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1											]			
		End Use Premise	<u> </u>		UEP91	URETN		11.23	1.10				ļ			1	
		ENTREX - 5ESS (Valid in All States)	ļ												1	1	
		G Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ			1		ļ		ļ					<b>.</b>	<b>.</b>	
UN		rt/Loop Combination Rates (Non-Design)	ļ														
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOE		44.0								1	1	
<b></b>		Non-Design	1	1	UEP95	1	14.18	<del>                                     </del>		ļ		-	1	-	1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	2	UEP95		18.01								1	1	
<b></b>		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		ULF90	+	18.01			1			<del>                                     </del>	-	<del></del>	<del></del>	
		z-vvire vo Loop/z-vvire voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP95		23.02							1	I	I	
III		rt/Loop Combination Rates (Design)	<b>†</b>	3	OL1 30	+	23.02	<del>                                     </del>		<del> </del>			<del>                                     </del>	<del> </del>	t	t	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1		<del>                                     </del>		1		<u> </u>	1	<b> </b>	<b>I</b>	<b>I</b>	
		Design	1	1	UEP95		18.26							1	I	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>1</b>	Ė		1	.5.20			1				1	1	1	
		Design	1	2	UEP95		23.33								1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1		1							
		Design	1	3	UEP95		29.98							1	I	I	
UN		op Rate	<u></u>														
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										

HINBHINDI P	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONBONDE	D NETWORK ELEMENTS - Tellilessee				1 1						Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates (\$)	I.	
<b>—</b>					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>—</b>	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	THOL	Auu i	THOU	Auu i	JOHILO	JONAN	JONAN	JOHAN	JOHAN	JONIAN
<b>+</b>	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32	1									
<b>—</b>	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
<b>—</b>	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
<b>—</b>	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
LINE	Port Rate		3	OLI 33	0002	20.20										
All St							1									
All Ot	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>—</b>	2-Wire Voice Grade Port (Centrex ) Basic Edea 7 tea			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex ede termination)			OLI 50	OLI ID	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				32. 711	1.70	22.17	10.20	0.40	5.31	1	30.00	7.55	<b>†</b>	1	t
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
<del>                                     </del>	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				32. 7141	1.70	22.17	10.20	0.40	0.01	1	30.00	7.00	<b> </b>		<b>—</b>
	Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 33	OLI 12	1.70	22.14	10.20	0.43	3.31		30.03	7.00			
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<del>                                     </del>	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	1.70	22.14	13.23	0.43	3.31	1	30.03	7.03			
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AI K	Y, LA, MS, SC, & TN Only			OLI 33	OLI 12	1.70	22.14	13.23	0.43	3.31		30.03	7.03			
AL, K	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>—</b>	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>—</b>	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>—</b>	2-Wire Voice Grade Port (Centrex With Editor 18)1			OLI 30	OLI QII	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 33	OLI QIVI	1.70	22.14	13.23	0.43	3.31		30.03	7.03			
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>—</b>	10111 2,0			OLI 30	OLI QL	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b>†</b>	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FI &	GA Only			02. 00	02. Q2	0		10.20	0.10	0.01		00.00	7.00			
	Switching															
2004	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				02.00	2.1.00	0.00										
, sutu	All Standard Features Offered, per port			UEP95	UEPVF	0.00	† †					30.89	7.03	t		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03	t		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03	t		
NARS							†							İ	İ	
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	İ	İ	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03	İ	İ	
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	İ	İ	
Misce	Ilaneous Terminations				1									İ		
	Trunk Side				†		†						İ	İ	İ	
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire						ĺ									
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
İ	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174	İ									
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
Ll	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u></u>		UEP95	1PQW6	0.66	<u> </u>		<u>                                       </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		<u></u>	UEP95	1PQW7	0.66	<u>                                      </u>		<u>                                       </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.23	1.10								
	UNE-P	CENTREX - DMS100 (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		29.98										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32	, and the second	·								
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
		ort Rate														ļ	
	ALL S																
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		[	]			Ì					I	Ì	1
	4	Area		<b> </b>	UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b>.</b>	ļ	<b></b>
1		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			l	1				_	_			l _			1
	4	Area		<b> </b>	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b>.</b>	ļ	<b>└</b>
	1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1						_					I	Ì	1
	1	Area		<u> </u>	UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>├</b>
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			l	1				_	_			l _			1
		Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b>.</b>		<b></b>
	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1											I	Ì	1
	4	Area		<b> </b>	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b>.</b>	ļ	1
l		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			l	1				_	_			l _			1
<u> </u>	1	Area		<u> </u>	UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>├</b>
1		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				l==.:=				_							1
1	1	Area		<u> </u>	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															1
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															[
	2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															1
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															[
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															[
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															1
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															ĺ
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															i
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															i
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															i
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															i
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															i
	Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4 70	20.11	45.05	0.45	2.24		20.00	7.00			1
A1 12	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			<del>                                     </del>
AL, N	Y, LA, MS, SC, & TN Only			UEP9D	UEPQA	1.70	22.14	45.05	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex)			UEP9D		1.70		15.25		3.91						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPQB UEPQC	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		30.89 30.89	7.03 7.03			<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4  2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03			<del></del>
+	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		1	UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
+	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	<b>-</b>		UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del></del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			f
1	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
İ	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					0		.0.20	5.10	0.01		30.00				
	Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
1	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					-						<del></del>				ſ
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
İ												-				(
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1	1	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		i

UNBI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhil	bit: A
3,450	,,,p_L	THE TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	i
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2 Wile Voice Grade Fort (Gentiewanier GWG/EBG Wigges)2,0,4			OLI OD	OLI QT	1.70	22.17	10.20	0.40	0.01		00.00	7.00			f
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
<b>—</b>	<del>                                     </del>		1			J=. 3(0	1.70	22.17	10.20	0.40	5.91		30.00	7.00			ſ
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			1
<b>—</b>	<b>†</b>	2 11.10 10.00 0.1000 1 011 (OCHROX GIROT OTTO / EDO-INDZ 10/2,0,4		<b>-</b>	CL. 0D	321 Q0	1.70	22.17	10.20	0.40	0.91		55.55	7.00	<b> </b>		ſ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI Q7	1.70	22.14	10.20	0.40	5.51		30.03	7.00			
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		16111 2,3			OLI 3D	OLI QZ	1.70	22.14	10.20	0.43	5.51		30.03	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port Terminated in on Meganink of equivalent			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local	Switching			OLF3D	ULFQZ	1.70	22.14	13.23	0.45	3.91		30.09	7.03			
-	LUCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
-	Local	Number Portability			OLF3D	UNLUG	0.0361										
	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Feature				UEF9D	LINFCC	0.33										
	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
-		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
-		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	433.76					30.89	7.03			
-	NARS	All Certifex Control Features Offered, per port			OLF3D	OLFVC	0.00						30.09	7.03			
-	NAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
-		Unbundled Network Access Register - Combination  Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<del></del>
	Miccol	laneous Terminations			OLF3D	UARUX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Trunk Side				+											<del></del>
	z-wire	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
-	4-Wire	Digital (1.544 Megabits)	1	1	OFLAD	CEINDO	0.78	22.14	15.25	0.45	3.91		30.89	1.03	-		
-	4-44116	DS1 Circuit Terminations, each	<del>                                     </del>	-	UEP9D	M1HD1	35.55	75.93	38.15	-			30.89	7.03			<del>                                     </del>
<u> </u>	<del> </del>	DS0 Channels Activiated per Channel	-		UEP9D	M1HD0	0.00	108.67	30.15	1	-		30.89	7.03	-		
<del></del>	Interes	fice Channel Mileage - 2-Wire	<b>-</b>		OFLAD	טטוווואו	0.00	100.07		1			30.09	1.03	<b> </b>		
-	meror	Interoffice Channel Facilities Termination	<b>-</b>		UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	<b> </b>		
-	1	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP9D	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	1	30.89	1.03			
-	Fasture	a Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OFLAD	IVI I GDIVI	0.0174	<b> </b>		1				<b> </b>	<b> </b>		
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	l			+ -		<b></b>		1				<b> </b>	<b> </b>		
-	P# Cile	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>-</b>		UEP9D	1PQWS	0.66	<b></b>		1				<b> </b>	<b> </b>		
-	1	i eature Activation on D-4 Channel Dank Centrex Loop 510t	1	1	OFLAD	1124113	0.00				-		-	-	-		
1	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9D	1PQW6	0.66					1		Ì	Ì		1
-	<del>                                     </del>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<b>-</b>		OFLAD	1 F Q VVO	0.00	<b></b>		1				<b> </b>	<b> </b>		
	1	Slot	l		UEP9D	1PQW7	0.66					İ	1				1
1	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	OLI 3D	11 64 4 1	0.00			1	1	1	1	1	1		1
	1	Different Wire Center	1	1	UEP9D	1PQWP	0.66					1		Ì	Ì		1
-	<del>                                     </del>	Dilibration Willie Centrel	<b>-</b>		OLFSD	IFQVIP	0.06	<b> </b>		<del> </del>				<b> </b>	<b> </b>		
	1	Foature Activation on D.4 Channel Book Britists Line Land Clat	1	1	UEP9D	1PQWV	0.66					1		Ì	Ì		1
-	<del>                                     </del>	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	<b>!</b>	-	UEF9D	IPQVV	0.66						<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		
	1	Islot	1	1	LIEDOD	10000	0.00					1		Ì	Ì		1
-	<del>                                     </del>	6.61	<b>!</b>	-	UEP9D	1PQWQ	0.66						<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		
-	No. P	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	-	UEP9D	1PQWA	0.66			-							<del>                                     </del>
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	1	-		-				1	-			1	<del> </del>		<del></del>
	1	NRC Conversion Currently Combined Switch-As-Is with allowed	l		UEP9D	USAC2		1.03	0.29			İ	30.89	7.03			1
	1	changes, per port	l		UEF9D	USAUZ		1.03	0.29		l .	1	30.89	7.03	l		

UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
O.T.DO.		I TELLINGIAN ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGORY		RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			i
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			i
		NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			i
	Additio	onal Non-Recurring Charges (NRC)															i
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								ł
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.23	1.10								ł
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															i .
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														1
		Non-Design		1	UEP9E		14.18			I		1		Ì	Ì	I	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		2	UEP9E		18.01			I		1		Ì	Ì	I	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						ĺ									ĺ
		Non-Design		3	UEP9E		23.02			I		1		Ì	Ì	I	1
	UNE P	ort/Loop Combination Rates (Design)															1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
		Design		1	UEP9E		18.26										í
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															í
		Design		2	UEP9E		23.33										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		3	UEP9E		29.98										ł
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										ĺ
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										1
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										<u> </u>
		ort Rate															<u> </u>
	AL, FL	, KY, LA, MS, & TN only															<u> </u>
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
1 7		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1											1	1	_	1
		Area	<u> </u>		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								I		1		Ì	Ì	I	1
		Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	<b></b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire								I		1		Ì	Ì	I	1
		Center)2,3 Basic Local Area	<u> </u>		UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	<b></b>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				1		Į Į		1						1	i
		Service Term - Basic Local Area	<u> </u>		UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		ļ	<b></b>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		l	1		[		l _	_	1		_	Ì	I	1
		- Basic Local Area	<b></b>		UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ	<b>.</b>	<b></b>
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		l	1				I		1		Ì	Ì	I	1
		Basic Local Area	ļ		UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ	<b>.</b>	<b></b>
	AL, KY	, LA, MS, & TN Only	<b></b>		LIEBAE	UEDC:				L				ļ	ļ	<b>.</b>	<b></b>
$\vdash$		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del></del>
$\vdash \vdash$		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
$\vdash$		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDC:			.=							1	i
$\vdash$		Center)2,3	ļ		UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDG 7			.=							1	ł
		Service Term	<u> </u>		UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	<del></del>
		OME Visco On to Book on the Live of March	1		LIEDOE	LIEBOO	4 = -		45.00	l		1	00.00	7.00	Ì	I	1
$\vdash$		2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>		UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	<del></del>
$\vdash$		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
$\vdash$	Local S	Switching	ļ		LIEDOE	LIDEOO	0.0001										<b></b>
		Centrex Intercom Funtionality, per port	1	l	UEP9E	URECS	0.6381			<u> </u>				<u> </u>	<u> </u>		1

UNBUND	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
01120112												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intani									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add 1
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo	cal N	umber Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Fe	ature																
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
N/	ARS						0.00										
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00		0.00		0.00	7.03			
Mi		aneous Terminations					2.00	2.00	2.00	2.00	2.00	İ	2.30	1.00			
		Trunk Side						†		†		İ					
l f		Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03			
4-1		Digital (1.544 Megabits)	1				50		.0.20	50	3.31		30.00			1	1
H		DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15	1			30.89	7.03			<b> </b>
<b></b>		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67	00.10	1			30.89	7.03			<b> </b>
Int		ce Channel Mileage - 2-Wire			OLI OL	WITIDO	0.00	100.01		1			00.00	7.00			<b> </b>
H		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			<b> </b>
<b></b>		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			<del>                                     </del>
Fo		Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI OL	INTODIN	0.0174										<del>                                     </del>
		nnel Bank Feature Activations															<del>                                     </del>
H-12-		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										<del>                                     </del>
		realure Activation on B-4 Channel Bank Centrex Loop Glot			OLI 3L	II QVVO	0.00										<b>——</b>
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 3L	II QVV0	0.00										<b>——</b>
		Slot			UEP9E	1PQW7	0.66										1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLFBL	IF Q VV I	0.00										<del></del>
		Different Wire Center			UEP9E	1PQWP	0.66										1
<b></b>		Different Wife Center			OLF3L	IFQWF	0.00	+		1							<del></del>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										1
<b></b>		Feature Activation on D-4 Channel Bank Frivate Line Loop Slot			UEF9E	IFQVV	0.00	+		1							<del></del>
		Slot			UEP9E	1PQWQ	0.66										1
<b></b>		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWQ	0.66										$\vdash$
No		curring Charges (NRC) Associated with UNE-P Centrex			UEF9E	IFQWA	0.00										$\vdash$
INC		NRC Conversion Currently Combined Switch-As-Is with allowed						+		1							<del> </del>
		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			1
<b></b>		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60	0.29	1			30.89	7.03			<del>                                     </del>
		New Centrex Standard Common Block  New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			<del> </del>
<del></del>		NAR Establishment Charge, Per Occasion	<b>!</b>	1	UEP9E	URECA	0.00	68.57		1			30.89	7.03		-	<del></del>
A		nal Non-Recurring Charges (NRC)	1	1	OLI JL	UNLUA	0.00	00.57		+ -		-	30.09	1.03		-	<del>                                     </del>
AC		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1		+		+		+ -		-	-			-	<del>                                     </del>
1 1		Onbundled Miscellaneous Rate Element, Tag Loop at End Ose Premise			UEP9E	URETL		8.33	0.83								1
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	1	OLFSE	UKEIL		0.33	0.83	<del>                                     </del>			-				<del>                                     </del>
1 1		End Use Premise			UEP9E	URETN		11.23	1.10								1
118		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1	1	OLF 3L	OINLIN		11.23	1.10	1		-	-				<del>                                     </del>
																	$\vdash$
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design)	<b>!</b>	1		+		+		1						-	<del>                                     </del>
Ur		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		+				<del>                                     </del>			-				<del>                                     </del>
		2-wire vg Loop/2-wire voice Grade Port (Centrex) Port Combo (		1	UEP93		14.18						1				1
$\vdash$		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>!</b>	-	OLF 30	+	14.18	+		1						-	<del>                                     </del>
		2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		18.01										1
$\vdash$		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OFL 39	+	10.01	+		+ -		-	-			-	<del>                                     </del>
1 1		2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		23.02					1					1
111	JE Da	rt/Loop Combination Rates (Design)	1	3	OFL 39	+	23.02			<del>                                     </del>			-				<del>                                     </del>
l lor			1	1		+		<del>                                     </del>									<del> </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP93		40.00						1				1
<del></del>		Design	1	1	UEP93	+	18.26	<del>                                     </del>									<del> </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		00.00						1				1
ullet		Design	1	2	UEP93	1	23.33	<u> </u>		1		i	l .			l	

JNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
		l									Elec	Manually				Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						11130	Auu	11100	Addi	COMILO	COMPAR	JOINTAIN	COMPAR	COMPAR	COMPAN
	Design		3	UEP93		29.98										
LINE	oop Rate		3	ULF 93	-	29.90										
ONE L			1	LIEDOS	LIECC4	40.40	-				1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
UNE P	ort Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1				i i				1					
I	Area	1		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								2.10	2.01	1	22.00	1.00	1	1	1
I	Area	1		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
<del>     </del>	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>	1	OL: 33	JE1 111	1.70	22.14	10.25	0.40	3.91	1	30.09	1.03	1	1	1
I		1		UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	Center)2,3 Basic Local Area			UEP93	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire									-						
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	<del>                                     </del>		OLI SO	OLI QIVI	1.70	22.17	10.20	0.40	0.01	1	00.00	7.00			
				UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Service Term			UEF93	UEFQZ	1.70	22.14	15.25	0.43	3.91		30.69	7.03			
	OWEN Vision On the Boots and the order of the order			LIEDOO	LIEBOO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching	<u> </u>										1		ļ	1	
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability										<u> </u>					
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur	res															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
1	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS			1				1				1					
1	Unbundled Network Access Register - Combination	1	1	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	Ì	0.00	7.03	1	1	i
	Unbundled Network Access Register - Indial	1		UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03	1		
<del></del>	Unbundled Network Access Register - Outdial	<del>                                     </del>	1	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	<del> </del>	0.00	7.03	<del>                                     </del>	1	<del> </del>
Missa	Ilaneous Terminations	<del>                                     </del>	1	OL: 33	JANUA	0.00	0.00	0.00	0.00	0.00	1	0.00	1.03	1	1	1
	Trunk Side	<del>                                     </del>	1	1	+		+		1		}	+	<del> </del>	1	<del>                                     </del>	<del> </del>
∠-wire	Trunk Side Trunk Side Terminations, each	<del>                                     </del>	1	UEP93	CEND6	0.70	00.44	45.05	0.45	2.01	1	20.00	7.03	<del>                                     </del>	1	<del>                                     </del>
4 187		<del>                                     </del>	1	ULFSS	CEINDO	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03	<del>                                     </del>	1	<del>                                     </del>
4-wire	Digital (1.544 Megabits)	-	<u> </u>	LIEBOO	144115				1		1			1	-	
	DS1 Circuit Terminations, each	<u> </u>	1	UEP93	M1HD1	35.55	75.93	38.15	1		1	30.89	7.03	<b> </b>		ļ
	DS0 Channels Activated, Per Channel	ļ	ļ	UEP93	M1HDO	0.00	108.67					30.89	7.03	ļ		
Intero	ffice Channel Mileage - 2-Wire													ļ		ļ
	Interoffice Channel Facilities Termination			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0174										
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
						. ,,,	į į				İ	1	İ	İ	1	İ

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc					Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						В	Nonrecurring		Nonrecurrin	g Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1	02.00	3.12114		11.20	1.10								<del>                                     </del>
	2 - Requires Interoffice Channel Mileage		1	1		1				1				1		
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment		1	İ			İ			1	İ			1		
	Rates displaying an "R" in Interim column are interim and sub	piect to	rate tru	ie-up as set forth i	in General Terr	ns and Conditi	ons.				İ					

## **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## **TABLE OF CONTENTS**

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Gateway nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Gateway can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide Gateway with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Gateway and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Gateway requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Gateway, BellSouth will not assess Gateway additional charges beyond the rates and charges specified in this Agreement.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Gateway nondiscriminatory access to its OSS and the necessary information contained therein in order that Gateway can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Gateway to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Gateway's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Gateway can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic

interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Gateway will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Gateway shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Gateway shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Gateway shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Gateway will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Gateway's access to customer record information. If a BellSouth audit of Gateway's access to customer record information reveals that Gateway is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Gateway may take corrective action, including but not limited to suspending or terminating Gateway's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Gateway electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Gateway will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Gateway electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Gateway will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Gateway agree to adhere to BellSouth's Operational

Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Gateway nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Gateway agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Gateway agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Gateway at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

### 3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by Gateway will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Gateway shall be required to submit a new service request. Incorrect or invalid requests returned to Gateway for correction or clarification will be held for thirty (30) calendar days. If Gateway does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Gateway will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Gateway to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Gateway and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Gateway to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify

Gateway that such a request has been processed but will not be required to notify Gateway in advance of such processing.

- 3.2.1 Neither BellSouth nor Gateway shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Gateway shall return a FOC to BellSouth within thirty-six (36) hours after Gateway's receipt from BellSouth of a valid LSR.
- 3.2.4 Gateway shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Gateway elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Gateway by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Gateway that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Gateway's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Gateway, which has the billing relationship with that End User, and Gateway may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Gateway cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the

provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Gateway places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Gateway places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Gateway may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Gateway elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Gateway, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.